

Mark S Wipfli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4720665/publications.pdf>

Version: 2024-02-01

73
papers

3,484
citations

201674

27
h-index

138484

58
g-index

74
all docs

74
docs citations

74
times ranked

2388
citing authors

#	ARTICLE	IF	CITATIONS
1	A suction pump sampler for invertebrate drift detects exceptionally high concentrations of small invertebrates that drift nets miss. <i>Hydrobiologia</i> , 2022, 849, 2077.	2.0	1
2	Strontium isotopes reveal diverse life history variations, migration patterns, and habitat use for Broad Whitefish (<i>Coregonus nasus</i>) in Arctic, Alaska. <i>PLoS ONE</i> , 2022, 17, e0259921.	2.5	2
3	Juvenile Coho and Chinook Salmon Growth, Size, and Condition Linked To Watershed-Scale Salmon Spawner Abundance. <i>Transactions of the American Fisheries Society</i> , 2021, 150, 307-326.	1.4	1
4	Evidence of energy and nutrient transfer from invasive pink salmon (<i>Oncorhynchus tshawytscha</i>) to overlock 10 Tf 50 627 Td (go	1.4	10
5	Terrestrial and semi-aquatic scavengers on invasive Pacific pink salmon (<i>Oncorhynchus gorbuscha</i>) carcasses in a riparian ecosystem in northern Norway. <i>Biological Invasions</i> , 2021, 23, 973-979.	2.4	4
6	Arctic insect emergence timing and composition differs across thaw ponds of varying morphology. <i>Arctic, Antarctic, and Alpine Research</i> , 2021, 53, 110-126.	1.1	1
7	Bridging the Gap Between Salmon Spawner Abundance and Marine Nutrient Assimilation by Juvenile Salmon: Seasonal Cycles and Landscape Effects at the Watershed Scale. <i>Ecosystems</i> , 2020, 23, 338-358.	3.4	4
8	Reverberating effects of resource exchanges in stream-riparian food webs. <i>Oecologia</i> , 2020, 192, 179-189.	2.0	12
9	Invertebrate prey contributions to juvenile Coho Salmon diet from riparian habitats along three Alaska streams: Implications for environmental change. <i>Journal of Freshwater Ecology</i> , 2019, 34, 617-631.	1.2	4
10	A general model of temporary aquatic habitat use: Water phenology as a life history filter. <i>Fish and Fisheries</i> , 2019, 20, 802-816.	5.3	13
11	The complementary role of lentic and lotic habitats for Arctic grayling in a complex stream-lake network in Arctic Alaska. <i>Ecology of Freshwater Fish</i> , 2019, 28, 209-221.	1.4	17
12	Surface water connectivity controls fish food web structure and complexity across local- and meta-food webs in Arctic Coastal Plain lakes. <i>Food Webs</i> , 2019, 21, e00123.	1.2	6
13	Generalist feeding strategies in Arctic freshwater fish: A mechanism for dealing with extreme environments. <i>Ecology of Freshwater Fish</i> , 2018, 27, 767-784.	1.4	20
14	Will Alaska's Fisheries Regime Prove Resilient? Kenai River Fishery Management as a Model for Adaptive Governance. <i>Fisheries</i> , 2018, 43, 26-30.	0.8	0
15	Trophic pathways supporting Arctic grayling in a small stream on the Arctic Coastal Plain, Alaska. <i>Ecology of Freshwater Fish</i> , 2018, 27, 184-197.	1.4	16
16	Riparian defoliation by the invasive green alder sawfly influences terrestrial prey subsidies to salmon streams. <i>Ecology of Freshwater Fish</i> , 2018, 27, 963-975.	1.4	4
17	Top-down control of invertebrates by Ninespine Stickleback in Arctic ponds. <i>Freshwater Science</i> , 2017, 36, 124-137.	1.8	18
18	In Search of Arctic Bonefish. <i>Fisheries</i> , 2017, 42, 315-319.	0.8	0

#	ARTICLE	IF	CITATIONS
19	Prey partitioning and use of insects by juvenile sockeye salmon and a potential competitor, threespine stickleback, in Afognak Lake, Alaska. <i>Ecology of Freshwater Fish</i> , 2017, 26, 586-601.	1.4	5
20	A science of integration: frameworks, processes, and products in a place-based, integrative study. <i>Sustainability Science</i> , 2017, 12, 293-303.	4.9	22
21	Future of Pacific Salmon in the Face of Environmental Change: Lessons from One of the World's Remaining Productive Salmon Regions. <i>Fisheries</i> , 2017, 42, 538-553.	0.8	58
22	Trophic pathways supporting juvenile Chinook and coho salmon in the glacial Susitna River, Alaska: patterns of freshwater, marine, and terrestrial food resource use across a seasonally dynamic habitat mosaic. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2016, 73, 1626-1641.	1.4	17
23	Surface water connectivity drives richness and composition of Arctic lake fish assemblages. <i>Freshwater Biology</i> , 2016, 61, 1090-1104.	2.4	31
24	Invasive European bird cherry (<i>Prunus padus</i>) reduces terrestrial prey subsidies to urban Alaskan salmon streams. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2016, 73, 1679-1690.	1.4	16
25	Body size and condition influence migration timing of juvenile Arctic grayling. <i>Ecology of Freshwater Fish</i> , 2016, 25, 156-166.	1.4	25
26	Getting quantitative about consequences of cross-ecosystem resource subsidies on recipient consumers. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2016, 73, 1609-1615.	1.4	13
27	Effects of experimentally added salmon subsidies on resident fishes via direct and indirect pathways. <i>Ecosphere</i> , 2016, 7, e01248.	2.2	37
28	Seasonal cues of Arctic grayling movement in a small Arctic stream: the importance of surface water connectivity. <i>Environmental Biology of Fishes</i> , 2016, 99, 49-65.	1.0	33
29	Measuring fish and their physical habitats: versatile 2D and 3D video techniques with user-friendly software. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2016, 73, 1861-1873.	1.4	40
30	Climate change implications in the northern coastal temperate rainforest of North America. <i>Climatic Change</i> , 2015, 130, 155-170.	3.6	61
31	A Critical Assessment of the Ecological Assumptions Underpinning Compensatory Mitigation of Salmon-Derived Nutrients. <i>Environmental Management</i> , 2015, 56, 571-586.	2.7	24
32	Low productivity of Chinook salmon strongly correlates with high summer stream discharge in two Alaskan rivers in the Yukon drainage. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2015, 72, 1125-1137.	1.4	32
33	Morphology-Dependent Water Budgets and Nutrient Fluxes in Arctic Thaw Ponds. <i>Permafrost and Periglacial Processes</i> , 2014, 25, 79-93.	3.4	31
34	Mechanisms of drift-feeding behavior in juvenile Chinook salmon and the role of inedible debris in a clear-water Alaskan stream. <i>Environmental Biology of Fishes</i> , 2014, 97, 489-503.	1.0	27
35	Effects of invasive European bird cherry (<i>Prunus padus</i>) on leaf litter processing by aquatic invertebrate shredder communities in urban Alaskan streams. <i>Hydrobiologia</i> , 2014, 736, 17-30.	2.0	11
36	Nutrient additions to mitigate for loss of Pacific salmon: consequences for stream biofilm and nutrient dynamics. <i>Ecosphere</i> , 2014, 5, 1-22.	2.2	17

#	ARTICLE	IF	CITATIONS
37	Salmon-mediated nutrient flux in selected streams of the Columbia River basin, USA. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2013, 70, 502-512.	1.4	21
38	Relationships between ecosystem metabolism, benthic macroinvertebrate densities, and environmental variables in a sub-arctic Alaskan river. <i>Hydrobiologia</i> , 2013, 701, 189-207.	2.0	12
39	Seasonal persistence of marine-derived nutrients in south-central Alaskan salmon streams. <i>Ecosphere</i> , 2013, 4, 1-18.	2.2	23
40	Persistent Effects of Wildfire and Debris Flows on the Invertebrate Prey Base of Rainbow Trout in Idaho Streams. <i>Northwest Science</i> , 2011, 85, 55-63.	0.2	17
41	Radiotelemetry to Estimate Stream Life of Adult Chum Salmon in the McNeil River, Alaska. <i>North American Journal of Fisheries Management</i> , 2011, 31, 315-322.	1.0	3
42	Headwater streams and forest management: Does ecoregional context influence logging effects on benthic communities?. <i>Hydrobiologia</i> , 2010, 641, 71-83.	2.0	8
43	Ecoregion and land-use influence invertebrate and detritus transport from headwater streams. <i>Freshwater Biology</i> , 2010, 55, 1205-1218.	2.4	11
44	Aquatic Community Responses to Salmon Carcass Analog and Wood Bundle Additions in Restored Floodplain Habitats in an Alaskan Stream. <i>Transactions of the American Fisheries Society</i> , 2010, 139, 1828-1845.	1.4	11
45	Salmon Carcasses Increase Stream Productivity More than Inorganic Fertilizer Pellets: A Test on Multiple Trophic Levels in Streamside Experimental Channels. <i>Transactions of the American Fisheries Society</i> , 2010, 139, 824-839.	1.4	30
46	Linking Ecosystems, Food Webs, and Fish Production: Subsidies in Salmonid Watersheds. <i>Fisheries</i> , 2010, 35, 373-387.	0.8	167
47	Identification of Marine-Derived Lipids in Juvenile Coho Salmon and Aquatic Insects through Fatty Acid Analysis. <i>Transactions of the American Fisheries Society</i> , 2010, 139, 840-854.	1.4	25
48	Effects of forest fire on headwater stream macroinvertebrate communities in eastern Washington, U.S.A.. <i>Freshwater Biology</i> , 2008, 53, 2331-2343.	2.4	31
49	Ecological Linkages Between Headwaters and Downstream Ecosystems: Transport of Organic Matter, Invertebrates, and Wood Down Headwater Channels. <i>Journal of the American Water Resources Association</i> , 2007, 43, 72-85.	2.4	241
50	The influence of fall-spawning coho salmon (<i>Oncorhynchus kisutch</i>) on growth and production of juvenile coho salmon rearing in beaver ponds on the Copper River Delta, Alaska. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2006, 63, 917-930.	1.4	36
51	Factors affecting distribution of wood, detritus, and sediment in headwater streams draining managed young-growth red alder – conifer forests in southeast Alaska. <i>Canadian Journal of Forest Research</i> , 2006, 36, 725-737.	1.7	16
52	Marine-derived nitrogen and carbon in freshwater-riparian food webs of the Copper River Delta, southcentral Alaska. <i>Oecologia</i> , 2005, 144, 558-569.	2.0	77
53	Trophic linkages between headwater forests and downstream fish habitats: implications for forest and fish management. <i>Landscape and Urban Planning</i> , 2005, 72, 205-213.	7.5	24
54	Marine Subsidies in Freshwater: Effects of Salmon Carcasses on Lipid Class and Fatty Acid Composition of Juvenile Coho Salmon. <i>Transactions of the American Fisheries Society</i> , 2004, 133, 559-567.	1.4	61

#	ARTICLE	IF	CITATIONS
55	Restoring Productivity of Salmon-Based Food Webs: Contrasting Effects of Salmon Carcass and Salmon Carcass Analog Additions on Stream-Resident Salmonids. Transactions of the American Fisheries Society, 2004, 133, 1440-1454.	1.4	43
56	Influence of streamside vegetation on inputs of terrestrial invertebrates to salmonid food webs. Canadian Journal of Fisheries and Aquatic Sciences, 2003, 60, 309-320.	1.4	149
57	Marine Subsidies in Freshwater Ecosystems: Salmon Carcasses Increase the Growth Rates of Stream-Resident Salmonids. Transactions of the American Fisheries Society, 2003, 132, 371-381.	1.4	178
58	Pacific Salmon in Aquatic and Terrestrial Ecosystems. BioScience, 2002, 52, 917.	4.9	431
59	Influence of decomposing Pacific salmon carcasses on macroinvertebrate growth and standing stock in southeastern Alaska streams. Journal of the North American Benthological Society, 2002, 21, 430-442.	3.1	94
60	Does red alder (<i>Alnus rubra</i>) in upland riparian forests elevate macroinvertebrate and detritus export from headwater streams to downstream habitats in southeastern Alaska?. Canadian Journal of Fisheries and Aquatic Sciences, 2002, 59, 503-513.	1.4	77
61	Marine carbon and nitrogen in southeastern Alaska stream food webs: evidence from artificial and natural streams. Canadian Journal of Fisheries and Aquatic Sciences, 2002, 59, 1257-1265.	1.4	124
62	Mass loss and macroinvertebrate colonisation of Pacific salmon carcasses in south-eastern Alaskan streams. Freshwater Biology, 2002, 47, 263-273.	2.4	84
63	Export of invertebrates and detritus from fishless headwater streams in southeastern Alaska: implications for downstream salmonid production. Freshwater Biology, 2002, 47, 957-969.	2.4	157
64	Influence of salmon spawner densities on stream productivity in Southeast Alaska. Canadian Journal of Fisheries and Aquatic Sciences, 1999, 56, 1600-1611.	1.4	155
65	Influence of salmon carcasses on stream productivity: response of biofilm and benthic macroinvertebrates in southeastern Alaska, U.S.A.. Canadian Journal of Fisheries and Aquatic Sciences, 1998, 55, 1503-1511.	1.4	238
66	Terrestrial invertebrates as salmonid prey and nitrogen sources in streams: contrasting old-growth and young-growth riparian forests in southeastern Alaska, U.S.A.. Canadian Journal of Fisheries and Aquatic Sciences, 1997, 54, 1259-1269.	1.4	205
67	Low Toxicity of the Black Fly Larvicide <i>Bacillus thuringiensis</i> var. <i>israelensis</i> to Early Stages of Brook Trout (<i>Salvelinus fontinalis</i>), Brown Trout (<i>Salmo trutta</i>), and Steelhead Trout (<i>Oncorhynchus mykiss</i>). Journal of the North American Benthological Society, 1994, 13, 1451-1458.	1.4	15
68	Disturbance to a stream food web by a bacterial larvicide specific to black flies: feeding responses of predatory macroinvertebrates. Freshwater Biology, 1994, 32, 91-103.	2.4	28
69	Effects of <i>Bacillus thuringiensis</i> var. <i>israelensis</i> on Nontarget Benthic Insects through Direct and Indirect Exposure. Journal of the North American Benthological Society, 1994, 13, 190-205.	3.1	26
70	Feeding variability among individual aquatic predators in experimental channels. Canadian Journal of Zoology, 1993, 71, 2033-2037.	1.0	10
71	CHANGES IN FEEDING HABITS OF SELECTED NONTARGET AQUATIC INSECTS IN RESPONSE TO LIVE AND DEAD <i>BACILLUS THURINGIENSIS</i> VAR. <i>ISRAELENISIS</i> -KILLED BLACK FLY LARVAE (DIPTERA: TROGLODIDAE) IN A SUBARCTIC RIVER. Journal of the North American Benthological Society, 1993, 12, 145-155.	1.4	15
72	Piscine predation on juvenile salmon in subarctic Alaskan rivers: Associations with season, habitat, predator size and streamflow. Ecology of Freshwater Fish, 0, , .	1.4	3

#	ARTICLE	IF	CITATIONS
73	Landscape geomorphology and local riverine features influence Broad Whitefish (<i>Coregonus</i>)	1.0784314	14