

Seunghee Won

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4721625/publications.pdf>

Version: 2024-02-01

21
papers

194
citations

1307594

7
h-index

1125743

13
g-index

21
all docs

21
docs citations

21
times ranked

361
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of Addictive Behaviors in Medical Students and Their Association With Stress. <i>Psychiatry Investigation</i> , 2022, 19, 44-53.	1.6	4
2	Development of the Korea-Polyenvironmental Risk Score for Psychosis. <i>Psychiatry Investigation</i> , 2022, 19, 197-206.	1.6	5
3	Serum-Derived Neuronal Exosomal miRNAs as Biomarkers of Acute Severe Stress. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9960.	4.1	6
4	Serum-Derived Neuronal Exosomal microRNAs as Stress-Related Biomarkers in an Atopic Dermatitis Model. <i>Biomedicines</i> , 2021, 9, 1764.	3.2	4
5	Impact of the COVID-19 Pandemic on the Mental Health of Adolescent Students in Daegu, Korea. <i>Journal of Korean Medical Science</i> , 2021, 36, e321.	2.5	22
6	Effects of emotional maltreatment on semantic network activity during cognitive reappraisal. <i>Brain Imaging and Behavior</i> , 2020, 15, 1181-1190.	2.1	6
7	S58. COMPARISON OF FACE EMOTIONAL RECOGNITION DEFICITS IN REMITTED SCHIZOPHRENIA AND BIPOLAR I DISORDER. <i>Schizophrenia Bulletin</i> , 2020, 46, S55-S55.	4.3	1
8	The rs6265 Polymorphism of the BDNF Gene Is Related to Higher-Lethality Suicide Attempts in the Korean Population. <i>Psychiatry Investigation</i> , 2020, 17, 417-423.	1.6	5
9	Differences in Symptoms, Functions, and Their Outcomes According to the Degree of Trauma in Patients with Early Psychosis. <i>Journal of Korean Neuropsychiatric Association</i> , 2020, 59, 228.	0.5	2
10	Empathy and Social Attribution Skills Moderate the Relationship between Temporal Lobe Volume and Facial Expression Recognition Ability in Schizophrenia. <i>Clinical Psychopharmacology and Neuroscience</i> , 2020, 18, 362-374.	2.0	3
11	Comparison of Cognitive Control Deficits in Patients with Schizophrenia and Bipolar I Disorder. <i>Journal of Korean Neuropsychiatric Association</i> , 2020, 59, 236.	0.5	0
12	Distinct Differences in Emotional Recognition According to Severity of Psychotic Symptoms in Early-Stage Schizophrenia. <i>Frontiers in Psychiatry</i> , 2019, 10, 564.	2.6	11
13	Negative Schema and Rumination as Mediators of the Relationship Between Childhood Trauma and Recent Suicidal Ideation in Patients With Early Psychosis. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	2.2	19
14	Characteristics of High-Intent Suicide Attempters Admitted to Emergency Departments. <i>Journal of Korean Medical Science</i> , 2018, 33, e259.	2.5	17
15	Mediating Effect of Resilience on the Association between Emotional Neglect and Depressive Symptoms. <i>Psychiatry Investigation</i> , 2018, 15, 62-69.	1.6	43
16	Prevalence of Metabolic Syndrome in Patients with Schizophrenia in Korea: A Multicenter Nationwide Cross-Sectional Study. <i>Psychiatry Investigation</i> , 2017, 14, 44.	1.6	27
17	Dose Trends of Aripiprazole from 2004 to 2014 in Psychiatric Inpatients in Korea. <i>Clinical Psychopharmacology and Neuroscience</i> , 2017, 15, 177-180.	2.0	6
18	Comparison of Cognitive Control Deficits in Patients with Schizophrenia and Their Unaffected First-Degree Relatives. <i>Journal of Korean Neuropsychiatric Association</i> , 2017, 56, 61.	0.5	0

#	ARTICLE	IF	CITATIONS
19	Comparison of Clinical Characteristics between Single and Repeated Suicide Attempters Admitted to Emergency Room. <i>Journal of Korean Neuropsychiatric Association</i> , 2016, 55, 224.	0.5	4
20	Current prescription pattern of maintenance treatments for bipolar patients in Korea: A focus on the transition from acute treatments. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 42-50.	1.8	9
21	Neurocognitive Deficits in Patients with Remitted Bipolar I Disorder and Unaffected First-Degree Relatives. <i>Journal of Korean Neuropsychiatric Association</i> , 2013, 52, 318.	0.5	0