## Gaetano Manfredi

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4722537/gaetano-manfredi-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

256 8,565 50 74 g-index

265 9,900 4 6.4 L-index

ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
256	Influence of textile reinforced mortars strengthening on the in-plane/out-of-plane response of masonry infill walls in RC frames. <i>Engineering Structures</i> , <b>2022</b> , 254, 113887	4.7	О
255	STRUCTURAL E-PERMITS: AN OPENBIM, MODEL-BASED PROCEDURE FOR PERMIT APPLICATIONS PERTAINING TO STRUCTURAL ENGINEERING. <i>Journal of Civil Engineering and Management</i> , <b>2021</b> , 27, 651-670	3	4
254	Empirical prediction of the in-plane/out-of-plane interaction effects in clay brick unreinforced masonry infill walls. <i>Engineering Structures</i> , <b>2021</b> , 227, 111438	4.7	15
253	Building Information Modelling in Structural Engineering: A Qualitative Literature Review. <i>CivilEng</i> , <b>2021</b> , 2, 765-793	1.7	1
252	Integration of blockchains and smart contracts into construction information flows: Proof-of-concept. <i>Automation in Construction</i> , <b>2021</b> , 132, 103925	9.6	11
251	Experimental analysis of strengthening solutions for the out-of-plane collapse of masonry infills in RC structures through textile reinforced mortars. <i>Engineering Structures</i> , <b>2020</b> , 207, 110203	4.7	28
250	Seismic Strength of One-Story Precast Building Dowel Connections. <i>Lecture Notes in Civil Engineering</i> , <b>2020</b> , 110-123	0.3	
249	Seismic fragility for Italian RC buildings based on damage data of the last 50 years. <i>Bulletin of Earthquake Engineering</i> , <b>2020</b> , 18, 2023-2059	3.7	29
248	Regional vulnerability and risk assessment accounting for local building typologies. <i>International Journal of Disaster Risk Reduction</i> , <b>2020</b> , 43, 101400	4.5	22
247	Seismic collapse assessment of new European single-story RC precast buildings with weak connections. <i>Bulletin of Earthquake Engineering</i> , <b>2020</b> , 18, 6661-6686	3.7	7
246	Italian university rectors for health and environment: the U4ALL initiative. <i>Lancet, The</i> , <b>2019</b> , 394, 1319	40	1
245	Experimental investigation on the influence of the aspect ratio on the in-plane/out-of-plane interaction for masonry infills in RC frames. <i>Engineering Structures</i> , <b>2019</b> , 189, 523-540	4.7	43
244	Site-specific probabilistic seismic hazard analysis for the western area of Naples, Italy. <i>Bulletin of Earthquake Engineering</i> , <b>2019</b> , 17, 4743-4796	3.7	13
243	Empirical fragility curves for masonry buildings after the 2009 LAquila, Italy, earthquake. <i>Bulletin of Earthquake Engineering</i> , <b>2019</b> , 17, 6301-6330	3.7	34
242	BIM-based approach for the cost-optimization of seismic retrofit strategies on existing buildings. <i>Automation in Construction</i> , <b>2019</b> , 98, 90-101	9.6	22
241	Corrosion effects on seismic capacity of reinforced concrete structures. <i>Corrosion Reviews</i> , <b>2019</b> , 37, 45-56	3.2	27
240	Seismic response of RC buildings during the Mw 6.0 August 24, 2016 Central Italy earthquake: the Amatrice case study. <i>Bulletin of Earthquake Engineering</i> , <b>2019</b> , 17, 5631-5654	3.7	50

239	Remarks on damage and response of school buildings after the Central Italy earthquake sequence. <i>Bulletin of Earthquake Engineering</i> , <b>2019</b> , 17, 5679-5700	3.7	16
238	Correlation of In-Situ Material Characterization Tests and Experimental Performances of RC Members. <i>Lecture Notes in Civil Engineering</i> , <b>2018</b> , 454-466	0.3	1
237	Shaking table tests for the experimental verification of the effectiveness of an automated modal parameter monitoring system for existing bridges in seismic areas. <i>Structural Control and Health Monitoring</i> , <b>2018</b> , 25, e2165	4.5	12
236	Debris flow damage incurred to buildings: an in situ back analysis. <i>Journal of Flood Risk Management</i> , <b>2018</b> , 11, S646-S662	3.1	15
235	Seismic Design of Single-Story Precast Structures for P-Effects. ACI Structural Journal, 2018, 115,	1.7	2
234	Role of Urban Interactions and Damage in Seismic Resilience of Historical Centers. <i>Lecture Notes in Computer Science</i> , <b>2018</b> , 97-106	0.9	
233	Numerical model for the in-plane seismic capacity evaluation of tall plasterboard internal partitions. <i>Thin-Walled Structures</i> , <b>2018</b> , 122, 572-584	4.7	5
232	Seismic Risk Mitigation for a Portfolio of Reinforced Concrete Frame Buildings through Optimal Allocation of a Limited Budget. <i>Advances in Civil Engineering</i> , <b>2018</b> , 2018, 1-18	1.3	6
231	Seismic Performance of Single-Story Precast Buildings: Effect of Cladding Panels. <i>Journal of Structural Engineering</i> , <b>2018</b> , 144, 04018134	3	3
230	Reconstruction process of damaged residential buildings outside historical centres after the LAquila earthquake: part I'llight damage" reconstruction. <i>Bulletin of Earthquake Engineering</i> , <b>2017</b> , 15, 667-692	3.7	82
229	Reconstruction process of damaged residential buildings outside historical centres after the LAquila earthquake: part IIBeavy damageDeconstruction. <i>Bulletin of Earthquake Engineering</i> , <b>2017</b> , 15, 693-729	3.7	83
228	Preface to the special issue <b>P</b> ost-earthquake assessment and reconstruction <b>Bulletin of</b> <i>Earthquake Engineering</i> , <b>2017</b> , 15, 493-495	3.7	
227	Exact stiffnessthatrix of two nodes Timoshenko beam on elastic medium. An analogy with Eringen model of nonlocal Euler <b>B</b> ernoulli nanobeams. <i>Computers and Structures</i> , <b>2017</b> , 182, 556-572	4.5	17
226	Shake table tests on standard and innovative temporary partition walls. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2017</b> , 46, 1599-1624	4	21
225	Collapse resistance assessment through the implementation of progressive damage in finite element codes. <i>Engineering Structures</i> , <b>2017</b> , 136, 523-534	4.7	21
224	Urban-scale seismic fragility assessment of RC buildings subjected to L'Aquila earthquake. <i>Soil Dynamics and Earthquake Engineering</i> , <b>2017</b> , 96, 49-63	3.5	16
223	Alternative Resilience Indices for City Ecosystems Subjected to Natural Hazards. <i>Computer-Aided Civil and Infrastructure Engineering</i> , <b>2017</b> , 32, 527-545	8.4	19
222	Seismic Demand on Acceleration-Sensitive Nonstructural Components. <i>Computational Methods in Applied Sciences (Springer)</i> , <b>2017</b> , 177-204	0.4	

221	Design Oriented Model for the Assessment of T-Shaped Beam-Column Joints in Reinforced Concrete Frames. <i>Buildings</i> , <b>2017</b> , 7, 118	3.2	7
220	FRP for seismic strengthening of shear controlled RC columns: Experience from earthquakes and experimental analysis. <i>Composites Part B: Engineering</i> , <b>2017</b> , 129, 47-57	10	40
219	Analytical fragility assessment using unscaled ground motion records. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2017</b> , 46, 2639-2663	4	108
218	Cyclic shear tests on RC precast beam-to-column connections retrofitted with a three-hinged steel device. <i>Bulletin of Earthquake Engineering</i> , <b>2017</b> , 15, 3797-3817	3.7	10
217	National-level prediction of expected seismic loss based on historical catalogue. <i>Bulletin of Earthquake Engineering</i> , <b>2017</b> , 15, 2853-2877	3.7	
216	Influence of FRP wrapping on reinforcement performances at lap splice regions in RC columns. <i>Composites Part B: Engineering</i> , <b>2017</b> , 116, 313-324	10	4
215	Nondestructive assessment of corrosion of reinforcing bars through surface concrete cracks. <i>Structural Concrete</i> , <b>2017</b> , 18, 104-117	2.6	41
214	A methodological framework assessing disaster resilience of city ecosystems to enhance resource use efficiency. <i>International Journal of Urban Sustainable Development</i> , <b>2017</b> , 9, 136-150	2.6	8
213	Empirical fragility curves from damage data on RC buildings after the 2009 LAquila earthquake. <i>Bulletin of Earthquake Engineering</i> , <b>2017</b> , 15, 1425-1450	3.7	75
212	Estimation of repair costs for RC and masonry residential buildings based on damage data collected by post-earthquake visual inspection. <i>Bulletin of Earthquake Engineering</i> , <b>2017</b> , 15, 1681-1706	3.7	35
211	Seismic Strengthening of Masonry Vaults with Abutments Using Textile-Reinforced Mortar. <i>Journal of Composites for Construction</i> , <b>2017</b> , 21, 04016079	3.3	30
210	Analysis of the Population Assistance and Returning Home in the Reconstruction Process of the 2009 LAquila Earthquake. <i>Sustainability</i> , <b>2017</b> , 9, 1395	3.6	11
209	Shaking table tests on a full-scale unreinforced and IMG-retrofitted clay brick masonry barrel vault. Bulletin of Earthquake Engineering, <b>2016</b> , 14, 1663-1693	3.7	33
208	Procedures for calibration of linear models for damage limitation in design of masonry-infilled RC frames. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2016</b> , 45, 1315-1335	4	14
207	Modelling beam-column joints and FRP strengthening in the seismic performance assessment of RC existing frames. <i>Composite Structures</i> , <b>2016</b> , 142, 107-116	5.3	36
206	Performance-based flood safety-checking for non-engineered masonry structures. <i>Engineering Structures</i> , <b>2016</b> , 106, 109-123	4.7	23
205	Model updating and seismic loss assessment for a portfolio of bridges. <i>Bulletin of Earthquake Engineering</i> , <b>2016</b> , 14, 699-719	3.7	23
204	Experimental assessment of unreinforced exterior beambolumn joints with deformed bars.  Engineering Structures, <b>2016</b> , 112, 215-232	4.7	41

## (2015-2016)

203	Floor response spectra in RC frame structures designed according to Eurocode 8. <i>Bulletin of Earthquake Engineering</i> , <b>2016</b> , 14, 747-767	3.7	37	
202	Defining structural robustness under seismic and simultaneous actions: an application to precast RC buildings. <i>Bulletin of Earthquake Engineering</i> , <b>2016</b> , 14, 485-499	3.7	9	
201	Out-of-plane seismic performance of plasterboard partition walls via quasi-static tests. <i>Bulletin of the New Zealand Society for Earthquake Engineering</i> , <b>2016</b> , 49, 125-137	0.5	7	
<b>2</b> 00	Seismic Assessment via EC8 of Modern Heritage Structures <b>2016</b> , 1002-1021			
199	Experimental tests of unreinforced exterior beamBolumn joints with plain bars. <i>Engineering Structures</i> , <b>2016</b> , 118, 178-194	4.7	30	
198	Failure of a precast RC building due to Emilia-Romagna earthquakes. <i>Engineering Structures</i> , <b>2016</b> , 118, 262-273	4.7	35	
197	Observed and predicted earthquake damage scenarios: the case study of Pettino (LAquila) after the 6th April 2009 event. <i>Bulletin of Earthquake Engineering</i> , <b>2016</b> , 14, 2643-2678	3.7	22	
196	Mechanical Properties of Plasterboards: Experimental Tests and Statistical Analysis. <i>Journal of Materials in Civil Engineering</i> , <b>2016</b> , 28, 04016129	3	18	
195	Analytical versus observational fragilities: the case of Pettino (LAquila) damage data database. <i>Bulletin of Earthquake Engineering</i> , <b>2015</b> , 13, 1161-1181	3.7	25	
194	Life cycle environmental impact of different replacement options for a typical old flat roof. <i>International Journal of Life Cycle Assessment</i> , <b>2015</b> , 20, 694-708	4.6	19	
193	LCA-based study on structural retrofit options for masonry buildings. <i>International Journal of Life Cycle Assessment</i> , <b>2015</b> , 20, 23-35	4.6	23	
192	Operational (Short-Term) Earthquake Loss Forecasting in Italy. <i>Bulletin of the Seismological Society of America</i> , <b>2015</b> , 105, 2286-2298	2.3	19	
191	Developing an integrated framework to quantify resilience of urban systems against disasters. <i>Natural Hazards</i> , <b>2015</b> , 78, 1729-1748	3	62	
190	Development and urban-scale application of a simplified method for seismic fragility assessment of RC buildings. <i>Engineering Structures</i> , <b>2015</b> , 91, 40-57	4.7	43	
189	Preliminary ranking of alternative scalar and vector intensity measures of ground shaking. <i>Bulletin of Earthquake Engineering</i> , <b>2015</b> , 13, 2805-2840	3.7	79	
188	Local Strengthening of Reinforced Concrete Structures as a Strategy for Seismic Risk Mitigation at Regional Scale. <i>Earthquake Spectra</i> , <b>2015</b> , 31, 1083-1102	3.4	33	
187	Dynamic properties of typical consultation room medical components. <i>Engineering Structures</i> , <b>2015</b> , 100, 442-454	4.7	18	
186	Experimental investigation of the seismic performances of IMG reinforcement on curved masonry elements. <i>Composites Part B: Engineering</i> , <b>2015</b> , 70, 53-63	10	48	

185	Bayesian Cloud Analysis: efficient structural fragility assessment using linear regression. <i>Bulletin of Earthquake Engineering</i> , <b>2015</b> , 13, 1183-1203	3.7	119
184	Influence of cladding panels on the first period of one-story precast buildings. <i>Bulletin of Earthquake Engineering</i> , <b>2015</b> , 13, 1531-1555	3.7	35
183	Linking disaster resilience and urban sustainability: a glocal approach for future cities. <i>Disasters</i> , <b>2015</b> , 39 Suppl 1, S96-111	2.8	32
182	Assessing reparability: simple tools for estimation of costs and performance loss of earthquake damaged reinforced concrete buildings. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2015</b> , 44, 153	9 <sup>4</sup> 1557	19
181	Seismic demand on light acceleration-sensitive nonstructural components in European reinforced concrete buildings. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2015</b> , 44, 1203-1217	4	63
180	Seismic fragility of plasterboard partitions via in-plane quasi-static tests. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2015</b> , 44, 2589-2606	4	26
179	Simplified Model for Strengthening Design of Beam©olumn Internal Joints in Reinforced Concrete Frames. <i>Polymers</i> , <b>2015</b> , 7, 1732-1754	4.5	30
178	Behavior of Full-Scale Porous GFRP Barrier under Blast Loads. <i>International Journal of Polymer Science</i> , <b>2015</b> , 2015, 1-11	2.4	4
177	Experimental Seismic Performance Assessment of Hospital Building Contents 2015,		1
176	Analytical model and design approach for FRP strengthening of non-conforming RC corner beamBolumn joints. <i>Engineering Structures</i> , <b>2015</b> , 87, 8-20	4.7	39
175	Cyclic shear test on a dowel beam-to-column connection of precast buildings. <i>Earthquake and Structures</i> , <b>2015</b> , 9, 541-562		19
174	CATASTROPHE RESILIENCE RELATED TO URBAN NETWORK SHAPE: PRELIMINARY ANALYSIS. <b>2015</b> ,		4
173	Evaluation of the Seismic Capacity of Nonstructural Components. <i>Geotechnical, Geological and Earthquake Engineering</i> , <b>2015</b> , 97-109	0.2	
172	Seismic Assessment via EC8 of Modern Heritage Structures. <i>Advances in Civil and Industrial Engineering Book Series</i> , <b>2015</b> , 607-628	0.5	
171	Shake table tests for the seismic assessment of hollow brick internal partitions. <i>Engineering Structures</i> , <b>2014</b> , 72, 203-214	4.7	29
170	Guidelines for flexural resistance of FRP reinforced concrete slabs and beams in fire. <i>Composites Part B: Engineering</i> , <b>2014</b> , 58, 103-112	10	25
169	FEM analysis of the strength of RC beam-to-column dowel connections under monotonic actions. <i>Construction and Building Materials</i> , <b>2014</b> , 69, 271-284	6.7	48
168	Assessment of Urban Ecosystem Resilience through Hybrid Social Physical Complex Networks. <i>Computer-Aided Civil and Infrastructure Engineering</i> , <b>2014</b> , 29, n/a-n/a	8.4	28

## (2014-2014)

167	Probabilistic approach for failure assessment of steel structures in fire by means of plastic limit analysis. <i>Fire Safety Journal</i> , <b>2014</b> , 68, 16-29	3.3	12
166	Probabilistic design equations for the shear capacity of RC members with FRP internal shear reinforcement. <i>Composites Part B: Engineering</i> , <b>2014</b> , 67, 199-208	10	11
165	Seismic performance evaluation of plasterboard partitions via shake table tests. <i>Bulletin of Earthquake Engineering</i> , <b>2014</b> , 12, 1657-1677	3.7	58
164	2012 Emilia earthquake, Italy: reinforced concrete buildings response. <i>Bulletin of Earthquake Engineering</i> , <b>2014</b> , 12, 2275-2298	3.7	30
163	Mechanical behaviour of FRP-confined masonry by testing of full-scale columns. <i>Materials and Structures/Materiaux Et Constructions</i> , <b>2014</b> , 47, 2081-2100	3.4	38
162	Experimental Investigation of Exterior RC Beam-Column Joints Retrofitted with FRP Systems. <i>Journal of Composites for Construction</i> , <b>2014</b> , 18, 04014002	3.3	72
161	Analytical Evaluation of FRP Wrapping Effectiveness in Restraining Reinforcement Bar Buckling. <i>Journal of Structural Engineering</i> , <b>2014</b> , 140, 04014043	3	13
160	Eurocode-based seismic assessment of modern heritage RC structures: The case of the Tower of the Nations in Naples (Italy). <i>Engineering Structures</i> , <b>2014</b> , 74, 96-110	4.7	11
159	Evaluation of different computational modelling strategies for the analysis of low strength masonry structures. <i>Engineering Structures</i> , <b>2014</b> , 73, 160-169	4.7	85
158	Cyclic Behavior of Nonconforming Full-Scale RC Columns. <i>Journal of Structural Engineering</i> , <b>2014</b> , 140, 04013107	3	30
157	A Semi-Probabilistic GIS-Based Method for Meso-Scale Flood Hazard Zonation 2014,		1
156	Seismic Vulnerability Assessment at Urban Scale Based on Different Building Stock Data Sources <b>2014</b> ,		3
155	Simplified Modeling of Rectangular Concrete Cross-Sections Confined by External FRP Wrapping. <i>Polymers</i> , <b>2014</b> , 6, 1187-1206	4.5	16
154	A performance-based framework for adaptive seismic aftershock risk assessment. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2014</b> , 43, 2179-2197	4	30
153	The Emilia Earthquake: Seismic Performance of Precast Reinforced Concrete Buildings. <i>Earthquake Spectra</i> , <b>2014</b> , 30, 891-912	3.4	140
152	Adaptive Daily Forecasting of Seismic Aftershock Hazard. <i>Bulletin of the Seismological Society of America</i> , <b>2014</b> , 104, 145-161	2.3	18
151	Influence of Masonry Properties on Confinement: A Mechanical Model. <i>Key Engineering Materials</i> , <b>2014</b> , 624, 299-306	0.4	1
150	Nonlinear Analyses of Adobe Masonry Walls Reinforced with Fiberglass Mesh. <i>Polymers</i> , <b>2014</b> , 6, 464-47	<b>'8</b> 4.5	12

149	Probabilistic GIS-based method for delineation of urban flooding risk hotspots. <i>Natural Hazards</i> , <b>2014</b> , 73, 975	3	55
148	Adaptive post-earthquake reliability assessment of structures subjected to aftershocks <b>2014</b> , 4153-41	60	1
147	Lateral Response Evaluation of Old Type Reinforced Concrete Columns with Smooth Bars. <i>ACI Structural Journal</i> , <b>2014</b> , 111,	1.7	16
146	Development of Earthquake Early Warning Systems in the European Union. <i>Advanced Technologies in Earth Sciences</i> , <b>2014</b> , 89-101		2
145	LAquila Earthquake: A Wake-Up Call for European Research and Codes. <i>Geotechnical, Geological and Earthquake Engineering</i> , <b>2014</b> , 129-142	0.2	
144	Seismic insurance model for the Italian residential building stock. <i>Structural Safety</i> , <b>2013</b> , 44, 70-79	4.9	18
143	Flood risk assessment for informal settlements. <i>Natural Hazards</i> , <b>2013</b> , 69, 1003-1032	3	77
142	Influence of infill distribution and design typology on seismic performance of low- and mid-rise RC buildings. <i>Bulletin of Earthquake Engineering</i> , <b>2013</b> , 11, 1585-1616	3.7	48
141	Military Quarters in Nola, Italy@aserma Principe Amedeo: Damage Assessment and Reconstruction of a Partially Collapsed XVIII Century Complex. <i>International Journal of Architectural Heritage</i> , <b>2013</b> , 7, 225-246	2.1	7
140	Rocking response assessment of in-plane laterally-loaded masonry walls with openings. <i>Engineering Structures</i> , <b>2013</b> , 56, 1234-1248	4.7	43
139	Hysteretic cyclic response of concrete columns reinforced with smooth bars. <i>Bulletin of Earthquake Engineering</i> , <b>2013</b> , 11, 2033-2053	3.7	13
138	ASCE/SEI 41 Provisions on Deformation Capacity of Older-Type Reinforced Concrete Columns with Plain Bars. <i>Journal of Structural Engineering</i> , <b>2013</b> , 139, 04013014	3	10
137	Assessment of ecological sustainability of a building subjected to potential seismic events during its lifetime. <i>International Journal of Life Cycle Assessment</i> , <b>2013</b> , 18, 504-515	4.6	41
136	Use of geopolymers for composite external reinforcement of RC members. <i>Composites Part B: Engineering</i> , <b>2013</b> , 45, 1667-1676	10	93
135	A proposal for plastic hinges modification factors for damaged RC columns. <i>Engineering Structures</i> , <b>2013</b> , 51, 99-112	4.7	26
134	Damage-dependent vulnerability curves for existing buildings. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2013</b> , 42, 853-870	4	33
133	Application-Oriented Chemical Optimization of a Metakaolin Based Geopolymer. <i>Materials</i> , <b>2013</b> , 6, 19	92 <del>9.</del> §93	39 <sub>72</sub>
132	Experimental Behavior of Nonconforming RC Columns with Plain Bars under Constant Axial Load and Biaxial Bending. <i>Journal of Structural Engineering</i> , <b>2013</b> , 139, 897-914	3	33

#### (2011-2013)

131	Adhesion at High Temperature of FRP Bars Straight or Bent at the end of Concrete Slabs. <i>Journal of Structural Fire Engineering</i> , <b>2013</b> , 4, 71-86	0.9	4
130	An Outlook Into Time-Dependent Aftershock Vulnerability Assessment 2013,		6
129	Improved mechanical properties of CFRP laminates at elevated temperatures and freezethaw cycling. Construction and Building Materials, 2012, 31, 273-283	6.7	33
128	Robust output-only modal identification and monitoring of buildings in the presence of dynamic interactions for rapid post-earthquake emergency management. <i>Engineering Structures</i> , <b>2012</b> , 34, 436-	4 <i>4</i> 67	39
127	Influence of strain rate on the seismic response of RC structures. <i>Engineering Structures</i> , <b>2012</b> , 35, 29-3	64.7	33
126	Experimental tests on full-scale RC unretrofitted frame and retrofitted with buckling-restrained braces. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2012</b> , 41, 315-333	4	83
125	Shake table tests for seismic assessment of suspended continuous ceilings. <i>Bulletin of Earthquake Engineering</i> , <b>2012</b> , 10, 1819-1832	3.7	59
124	Externally Bonded Masonry Structures <b>2012</b> , 1		3
123	Multiscale non-linear analysis of RC hollow piers wrapped with CFRP under shear-type load. <i>Construction and Building Materials</i> , <b>2012</b> , 35, 947-959	6.7	5
122	Analytical model for the effective strain in FRP-wrapped circular RC columns. <i>Composites Part B: Engineering</i> , <b>2012</b> , 43, 3208-3218	10	28
121	Externally Bonded Reinforced Concrete Structures <b>2012</b> , 1		
120	Numerical Investigation on the Influence of FRP Retrofit Layout and Geometry on the In-Plane Behavior of Masonry Walls. <i>Journal of Composites for Construction</i> , <b>2012</b> , 16, 712-723	3.3	34
119	Performance under Fire Situations of Concrete Members Reinforced with FRP Rods: Bond Models and Design Nomograms. <i>Journal of Composites for Construction</i> , <b>2012</b> , 16, 395-406	3.3	29
118	Behavior of FRP Reinforced Concrete Slabs in Case of Fire: Theoretical Models and Experimental Tests. <i>Advances in Structural Engineering</i> , <b>2012</b> , 15, 637-652	1.9	8
117	Influence of Infill Panels and their Distribution on Seismic Behavior of Existing Reinforced Concrete Buildings. <i>Open Construction and Building Technology Journal</i> , <b>2012</b> , 6, 236-253	1.1	21
116	Ultimate limit state of MF-FRP beams. <i>Bridge Maintenance, Safety and Management</i> , <b>2012</b> , 1235-1242		1
115	Bond Efficiency of EBR and NSM FRP Systems for Strengthening Concrete Members. <i>Journal of Composites for Construction</i> , <b>2011</b> , 15, 757-772	3.3	162
114	Nonlinear Behavior of a Masonry Subassemblage Before and After Strengthening with Inorganic Matrix-Grid Composites. <i>Journal of Composites for Construction</i> , <b>2011</b> , 15, 821-832	3.3	56

113	A decision support system for post-earthquake reliability assessment of structures subjected to aftershocks: an application to Laquila earthquake, 2009. <i>Bulletin of Earthquake Engineering</i> , <b>2011</b> , 9, 997-1014	3.7	35
112	Analytical investigation of elastic period of infilled RC MRF buildings. <i>Engineering Structures</i> , <b>2011</b> , 33, 308-319	4.7	46
111	Assessment of RC columns subjected to horizontal and vertical ground motions recorded during the 2009 LAquila (Italy) earthquake. <i>Engineering Structures</i> , <b>2011</b> , 33, 1514-1535	4.7	49
110	Potential of structural pozzolanic matrixflemp fiber grid composites. <i>Construction and Building Materials</i> , <b>2011</b> , 25, 2867-2874	6.7	45
109	Preliminary analysis of a soft-storey mechanism after the 2009 L'Aquila earthquake. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2011</b> , 40, 925-944	4	70
108	Multi-hazard upgrade decision making for critical infrastructure based on life-cycle cost criteria. Earthquake Engineering and Structural Dynamics, <b>2011</b> , 40, 1163-1179	4	31
107	Neoprenelloncrete friction relationships for seismic assessment of existing precast buildings. <i>Engineering Structures</i> , <b>2011</b> , 33, 532-538	4.7	39
106	Fire resistance of concrete slabs reinforced with FRP bars. Part I: Experimental investigations on the mechanical behavior. <i>Composites Part B: Engineering</i> , <b>2011</b> , 42, 1739-1750	10	51
105	Fire resistance of concrete slabs reinforced with FRP bars. Part II: Experimental results and numerical simulations on the thermal field. <i>Composites Part B: Engineering</i> , <b>2011</b> , 42, 1751-1763	10	32
104	Modeling of flexural behavior of RC beams strengthened with mechanically fastened FRP strips. <i>Composite Structures</i> , <b>2011</b> , 93, 1973-1985	5.3	31
103	Earthquake early warning as a tool for improving society resilience and crisis response. <i>Soil Dynamics and Earthquake Engineering</i> , <b>2011</b> , 31, 267-270	3.5	17
102	Fire Safety Engineering for Open and Closed Car Parks: C.A.S.E. Project for LAquila. <i>Applied Mechanics and Materials</i> , <b>2011</b> , 82, 746-751	0.3	4
101	Bond Models for FRP Bars Anchorage in Concrete Slabs under Fire. <i>Applied Mechanics and Materials</i> , <b>2011</b> , 82, 533-538	0.3	1
100	Damage Assessment and Design of Structural Interventions for Monte di Pietlin Naples, Italy.  International Journal of Architectural Heritage, <b>2011</b> , 5, 647-676	2.1	3
99	In-Plane Lateral Response of a Full-Scale Masonry Subassemblage with and without an Inorganic Matrix-Grid Strengthening System. <i>Journal of Composites for Construction</i> , <b>2011</b> , 15, 578-590	3.3	76
98	Performance of Different Seismic Retrofitting Techniques in Case of Blast-Induced Progressive Collapse. <i>Applied Mechanics and Materials</i> , <b>2011</b> , 82, 485-490	0.3	2
97	Knowledge-Based Performance Assessment of Existing RC Buildings. <i>Journal of Earthquake Engineering</i> , <b>2011</b> , 15, 362-389	1.8	28
96	Seismic Vulnerability Assessment Using Field Survey and Remote Sensing Techniques. <i>Lecture Notes in Computer Science</i> , <b>2011</b> , 109-124	0.9	7

95	FRP Strengthening of Full-Scale PC Girders. <i>Journal of Composites for Construction</i> , <b>2010</b> , 14, 510-520	3.3	20
94	Assessment of the Electromagnetic Disturbance of a Glass Fiber Reinforced Composite Fencing Structure. <i>Journal of Composites for Construction</i> , <b>2010</b> , 14, 629-635	3.3	3
93	FRP Confinement of Tuff and Clay Brick Columns: Experimental Study and Assessment of Analytical Models. <i>Journal of Composites for Construction</i> , <b>2010</b> , 14, 583-596	3.3	76
92	Comparative Analysis on the Seismic Behavior of Combined RC-Masonry Buildings. <i>Journal of Structural Engineering</i> , <b>2010</b> , 136, 1483-1496	3	2
91	Conditional Hazard Maps for Secondary Intensity Measures. <i>Bulletin of the Seismological Society of America</i> , <b>2010</b> , 100, 3312-3319	2.3	27
90	Structural Upgrade Using Basalt Fibers for Concrete Confinement. <i>Journal of Composites for Construction</i> , <b>2010</b> , 14, 541-552	3.3	141
89	Metrological definition and evaluation of some mechanical properties of post-medieval Neapolitan yellow tuff masonry. <i>Journal of Cultural Heritage</i> , <b>2010</b> , 11, 163-171	2.9	9
88	A simulated design procedure for the assessment of seismic capacity of existing reinforced concrete buildings. <i>Advances in Engineering Software</i> , <b>2010</b> , 41, 323-335	3.6	45
87	Influence of free edge stress concentration on effectiveness of FRP confinement. <i>Composites Part B: Engineering</i> , <b>2010</b> , 41, 523-532	10	29
86	Proposal of a probabilistic model for multi-hazard risk assessment of structures in seismic zones subjected to blast for the limit state of collapse. <i>Structural Safety</i> , <b>2010</b> , 32, 25-34	4.9	66
85	Structural modeling uncertainties and their influence on seismic assessment of existing RC structures. <i>Structural Safety</i> , <b>2010</b> , 32, 220-228	4.9	69
84	Elastic period of sub-standard reinforced concrete moment resisting frame buildings. <i>Bulletin of Earthquake Engineering</i> , <b>2010</b> , 8, 955-972	3.7	14
83	Ultimate chord rotation of RC columns with smooth bars: some considerations about EC8 prescriptions. <i>Bulletin of Earthquake Engineering</i> , <b>2010</b> , 8, 1351-1373	3.7	30
82	Seismic retrofitting with buckling restrained braces: Application to an existing non-ductile RC framed building. <i>Soil Dynamics and Earthquake Engineering</i> , <b>2010</b> , 30, 1279-1297	3.5	86
81	Disaggregation-based response weighting scheme for seismic risk assessment of structures. <i>Soil Dynamics and Earthquake Engineering</i> , <b>2010</b> , 30, 1513-1527	3.5	25
80	Multiscale approach for the design of composite sandwich structures for train application. <i>Composite Structures</i> , <b>2010</b> , 92, 2208-2219	5.3	50
79	A combination of NDT methods for the restoration of monumental falldes: The case study of Monte di Piet[[Naples, Italy]. <i>Journal of Cultural Heritage</i> , <b>2010</b> , 11, 360-364	2.9	10
78	Real, Scaled, Adjusted and Artificial Records: A Displacement and Cyclic Response Assessment.  Geotechnical, Geological and Earthquake Engineering, 2010, 39-47	0.2	

77	Seismic Retrofitting of Existing RC Frames with Buckling Restrained Braces 2009,		7
76	Strain-Rate Sensitivity of a Pultruded E-Glass/Polyester Composite. <i>Journal of Composites for Construction</i> , <b>2009</b> , 13, 558-564	3.3	31
75	Comparative Analysis of Multi-Criteria Decision-Making Methods for Seismic Structural Retrofitting. <i>Computer-Aided Civil and Infrastructure Engineering</i> , <b>2009</b> , 24, 432-445	8.4	85
74	Dynamic behavior of a Mediterranean natural stone under tensile loading. <i>International Journal of Rock Mechanics and Minings Sciences</i> , <b>2009</b> , 46, 514-520	6	57
73	Non-linear modeling of RC rectangular hollow piers confined with CFRP. <i>Composite Structures</i> , <b>2009</b> , 88, 56-64	5.3	29
72	Cyclic bond behaviour of plain bars. Part I: Experimental investigation. <i>Construction and Building Materials</i> , <b>2009</b> , 23, 3499-3511	6.7	75
71	Seismic Assessment of the Bell Tower of Santa Maria Del Carmine: Problems and Solutions. <i>Journal of Earthquake Engineering</i> , <b>2009</b> , 14, 30-56	1.8	17
70	Simplified Method to Include Cumulative Damage in the Seismic Response of Single-Degree-of-Freedom Systems. <i>Journal of Engineering Mechanics - ASCE</i> , <b>2009</b> , 135, 1081-1088	2.4	20
69	Historical, Architectural, and Structural Assessment of the Bell Tower of Santa Maria Del Carmine. <i>International Journal of Architectural Heritage</i> , <b>2009</b> , 3, 169-194	2.1	26
68	Nonlinear Analyses of Tuff Masonry Walls Strengthened with Cementitious Matrix-Grid Composites. <i>Journal of Composites for Construction</i> , <b>2009</b> , 13, 243-251	3.3	45
67	Uncertainty in early warning predictions of engineering ground motion parameters: What really matters?. <i>Geophysical Research Letters</i> , <b>2009</b> , 36,	4.9	30
66	Simple Method for the Design of Jet Grouted Umbrellas in Tunneling. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , <b>2008</b> , 134, 1778-1790	3.4	29
65	Seismic Behavior of a Full-Scale RC Structure Retrofitted Using GFRP Laminates. <i>Journal of Structural Engineering</i> , <b>2008</b> , 134, 810-821	3	36
64	Multi-Criteria Decision Making for Seismic Retrofitting of RC Structures. <i>Journal of Earthquake Engineering</i> , <b>2008</b> , 12, 555-583	1.8	56
63	Vulnerability Analysis for Gravity Load Designed RC Buildings in Naples IItaly. <i>Journal of Earthquake Engineering</i> , <b>2008</b> , 12, 234-245	1.8	33
62	Multi-Hazard Risk Assessment of Structures Subjected to Seismic Excitation and Blast for the Limit State of Collapse. <i>AIP Conference Proceedings</i> , <b>2008</b> ,	O	1
61	Assessment of Design Formulas for In-Plane FRP Strengthening of Masonry Walls. <i>Journal of Composites for Construction</i> , <b>2008</b> , 12, 643-649	3.3	34
60	Closure to <b>R</b> esponse Prediction of RC Beams Externally Bonded with Steel-Reinforced Polymers by Marisa Pecce, Francesca Ceroni, Andrea Prota, and Gaetano Manfredi. <i>Journal of Composites for Construction</i> , <b>2008</b> , 12, 112-113	3.3	

## (2007-2008)

59	Evaluating A New Proxy For Spectral Shape To Be Used As An Intensity Measure. <i>AIP Conference Proceedings</i> , <b>2008</b> ,	Ο	4
58	A Review of Ground Motion Record Selection Strategies for Dynamic Structural Analysis. <i>CISM International Centre for Mechanical Sciences, Courses and Lectures,</i> <b>2008</b> , 131-163	0.6	17
57	Assessment of Eurocode-like design equations for the shear capacity of FRP RC members. <i>Composites Part B: Engineering</i> , <b>2008</b> , 39, 792-806	10	29
56	Seismic response of r.c. columns with smooth reinforcement. Part I: Monotonic tests. <i>Engineering Structures</i> , <b>2008</b> , 30, 2277-2288	4.7	59
55	On the prediction of the collapse load of circular concrete columns confined by FRP. <i>Engineering Structures</i> , <b>2008</b> , 30, 3247-3264	4.7	16
54	Seismic strengthening of an under-designed RC structure with FRP. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2008</b> , 37, 141-162	4	59
53	Unified theory for confinement of RC solid and hollow circular columns. <i>Composites Part B: Engineering</i> , <b>2008</b> , 39, 1151-1160	10	45
52	Seismic response of r.c. columns with smooth reinforcement. Part II: Cyclic tests. <i>Engineering Structures</i> , <b>2008</b> , 30, 2289-2300	4.7	77
51	Seismic assessment of existing precast industrial buildings using static and dynamic nonlinear analyses. <i>Engineering Structures</i> , <b>2008</b> , 30, 2580-2588	4.7	36
50	Prediction of response spectra via real-time earthquake measurements. <i>Soil Dynamics and Earthquake Engineering</i> , <b>2008</b> , 28, 492-505	3.5	18
49	Comparative assessment of seismic rehabilitation techniques on a full scale 3-story RC moment frame structure. <i>Structural Engineering and Mechanics</i> , <b>2008</b> , 28, 727-747		21
48	Expected loss-based alarm threshold set for earthquake early warning systems. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2007</b> , 36, 1151-1168	4	30
47	Seismic risk of R.C. building classes. <i>Engineering Structures</i> , <b>2007</b> , 29, 813-820	4.7	35
46	Automated decision procedure for earthquake early warning. Engineering Structures, 2007, 29, 3455-3	46 <b>3</b> .7	15
45	In-plane shear performance of masonry panels strengthened with FRP. <i>Composites Part B: Engineering</i> , <b>2007</b> , 38, 887-901	10	129
44	Experimental Performance of RC Hollow Columns Confined with CFRP. <i>Journal of Composites for Construction</i> , <b>2007</b> , 11, 42-49	3.3	66
43	A semi-probabilistic approach to the design of jet grouted umbrellas in tunnelling. <i>Proceedings of the Institution of Civil Engineers: Ground Improvement</i> , <b>2007</b> , 11, 207-217	1	11
42	The Crywolf Issue in Earthquake Early Warning Applications for the Campania Region <b>2007</b> , 211-232		4

41	Shear seismic capacity of tuff masonry panels in heritage constructions. WIT Transactions on the Built Environment, 2007,	3	2
40	Seismic Early Warning Systems: Procedure for Automated Decision Making <b>2007</b> , 179-209		3
39	Earthquake Early Warning and Engineering Application Prospects 2007, 233-247		5
38	Ground motion duration effects on nonlinear seismic response. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2006</b> , 35, 21-38	4	125
37	Response Prediction of RC Beams Externally Bonded with Steel-Reinforced Polymers. <i>Journal of Composites for Construction</i> , <b>2006</b> , 10, 195-203	3.3	29
36	REAL-TIME RISK ANALYSIS FOR HYBRID EARTHQUAKE EARLY WARNING SYSTEMS. <i>Journal of Earthquake Engineering</i> , <b>2006</b> , 10, 867-885	1.8	33
35	Experimental In-Plane Behavior of Tuff Masonry Strengthened with Cementitious Matrix Cirid Composites. <i>Journal of Composites for Construction</i> , <b>2006</b> , 10, 223-233	3.3	162
34	Durability issues of FRP rebars in reinforced concrete members. <i>Cement and Concrete Composites</i> , <b>2006</b> , 28, 857-868	8.6	110
33	Ultimate behavior of axially loaded RC wall-like columns confined with GFRP. <i>Composites Part B: Engineering</i> , <b>2006</b> , 37, 670-678	10	28
32	A fibre model for push-over analysis of underdesigned reinforced concrete frames. <i>Computers and Structures</i> , <b>2006</b> , 84, 904-916	4.5	19
31	Damage mitigation by innovative materials for Temple C at Selinunte. <i>Construction and Building Materials</i> , <b>2006</b> , 20, 1040-1048	6.7	1
30	Experimental behaviour of anchored smooth rebars in old type reinforced concrete buildings. <i>Engineering Structures</i> , <b>2005</b> , 27, 1575-1585	4.7	36
29	Seismic behavior of a full-scale RC frame repaired using CFRP laminates. <i>Engineering Structures</i> , <b>2005</b> , 27, 769-780	4.7	97
28	A MULTILEVEL APPROACH TO THE CAPACITY ASSESSMENT OF EXISTING RC BUILDINGS. <i>Journal of Earthquake Engineering</i> , <b>2005</b> , 9, 1-22	1.8	38
27	Performance of School Buildings during the 2002 Molise, Italy, Earthquake. <i>Earthquake Spectra</i> , <b>2004</b> , 20, 257-270	3.4	38
26	Structural models of critical regions in old-type r.c. frames with smooth rebars. <i>Engineering Structures</i> , <b>2004</b> , 26, 2137-2148	4.7	39
25	FRAGILITY OF STANDARD INDUSTRIAL STRUCTURES BY A RESPONSE SURFACE BASED METHOD. Journal of Earthquake Engineering, <b>2004</b> , 8, 927-945	1.8	29
24	Simulation of Earthquake Ground Motion and Effects on Engineering Structures during the Preeruptive Phase of an Active Volcano. <i>Bulletin of the Seismological Society of America</i> , <b>2004</b> , 94, 2213	-2221	2

23	Flexural strengthening of RC beams using emerging materials <b>2004</b> , 163-170		8
22	Flexural strengthening of RC beams using emerging materials <b>2004</b> , 171-178		3
21	Cumulative demand of the earthquake ground motions in the near source. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2003</b> , 32, 1853-1865	4	33
20	EXPERIMENTAL BEHAVIOUR OF MASONRY PANELS STRENGTHENED WITH FRP SHEETS 2003,		2
19	Development length of FRP straight rebars. Composites Part B: Engineering, 2002, 33, 493-504	10	59
18	Modelling of continuous steeldoncrete composite beams: computational aspects. <i>Computers and Structures</i> , <b>2002</b> , 80, 2241-2251	4.5	14
17	Research Needs and Unresolved Issues of Composites for Built Infrastructure. <i>Journal of Composites for Construction</i> , <b>2002</b> , 6, 141-142	3.3	1
16	SEISMIC ASSESSMENT OF GRAVITY LOAD DESIGNED R.C. FRAMES: CRITICAL ISSUES IN STRUCTURAL MODELLING. <i>Journal of Earthquake Engineering</i> , <b>2002</b> , 6, 101-122	1.8	20
15	Evaluation of seismic energy demand. Earthquake Engineering and Structural Dynamics, 2001, 30, 485-4	994	107
14	Ductility of composite beams under negative bending: an equivalence index for reinforcing steel classification. <i>Journal of Constructional Steel Research</i> , <b>2001</b> , 57, 185-202	3.8	23
13	Experimental and Analytical Evaluation of Bond Properties of GFRP Bars. <i>Journal of Materials in Civil Engineering</i> , <b>2001</b> , 13, 282-290	3	79
12	Damage indices and damage measures. Structural Control and Health Monitoring, <b>2000</b> , 2, 50-59		88
11	Experimental Response and Code Modelsof GFRP RC Beams in Bending. <i>Journal of Composites for Construction</i> , <b>2000</b> , 4, 182-190	3.3	102
10	Analysis of Continuous Composite Beams Including Partial Interaction and Bond. <i>Journal of Structural Engineering</i> , <b>2000</b> , 126, 1288-1294	3	52
9	Modeling of Steel-Concrete Composite Beams under Negative Bending. <i>Journal of Engineering Mechanics - ASCE</i> , <b>1999</b> , 125, 654-662	2.4	34
8	Non-linear analysis of composite beams under positive bending. <i>Computers and Structures</i> , <b>1999</b> , 70, 77-89	4.5	24
7	A refined R.C. beam element including bondElip relationship for the analysis of continuous beams. <i>Computers and Structures</i> , <b>1998</b> , 69, 53-62	4.5	33
6	Behavior and Modeling of Bond of FRP Rebars to Concrete. <i>Journal of Composites for Construction</i> , <b>1997</b> , 1, 40-51	3.3	330

5	Low cycle fatigue of RC beams in NSC and HSC. Engineering Structures, 1997, 19, 217-223	4.7	12
4	Behaviour of bond between concrete and steel in a large post-yelding field. <i>Materials and Structures/Materiaux Et Constructions</i> , <b>1996</b> , 29, 506-513	3.4	9
3	The use of damage functionals in earthquake engineering: A comparison between different methods. <i>Earthquake Engineering and Structural Dynamics</i> , <b>1993</b> , 22, 855-868	4	182
2	Nonstructural Seismic Loss Analysis of Traditional and Innovative Partition Systems Housed in Code-conforming RC Frame Buildings. <i>Journal of Earthquake Engineering</i> ,1-28	1.8	1
1	Composites for Structural Strengthening1		3