

hawlong Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4724964/publications.pdf>

Version: 2024-02-01

53
papers

1,057
citations

430874

18
h-index

434195

31
g-index

53
all docs

53
docs citations

53
times ranked

640
citing authors

#	ARTICLE	IF	CITATIONS
1	Vibration analysis of a viscous-fluid-conveying single-walled carbon nanotube embedded in an elastic medium. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2009, 41, 529-532.	2.7	114
2	Frequency Shift of Carbon-Nanotube-Based Mass Sensor Using Nonlocal Elasticity Theory. <i>Nanoscale Research Letters</i> , 2010, 5, 1774-1778.	5.7	82
3	Free vibration of a single-walled carbon nanotube containing a fluid flow using the Timoshenko beam model. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2009, 373, 982-985.	2.1	80
4	A closed-form solution for critical buckling temperature of a single-walled carbon nanotube. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2009, 41, 1492-1494.	2.7	57
5	Longitudinal vibration of cracked nanobeams using nonlocal elasticity theory. <i>Current Applied Physics</i> , 2011, 11, 1384-1388.	2.4	49
6	Flexural vibration frequency of atomic force microscope cantilevers using the Timoshenko beam model. <i>Nanotechnology</i> , 2007, 18, 285503.	2.6	43
7	Vibration analysis of fluid-conveying double-walled carbon nanotubes based on nonlocal elastic theory. <i>Journal of Physics Condensed Matter</i> , 2009, 21, 115302.	1.8	40
8	Inverse heat transfer analysis of a functionally graded fin to estimate time-dependent base heat flux and temperature distributions. <i>Energy Conversion and Management</i> , 2012, 57, 1-7.	9.2	40
9	Sensitivity of V-shaped atomic force microscope cantilevers based on a modified couple stress theory. <i>Microelectronic Engineering</i> , 2011, 88, 3214-3218.	2.4	37
10	Study of the sensitivity of the first four flexural modes of an AFM cantilever with a sidewall probe. <i>Ultramicroscopy</i> , 2008, 108, 619-624.	1.9	35
11	Surface and small-scale effects on vibration analysis of a nonuniform nanocantilever beam. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2010, 43, 466-469.	2.7	35
12	Flexural sensitivity of a V-shaped cantilever of an atomic force microscope. <i>Materials Chemistry and Physics</i> , 2005, 92, 438-442.	4.0	32
13	Analysis of dual-phase-lag heat conduction in short-pulse laser heating of metals with a hybrid method. <i>Applied Thermal Engineering</i> , 2013, 52, 275-283.	6.0	26
14	An inverse hyperbolic heat conduction problem in estimating pulse heat flux with a dual-phase-lag model. <i>International Communications in Heat and Mass Transfer</i> , 2015, 60, 1-8.	5.6	24
15	Estimation of heat flux and thermal stresses in multilayer gun barrel with thermal contact resistance. <i>Applied Mathematics and Computation</i> , 2009, 209, 211-221.	2.2	23
16	Surface effects on axial buckling of nonuniform nanowires using non-local elasticity theory. <i>Micro and Nano Letters</i> , 2011, 6, 19.	1.3	23
17	Thermal buckling of double-walled carbon nanotubes. <i>Journal of Applied Physics</i> , 2009, 105, 103512.	2.5	20
18	Estimation of surface heat flux and temperature distributions in a multilayer tissue based on the hyperbolic model of heat conduction. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2015, 18, 1525-1534.	1.6	20

#	ARTICLE	IF	CITATIONS
19	An inverse problem in estimating the base heat flux of an annular fin based on the hyperbolic model of heat conduction. <i>International Communications in Heat and Mass Transfer</i> , 2013, 44, 31-37.	5.6	19
20	An inverse problem of estimating the heat source in tapered optical fibers for scanning near-field optical microscopy. <i>Ultramicroscopy</i> , 2007, 107, 656-662.	1.9	18
21	Inverse problem of estimating transient heat transfer rate on external wall of forced convection pipe. <i>Energy Conversion and Management</i> , 2008, 49, 2117-2123.	9.2	18
22	Frequency analysis of carbon-nanotube-based mass sensor using non-local Timoshenko beam theory. <i>Micro and Nano Letters</i> , 2012, 7, 86.	1.3	17
23	Effect of porosity on the mechanical properties of a nanoporous graphene membrane using the atomic-scale finite element method. <i>Acta Mechanica</i> , 2017, 228, 2623-2629.	2.1	17
24	Vibration analysis of viscoelastic carbon nanotubes. <i>Micro and Nano Letters</i> , 2012, 7, 1308-1312.	1.3	15
25	Sensitivity analysis of single-layer graphene resonators using atomic finite element method. <i>Journal of Applied Physics</i> , 2013, 114, .	2.5	14
26	Estimation of Heat Flux and Thermal Stresses in Functionally Graded Hollow Circular Cylinders. <i>Journal of Thermal Stresses</i> , 2011, 34, 740-755.	2.0	13
27	Buckling Temperature of a Single-Walled Carbon Nanotube Using Nonlocal Timoshenko Beam Model. <i>Journal of Computational and Theoretical Nanoscience</i> , 2010, 7, 2367-2371.	0.4	12
28	Transient thermal loading induced microbending loss in carbon-coated optical fibers. <i>Journal of Applied Physics</i> , 2000, 88, 6987-6992.	2.5	11
29	An inverse problem in estimating the laser irradiance and thermal damage in laser-irradiated biological tissue with a dual-phase-lag model. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2017, 20, 446-456.	1.6	11
30	Effect of Interactive Damping on Vibration Sensitivities of V-Shaped Atomic Force Microscope Cantilevers. <i>Japanese Journal of Applied Physics</i> , 2006, 45, 6017-6021.	1.5	10
31	Sensitivity analysis of rectangular atomic force microscope cantilevers immersed in liquids based on the modified couple stress theory. <i>Micron</i> , 2016, 80, 1-5.	2.2	10
32	Numerical analysis of dual-phase-lag heat transfer for a moving finite medium subjected to laser heat source. <i>Applied Mathematical Modelling</i> , 2016, 40, 4700-4711.	4.2	9
33	Vibration sensitivity of the scanning near-field optical microscope with a tapered optical fiber probe. <i>Ultramicroscopy</i> , 2005, 102, 85-92.	1.9	7
34	Vibration analysis of scanning thermal microscope probe nanomachining using Timoshenko beam theory. <i>Current Applied Physics</i> , 2010, 10, 570-573.	2.4	7
35	Dynamic behaviour of atomic force microscope-based nanomachining based on a modified couple stress theory. <i>Micro and Nano Letters</i> , 2013, 8, 832-835.	1.3	7
36	Estimation of energy absorption rate and temperature distributions in short-pulse laser heating of metals with a dual-phase-lag model. <i>Applied Thermal Engineering</i> , 2014, 65, 352-360.	6.0	7

#	ARTICLE	IF	CITATIONS
37	Estimation for inner surface geometry of a two-layer-wall furnace with inner wall made of functionally graded materials. <i>International Communications in Heat and Mass Transfer</i> , 2018, 97, 143-150.	5.6	7
38	Young's modulus of nanoporous $\hat{1}^3$ -graphyne membrane using an atomistic finite element model. <i>Solid State Communications</i> , 2018, 280, 1-5.	1.9	7
39	Function estimation of laser-induced heat generation in a gas-saturated powder layer heated by a short-pulsed laser. <i>International Communications in Heat and Mass Transfer</i> , 2017, 81, 56-63.	5.6	6
40	Hydrostatic pressure and thermal loading induced long-term optical effects in tightly jacketed double-coated optical fibers. <i>Applied Physics B: Lasers and Optics</i> , 2006, 83, 601-607.	2.2	5
41	Viscoelastic analysis of optical effects in double-coated optical fibers induced by axial strain and hydrostatic pressure. <i>Materials Chemistry and Physics</i> , 2005, 91, 80-87.	4.0	4
42	Non-Fourier Thermoelastic Analysis of an Annular Fin with Variable Convection Heat Transfer Coefficient. <i>International Journal of Thermophysics</i> , 2012, 33, 1068-1081.	2.1	4
43	Vibrational Analysis of a Single-Layered Nanoporous Graphene Membrane. <i>Nano</i> , 2016, 11, 1650043.	1.0	4
44	An inverse problem in simultaneously estimating boundary moisture fluxes in a porous annular cylinder. <i>Acta Mechanica</i> , 2005, 179, 131-144.	2.1	3
45	An inverse problem of estimating the Biot number in deep X-ray lithography. <i>Applied Physics B: Lasers and Optics</i> , 2008, 90, 155-162.	2.2	3
46	Nanomachining analysis of a multi-cracked atomic force microscope cantilever based on a modified couple stress theory. <i>Modern Physics Letters B</i> , 2015, 29, 1550186.	1.9	3
47	Thermally induced vibration of circular monolayer graphene considering quantum effects. <i>Acta Mechanica</i> , 2016, 227, 1067-1074.	2.1	3
48	Vibration of scanning near-field optical microscope probe with laser-induced thermal effect using Timoshenko beam theory. <i>Applied Physics B: Lasers and Optics</i> , 2009, 97, 653-659.	2.2	2
49	Vibration Behavior of Nanoparticle Delivery in a Single-Walled Carbon Nanotube Using Nonlocal Timoshenko Beam Theory. <i>Journal of Computational and Theoretical Nanoscience</i> , 2013, 10, 1472-1476.	0.4	2
50	Vibration Analysis of Scanning Near-Field Optical Microscope Probe Using the Timoshenko Beam Model. <i>Japanese Journal of Applied Physics</i> , 2008, 47, 3657-3660.	1.5	1
51	Transient thermal loading induced optical effects in tightly jacketed double-coated optical fibers with interlayer thermal contact resistance. <i>Optics Communications</i> , 2012, 285, 447-452.	2.1	1
52	Laser-Induced Thermal Effect on Sensitivity of Scanning Near-Field Optical Microscope Probe. <i>Japanese Journal of Applied Physics</i> , 2010, 49, 125201.	1.5	0
53	Dynamic Behavior of Nanoparticle Delivery in Double-Walled Carbon Nanotube. <i>Journal of Computational and Theoretical Nanoscience</i> , 2011, 8, 2376-2380.	0.4	0