Paola Lago

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4725233/publications.pdf

Version: 2024-02-01

312153 318942 1,877 68 23 41 h-index citations g-index papers 73 73 73 1765 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Fentanyl analgesia in asphyxiated newborns treated with therapeutic hypothermia. Journal of Maternal-Fetal and Neonatal Medicine, 2024, 35, 7764-7770.	0.7	4
2	Neonatal Early Onset Sepsis: Impact of Kaiser Calculator in an Italian Tertiary Perinatal Center. Pediatric Infectious Disease Journal, 2022, 41, 161-165.	1.1	2
3	A Single Dose of Oral Sucrose Is Enough to Control Pain During Venipuncture: A Randomized Controlled Trial. Frontiers in Pain Research, 2022, 3, .	0.9	O
4	Early onset food protein-induced enterocolitis syndrome in two breastfed newborns masquerading as surgical diseases: case reports and literature review. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 390-394.	0.7	5
5	Lung recruitment before surfactant administration in extremely preterm neonates with respiratory distress syndrome (IN-REC-SUR-E): a randomised, unblinded, controlled trial. Lancet Respiratory Medicine,the, 2021, 9, 159-166.	5.2	42
6	Caution advised regarding lung recruitment before surfactant – Authors' reply. Lancet Respiratory Medicine,the, 2021, 9, e12.	5.2	0
7	Ibuprofen enantiomers in premature neonates with patent ductus arteriosus: Preliminary data on an unexpected pharmacokinetic profile of S (+)â€ibuprofen. Chirality, 2021, 33, 281-291.	1.3	3
8	Editorial: Perinatal Palliative Care Comes of Age. Frontiers in Pediatrics, 2021, 9, 709383.	0.9	7
9	Jacobsen syndrome and neonatal bleeding: report on two unrelated patients. Italian Journal of Pediatrics, 2021, 47, 147.	1.0	18
10	Surfactant Treatment of Late Preterm Infants during Emergency Transport: A Retrospective, Observational Study. Neonatology, 2021, 118, 617-623.	0.9	0
11	Repeating a dose of sucrose for heel prick procedure in preterms is not effective in reducing pain: a randomised controlled trial. European Journal of Pediatrics, 2020, 179, 293-301.	1.3	5
12	Pain management during therapeutic hypothermia in newborn infants with hypoxicâ€ischaemic encephalopathy. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 628-629.	0.7	9
13	Barriers to Perinatal Palliative Care Consultation. Frontiers in Pediatrics, 2020, 8, 590616.	0.9	13
14	COnsensus on Pediatric Pain in the Emergency Room: the COPPER project, issued by 17 Italian scientific societies. Italian Journal of Pediatrics, 2020, 46, 101.	1.0	8
15	Summary of the Key Concepts on How to Develop a Perinatal Palliative Care Program. Frontiers in Pediatrics, 2020, 8, 596744.	0.9	11
16	Literature review informs clinical guidelines for pain management during screening and laser photocoagulation for retinopathy of prematurity. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 593-599.	0.7	19
17	Perinatal palliative care: a dedicated care pathway. BMJ Supportive and Palliative Care, 2019, 11, bmjspcare-2019-001849.	0.8	15
18	Patent ductus arteriosus in preterm infants born at 23–24 weeks' gestation: Should we pay more attention?. Early Human Development, 2019, 135, 16-22.	0.8	21

#	Article	IF	CITATIONS
19	Perinatal palliative care: a national survey in Italy. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2019, 104, F567.1-F568.	1.4	7
20	Evidenceâ€based clinical guidelines on analgesia and sedation in newborn infants undergoing assisted ventilation and endotracheal intubation. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 208-217.	0.7	54
21	Perinatal palliative care: is palliative care really available to everyone?. Annals of Palliative Medicine, 2018, 7, 487-488.	0.5	4
22	Procedural Pain during Insertion of a Continuous Glucose Monitoring Device in Preterm Infants. Journal of Pediatrics, 2018, 200, 261-264.e1.	0.9	13
23	Predictive algorithms for early detection of retinopathy of prematurity. Acta Ophthalmologica, 2017, 95, 158-164.	0.6	35
24	Sedation and analgesia practices at Italian neonatal intensive care units: results from the EUROPAIN study. Italian Journal of Pediatrics, 2017, 43, 26.	1.0	31
25	Assessment of continuous pain in newborns admitted to <scp>NICU</scp> s inÂ18Â <scp>E</scp> uropean countries. Acta Paediatrica, International Journal of Paediatrics, 2017, 106, 1248-1259.	0.7	93
26	Antibiotics Prescriptions in the Neonatal Intensive Care Unit: How to Overcome Everyday Challenges. American Journal of Perinatology, 2017, 34, 1169-1177.	0.6	6
27	Follow-up at the corrected age of 24 months of preterm newborns receiving continuous infusion of fentanyl for pain control during mechanical ventilation. Pain, 2017, 158, 840-845.	2.0	21
28	Systematic review of nonpharmacological analgesic interventions for common needleâ€related procedure in newborn infants and development ofÂevidenceâ€based clinical guidelines. Acta Paediatrica, International Journal of Paediatrics, 2017, 106, 864-870.	0.7	33
29	72nd Congress of the Italian Society of Pediatrics. Italian Journal of Pediatrics, 2017, 43, .	1.0	1
30	Midâ€childhood lung function in a cohort of children with "new bronchopulmonary dysplasiaâ€. Pediatric Pulmonology, 2016, 51, 1057-1064.	1.0	43
31	Intravenous paracetamol for PDA closure in the preterm: a single-center experience. European Journal of Pediatrics, 2016, 175, 953-966.	1.3	26
32	Heated, Humidified High-Flow Nasal Cannulae as a Form of Noninvasive Respiratory Support for Preterm Infants and Children with Acute Respiratory Failure. American Journal of Perinatology, 2016, 33, 1058-1061.	0.6	10
33	Pain control in newborn: pharmacological interventions. Italian Journal of Pediatrics, 2015, 41, .	1.0	0
34	Failure mode and effective analysis ameliorate awareness of medical errors: a $4\hat{a} \in \mathbf{y}$ ear prospective observational study in critically ill children. Paediatric Anaesthesia, 2015, 25, 1227-1234.	0.6	9
35	Congenital diaphragmatic hernia: focus on abnormal muscle formation. Journal of Pediatric Surgery, 2015, 50, 388-393.	0.8	7
36	Sedation and analgesia practices in neonatal intensive care units (EUROPAIN): results from a prospective cohort study. Lancet Respiratory Medicine, the, 2015, 3, 796-812.	5.2	147

#	Article	lF	CITATIONS
37	O-103â€Sedation And Analgesia For Neonates In Nicus Across Europe: The Europain Survey. Archives of Disease in Childhood, 2014, 99, A64.1-A64.	1.0	1
38	O-113â€Pain Assessment In Ventilated And Non-ventilated Neonates In Nicus Across Europe: European Pain Audit In Neonates (europain Survey). Archives of Disease in Childhood, 2014, 99, A68-A68.	1.0	0
39	Improving newborn pain management: systematic pain assessment and operators' compliance with potentially better practices. Journal of Clinical Nursing, 2014, 23, 596-599.	1.4	6
40	Continuous Infusion of Ibuprofen for Treatment of Patent Ductus Arteriosus in Very Low Birth Weight Infants. Neonatology, 2014, 105, 46-54.	0.9	25
41	Sucrose for procedural pain control in infants: should we change our practice?. Acta Paediatrica, International Journal of Paediatrics, 2014, 103, e88-90.	0.7	5
42	Non-pharmacological intervention for neonatal pain control. Italian Journal of Pediatrics, 2014, 40, .	1.0	6
43	Pain management during invasive procedures at Italian NICUs: has anything changed in the last five years?. Journal of Maternal-Fetal and Neonatal Medicine, 2013, 26, 303-305.	0.7	22
44	Procedural pain in neonates: the state of the art in the implementation of national guidelines in <scp>I</scp> taly. Paediatric Anaesthesia, 2013, 23, 407-414.	0.6	32
45	Efficacy and Safety of Continuous Infusion of Fentanyl for Pain Control in Preterm Newborns on Mechanical Ventilation. Journal of Pediatrics, 2013, 163, 645-651.e1.	0.9	61
46	Use of FMEA analysis to reduce risk of errors in prescribing and administering drugs in paediatric wards: a quality improvement report. BMJ Open, 2012, 2, e001249.	0.8	66
47	Pain management during invasive procedures at Italian NICUs: has anything changed in the last 5 years?. Journal of Maternal-Fetal and Neonatal Medicine, 2012, 25, 140-142.	0.7	16
48	Analgesic and sedative drugs in newborns requiring respiratory support. Journal of Maternal-Fetal and Neonatal Medicine, 2012, 25, 80-82.	0.7	3
49	A model of quality assurance and quality improvement for post-graduate medical education in Europe. Medical Teacher, 2010, 32, e57-e64.	1.0	28
50	Premedication for non-emergency intubation in the neonate. Minerva Pediatrica, 2010, 62, 61-3.	2.6	3
51	Guidelines for procedural pain in the newborn. Acta Paediatrica, International Journal of Paediatrics, 2009, 98, 932-939.	0.7	199
52	Is There an Optimal Timing for Surgical Ligation of Patent Ductus Arteriosus in Preterm Infants?. Annals of Thoracic Surgery, 2009, 87, 1509-1516.	0.7	45
53	Remifentanil for percutaneous intravenous central catheter placement in preterm infant: a randomized controlled trial. Paediatric Anaesthesia, 2008, 18, 736-744.	0.6	47
54	216 Use of Remifentanyl for Percutaneous Venous Line Insertion in Preterm Infants. Pediatric Research, 2005, 58, 391-391.	1,1	3

#	Article	IF	CITATIONS
55	Pain management in the neonatal intensive care unit: a national survey in Italy. Paediatric Anaesthesia, 2005, 15, 925-931.	0.6	92
56	Urinary ET-1, AVP and sodium in premature infants treated with indomethacin and ibuprofen for patent ductus arteriosus. Pediatric Nephrology, 2005, 20, 1552-1556.	0.9	9
57	Congenital Diaphragmatic Hernia: Intensive Care Unit or Operating Room?. American Journal of Perinatology, 2005, 22, 189-197.	0.6	30
58	Effects of Ibuprofen and Indomethacin on Urinary Antidiuretic Hormone Excretion in Preterm Infants Treated for Patent Ductus Arteriosus. Fetal Diagnosis and Therapy, 2005, 20, 534-539.	0.6	21
59	Retrospective analysis of post-hemorrhagic ventricular dilatation in very low birth weight infants, short and long-term outcome. Minerva Pediatrica, 2004, 56, 527-36.	2.6	1
60	Reply. Ibuprofen for closure of patent ductus arteriosus: is it really safe in hyperbilirubinaemic infants?. European Journal of Pediatrics, 2003, 162, 357-357.	1.3	2
61	Safety and efficacy of ibuprofen versus indomethacin in preterm infants treated for patent ductus arteriosus: a randomised controlled trial. European Journal of Pediatrics, 2002, 161, 202-207.	1.3	184
62	Is the CRIB Score (Clinical Risk Index for Babies) a Valid Tool in Predicting Neurodevelopmental Outcome inExtremely Low Birth Wei ght Infants?. Neonatology, 1999, 76, 220-227.	0.9	36
63	Pain management of arteriovenous fistula cannulation in haemodialysis children: Efficacy of EMLA anaesthetic cream. European Journal of Pain, 1998, 2, 109-113.	1.4	16
64	Randomised controlled trial of low dose fentanyl infusion in preterm infants with hyaline membrane disease. Archives of Disease in Childhood: Fetal and Neonatal Edition, 1998, 79, F194-F197.	1.4	72
65	Evaluation of Noise in the Neonatal Intensive Care Unit. American Journal of Perinatology, 1996, 13, 37-41.	0.6	40
66	Serum Prolactin in Neonates with Seizures. Epilepsia, 1995, 36, 682-686.	2.6	9
67	MRI, MRA, and neurodevelopmental outcome following neonatal ECMO. Pediatric Neurology, 1995, 12, 294-304.	1.0	61
68	Neonatal tuberous sclerosis presenting with intractable seizures. Brain and Development, 1994, 16, 257-259.	0.6	9