

Vilas G Pol

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4725259/vilas-g-pol-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

4,702
citations

38
h-index

61
g-index

166
ext. papers

5,592
ext. citations

8.1
avg. IF

6.29
L-index

#	Paper	IF	Citations
154	Thermal Safety Analysis of Disordered Li-Rich Rock salt Li _{1.3} Mn _{0.4} Nb _{0.3} O ₂ Cathode. <i>ACS Applied Energy Materials</i> , 2022 , 5, 516-523	6.1	
153	Worldwide ubiquitous utilization of lithium-ion batteries: What we have done, are doing, and could do safely once they are dead?. <i>Journal of Power Sources</i> , 2022 , 523, 231015	8.9	1
152	Prolate carbon architecture as a novel Li-ion battery anode with kinetic study. <i>Carbon Trends</i> , 2022 , 8, 100178	0	0
151	Revealing the Thermal Safety of Prussian Blue Cathode for Safer Nonaqueous Batteries. <i>Advanced Energy Materials</i> , 2021 , 11, 2101764	21.8	6
150	Freestanding polyimide fiber network as thermally safer separator for high-performance Li metal batteries. <i>Electrochimica Acta</i> , 2021 , 377, 138069	6.7	2
149	Discharge State of Layered P2-Type Cathode Reveals Unsafe than Charge Condition in Thermal Runaway Event for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 31594-31604	9.5	4
148	Flame retardant vermiculite coated on polypropylene separator for lithium-ion batteries. <i>Applied Clay Science</i> , 2021 , 208, 106111	5.2	3
147	WS ₂ anode in Na and K-ion battery: Effect of upper cut-off potential on electrochemical performance. <i>Electrochimica Acta</i> , 2021 , 383, 138339	6.7	4
146	Engineered heat dissipation and current distribution boron nitride-graphene layer coated on polypropylene separator for high performance lithium metal battery. <i>Journal of Colloid and Interface Science</i> , 2021 , 583, 362-370	9.3	15
145	TiO ₂ nanoparticle embedded nitrogen doped electrospun helical carbon nanofiber-carbon nanotube hybrid anode for lithium-ion batteries. <i>International Journal of Hydrogen Energy</i> , 2021 , 46, 2464-2478	6.7	8
144	Nanostructured LiTi ₂ (PO ₄) ₃ anode with superior lithium and sodium storage capability aqueous electrolytes. <i>Journal of Power Sources</i> , 2021 , 481, 229110	8.9	6
143	Structural orientation effect of cellulose nanocrystals (CNC) films on electrochemical kinetics and stability in lithium-ion batteries. <i>Chemical Engineering Journal</i> , 2021 , 417, 128128	14.7	4
142	Investigating the stable operating voltage for the MnFe ₂ O ₄ Li-ion battery anode. <i>Sustainable Energy and Fuels</i> , 2021 , 5, 1904-1913	5.8	4
141	Hysteresis abated P2-type NaCoO ₂ cathode reveals highly reversible multiple phase transitions for high-rate sodium-ion batteries. <i>Sustainable Energy and Fuels</i> , 2021 , 5, 3219-3228	5.8	3
140	Double transition metal MXene (TiTaC) 2D materials as anodes for Li-ion batteries. <i>Scientific Reports</i> , 2021 , 11, 688	4.9	16
139	Single-Source Alkoxide Precursor Approach to Titanium Molybdate, TiMoO, and Its Structure, Electrochemical Properties, and Potential as an Anode Material for Alkali Metal Ion Batteries. <i>Inorganic Chemistry</i> , 2021 , 60, 3593-3603	5.1	1
138	Ultrafast anchored SnO ₂ nanoparticles revealed capacity fade and hysteresis abated stable cycling performance for high-rate lithium-ion batteries. <i>Carbon</i> , 2021 , 185, 608-608	10.4	0

137	Safer lithium-ion battery anode based on Ti ₃ C ₂ T _z MXene with thermal safety mechanistic elucidation. <i>Chemical Engineering Journal</i> , 2021 , 419, 129387	14.7	5
136	Layered Na _x CoO ₂ -based cathodes for advanced Na-ion batteries: review on challenges and advancements. <i>Ionics</i> , 2021 , 27, 4549	2.7	1
135	Operando Monitoring of Electrode Temperatures During Overcharge-Caused Thermal Runaway. <i>Energy Technology</i> , 2021 , 9, 2100497	3.5	3
134	One-step combustion synthesis of carbon-coated NiO/Ni composites for lithium and sodium storage. <i>Journal of Alloys and Compounds</i> , 2021 , 884, 160927	5.7	2
133	Encapsulated Sb and Sb ₂ O ₃ particles in waste-tire derived carbon as stable composite anodes for sodium-ion batteries. <i>Sustainable Energy and Fuels</i> , 2020 , 4, 3613-3622	5.8	9
132	Room-temperature, high-voltage solid-state lithium battery with composite solid polymer electrolyte with in-situ thermal safety study. <i>Chemical Engineering Journal</i> , 2020 , 400, 125996	14.7	28
131	Lithium Metal Battery Pouch Cell Assembly and Prototype Demonstration Using Tailored Polypropylene Separator. <i>Energy Technology</i> , 2020 , 8, 2000094	3.5	3
130	Rapid Upcycling of Waste Polyethylene Terephthalate to Energy Storing Disodium Terephthalate Flowers with DFT Calculations. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 6252-6262	8.3	17
129	Dipotassium terephthalate as promising potassium storing anode with DFT calculations. <i>Materials Today Energy</i> , 2020 , 17, 100454	7	7
128	Hierarchical Micro/Mesoporous Copper Structure with Enhanced Antimicrobial Property via Laser Surface Texturing. <i>Advanced Materials Interfaces</i> , 2020 , 7, 1901890	4.6	33
127	All-solid-state Li-metal batteries: role of blending PTFE with PEO and LiTFSI salt as a composite electrolyte with enhanced thermal stability. <i>Sustainable Energy and Fuels</i> , 2020 , 4, 2229-2235	5.8	11
126	Probing the Thermal Safety of Li Metal Batteries. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 120513	13	11
125	Reversible, stable Li-ion storage in 2 D single crystal orthorhombic H ₂ MoO ₄ anodes. <i>Journal of Colloid and Interface Science</i> , 2020 , 565, 197-204	9.3	9
124	Enhancing electrochemical performance of thin film lithium ion battery via introducing tilted metal nanopillars as effective current collectors. <i>Nano Energy</i> , 2020 , 69, 104381	17.1	13
123	In Situ Mechanistic Elucidation of Superior Si-C-Graphite Li-Ion Battery Anode Formation with Thermal Safety Aspects. <i>Advanced Energy Materials</i> , 2020 , 10, 1902799	21.8	38
122	Ge ₂ Sb ₂ Se ₅ Glass as High-capacity Promising Lithium-ion Battery Anode. <i>Nano Energy</i> , 2020 , 68, 104326	17.1	21
121	Ultrafast, dry microwave superheating for the synthesis of an SbO-GNP hybrid anode to investigate the Na-ion storage compatibility in ester and ether electrolytes. <i>Chemical Communications</i> , 2020 , 56, 9663-9666	5.8	3
120	Rheological and Wettability Properties of Engine Oil with a Submicron Spherical Carbon Particle Lubricant Mixture. <i>International Journal of Automotive Technology</i> , 2020 , 21, 1475-1482	1.6	1

119	In Situ Thermal Runaway Detection in Lithium-Ion Batteries with an Integrated Internal Sensor. <i>ACS Applied Energy Materials</i> , 2020 , 3, 7997-8008	6.1	11
118	Waste Biomass-Derived Carbon Anode for Enhanced Lithium Storage. <i>ACS Omega</i> , 2020 , 5, 19715-19720	3.9	18
117	Understanding the Na-Ion Storage Mechanism in Na _{3+x} V ₂ Mx(PO ₄) ₃ (M = Ni ²⁺ , Co ²⁺ , Mg ²⁺ ; x = 0.10.5) Cathodes. <i>ACS Applied Energy Materials</i> , 2020 , 3, 8475-8486	6.1	9
116	First-principles view of the interaction between Li and BiGeO anodes. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 26967-26971	3.6	0
115	In Situ Replenishment of Formation Cycle Lithium-Ion Loss for Enhancing Battery Life. <i>Advanced Functional Materials</i> , 2020 , 30, 2003668	15.6	13
114	Solving two environmental problems simultaneously: Scalable production of carbon microsheets from structured packing peanuts with tailored microporosity for efficient CO ₂ capture. <i>Chemical Engineering Journal</i> , 2020 , 379, 122219	14.7	21
113	LiF modified stable flexible PVDF-garnet hybrid electrolyte for high performance all-solid-state LiS batteries. <i>Energy Storage Materials</i> , 2020 , 24, 198-207	19.4	77
112	Lithium-ion Battery Thermal Safety by Early Internal Detection, Prediction and Prevention. <i>Scientific Reports</i> , 2019 , 9, 13255	4.9	11
111	Hybrid plasmonic Au@TiN vertically aligned nanocomposites: a nanoscale platform towards tunable optical sensing. <i>Nanoscale Advances</i> , 2019 , 1, 1045-1054	5.1	28
110	Towards high performance of supercapacitor: New approach to design 3 D architected electrodes with bacteria. <i>Journal of Industrial and Engineering Chemistry</i> , 2019 , 78, 232-238	6.3	9
109	Effect of Synthesis Method Using Varying Types of Micropore Level Sulfur Infiltration on Electrochemical Performance in Lithium-Sulfur Batteries. <i>Energy Technology</i> , 2019 , 7, 1900194	3.5	0
108	Li ₂ MnO ₃ Thin Films with Tilted Domain Structure as Cathode for Li-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2019 , 2, 3461-3468	6.1	8
107	Materials by Design: Tailored Morphology and Structures of Carbon Anodes for Enhanced Battery Safety. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 13334-13342	9.5	13
106	Synergistically advancing Li storage property of hydrothermally grown 1D pristine MnO ₂ over a mesh-like interconnected framework of 2D graphene oxide. <i>Journal of Solid State Electrochemistry</i> , 2019 , 23, 1443-1454	2.6	6
105	Encapsulation and networking of silicon nanoparticles using amorphous carbon and graphite for high performance Li-ion batteries. <i>Carbon</i> , 2019 , 148, 36-43	10.4	45
104	Upcycling of Spent Lithium Cobalt Oxide Cathodes from Discarded Lithium-Ion Batteries as Solid Lubricant Additive. <i>Environmental Science & Technology</i> , 2019 , 53, 3757-3763	10.3	12
103	A comparative study of cellulose derived structured carbons on the electrochemical behavior of lithium metal-based batteries. <i>Energy Storage Materials</i> , 2019 , 19, 179-185	19.4	24
102	Tailored sonochemical synthesis of V ₂ O ₅ /graphene nanoplatelets composites and its enhanced Li-ion insertion properties. <i>Materials Research Bulletin</i> , 2019 , 114, 37-44	5.1	4

101	Binder mediated enhanced surface adhesion of cured dry solid lubricant on bearing steel for significant friction and wear reduction under high contact pressure. <i>Carbon</i> , 2019 , 146, 588-596	10.4	13
100	Three-Dimensional Antimony Nanochains for Lithium-Ion Storage. <i>ACS Applied Nano Materials</i> , 2019 , 2, 5351-5355	5.6	6
99	Carbon Anodes for Nonaqueous Alkali Metal-Ion Batteries and Their Thermal Safety Aspects. <i>Advanced Energy Materials</i> , 2019 , 9, 1900550	21.8	68
98	Role of operando microscopy techniques on the advancement of sustainable sodium-ion battery anodes. <i>Journal of Power Sources</i> , 2019 , 437, 226851	8.9	13
97	Blocking Polysulfides in GrapheneSulfur Cathodes of LithiumSulfur Batteries through Atomic Layer Deposition of Alumina. <i>Energy Technology</i> , 2019 , 7, 1900621	3.5	2
96	Broad Range Tuning of Phase Transition Property in VO ₂ Through Metal-Ceramic Nanocomposite Design. <i>Advanced Functional Materials</i> , 2019 , 29, 1903690	15.6	16
95	Pollen-derived porous carbon by KOH activation: Effect of physicochemical structure on CO ₂ adsorption. <i>Journal of CO₂ Utilization</i> , 2019 , 29, 146-155	7.6	81
94	Temperature dependent electrochemical performance of graphite anodes for K-ion and Li-ion batteries. <i>Journal of Power Sources</i> , 2019 , 410-411, 124-131	8.9	61
93	Surface Functionalization of a Conventional Polypropylene Separator with an Aluminum Nitride Layer toward Ultrastable and High-Rate Lithium Metal Anodes. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 3917-3924	9.5	30
92	One-step solution combustion synthesis of CuO/Cu ₂ O/C anode for long cycle life Li-ion batteries. <i>Carbon</i> , 2019 , 142, 51-59	10.4	47
91	Room and elevated temperature lithium-ion storage in structurally submicron carbon spheres with mechanistic. <i>Carbon</i> , 2018 , 134, 334-344	10.4	6
90	Toward High-Performance Lithium-Sulfur Batteries: Upcycling of LDPE Plastic into Sulfonated Carbon Scaffold via Microwave-Promoted Sulfonation. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 14827-14834	9.5	32
89	Spherical cobalt/cobalt oxide - Carbon composite anodes for enhanced lithium-ion storage. <i>Electrochimica Acta</i> , 2018 , 264, 191-202	6.7	15
88	Towards highly stable lithium sulfur batteries: Surface functionalization of carbon nanotube scaffolds. <i>Carbon</i> , 2018 , 131, 175-183	10.4	34
87	LiNi _{0.5} Mn _{0.3} Co _{0.2} O ₂ /Au nanocomposite thin film cathode with enhanced electrochemical properties. <i>Nano Energy</i> , 2018 , 46, 290-296	17.1	22
86	Cobalt Nanoparticles Chemically Bonded to Porous Carbon Nanosheets: A Stable High-Capacity Anode for Fast-Charging Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 4652-4661	8.5	32
85	Environmental impact, life cycle analysis and battery performance of upcycled carbon anodes. <i>Environmental Science: Nano</i> , 2018 , 5, 1237-1250	7.1	8
84	High-stability tin/carbon battery electrodes produced using reduction expansion synthesis. <i>Carbon</i> , 2018 , 132, 411-419	10.4	14

83	Li-ion storage in an amorphous, solid, spheroidal carbon anode produced by dry-autoclaving of coffee oil. <i>Carbon</i> , 2018 , 133, 62-68	10.4	30
82	Sodium-Ion Battery Anodes Comprising Carbon Sheets: Stable Cycling in Half- and Full-Pouch Cell Configuration. <i>Energy Technology</i> , 2018 , 6, 213-220	3.5	12
81	Ultrasound-assisted synthesis of sodium powder as electrode additive to improve cycling performance of sodium-ion batteries. <i>Journal of Power Sources</i> , 2018 , 396, 476-482	8.9	25
80	Strongly correlated perovskite lithium ion shuttles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 9672-9677	11.5	36
79	Basic Medium Heterogeneous Solution Synthesis of MnO_2 Nanoflakes as an Anode or Cathode in Half Cell Configuration (vs. Lithium) of Li-Ion Batteries. <i>Nanomaterials</i> , 2018 , 8,	5.4	12
78	Li-Ion-Permeable and Electronically Conductive Membrane Comprising Garnet-Type $\text{Li}_6\text{La}_3\text{Ta}_{1.5}\text{Y}_{0.5}\text{O}_{12}$ and Graphene Toward Ultrastable and High-Rate Lithium Sulfur Batteries. <i>ACS Applied Energy Materials</i> , 2018 , 1, 3733-3741	6.1	9
77	Mechanistic elucidation of thermal runaway in potassium-ion batteries. <i>Journal of Power Sources</i> , 2018 , 375, 131-137	8.9	29
76	High Performance Lithium Metal Batteries Enabled by Surface Tailoring of Polypropylene Separator with a Polydopamine/Graphene Layer. <i>Advanced Energy Materials</i> , 2018 , 8, 1802665	21.8	47
75	Amorphous Carbon Chips Li-Ion Battery Anodes Produced through Polyethylene Waste Upcycling. <i>ACS Omega</i> , 2018 , 3, 17520-17527	3.9	20
74	Bismuth germanate (BiGeO_3), a promising high-capacity lithium-ion battery anode. <i>Chemical Communications</i> , 2018 , 54, 11483-11486	5.8	11
73	Investigation of Response of LiCoO_2 Cathode to Dynamic Impact Using Raman Imaging-Based Analyses. <i>Jom</i> , 2018 , 70, 1423-1429	2.1	4
72	Surface Functionalization of Carbon Architecture with Nano- MnO for Effective Polysulfide Confinement in Lithium-Sulfur Batteries. <i>ChemSusChem</i> , 2018 , 11, 2375-2381	8.3	31
71	Uniform metal-ion flux through interface-modified membrane for highly stable metal batteries. <i>Electrochimica Acta</i> , 2018 , 283, 517-527	6.7	20
70	Sustainable Potassium-Ion Battery Anodes Derived from Waste-Tire Rubber. <i>Journal of the Electrochemical Society</i> , 2017 , 164, A1234-A1238	3.9	75
69	Binder-Free N- and O-Rich Carbon Nanofiber Anodes for Long Cycle Life K-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 17872-17881	9.5	154
68	Enhanced Lithium- and Sodium-Ion Storage in an Interconnected Carbon Network Comprising Electronegative Fluorine. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 18790-18798	9.5	24
67	Lithium storage in structurally tunable carbon anode derived from sustainable source. <i>Carbon</i> , 2017 , 121, 134-142	10.4	31
66	Electrochemical performance of MXenes as K-ion battery anodes. <i>Chemical Communications</i> , 2017 , 53, 6883-6886	5.8	106

65	Tailored Solution Combustion Synthesis of High Performance ZnCo ₂ O ₄ Anode Materials for Lithium-Ion Batteries. <i>Industrial & Engineering Chemistry Research</i> , 2017 , 56, 7173-7183	3.9	30
64	Biom mineralization-inspired crystallization of monodisperse Mn ₂ O ₃ octahedra and assembly of high-capacity lithium-ion battery anodes. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 6079-6089	13	26
63	Tailored Carbon Anodes Derived from Biomass for Sodium-Ion Storage. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 8720-8728	8.3	61
62	Novel tertiary dry solid lubricant on steel surfaces reduces significant friction and wear under high load conditions. <i>Carbon</i> , 2017 , 123, 7-17	10.4	25
61	Electrospun nanoporous TiO ₂ nanofibers wrapped with reduced graphene oxide for enhanced and rapid lithium-ion storage. <i>Materials Characterization</i> , 2017 , 131, 64-71	3.9	20
60	Fabrication of Carbon/Silicon Composite as Lithium-ion Anode with Enhanced Cycling Stability. <i>Electrochimica Acta</i> , 2017 , 247, 626-633	6.7	21
59	Highly porous three-dimensional carbon nanotube foam as a freestanding anode for a lithium-ion battery. <i>RSC Advances</i> , 2016 , 6, 79734-79744	3.7	38
58	Superior Lithium-Ion Storage at Room and Elevated Temperature in an Industrial Woodchip Derived Porous Carbon. <i>Industrial & Engineering Chemistry Research</i> , 2016 , 55, 8706-8712	3.9	15
57	From Allergens to Battery Anodes: Nature-Inspired, Pollen Derived Carbon Architectures for Room- and Elevated-Temperature Li-ion Storage. <i>Scientific Reports</i> , 2016 , 6, 20290	4.9	30
56	CO Capture in the Sustainable Wheat-Derived Activated Microporous Carbon Compartments. <i>Scientific Reports</i> , 2016 , 6, 34590	4.9	76
55	Pushing the theoretical capacity limits of iron oxide anodes: capacity rise of Fe ₂ O ₃ nanoparticles in lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 18107-18115	13	45
54	Towards Next Generation Lithium-Sulfur Batteries: Non-Conventional Carbon Compartments/Sulfur Electrodes and Multi-Scale Analysis. <i>Journal of the Electrochemical Society</i> , 2016 , 163, A730-A741	3.9	33
53	Identification and Mitigation of Generated Solid By-Products during Advanced Electrode Materials Processing. <i>Environmental Science & Technology</i> , 2016 , 50, 2627-34	10.3	7
52	In situ sonochemical synthesis of luminescent Sn@C-dots and a hybrid Sn@C-dots@Sn anode for lithium-ion batteries. <i>RSC Advances</i> , 2016 , 6, 66256-66265	3.7	23
51	Cavitation and radicals drive the sonochemical synthesis of functional polymer spheres. <i>Applied Physics Letters</i> , 2016 , 109, 041901	3.4	5
50	Wild Fungus Derived Carbon Fibers and Hybrids as Anodes for Lithium-Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 2624-2631	8.3	33
49	Long cycle life microporous spherical carbon anodes for sodium-ion batteries derived from furfuryl alcohol. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 6271-6275	13	38
48	MoS ₂ nanolayer coated carbon spheres as an oil additive for enhanced tribological performance. <i>Carbon</i> , 2016 , 110, 367-377	10.4	43

47	Synthesis and Tribology of Micro-Carbon Sphere Additives for Enhanced Lubrication. <i>Tribology Transactions</i> , 2015 , 58, 474-480	1.8	17
46	Porous carbon sphere anodes for enhanced lithium-ion storage. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 9861-9868	13	107
45	Upcycling of Packing-Peanuts into Carbon Microsheet Anodes for Lithium-Ion Batteries. <i>Environmental Science & Technology</i> , 2015 , 49, 11191-8	10.3	42
44	Advancement in sodium-ion rechargeable batteries. <i>Current Opinion in Chemical Engineering</i> , 2015 , 9, 34-41	5.4	37
43	Ordered Network of Interconnected SnO ₂ Nanoparticles for Excellent Lithium-Ion Storage. <i>Advanced Energy Materials</i> , 2015 , 5, 1401289	21.8	132
42	A Correlative Study of HRTEM, HAADF-STEM, and STEM-EELS Spectrum Imaging for Biphasic Electrochemically Active TiO ₂ . <i>Microscopy and Microanalysis</i> , 2015 , 21, 2133-2134	0.5	
41	Ultrasmooth submicrometer carbon spheres as lubricant additives for friction and wear reduction. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 5514-21	9.5	89
40	Sonochemical Deposition of Sn, SnO ₂ and Sb on Spherical Hard Carbon Electrodes for Li-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2014 , 161, A777-A782	3.9	14
39	Probing the evolution and morphology of hard carbon spheres. <i>Carbon</i> , 2014 , 68, 104-111	10.4	36
38	Tunable, functional carbon spheres derived from rapid synthesis of resorcinol-formaldehyde resins. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 10649-55	9.5	78
37	Kinetic Pathways To Control Hydrogen Evolution and Nanocarbon Allotrope Formation via Thermal Decomposition of Polyethylene. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 9706-9714	3.8	4
36	Spherical Carbon as a New High-Rate Anode for Sodium-ion Batteries. <i>Electrochimica Acta</i> , 2014 , 127, 61-67	6.7	119
35	Ultrasound assisted design of sulfur/carbon cathodes with partially fluorinated ether electrolytes for highly efficient Li/S batteries. <i>Advanced Materials</i> , 2013 , 25, 1608-15	24	204
34	Mesoporous anatase TiO ₂ nanorods as thermally robust anode materials for Li-ion batteries: detailed insight into the formation mechanism. <i>Chemistry - A European Journal</i> , 2013 , 19, 17439-44	4.8	15
33	Spherical carbon particles and carbon nanotubes prepared by autogenic reactions: Evaluation as anodes in lithium electrochemical cells. <i>Energy and Environmental Science</i> , 2011 , 4, 1904-1912	35.4	146
32	Dry autoclaving for the nanofabrication of sulfides, selenides, borides, phosphides, nitrides, carbides, and oxides. <i>Advanced Materials</i> , 2011 , 23, 1179-90	24	39
31	Single-Step Synthesis of Ruthenium Catalytic Nanocrystallites in a Stable Carbon Support. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 2856-2862	2.3	6
30	Upcycling: converting waste plastics into paramagnetic, conducting, solid, pure carbon microspheres. <i>Environmental Science & Technology</i> , 2010 , 44, 4753-9	10.3	100

29	Remediating plastic waste into carbon nanotubes. <i>Journal of Environmental Monitoring</i> , 2010 , 12, 455-9		73
28	One-Step Synthesis and Characterization of SiC, Mo ₂ C, and WC Nanostructures. <i>European Journal of Inorganic Chemistry</i> , 2009 , 2009, 709-715	2.3	22
27	Synthesis of monodispersed prolate spheroid shaped paramagnetic carbon. <i>Carbon</i> , 2009 , 47, 1050-1055	10.4	18
26	Catalyst-Free, One-Step Synthesis of Olivary-Shaped Carbon from Olive Oil. <i>Industrial & Engineering Chemistry Research</i> , 2009 , 48, 5691-5695	3.9	14
25	Core-shell nanorods of SnS-C and SnSe-C: synthesis and characterization. <i>Langmuir</i> , 2008 , 24, 5135-9	4	20
24	Facile synthesis of novel photoluminescent ZnO micro- and nanopencils. <i>Langmuir</i> , 2008 , 24, 13640-5	4	42
23	Facile synthesis of photoluminescent ZnS and ZnSe nanopowders. <i>Langmuir</i> , 2008 , 24, 10462-6	4	50
22	Fabrication of Magnetic Nanoparticles Using RAPET Technique with or without Employing External Magnetic Field. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 6627-6637	3.8	4
21	Combining MoS ₂ or MoSe ₂ nanoflakes with carbon by reacting Mo(CO) ₆ with S or Se under their autogenic pressure at elevated temperature. <i>Journal of Materials Science</i> , 2008 , 43, 1966-1973	4.3	23
20	The Study of Carbon-Coated V ₂ O ₅ Nanoparticles as a Potential Cathodic Material for Li Rechargeable Batteries. <i>Journal of the Electrochemical Society</i> , 2007 , 154, A605	3.9	64
19	The Thermal Decomposition of Three Magnetic Acetates at Their Autogenic Pressure Yields Different Products. Why?. <i>European Journal of Inorganic Chemistry</i> , 2007 , 2007, 2089-2096	2.3	21
18	Application of microwave superheating for the synthesis of TiO ₂ rods. <i>Langmuir</i> , 2007 , 23, 11211-6	4	55
17	Growth of carbon sausages filled with in situ formed tungsten oxide nanorods: thermal dissociation of tungsten(VI) isopropoxide in isopropanol. <i>New Journal of Chemistry</i> , 2006 , 30, 370	3.6	18
16	Microwave-assisted synthesis of tin sulfide nanoflakes and their electrochemical performance as Li-inserting materials. <i>Journal of Solid State Electrochemistry</i> , 2006 , 11, 186-194	2.6	39
15	Sonochemical deposition of Au nanoparticles on titania and the significant decrease in the melting point of gold. <i>Journal of Nanoscience and Nanotechnology</i> , 2005 , 5, 975-9	1.3	41
14	Novel Synthesis of High Surface Area Silicon Carbide by RAPET (Reactions under Autogenic Pressure at Elevated Temperature) of Organosilanes. <i>Chemistry of Materials</i> , 2005 , 17, 1797-1802	9.6	73
13	Applied magnetic field rejects the coating of ferromagnetic carbon from the surface of ferromagnetic cobalt: RAPET of CoZr ₂ (acac) ₂ (O _i Pr) ₈ . <i>Journal of Physical Chemistry B</i> , 2005 , 109, 6121-5	3.4	25
12	Reactions under autogenic pressure at elevated temperature (RAPET) of various alkoxides: formation of metals/metal oxides-carbon core-shell structures. <i>Chemistry - A European Journal</i> , 2004 , 10, 4467-73	4.8	86

11	Carbon spherules: synthesis, properties and mechanistic elucidation. <i>Carbon</i> , 2004 , 42, 111-116	10.4	135
10	Sonochemical decoration of multi-walled carbon nanotubes with nanocrystalline tin. <i>New Journal of Chemistry</i> , 2004 , 28, 1056	3.6	31
9	Stabilization of Metastable Face-Centered Cubic Cobalt and the Tetragonal Phase of Zirconia by a Carbon Shell: Reaction under Autogenic Pressure at Elevated Temperature of CoZr ₂ (acac) ₂ (OiPr) ₈ . <i>Chemistry of Materials</i> , 2004 , 16, 1793-1798	9.6	48
8	Thermal decomposition of tetraethylorthosilicate (TEOS) produces silicon coated carbon spheres. <i>Journal of Materials Chemistry</i> , 2004 , 14, 966		39
7	Improving the high-temperature performance of LiMn ₂ O ₄ spinel electrodes by coating the active mass with MgO via a sonochemical method. <i>Electrochemistry Communications</i> , 2003 , 5, 940-945	5.1	191
6	A two-step process for the synthesis of MoTe ₂ nanotubes: combining a sonochemical technique with heat treatment. <i>Journal of Materials Chemistry</i> , 2003 , 13, 2985		23
5	Atomic-Scale Understanding of Li Storage Processes in the Ti ₄ C ₃ and Chemically Ordered Ti ₂ Ta ₂ C ₃ MXenes: A Theoretical and Experimental Assessment. <i>ACS Applied Energy Materials</i> ,	6.1	3
4	Is the Plastic Pandemic a Greater Threat to Humankind than COVID-19?. <i>ACS Sustainable Chemistry and Engineering</i> ,	8.3	0
3	Role of the Solvation Shell Structure and Dynamics on K-Ion and Li-Ion Transport in Mixed Carbonate Electrolytes. <i>Batteries and Supercaps</i> ,	5.6	1
2	Laser-induced atmospheric Cu _x O formation on copper surface with enhanced electrochemical performance for non-enzymatic glucose sensing. <i>Journal of Materials Chemistry C</i> ,	7.1	6
1	Mechanistic Elucidation of Electronically Conductive PEDOT:PSS Tailored Binder for a Potassium-Ion Battery Graphite Anode: Electrochemical, Mechanical, and Thermal Safety Aspects. <i>Advanced Energy Materials</i> , 2103439	21.8	1