

Pekka Collin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4728043/pekka-collin-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

179 papers	11,168 citations	64 h-index	100 g-index
185 ext. papers	12,597 ext. citations	4.8 avg, IF	5.84 L-index

#	Paper	IF	Citations
179	Long-term outcome of patients with acute ulcerative colitis after first course of intravenous corticosteroids. <i>Scandinavian Journal of Gastroenterology</i> , 2021 , 56, 234-238	2.4	1
178	Cancer incidence and factors associated with malignancies in coeliac disease during long-term follow-up. <i>GastroHep</i> , 2021 , 3, 107-115	1	1
177	Pouch failures following restorative proctocolectomy in ulcerative colitis. <i>International Journal of Colorectal Disease</i> , 2020 , 35, 2027-2033	3	6
176	Overall and Cause-Specific Mortality in Adult Celiac Disease and Dermatitis Herpetiformis Diagnosed in the 21st Century. <i>American Journal of Gastroenterology</i> , 2020 , 115, 1117-1124	0.7	12
175	Health-care costs of inflammatory bowel disease in a pan-European, community-based, inception cohort during 5 years of follow-up: a population-based study. <i>The Lancet Gastroenterology and Hepatology</i> , 2020 , 5, 454-464	18.8	31
174	The use of 5-aminosalicylate for patients with Crohn's disease in a prospective European inception cohort with 5 years follow-up - an Epi-IBD study. <i>United European Gastroenterology Journal</i> , 2020 , 8, 949-960	5.3	5
173	Risk of fractures in dermatitis herpetiformis and coeliac disease: a register-based study. <i>Scandinavian Journal of Gastroenterology</i> , 2019 , 54, 843-848	2.4	4
172	Safety and efficacy of AMG 714 in patients with type 2 refractory coeliac disease: a phase 2a, randomised, double-blind, placebo-controlled, parallel-group study. <i>The Lancet Gastroenterology and Hepatology</i> , 2019 , 4, 960-970	18.8	34
171	Disease course of inflammatory bowel disease unclassified in a European population-based inception cohort: An Epi-IBD study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 996-1003	4	11
170	Serology-based criteria for adult coeliac disease have excellent accuracy across the range of pre-test probabilities. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 49, 277-284	6.1	37
169	Natural Disease Course of Ulcerative Colitis During the First Five Years of Follow-up in a European Population-based Inception Cohort-An Epi-IBD Study. <i>Journal of Crohn's and Colitis</i> , 2019 , 13, 198-208	1.5	57
168	Elevated serum antiphospholipid antibodies in adults with celiac disease. <i>Digestive and Liver Disease</i> , 2018 , 50, 457-461	3.3	7
167	Review article: coeliac disease in later life must not be missed. <i>Alimentary Pharmacology and Therapeutics</i> , 2018 , 47, 563-572	6.1	23
166	Diagnostic Delay in Dermatitis Herpetiformis in a High-prevalence Area. <i>Acta Dermato-Venereologica</i> , 2018 , 98, 195-199	2.2	14
165	Dermatitis Herpetiformis: A Common Extraintestinal Manifestation of Coeliac Disease. <i>Nutrients</i> , 2018 , 10,	6.7	48
164	Prognosis of Dermatitis Herpetiformis Patients with and without Villous Atrophy at Diagnosis. <i>Nutrients</i> , 2018 , 10,	6.7	16
163	Long-term functional outcome after restorative proctocolectomy: a cross-sectional study. <i>Scandinavian Journal of Gastroenterology</i> , 2018 , 53, 1245-1249	2.4	6

162	Self-Reported Fractures in Dermatitis Herpetiformis Compared to Coeliac Disease. <i>Nutrients</i> , 2018 , 10,	6.7	4
161	Vitamin D deficiency in a European inflammatory bowel disease inception cohort: an Epi-IBD study. <i>European Journal of Gastroenterology and Hepatology</i> , 2018 , 30, 1297-1303	2.2	21
160	The Decreasing Prevalence of Severe Villous Atrophy in Dermatitis Herpetiformis: A 45-Year Experience in 393 Patients. <i>Journal of Clinical Gastroenterology</i> , 2017 , 51, 235-239	3	18
159	Occurrence of Anaemia in the First Year of Inflammatory Bowel Disease in a European Population-based Inception Cohort-An ECCO-EpiCom Study. <i>Journal of Crohn's and Colitis</i> , 2017 , 11, 1213-1222	1.5	18
158	Clinical Characteristics and the Dietary Response in Celiac Disease Patients Presenting With or Without Anemia. <i>Journal of Clinical Gastroenterology</i> , 2017 , 51, 412-416	3	8
157	Gastrointestinal Symptoms Increase the Burden of Illness in Dermatitis Herpetiformis: A Prospective Study. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 58-62	2.2	5
156	Dermatitis herpetiformis: a cutaneous manifestation of coeliac disease. <i>Annals of Medicine</i> , 2017 , 49, 23-31	1.5	89
155	Restorative Proctocolectomy for Ulcerative Colitis in 1985-2009. <i>Scandinavian Journal of Surgery</i> , 2016 , 105, 73-7	3.1	14
154	Antegrade transverse or sigmoid colonic enema through a percutaneous endoscopic gastrostomy tube is an option in the treatment of colorectal dysfunction. <i>Techniques in Coloproctology</i> , 2016 , 20, 25-29	2.9	1
153	Serum transglutaminase 3 antibodies correlate with age at celiac disease diagnosis. <i>Digestive and Liver Disease</i> , 2016 , 48, 632-7	3.3	8
152	Gastrointestinal Symptoms in Celiac Disease Patients on a Long-Term Gluten-Free Diet. <i>Nutrients</i> , 2016 , 8,	6.7	33
151	Dermatitis Herpetiformis Refractory to Gluten-free Dietary Treatment. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 82-6	2.2	14
150	Type 1 and type 2 diabetes in celiac disease: prevalence and effect on clinical and histological presentation. <i>BMC Gastroenterology</i> , 2016 , 16, 76	3	17
149	IgA antiepidermal transglutaminase antibodies in dermatitis herpetiformis: a significant but not complete response to a gluten-free diet treatment. <i>British Journal of Dermatology</i> , 2015 , 172, 1139-41	4	23
148	Quality of Life and Gastrointestinal Symptoms in Long-Term Treated Dermatitis Herpetiformis Patients: A Cross-Sectional Study in Finland. <i>American Journal of Clinical Dermatology</i> , 2015 , 16, 545-52	7.1	7
147	Reply: To PMID 24837306. <i>Gastroenterology</i> , 2015 , 148, 261-2	13.3	
146	Predictors and Significance of Incomplete Mucosal Recovery in Celiac Disease After 1 Year on a Gluten-Free Diet. <i>American Journal of Gastroenterology</i> , 2015 , 110, 1078-85	0.7	42
145	Celiac disease evolving into dermatitis herpetiformis in patients adhering to normal or gluten-free diet. <i>Scandinavian Journal of Gastroenterology</i> , 2015 , 50, 387-92	2.4	18

144	Diagnostic workup of liver lesions: too long time with too many examinations. <i>Scandinavian Journal of Gastroenterology</i> , 2015 , 50, 355-9	2.4	8
143	Early microbial markers of celiac disease. <i>Journal of Clinical Gastroenterology</i> , 2014 , 48, 620-4	3	22
142	Dermatitis herpetiformis in children: a long-term follow-up study. <i>British Journal of Dermatology</i> , 2014 , 171, 1242-3	4	24
141	Environmental factors in a population-based inception cohort of inflammatory bowel disease patients in Europe--an ECCO-EpiCom study. <i>Journal of Crohn's and Colitis</i> , 2014 , 8, 607-16	1.5	58
140	Commentary: refractory coeliac disease - rigorous management revealing, or resulting in, rarity? Authors'Reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 39, 639	6.1	
139	Incidence of malignancies in diagnosed celiac patients: a population-based estimate. <i>American Journal of Gastroenterology</i> , 2014 , 109, 1471-7	0.7	67
138	Anal incontinence: long-term alterations in the incidence and healthcare usage. <i>Scandinavian Journal of Gastroenterology</i> , 2014 , 49, 790-3	2.4	2
137	Impaired epithelial integrity in the duodenal mucosa in early stages of celiac disease. <i>Translational Research</i> , 2014 , 164, 223-31	11	18
136	Liver stiffness measured by transient elastography in patients with acute pancreatitis. <i>Pancreatology</i> , 2014 , 14, 91-4	3.8	1
135	Health care and patients' education in a European inflammatory bowel disease inception cohort: an ECCO-EpiCom study. <i>Journal of Crohn's and Colitis</i> , 2014 , 8, 811-8	1.5	14
134	Benefits of a gluten-free diet for asymptomatic patients with serologic markers of celiac disease. <i>Gastroenterology</i> , 2014 , 147, 610-617.e1	13.3	121
133	Villous Atrophy 2014 , 243-249		
132	Small bowel transglutaminase 2-specific IgA deposits in dermatitis herpetiformis. <i>Acta Dermato-Venereologica</i> , 2014 , 94, 393-7	2.2	16
131	Altered duodenal microbiota composition in celiac disease patients suffering from persistent symptoms on a long-term gluten-free diet. <i>American Journal of Gastroenterology</i> , 2014 , 109, 1933-41	0.7	130
130	Refractory coeliac disease in a country with a high prevalence of clinically-diagnosed coeliac disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 39, 418-25	6.1	55
129	Factors associated with long diagnostic delay in celiac disease. <i>Scandinavian Journal of Gastroenterology</i> , 2014 , 49, 1304-10	2.4	65
128	Changes in gut bacterial populations and their translocation into liver and ascites in alcoholic liver cirrhotics. <i>BMC Gastroenterology</i> , 2014 , 14, 40	3	80
127	Health-related quality of life improves during one year of medical and surgical treatment in a European population-based inception cohort of patients with inflammatory bowel disease--an ECCO-EpiCom study. <i>Journal of Crohn's and Colitis</i> , 2014 , 8, 1030-42	1.5	36

126	Predictors of persistent symptoms and reduced quality of life in treated coeliac disease patients: a large cross-sectional study. <i>BMC Gastroenterology</i> , 2013 , 13, 75	3	67
125	Seven-year follow-up after anterior sphincter reconstruction for faecal incontinence. <i>International Journal of Colorectal Disease</i> , 2013 , 28, 653-8	3	26
124	Degree of damage to the small bowel and serum antibody titers correlate with clinical presentation of patients with celiac disease. <i>Clinical Gastroenterology and Hepatology</i> , 2013 , 11, 166-71.e1	6.9	43
123	Burden of illness and use of health care services before and after celiac disease diagnosis in children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013 , 57, 53-6	2.8	22
122	The duodenal microbiota composition of adult celiac disease patients is associated with the clinical manifestation of the disease. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 934-41	4.5	119
121	Long-term consumption of oats in adult celiac disease patients. <i>Nutrients</i> , 2013 , 5, 4380-9	6.7	47
120	Validation of morphometric analyses of small-intestinal biopsy readouts in celiac disease. <i>PLoS ONE</i> , 2013 , 8, e76163	3.7	117
119	Video capsule endoscopy in celiac disease: current clinical practice. <i>Journal of Digestive Diseases</i> , 2012 , 13, 94-9	3.3	21
118	Changes in body mass index on a gluten-free diet in coeliac disease: a nationwide study. <i>European Journal of Internal Medicine</i> , 2012 , 23, 384-8	3.9	60
117	Use of health care services and pharmaceutical agents in coeliac disease: a prospective nationwide study. <i>BMC Gastroenterology</i> , 2012 , 12, 136	3	17
116	Reduced mortality in dermatitis herpetiformis: a population-based study of 476 patients. <i>British Journal of Dermatology</i> , 2012 , 167, 1331-7	4	34
115	Gastrointestinal symptoms and quality of life in screen-detected celiac disease. <i>Digestive and Liver Disease</i> , 2012 , 44, 814-8	3.3	30
114	Utility of the new ESPGHAN criteria for the diagnosis of celiac disease in at-risk groups. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 54, 387-91	2.8	38
113	Endomysial antibodies predict celiac disease irrespective of the titers or clinical presentation. <i>World Journal of Gastroenterology</i> , 2012 , 18, 2511-6	5.6	23
112	Gluten-free diet and autoimmune thyroiditis in patients with celiac disease. A prospective controlled study. <i>Scandinavian Journal of Gastroenterology</i> , 2012 , 47, 43-8	2.4	48
111	Chronic gastritis in dermatitis herpetiformis: a controlled study. <i>Clinical and Developmental Immunology</i> , 2012 , 2012, 640630		8
110	Factors associated with dietary adherence in celiac disease: a nationwide study. <i>Digestion</i> , 2012 , 86, 309-14	3.4	75
109	Symptom-detected and screen-detected celiac disease and adult height: a large cohort study. <i>European Journal of Gastroenterology and Hepatology</i> , 2012 , 24, 1066-70	2.2	12

108	Burden of illness in screen-detected children with celiac disease and their families. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 55, 412-6	2.8	42
107	Celiac disease in patients with chronic psychiatric disorders. <i>Gastroenterology and Hepatology From Bed To Bench</i> , 2012 , 5, 90-3	1.2	10
106	Patients' experiences and perceptions of living with coeliac disease - implications for optimizing care. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2012 , 21, 17-22	1.4	20
105	Diet improves perception of health and well-being in symptomatic, but not asymptomatic, patients with celiac disease. <i>Clinical Gastroenterology and Hepatology</i> , 2011 , 9, 118-23	6.9	82
104	Gluten-sensitive hypertransaminasemia in celiac disease: an infrequent and often subclinical finding. <i>American Journal of Gastroenterology</i> , 2011 , 106, 1689-96	0.7	31
103	Celiac disease and health-related quality of life. <i>Expert Review of Gastroenterology and Hepatology</i> , 2011 , 5, 83-90	4.2	38
102	Antibodies against deamidated gliadin peptides in early-stage celiac disease. <i>Journal of Clinical Gastroenterology</i> , 2011 , 45, 673-8	3	22
101	Prevalence and incidence of dermatitis herpetiformis: a 40-year prospective study from Finland. <i>British Journal of Dermatology</i> , 2011 , 165, 354-9	4	83
100	Clinical benefit of gluten-free diet in screen-detected older celiac disease patients. <i>BMC Gastroenterology</i> , 2011 , 11, 136	3	66
99	Serodiagnostic assays for celiac disease based on the open or closed conformation of the autoantigen, transglutaminase 2. <i>Journal of Clinical Immunology</i> , 2011 , 31, 436-42	5.7	14
98	Coeliac disease--a diagnostic and therapeutic challenge. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010 , 48, 1205-16	5.9	31
97	Diagnostic methods beyond conventional histology in coeliac disease diagnosis. <i>Digestive and Liver Disease</i> , 2010 , 42, 28-32	3.3	41
96	Intestinal transglutaminase 2 specific antibody deposits in non-responsive coeliac disease. <i>Digestive and Liver Disease</i> , 2010 , 42, 692-7	3.3	7
95	Revival of gliadin antibodies in the diagnostic work-up of celiac disease. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, 159-60	3	3
94	Usefulness of small-bowel mucosal transglutaminase-2 specific autoantibody deposits in the diagnosis and follow-up of celiac disease. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, 483-8	3	56
93	Celiac disease and liver. <i>Hepatitis Monthly</i> , 2010 , 10, 315-6	1.8	2
92	Serological responses to microbial antigens in celiac disease patients during a gluten-free diet. <i>Journal of Clinical Immunology</i> , 2009 , 29, 190-5	5.7	36
91	Increasing prevalence and high incidence of celiac disease in elderly people: a population-based study. <i>BMC Gastroenterology</i> , 2009 , 9, 49	3	125

90	Diagnosing mild enteropathy celiac disease: a randomized, controlled clinical study. <i>Gastroenterology</i> , 2009 , 136, 816-23	13.3	206
89	Ascites: aetiology, mortality and the prevalence of spontaneous bacterial peritonitis. <i>Scandinavian Journal of Gastroenterology</i> , 2009 , 44, 970-4	2.4	24
88	Incidence and prevalence of diagnosed coeliac disease in Finland: results of effective case finding in adults. <i>Scandinavian Journal of Gastroenterology</i> , 2009 , 44, 933-8	2.4	90
87	Clinical trial: gluten microchallenge with wheat-based starch hydrolysates in coeliac disease patients - a randomized, double-blind, placebo-controlled study to evaluate safety. <i>Alimentary Pharmacology and Therapeutics</i> , 2008 , 28, 1240-8	6.1	16
86	Serologic screening for coeliac disease in risk groups: is once in the lifetime enough?. <i>Digestive and Liver Disease</i> , 2008 , 40, 101-3	3.3	5
85	Undetected coeliac disease in the elderly: a biopsy-proven population-based study. <i>Digestive and Liver Disease</i> , 2008 , 40, 809-13	3.3	55
84	Age, symptoms and upper gastrointestinal malignancy in primary care endoscopy. <i>Scandinavian Journal of Gastroenterology</i> , 2008 , 43, 122-7	2.4	10
83	Psychoneurotic symptoms and alexithymia in coeliac disease. <i>Scandinavian Journal of Gastroenterology</i> , 2008 , 43, 1329-33	2.4	7
82	Changing phenotype of celiac disease after long-term gluten exposure. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2008 , 47, 500-3	2.8	18
81	Gluten-dependent small bowel mucosal transglutaminase 2-specific IgA deposits in overt and mild enteropathy coeliac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2008 , 47, 436-42	2.8	51
80	Natural History of Celiac Disease 2008 , 12-17		1
79	Performance of a new rapid whole blood coeliac test in adult patients with low prevalence of endomysial antibodies. <i>Digestive and Liver Disease</i> , 2007 , 39, 1057-63	3.3	31
78	Persistent small bowel mucosal villous atrophy without symptoms in coeliac disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 25, 1237-45	6.1	118
77	Increasing prevalence of coeliac disease over time. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 26, 1217-25	6.1	536
76	Latent coeliac disease or coeliac disease beyond villous atrophy?. <i>Gut</i> , 2007 , 56, 1339-40	19.2	32
75	Diagnosis of celiac disease in clinical practice: physician's alertness to the condition essential. <i>Journal of Clinical Gastroenterology</i> , 2007 , 41, 152-6	3	71
74	Resurrection of gliadin antibodies in coeliac disease. Deamidated gliadin peptide antibody test provides additional diagnostic benefit. <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 1428-33	2.4	68
73	Endomysial antibody-negative coeliac disease: clinical characteristics and intestinal autoantibody deposits. <i>Gut</i> , 2006 , 55, 1746-53	19.2	172

72	Immunohistochemical features in antiendomysium positive patients with normal villous architecture. <i>American Journal of Gastroenterology</i> , 2006 , 101, 675-6	0.7	3
71	Malignancies and mortality in patients with coeliac disease and dermatitis herpetiformis: 30-year population-based study. <i>Digestive and Liver Disease</i> , 2006 , 38, 374-80	3.3	128
70	European multi-centre study on coeliac disease and non-Hodgkin lymphoma. <i>European Journal of Gastroenterology and Hepatology</i> , 2006 , 18, 187-94	2.2	76
69	Self transglutaminase-based rapid coeliac disease antibody detection by a lateral flow method. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 147-54	6.1	68
68	Immunoglobulin A autoantibodies against transglutaminase 2 in the small intestinal mucosa predict forthcoming coeliac disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 541-52	6.1	128
67	Small-bowel mucosal transglutaminase 2-specific IgA deposits in coeliac disease without villous atrophy: a prospective and randomized clinical study. <i>Scandinavian Journal of Gastroenterology</i> , 2005 , 40, 564-72	2.4	124
66	Coeliac disease, autoimmune diseases and gluten exposure. <i>Scandinavian Journal of Gastroenterology</i> , 2005 , 40, 437-43	2.4	112
65	Should adults be screened for celiac disease? What are the benefits and harms of screening?. <i>Gastroenterology</i> , 2005 , 128, S104-8	13.3	73
64	Antiendomysial and antihuman recombinant tissue transglutaminase antibodies in the diagnosis of coeliac disease: a biopsy-proven European multicentre study. <i>European Journal of Gastroenterology and Hepatology</i> , 2005 , 17, 85-91	2.2	172
63	Intraepithelial lymphocytes and coeliac disease. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2005 , 19, 341-50	2.5	30
62	Is coeliac disease screening in risk groups justified? A fourteen-year follow-up with special focus on compliance and quality of life. <i>Alimentary Pharmacology and Therapeutics</i> , 2005 , 22, 317-24	6.1	94
61	Lymphoma in patients with dermatitis herpetiformis and their first-degree relatives. <i>British Journal of Dermatology</i> , 2005 , 152, 82-6	4	68
60	ICCE consensus for celiac disease. <i>Endoscopy</i> , 2005 , 37, 1055-9	3.4	80
59	The safe threshold for gluten contamination in gluten-free products. Can trace amounts be accepted in the treatment of coeliac disease?. <i>Alimentary Pharmacology and Therapeutics</i> , 2004 , 19, 1277-83	6.1	126
58	The occurrence of type 1 diabetes in patients with dermatitis herpetiformis and their first-degree relatives. <i>British Journal of Dermatology</i> , 2004 , 150, 136-8	4	15
57	Effect of an oats-containing gluten-free diet on symptoms and quality of life in coeliac disease. A randomized study. <i>Scandinavian Journal of Gastroenterology</i> , 2004 , 39, 27-31	2.4	97
56	Villous tip intraepithelial lymphocytes as markers of early-stage coeliac disease. <i>Scandinavian Journal of Gastroenterology</i> , 2004 , 39, 428-33	2.4	87
55	Complete small intestine mucosal recovery is obtainable in the treatment of celiac disease. <i>Gastrointestinal Endoscopy</i> , 2004 , 59, 158-9; author reply 159-60	5.2	28

54	Should we screen reflux oesophagitis patients for coeliac disease?. <i>European Journal of Gastroenterology and Hepatology</i> , 2004 , 16, 917-20	2.2	16
53	Intraepithelial lymphocytes in celiac disease. <i>American Journal of Gastroenterology</i> , 2003 , 98, 1332-7	0.7	112
52	Wheat-starch-based gluten-free products in the treatment of newly detected coeliac disease: prospective and randomized study. <i>Alimentary Pharmacology and Therapeutics</i> , 2003 , 17, 587-94	6.1	55
51	Recognition and management of the cutaneous manifestations of celiac disease: a guide for dermatologists. <i>American Journal of Clinical Dermatology</i> , 2003 , 4, 13-20	7.1	95
50	Genetic dissection between coeliac disease and dermatitis herpetiformis in sib pairs. <i>Annals of Human Genetics</i> , 2002 , 66, 387-392	2.2	21
49	The hunt for coeliac disease in primary care. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2002 , 95, 75-7	2.7	21
48	Endocrinological disorders and celiac disease. <i>Endocrine Reviews</i> , 2002 , 23, 464-83	27.2	216
47	First-degree relatives are frequently affected in coeliac disease and dermatitis herpetiformis. <i>Scandinavian Journal of Gastroenterology</i> , 2002 , 37, 51-5	2.4	40
46	Celiac disease in patients with severe liver disease: gluten-free diet may reverse hepatic failure. <i>Gastroenterology</i> , 2002 , 122, 881-8	13.3	210
45	HLA-DQ typing in the diagnosis of celiac disease. <i>American Journal of Gastroenterology</i> , 2002 , 97, 695-9	0.7	167
44	Celiac disease without villous atrophy: revision of criteria called for. <i>Digestive Diseases and Sciences</i> , 2001 , 46, 879-87	4	133
43	Clinical and subclinical autoimmune thyroid disease in adult celiac disease. <i>Digestive Diseases and Sciences</i> , 2001 , 46, 2631-5	4	56
42	Autoimmune hypopituitarism in patients with coeliac disease: symptoms confusingly similar. <i>Scandinavian Journal of Gastroenterology</i> , 2001 , 36, 558-60	2.4	24
41	Candidate gene regions and genetic heterogeneity in gluten sensitivity. <i>Gut</i> , 2001 , 48, 696-701	19.2	39
40	Concordance of dermatitis herpetiformis and celiac disease in monozygous twins. <i>Journal of Investigative Dermatology</i> , 2000 , 115, 990-3	4.3	58
39	Intolerance to cereals is not specific for coeliac disease. <i>Scandinavian Journal of Gastroenterology</i> , 2000 , 35, 942-6	2.4	97
38	Gastrointestinal symptoms rating scale in coeliac disease patients on wheat starch-based gluten-free diets. <i>Scandinavian Journal of Gastroenterology</i> , 2000 , 35, 947-9	2.4	63
37	Coeliac disease presenting with neurological disorders. <i>European Neurology</i> , 1999 , 42, 132-5	2.1	83

36	No effect of gluten-free diet on the metabolic control of type 1 diabetes in patients with diabetes and celiac disease. Retrospective and controlled prospective survey. <i>Diabetes Care</i> , 1999 , 22, 1747-8	14.6	41
35	CD28/CTLA4 gene region on chromosome 2q33 confers genetic susceptibility to celiac disease. A linkage and family-based association study. <i>Tissue Antigens</i> , 1999 , 53, 470-5		110
34	Celiac disease and autoimmune endocrinologic disorders. <i>Digestive Diseases and Sciences</i> , 1999 , 44, 1428-33	61	
33	New diagnostic findings in coeliac disease. <i>Annals of Medicine</i> , 1999 , 31, 399-405	1.5	25
32	Osteopenia in patients with clinically silent coeliac disease warrants screening. <i>Lancet, The</i> , 1999 , 354, 744-5	40	151
31	Celiac disease and markers of celiac disease latency in patients with primary Sjögren's syndrome. <i>American Journal of Gastroenterology</i> , 1999 , 94, 1042-1046	0.7	69
30	Clinical features of celiac disease today. <i>Digestive Diseases</i> , 1999 , 17, 100-6	3.2	34
29	HLA-DQ2-negative celiac disease in Finland and Spain. <i>Human Immunology</i> , 1998 , 59, 169-75	2.3	82
28	Tissue transglutaminase autoantibody enzyme-linked immunosorbent assay in detecting celiac disease. <i>Gastroenterology</i> , 1998 , 115, 1322-8	13.3	484
27	IgA- and IgG-class antihuman umbilical cord antibody tests in adult coeliac disease. <i>Scandinavian Journal of Gastroenterology</i> , 1998 , 33, 251-4	2.4	50
26	Small-bowel mucosal inflammation in reticulín or gliadin antibody-positive patients without villous atrophy. <i>Scandinavian Journal of Gastroenterology</i> , 1998 , 33, 944-9	2.4	42
25	Tolerance to oats in dermatitis herpetiformis. <i>Gut</i> , 1998 , 43, 490-3	19.2	85
24	Celiac sprue in patients with chronic oral mucosal symptoms. <i>Journal of Clinical Gastroenterology</i> , 1998 , 26, 23-6	3	13
23	Gastritis classified in accordance with the Sydney system in patients with primary Sjögren's syndrome. <i>Scandinavian Journal of Gastroenterology</i> , 1997 , 32, 108-11	2.4	24
22	High incidence and prevalence of adult coeliac disease. Augmented diagnostic approach. <i>Scandinavian Journal of Gastroenterology</i> , 1997 , 32, 1129-33	2.4	120
21	Coeliac disease. <i>Lancet, The</i> , 1997 , 349, 1755-9	40	471
20	Diseases associated with dermatitis herpetiformis. <i>British Journal of Dermatology</i> , 1997 , 136, 315-318	4	17
19	Diseases associated with dermatitis herpetiformis. <i>British Journal of Dermatology</i> , 1997 , 136, 315-318	4	80

18	Diseases associated with dermatitis herpetiformis. <i>British Journal of Dermatology</i> , 1997 , 136, 315-8	4	22
17	Distinct immunologic features of Finnish Sjögren's syndrome patients with HLA alleles DRB1*0301, DQA1*0501, and DQB1*0201. Alterations in circulating T cell receptor gamma/delta subsets. <i>Arthritis and Rheumatism</i> , 1996 , 39, 1733-9		27
16	Infertility and coeliac disease. <i>Gut</i> , 1996 , 39, 382-4	19.2	116
15	Malignancy and survival in dermatitis herpetiformis: a comparison with coeliac disease. <i>Gut</i> , 1996 , 38, 528-30	19.2	89
14	Protective effect of gluten-free diet against development of lymphoma in dermatitis herpetiformis. <i>British Journal of Dermatology</i> , 1996 , 135, 363-367	4	83
13	Protective effect of gluten-free diet against development of lymphoma in dermatitis herpetiformis. <i>British Journal of Dermatology</i> , 1996 , 135, 363-7	4	24
12	Autoimmune thyroid disorders and coeliac disease. <i>European Journal of Endocrinology</i> , 1994 , 130, 137-40	6.5	113
11	Coeliac disease--associated disorders and survival. <i>Gut</i> , 1994 , 35, 1215-8	19.2	320
10	Associated disorders in coeliac disease: clinical aspects. <i>Scandinavian Journal of Gastroenterology</i> , 1994 , 29, 769-75	2.4	63
9	Follow-up of patients positive in reticulín and gliadin antibody tests with normal small-bowel biopsy findings. <i>Scandinavian Journal of Gastroenterology</i> , 1993 , 28, 595-8	2.4	119
8	Selective IgA deficiency and coeliac disease. <i>Scandinavian Journal of Gastroenterology</i> , 1992 , 27, 367-71	2.4	159
7	Increase in gamma/delta T cell receptor bearing lymphocytes in normal small bowel mucosa in latent coeliac disease. <i>Gut</i> , 1991 , 32, 1412-4	19.2	133
6	Serological markers and HLA genes among healthy first-degree relatives of patients with coeliac disease. <i>Lancet, The</i> , 1991 , 338, 1350-3	40	148
5	Celiac disease, brain atrophy, and dementia. <i>Neurology</i> , 1991 , 41, 372-5	6.5	116
4	Dental enamel defects in celiac disease. <i>Journal of Oral Pathology and Medicine</i> , 1990 , 19, 241-5	3.3	118
3	Atypical Coeliac Disease Found with Serologic Screening. <i>Scandinavian Journal of Gastroenterology</i> , 1990 , 25, 245-250	2.4	51
2	Atypical coeliac disease found with serologic screening. <i>Scandinavian Journal of Gastroenterology</i> , 1990 , 25, 245-50	2.4	13
1	High frequency of coeliac disease in adult patients with type-I diabetes. <i>Scandinavian Journal of Gastroenterology</i> , 1989 , 24, 81-4	2.4	81

