

Steeve D CÃ'tÃ©

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4729529/publications.pdf>

Version: 2024-02-01

82
papers

5,396
citations

117453

34
h-index

85405

71
g-index

85
all docs

85
docs citations

85
times ranked

4567
citing authors

#	ARTICLE	IF	CITATIONS
1	Ecological Impacts of Deer Overabundance. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2004, 35, 113-147.	3.8	1,557
2	EARLY ONSET OF VEGETATION GROWTH VS. RAPID GREEN-UP: IMPACTS ON JUVENILE MOUNTAIN UNGULATES. <i>Ecology</i> , 2007, 88, 381-390.	1.5	248
3	Birthdate, mass and survival in mountain goat kids: effects of maternal characteristics and forage quality. <i>Oecologia</i> , 2001, 127, 230-238.	0.9	217
4	Individual variation in reproductive costs of reproduction: high-quality females always do better. <i>Journal of Animal Ecology</i> , 2009, 78, 143-151.	1.3	213
5	Spring Normalized Difference Vegetation Index (NDVI) predicts annual variation in timing of peak faecal crude protein in mountain ungulates. <i>Journal of Applied Ecology</i> , 2009, 46, 582-589.	1.9	175
6	Variable age structure and apparent density dependence in survival of adult ungulates. <i>Journal of Animal Ecology</i> , 2003, 72, 640-649.	1.3	166
7	Reproductive success in female mountain goats: the influence of age and social rank. <i>Animal Behaviour</i> , 2001, 62, 173-181.	0.8	161
8	DOMINANCE HIERARCHIES IN FEMALE MOUNTAIN GOATS: STABILITY, AGGRESSIVENESS AND DETERMINANTS OF RANK. <i>Behaviour</i> , 2000, 137, 1541-1566.	0.4	138
9	Life-History Effects of Chemical Immobilization and Radiocollars on Mountain Goats. <i>Journal of Wildlife Management</i> , 1998, 62, 745.	0.7	94
10	Long-term decline in white-tailed deer browse supply: can lichens and litterfall act as alternative food sources that preclude density-dependent feedbacks. <i>Canadian Journal of Zoology</i> , 2005, 83, 1087-1096.	0.4	93
11	Maternal characteristics and environment affect the costs of reproduction in female mountain goats. <i>Ecology</i> , 2010, 91, 2034-2043.	1.5	92
12	A large herbivore triggers alternative successional trajectories in the boreal forest. <i>Ecology</i> , 2013, 94, 2852-2860.	1.5	90
13	Trade-offs in activity budget in an alpine ungulate: contrasting lactating and nonlactating females. <i>Animal Behaviour</i> , 2008, 75, 217-227.	0.8	89
14	Feedback effects of chronic browsing on life-history traits of a large herbivore. <i>Journal of Animal Ecology</i> , 2008, 77, 678-686.	1.3	88
15	Integrative use of spatial, genetic, and demographic analyses for investigating genetic connectivity between migratory, montane, and sedentary caribou herds. <i>Molecular Ecology</i> , 2007, 16, 4223-4240.	2.0	84
16	Father-offspring phenotypic correlations suggest intralocus sexual conflict for a fitness-linked trait in a wild sexually dimorphic mammal. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 4067-4075.	1.2	78
17	Variation in Calf Body Mass in Migratory Caribou: The Role of Habitat, Climate, and Movements. <i>Journal of Mammalogy</i> , 2009, 90, 442-452.	0.6	76
18	Fluctuating optimum and temporally variable selection on breeding date in birds and mammals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 31969-31978.	3.3	69

#	ARTICLE	IF	CITATIONS
19	Management of forest regeneration in boreal and temperate deer forest systems: challenges, guidelines, and research gaps. <i>Ecosphere</i> , 2016, 7, e01488.	1.0	68
20	Offspring sex ratio in relation to maternal age and social rank in mountain goats (<i>Oreamnos</i>). <i>Overlock</i> 10, 1f 50 702	0.6	67
21	Shifting targets in the tundra: Protection of migratory caribou calving grounds must account for spatial changes over time. <i>Biological Conservation</i> , 2012, 147, 163-173.	1.9	59
22	Is hunting an effective tool to control overabundant deer? A test using an experimental approach. <i>Journal of Wildlife Management</i> , 2013, 77, 254-269.	0.7	54
23	Quantification and Accuracy of Activity Data Measured with VHF and GPS Telemetry. <i>Wildlife Society Bulletin</i> , 2006, 34, 81-92.	1.6	52
24	The Effects of Decreasing Winter Diet Quality on Foraging Behavior and Life-History Traits of White-Tailed Deer Fawns. <i>Journal of Wildlife Management</i> , 2006, 70, 1445-1454.	0.7	51
25	Mating tactics and mate choice in relation to age and social rank in male mountain goats. <i>Journal of Mammalogy</i> , 2008, 89, 626-635.	0.6	51
26	Influence of Density and Climate on Population Dynamics of a Large Herbivore Under Harsh Environmental Conditions. <i>Journal of Wildlife Management</i> , 2010, 74, 1671-1685.	0.7	51
27	Horn Growth in Mountain Goats (<i>Oreamnos americanus</i>). <i>Journal of Mammalogy</i> , 1998, 79, 406-414.	0.6	50
28	Foraging decisions in a capital breeder: trade-offs between mass gain and lactation. <i>Oecologia</i> , 2009, 161, 421-432.	0.9	45
29	Body Size Variations in Caribou Ecotypes and Relationships With Demography. <i>Journal of Wildlife Management</i> , 2010, 74, 395-404.	0.7	45
30	Long-term studies of bighorn sheep and mountain goats reveal fitness costs of reproduction. <i>Journal of Animal Ecology</i> , 2019, 88, 1118-1133.	1.3	45
31	Winter Forage Selection in White-Tailed Deer at High Density: Balsam Fir is the Best of a Bad Choice. <i>Journal of Wildlife Management</i> , 2007, 71, 911-914.	0.7	44
32	Body-condition dynamics in a northern ungulate gaining fat in winter. <i>Canadian Journal of Zoology</i> , 2009, 87, 367-378.	0.4	44
33	Predation risk and mountain goat reproduction: Evidence for stress-induced breeding suppression in a wild ungulate. <i>Functional Ecology</i> , 2020, 34, 1003-1014.	1.7	43
34	Nitrogen allocation to offspring and milk production in a capital breeder. <i>Ecology</i> , 2013, 94, 1815-1827.	1.5	41
35	Linking habitat heterogeneity to space use by large herbivores at multiple scales: From habitat mosaics to forest canopy openings. <i>Forest Ecology and Management</i> , 2012, 285, 67-76.	1.4	38
36	Detecting changes in the annual movements of terrestrial migratory species: using the first-passage time to document the spring migration of caribou. <i>Movement Ecology</i> , 2014, 2, 19.	1.3	36

#	ARTICLE	IF	CITATIONS
37	Maternal effects on post-weaning physical and social development in juvenile mountain goats (<i>Oreamnos americanus</i>). <i>Behavioral Ecology and Sociobiology</i> , 2005, 58, 237-246.	0.6	33
38	Integrating ecological and genetic structure to define management units for caribou in Eastern Canada. <i>Conservation Genetics</i> , 2016, 17, 437-453.	0.8	33
39	Influences of habitat composition, plant phenology, and population density on autumn indices of body condition in a northern white-tailed deer population. <i>Wildlife Monographs</i> , 2014, 187, 1-28.	2.0	32
40	Spatial extent of neighboring plants influences the strength of associational effects on mammal herbivory. <i>Ecosphere</i> , 2016, 7, e01371.	1.0	32
41	Experimental warming alters migratory caribou forage quality. <i>Ecological Applications</i> , 2017, 27, 2061-2073.	1.8	31
42	IMMOBILIZATION OF MOUNTAIN GOATS WITH XYLAZINE AND REVERSAL WITH IDAZOXAN. <i>Journal of Wildlife Diseases</i> , 1998, 34, 342-347.	0.3	30
43	Variation in body condition of migratory caribou at calving and weaning: Which measures should we use?. <i>Ecoscience</i> , 2011, 18, 295-303.	0.6	30
44	Aerial Surveys Vs Hunting Statistics To Monitor Deer Density: The Example Of Anticosti Island, Québec, Canada. <i>Wildlife Biology</i> , 2007, 13, 321-327.	0.6	29
45	Linking conception and weaning success with environmental variation and female body condition in a northern ungulate. <i>Journal of Mammalogy</i> , 2014, 95, 311-327.	0.6	29
46	Negative density-dependent dispersal in the American black bear (<i>Ursus americanus</i>) revealed by noninvasive sampling and genotyping. <i>Ecology and Evolution</i> , 2012, 2, 525-537.	0.8	28
47	Faecal metabolites and hair cortisol as biological markers of HPA-axis activity in the Rocky mountain goat. <i>General and Comparative Endocrinology</i> , 2019, 280, 147-157.	0.8	28
48	Methodology matters when estimating deer abundance: a global systematic review and recommendations for improvements. <i>Journal of Wildlife Management</i> , 2022, 86, .	0.7	25
49	Do mountain goats habituate to helicopter disturbance?. <i>Journal of Wildlife Management</i> , 2013, 77, 1244-1244.	0.7	24
50	Structuring Effects of Deer in Boreal Forest Ecosystems. <i>Advances in Ecology</i> , 2014, 2014, 1-10.	0.5	24
51	Mating Group Size and Stability in Reindeer <i>Rangifer tarandus</i> : The Effects of Male Characteristics, Sex Ratio and Male Age Structure. <i>Ethology</i> , 2012, 118, 783-792.	0.5	23
52	Are faecal hormone levels linked to winter progression, diet quality and social rank in young ungulates ? An experiment with white-tailed deer (<i>Odocoileus virginianus</i>) fawns. <i>Behavioral Ecology and Sociobiology</i> , 2008, 62, 1591-1600.	0.6	22
53	Influence of Early Reproductive Success on Longevity and Late Reproductive Success in an Alpine Ungulate. <i>American Naturalist</i> , 2017, 189, 667-683.	1.0	22
54	Contributions of digestive plasticity to the ability of white-tailed deer to cope with a low-quality diet. <i>Journal of Mammalogy</i> , 2016, 97, 1406-1413.	0.6	20

#	ARTICLE	IF	CITATIONS
55	Tradeoff between offspring mass and subsequent reproduction in a highly iteroparous mammal. <i>Oikos</i> , 2011, 120, 690-695.	1.2	19
56	Detecting collective behaviour in animal relocation data, with application to migrating caribou. <i>Methods in Ecology and Evolution</i> , 2016, 7, 30-41.	2.2	18
57	Linking alternative food sources to winter habitat selection of herbivores in overbrowsed landscapes. <i>Journal of Wildlife Management</i> , 2012, 76, 544-556.	0.7	17
58	Winter severity modulates the benefits of using a habitat temporally uncoupled from browsing. <i>Ecosphere</i> , 2016, 7, e01432.	1.0	16
59	Offspring sex in mountain goat varies with adult sex ratio but only for mothers in good condition. <i>Behavioral Ecology and Sociobiology</i> , 2016, 70, 123-132.	0.6	16
60	Getting ready for the winter: Timing and determinants of molt in an alpine ungulate. <i>Ecology and Evolution</i> , 2019, 9, 2920-2932.	0.8	16
61	Long-term changes in the primary productivity of migratory caribou (<i>Rangifer tarandus</i>) calving grounds and summer pasture on the Quebec-Labrador Peninsula (Northeastern Canada): the mixed influences of climate change and caribou herbivory. <i>Polar Biology</i> , 2019, 42, 1005-1023.	0.5	15
62	Spatial correlations between browsing on balsam fir by white-tailed deer and the nutritional value of neighboring winter forage. <i>Ecology and Evolution</i> , 2018, 8, 2812-2823.	0.8	14
63	Absence of founder effect and evidence for adaptive divergence in a recently introduced insular population of white-tailed deer (<i>Odocoileus virginianus</i>). <i>Molecular Ecology</i> , 2020, 29, 86-104.	2.0	14
64	Forage-mediated density and climate effects on body mass in a temperate herbivore: a mechanistic approach. <i>Ecology</i> , 2014, 95, 1332-1340.	1.5	13
65	Coping with strong variations in winter severity: plastic habitat selection of deer at high density. <i>Behavioral Ecology</i> , 2017, 28, 1037-1046.	1.0	12
66	Experimental influence of population density and vegetation biomass on the movements and activity budget of a large herbivore. <i>Behaviour</i> , 2008, 145, 1167-1194.	0.4	10
67	Forage diversity, type and abundance influence winter resource selection by white-tailed deer. <i>Journal of Vegetation Science</i> , 2018, 29, 619-628.	1.1	10
68	Tolerance of an Expanding Subarctic Shrub, <i>Betula glandulosa</i> , to Simulated Caribou Browsing. <i>PLoS ONE</i> , 2012, 7, e51940.	1.1	9
69	No evidence of inbreeding depression in fast declining herds of migratory caribou. <i>Journal of Evolutionary Biology</i> , 2019, 32, 1368-1381.	0.8	9
70	A Review of Ungulate Impacts on the Success of Climate-Adapted Forest Management Strategies. <i>Current Forestry Reports</i> , 2021, 7, 305-320.	3.4	9
71	Revisiting the role of migratory caribou in the control of shrub expansion in northern Nunavik (Quebec, Canada). <i>Polar Biology</i> , 2018, 41, 1845-1853.	0.5	8
72	Intraspecific variation in nutritional traits of neighbouring plants generates a continuum of associational effects. <i>Journal of Vegetation Science</i> , 2020, 31, 920-933.	1.1	7

#	ARTICLE	IF	CITATIONS
73	Caribou and reindeer migrations in the changing Arctic. <i>Animal Migration</i> , 2021, 8, 156-167.	1.1	7
74	Large herbivores trigger spatiotemporal changes in forest plant diversity. <i>Ecology</i> , 2022, 103, e3739.	1.5	7
75	Maternal longevity and offspring sex in wild ungulates. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20181968.	1.2	6
76	Heritability Estimates of Antler and Body Traits in White-Tailed Deer (<i>Odocoileus virginianus</i>) From Genomic-Relatedness Matrices. <i>Journal of Heredity</i> , 2020, 111, 429-435.	1.0	6
77	Adult survival in migratory caribou is negatively associated with MHC functional diversity. <i>Heredity</i> , 2020, 125, 290-303.	1.2	5
78	Isotopic Differences between Forage Consumed by a Large Herbivore in Open, Closed, and Coastal Habitats: New Evidence from a Boreal Study System. <i>PLoS ONE</i> , 2015, 10, e0142781.	1.1	4
79	Costs and benefits of post-weaning associations in mountain goats. <i>Behaviour</i> , 2018, 155, 295-326.	0.4	3
80	Simulated caribou browsing limits the effect of nutrient addition on the growth of <i>Betula glandulosa</i> , an expanding shrub species in Eastern Canada. <i>Journal of Ecology</i> , 2018, 106, 1256-1265.	1.9	3
81	Combined effects of simulated browsing, warming and nutrient addition on forage availability for migratory caribou in Nunavik, Canada. <i>Polar Biology</i> , 2019, 42, 1561-1570.	0.5	3
82	Effects of population density on static allometry between horn length and body mass in mountain ungulates. <i>Oikos</i> , 2021, 130, 2161.	1.2	0