

Fabrizio Nestola

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4729691/publications.pdf>

Version: 2024-02-01

306
papers

7,595
citations

81889

39
h-index

85537

71
g-index

322
all docs

322
docs citations

322
times ranked

5065
citing authors

#	ARTICLE	IF	CITATIONS
1	Hydrous mantle transition zone indicated by ringwoodite included within diamond. <i>Nature</i> , 2014, 507, 221-224.	27.8	613
2	Diamonds and the Geology of Mantle Carbon. <i>Reviews in Mineralogy and Geochemistry</i> , 2013, 75, 355-421.	4.8	360
3	<i>EosFit7-GUI</i> : a new graphical user interface for equation of state calculations, analyses and teaching. <i>Journal of Applied Crystallography</i> , 2016, 49, 1377-1382.	4.5	329
4	Large gem diamonds from metallic liquid in Earth's deep mantle. <i>Science</i> , 2016, 354, 1403-1405.	12.6	266
5	Olivine hydration in the deep upper mantle: Effects of temperature and silica activity. <i>Geophysical Research Letters</i> , 2006, 33, .	4.0	169
6	Electrical conductivity anisotropy of dry and hydrous olivine at 8 GPa. <i>Physics of the Earth and Planetary Interiors</i> , 2010, 181, 103-111.	1.9	163
7	CaSiO ₃ perovskite in diamond indicates the recycling of oceanic crust into the lower mantle. <i>Nature</i> , 2018, 555, 237-241.	27.8	123
8	Geobarometry from host-inclusion systems: The role of elastic relaxation. <i>American Mineralogist</i> , 2014, 99, 2146-2149.	1.9	119
9	Blue boron-bearing diamonds from Earth's lower mantle. <i>Nature</i> , 2018, 560, 84-87.	27.8	119
10	EosFit-Pinc: A simple GUI for host-inclusion elastic thermobarometry. <i>American Mineralogist</i> , 2017, 102, 1957-1960.	1.9	94
11	How large are departures from lithostatic pressure? Constraints from host-inclusion elasticity. <i>Journal of Metamorphic Geology</i> , 2015, 33, 801-813.	3.4	84
12	Thermal expansion of plagioclase feldspars. <i>Contributions To Mineralogy and Petrology</i> , 2010, 160, 899-908.	3.1	83
13	Elastic geothermobarometry: Corrections for the geometry of the host-inclusion system. <i>Geology</i> , 2018, 46, 231-234.	4.4	81
14	A simple and generalised P-T-V EoS for continuous phase transitions, implemented in EosFit and applied to quartz. <i>Contributions To Mineralogy and Petrology</i> , 2017, 172, 1.	3.1	75
15	First crystal-structure determination of olivine in diamond: Composition and implications for provenance in the Earth's mantle. <i>Earth and Planetary Science Letters</i> , 2011, 305, 249-255.	4.4	71
16	Diamond-garnet geobarometry: The role of garnet compressibility and expansivity. <i>Lithos</i> , 2015, 227, 140-147.	1.4	67
17	The high-temperature $P_{21c} \rightarrow C_{2/c}$ phase transition in Fe-free pyroxene (Ca _{0.15} Mg _{1.85} Si ₂ O ₆): Structural and thermodynamic behavior. <i>American Mineralogist</i> , 2002, 87, 648-657.	1.9	64
18	Elastic behavior, phase transition, and pressure induced structural evolution of analcime. <i>American Mineralogist</i> , 2006, 91, 568-578.	1.9	63

#	ARTICLE	IF	CITATIONS
19	Microanalyses link sulfur from large igneous provinces and Mesozoic mass extinctions. <i>Geology</i> , 2014, 42, 895-898.	4.4	63
20	Development of crystallographic preferred orientation and microstructure during plastic deformation of natural coarse-grained quartz veins. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	62
21	First evidence of hydrous silicic fluid films around solid inclusions in gem-quality diamonds. <i>Lithos</i> , 2016, 260, 384-389.	1.4	61
22	Fossil intermediate-depth earthquakes in subducting slabs linked to differential stress release. <i>Nature Geoscience</i> , 2017, 10, 960-966.	12.9	61
23	Olivine with diamond-imposed morphology included in diamonds. Syngenesi or protogenesi?. <i>International Geology Review</i> , 2014, 56, 1658-1667.	2.1	59
24	How geometry and anisotropy affect residual strain in host-inclusion systems: Coupling experimental and numerical approaches. <i>American Mineralogist</i> , 2018, 103, 2032-2035.	1.9	58
25	Evidence for H ₂ O-bearing fluids in the lower mantle from diamond inclusion. <i>Lithos</i> , 2016, 265, 237-243.	1.4	57
26	Fossil subduction recorded by quartz from the coesite stability field. <i>Geology</i> , 2020, 48, 24-28.	4.4	56
27	The (100), (111) and (110) surfaces of diamond: an <i>ab initio</i> B3LYP study. <i>Molecular Physics</i> , 2014, 112, 1030-1039.	1.7	55
28	Depth of formation of CaSiO ₃ -wastromite included in super-deep diamonds. <i>Lithos</i> , 2016, 265, 138-147.	1.4	55
29	Diamond thermoelastic properties and implications for determining the pressure of formation of diamond-inclusion systems. <i>Russian Geology and Geophysics</i> , 2015, 56, 211-220.	0.7	54
30	High-pressure behaviour along the jadeite NaAlSi ₂ O ₆ -aegirine NaFeSi ₂ O ₆ solid solution up to 10 GPa. <i>Physics and Chemistry of Minerals</i> , 2006, 33, 417-425.	0.8	52
31	High-pressure thermo-elastic properties of beryl (Al ₄ Be ₆ Si ₁₂ O ₃₆) from <i>ab initio</i> calculations, and observations about the source of thermal expansion. <i>Physics and Chemistry of Minerals</i> , 2011, 38, 223-239.	0.8	52
32	The crystal structure of pyroxenes along the jadeite hedenbergite and jadeite aegirine joins. <i>American Mineralogist</i> , 2007, 92, 1492-1501.	1.9	50
33	40 years of mineral elasticity: a critical review and a new parameterisation of equations of state for mantle olivines and diamond inclusions. <i>Physics and Chemistry of Minerals</i> , 2018, 45, 95-113.	0.8	49
34	Ab Initio Calculations of the Main Crystal Surfaces of Forsterite (Mg ₂ SiO ₄): A Preliminary Study to Understand the Nature of Geochemical Processes at the Olivine Interface. <i>Journal of Physical Chemistry C</i> , 2014, 118, 2498-2506.	3.1	48
35	Mineral inclusions in diamonds may be synchronous but not syngenetic. <i>Nature Communications</i> , 2017, 8, 14168.	12.8	46
36	The real topological configuration of the extra-framework content in alkali-poor beryl: A multi-methodological study. <i>American Mineralogist</i> , 2006, 91, 29-34.	1.9	42

#	ARTICLE	IF	CITATIONS
37	N-Phosphorylated Azolyidenes: Novel Ligands for Dinuclear Complexes of Coinage Metals. <i>Organometallics</i> , 2013, 32, 718-721.	2.3	42
38	Antigorite equation of state and anomalous softening at 6 GPa: an in situ single-crystal X-ray diffraction study. <i>Contributions To Mineralogy and Petrology</i> , 2010, 160, 33-43.	3.1	41
39	Tetragonal Almandine-Pyrope Phase, TAPP: finally a name for it, the new mineral jeffbenite. <i>Mineralogical Magazine</i> , 2016, 80, 1219-1232.	1.4	41
40	New Coordination Polymers and Porous Supramolecular Metal Organic Network Based on the Trinuclear Triangular Secondary Building Unit [Cu ₃ ($\frac{1}{4}$ 3-OH)($\frac{1}{4}$ -pz) ₃] ₂ + and 4,4'-Bipyridine. 1Å°. <i>Crystal Growth and Design</i> , 2012, 12, 2890-2901.	3.0	40
41	Strong inheritance of texture between perovskite and post-perovskite in the Dâ€²â€² layer. <i>Nature Geoscience</i> , 2013, 6, 575-578.	12.9	40
42	Diamonds and water in the deep Earth: a new scenario. <i>International Geology Review</i> , 2016, 58, 263-276.	2.1	40
43	H ₂ O in olivine and garnet inclusions still trapped in diamonds from the Siberian craton: Implications for the water content of cratonic lithosphere peridotites. <i>Lithos</i> , 2015, 230, 180-183.	1.4	39
44	High pressure behavior, transformation and crystal structure of synthetic iron-free pigeonite. <i>American Mineralogist</i> , 2004, 89, 189-196.	1.9	38
45	Comparative compressibility and structural behavior of spinel MgAl ₂ O ₄ at high pressures: The independency on the degree of cation order. <i>American Mineralogist</i> , 2007, 92, 1838-1843.	1.9	38
46	Tracing the depositional history of Kalimantan diamonds by zircon provenance and diamond morphology studies. <i>Lithos</i> , 2016, 265, 159-176.	1.4	38
47	Thermo-elastic behavior of grossular garnet at high pressures and temperatures. <i>American Mineralogist</i> , 2017, 102, 851-859.	1.9	38
48	Inclusions under remnant pressure in diamond: a multi-technique approach. <i>European Journal of Mineralogy</i> , 2012, 24, 563-573.	1.3	37
49	Discovery of asimowite, the Fe-analog of wadsleyite, in shock-melted silicate droplets of the Suizhou L6 and the Quebrada Chimborazo 001 CB3.0 chondrites. <i>American Mineralogist</i> , 2019, 104, 775-778.	1.9	37
50	Mineral chemistry and alteration of rare earth element (REE) carbonates from alkaline pegmatites of Mount Malosa, Malawi. <i>American Mineralogist</i> , 2009, 94, 1216-1222.	1.9	36
51	Crystal chemistry of hydrous forsterite and its vibrational properties up to 41 GPa. <i>American Mineralogist</i> , 2009, 94, 751-760.	1.9	35
52	The effect of the hedenbergitic substitution on the compressibility of jadeite. <i>American Mineralogist</i> , 2008, 93, 1005-1013.	1.9	34
53	Multi-methodological investigation of kunzite, hiddenite, alexandrite, elbaite and topaz, based on laser-induced breakdown spectroscopy and conventional analytical techniques for supporting mineralogical characterization. <i>Physics and Chemistry of Minerals</i> , 2014, 41, 127-140.	0.8	34
54	New accurate elastic parameters for the forsterite-fayalite solid solution. <i>American Mineralogist</i> , 2011, 96, 1742-1747.	1.9	33

#	ARTICLE	IF	CITATIONS
55	Depth of formation of super-deep diamonds: Raman barometry of CaSiO ₃ -walstromite inclusions. <i>American Mineralogist</i> , 2018, 103, 69-74.	1.9	33
56	Depth of diamond formation obtained from single periclase inclusions. <i>Geology</i> , 2019, 47, 219-222.	4.4	33
57	AP21/c-C2/c high-pressure phase transition in Ca _{0.5} Mg _{1.5} Si ₂ O ₆ clinopyroxene. <i>American Mineralogist</i> , 2001, 86, 807-813.	1.9	31
58	The high-temperature P21/c ¹ C2/c phase transition in Fe-free Ca-rich P21/c clinopyroxenes. <i>Physics and Chemistry of Minerals</i> , 2003, 30, 527-535.	0.8	31
59	The effect of Ca substitution on the elastic and structural behavior of orthoenstatite. <i>American Mineralogist</i> , 2006, 91, 809-815.	1.9	31
60	Thermal expansion and high-temperature P21/c ¹ C2/c phase transition in clinopyroxene-type LiFeGe ₂ O ₆ and comparison to NaFe(Si,Ge) ₂ O ₆ . <i>Physics and Chemistry of Minerals</i> , 2010, 37, 685-704.	0.8	31
61	UCP4C mediates uncoupled respiration in larvae of <i>Drosophila melanogaster</i> . <i>EMBO Reports</i> , 2014, 15, 586-591.	4.5	31
62	Multi-methodological characterisation of calcium phosphate in late-Antique glass mosaic tesserae. <i>Microchemical Journal</i> , 2016, 124, 811-818.	4.5	31
63	Average and local structure in P21/c clinopyroxenes along the join diopside-enstatite (CaMgSi ₂ O ₆ -Mg ₂ Si ₂ O ₆). <i>European Journal of Mineralogy</i> , 2002, 14, 549-555.	1.3	30
64	Structural characterization of natural diamond shocked to 60 GPa; implications for Earth and planetary systems. <i>Lithos</i> , 2016, 265, 214-221.	1.4	30
65	Automated FTIR mapping of boron distribution in diamond. <i>Diamond and Related Materials</i> , 2019, 96, 207-215.	3.9	30
66	Electrical conductivity of hydrous wadsleyite. <i>European Journal of Mineralogy</i> , 2009, 21, 615-622.	1.3	28
67	Water incorporation in synthetic and natural MgAl ₂ O ₄ spinel. <i>Geochimica Et Cosmochimica Acta</i> , 2010, 74, 705-718.	3.9	28
68	Thermoelastic and thermodynamic properties of plagioclase feldspars from thermal expansion measurements. <i>American Mineralogist</i> , 2011, 96, 992-1002.	1.9	28
69	Impact shock origin of diamonds in ureilite meteorites. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 25310-25318.	7.1	28
70	Compressional behaviour of CaNiSi ₂ O ₆ clinopyroxene: bulk modulus systematic and cation type in clinopyroxenes. <i>Physics and Chemistry of Minerals</i> , 2005, 32, 222-227.	0.8	27
71	New insight into crystal chemistry of topaz: A multi-methodological study. <i>American Mineralogist</i> , 2006, 91, 1839-1846.	1.9	27
72	Platinum(II) Complexes with Novel Diisocyanide Ligands: Catalysts in Alkyne Hydroarylation. <i>Organometallics</i> , 2013, 32, 7153-7162.	2.3	27

#	ARTICLE	IF	CITATIONS
73	A century of mineral structures: How well do we know them?. <i>American Mineralogist</i> , 2016, 101, 1036-1045.	1.9	27
74	Coordination Polymers Based on the Trinuclear Triangular Secondary Building Unit [Cu ₃ ($\frac{1}{4}$ -OH)($\frac{1}{4}$ -pz) ₃] ²⁺ (pz = pyrazolate) and Succinate Anion. <i>Crystal Growth and Design</i> , 2013, 13, 126-135.	3.0	26
75	Deep carbon through time: Earth's diamond record and its implications for carbon cycling and fluid speciation in the mantle. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 275, 99-122.	3.9	26
76	High-pressure phase transformation in LiFeGe ₂ O ₆ pyroxene. <i>American Mineralogist</i> , 2009, 94, 616-621.	1.9	25
77	HT P21/c \rightarrow C2/c phase transition and kinetics of Fe ²⁺ -Mg order-disorder of an Fe-poor pigeonite: implications for the cooling history of ureilites. <i>Contributions To Mineralogy and Petrology</i> , 2011, 162, 599-613.	3.1	25
78	Volume thermal expansion along the jadeite \rightarrow diopside join. <i>Physics and Chemistry of Minerals</i> , 2015, 42, 1-14.	0.8	25
79	Very fast crystallisation of MFe ₂ O ₄ spinel ferrites (M = Co, Mn, Ni, Zn) under low temperature hydrothermal conditions: a time-resolved structural investigation. <i>Green Chemistry</i> , 2018, 20, 2257-2268.	9.0	25
80	Coordination polymers from mild condition reactions of copper(II) carboxylates with pyrazole (Hpz). Influence of carboxylate basicity on the self-assembly of the [Cu ₃ ($\frac{1}{4}$ -OH)($\frac{1}{4}$ -pz) ₃] ²⁺ secondary building unit. <i>Inorganica Chimica Acta</i> , 2017, 455, 618-626.	2.4	24
81	Quantifying hexagonal stacking in diamond. <i>Scientific Reports</i> , 2019, 9, 10334.	3.3	24
82	New insights into the crystal chemistry of epididymite and eudidymite from Malosa, Malawi: A single-crystal neutron diffraction study. <i>American Mineralogist</i> , 2008, 93, 1158-1165.	1.9	23
83	Dalnegerite, Tl ₅ Pb ₂ (As,Sb) ₂ S ₃₄ , a new thallium sulphosalt from Lengnabach quarry, Binntal, Switzerland. <i>Mineralogical Magazine</i> , 2009, 73, 1027-1032.	1.4	23
84	Looking for jarosite on Mars: The low-temperature crystal structure of jarosite. <i>American Mineralogist</i> , 2013, 98, 1966-1971.	1.9	23
85	X-ray topographic study of a diamond from Udachnaya: Implications for the genetic nature of inclusions. <i>Lithos</i> , 2016, 248-251, 153-159.	1.4	23
86	Diamond-inclusion system recording old deep lithosphere conditions at Udachnaya (Siberia). <i>Scientific Reports</i> , 2019, 9, 12586.	3.3	23
87	Quantum-mechanical modeling of minerals at high pressures. The role of the Hamiltonian in a case study: the beryl (Al ₄ Be ₆ Si ₁₂ O ₃₆). <i>Physics and Chemistry of Minerals</i> , 2005, 32, 471-479.	0.8	22
88	Elastic behaviour and structural evolution of topaz at high pressure. <i>Physics and Chemistry of Minerals</i> , 2006, 33, 235-242.	0.8	22
89	Thermal expansion along the NaAlSi ₂ O ₆ \rightarrow NaFe ₃ +Si ₂ O ₆ and NaAlSi ₂ O ₆ \rightarrow CaFe ₂ +Si ₂ O ₆ solid solutions. <i>Physics and Chemistry of Minerals</i> , 2008, 35, 241-248.	0.8	22
90	In situ analysis of garnet inclusion in diamond using single-crystal X-ray diffraction and X-ray micro-tomography. <i>European Journal of Mineralogy</i> , 2012, 24, 599-606.	1.3	22

#	ARTICLE	IF	CITATIONS
91	Protogenetic garnet inclusions and the age of diamonds. <i>Geology</i> , 2019, 47, 431-434.	4.4	22
92	Origin, properties, and structure of breyite: The second most abundant mineral inclusion in super-deep diamonds. <i>American Mineralogist</i> , 2021, 106, 38-43.	1.9	22
93	A SINGLE-CRYSTAL NEUTRON-DIFFRACTION INVESTIGATION OF SPODUMENE AT 54 K. <i>Canadian Mineralogist</i> , 2003, 41, 521-527.	1.0	21
94	Evidence of dmisteinbergite (hexagonal form of CaAl ₂ Si ₂ O ₈) in pseudotachylyte: A tool to constrain the thermal history of a seismic event. <i>American Mineralogist</i> , 2010, 95, 405-409.	1.9	21
95	Coordination polymers based on trinuclear and mononuclear copper-pyrazolate building moieties connected by fumarate or 2-methylfumarate ions. <i>Journal of Organometallic Chemistry</i> , 2012, 714, 74-80.	1.8	21
96	Synthesis and Structural Characterizations of New Coordination Polymers Generated by the Interaction Between the Trinuclear Triangular SBU [Cu ₃ (μ_4 -OH)(μ_4 -pz) ₃] ²⁺ and 4,4'-Bipyridine. <i>Crystal Growth and Design</i> , 2015, 15, 4854-4862.	3.0	21
97	Crystallographic orientations of olivine inclusions in diamonds. <i>Lithos</i> , 2016, 265, 312-316.	1.4	21
98	OH incorporation in nearly pure MgAl ₂ O ₄ natural and synthetic spinels. <i>Geochimica Et Cosmochimica Acta</i> , 2008, 72, 475-479.	3.9	20
99	The high-pressure behavior of an Al- and Fe-rich natural orthopyroxene. <i>American Mineralogist</i> , 2008, 93, 644-652.	1.9	20
100	Olivine thermal emissivity under extreme temperature ranges: Implication for Mercury surface. <i>Earth and Planetary Science Letters</i> , 2013, 371-372, 252-257.	4.4	20
101	Oxycalcioromite, Ca ₂ Sb ₂ O ₆ O, from Buca della Vena mine, Apuan Alps, Tuscany, Italy: a new member of the pyrochlore supergroup. <i>Mineralogical Magazine</i> , 2013, 77, 3027-3037.	1.4	20
102	Tondiite, Cu ₃ Mg(OH) ₆ Cl ₂ , the Mg-analogue of herbertsmithite. <i>Mineralogical Magazine</i> , 2014, 78, 583-590.	1.4	20
103	Interaction of the Trinuclear Triangular Secondary Building Unit [Cu ₃ (μ_4 -OH)(μ_4 -pz) ₃] ²⁺ with 4,4'-Bipyridine. <i>Structural Characterizations of New Coordination Polymers and Hexanuclear Cu₆ Clusters</i> . <i>Crystal Growth and Design</i> , 2015, 15, 1259-1272.	3.0	20
104	<i>OrientXplot</i>: a program to analyse and display relative crystal orientations. <i>Journal of Applied Crystallography</i> , 2015, 48, 1330-1334.	4.5	20
105	Diamond and its olivine inclusions: A strange relation revealed by ab initio simulations. <i>Earth and Planetary Science Letters</i> , 2016, 435, 31-35.	4.4	20
106	Pseudotachylyte Alteration and the Rapid Fade of Earthquake Scars From the Geological Record. <i>Geophysical Research Letters</i> , 2020, 47, e2020GL090020.	4.0	20
107	Mineral inclusions are not immutable: Evidence of post-entrapment thermally-induced shape change of quartz in garnet. <i>Earth and Planetary Science Letters</i> , 2021, 555, 116708.	4.4	20
108	Charge-density analysis of spodumene (LiAlSi ₂ O ₆), from ab initio Hartree-Fock calculations. <i>Physics and Chemistry of Minerals</i> , 2003, 30, 606-614.	0.8	19

#	ARTICLE	IF	CITATIONS
109	Tl-bearing sulfosalt from the Lenggenbach quarry, Binn Valley, Switzerland: Philrothite, TlAs ₃ S ₅ . Mineralogical Magazine, 2014, 78, 1-9.	1.4	19
110	Shilovite, natural copper(II) tetrammine nitrate, a new mineral species. Mineralogical Magazine, 2015, 79, 613-623.	1.4	19
111	Toward a Robust Elastic Geobarometry of Kyanite Inclusions in Eclogitic Diamonds. Journal of Geophysical Research: Solid Earth, 2018, 123, 6411-6423.	3.4	19
112	Fe-rich ferropiclae and magnesio-wüstite inclusions reflecting diamond formation rather than ambient mantle. Geology, 2019, 47, 27-30.	4.4	19
113	Crystallographic orientations of magnesiochromite inclusions in diamonds: what do they tell us?. Contributions To Mineralogy and Petrology, 2019, 174, 1.	3.1	19
114	RIETVELD REFINEMENT OF CLINOPYROXENES WITH INTERMEDIATE Ca-CONTENT ALONG THE JOIN DIOPSIDE ENSTATITE. Canadian Mineralogist, 2005, 43, 1411-1421.	1.0	18
115	Spontaneous strain variations through the low-temperature displacive phase transition of LiGaSi ₂ O ₆ clinopyroxene. European Journal of Mineralogy, 2009, 21, 599-614.	1.3	18
116	High-pressure phase transition of a natural pigeonite. American Mineralogist, 2010, 95, 300-311.	1.9	18
117	New accurate compression data for $\hat{\Gamma}^3$ -Fe ₂ SiO ₄ . Physics of the Earth and Planetary Interiors, 2010, 183, 421-425.	1.9	18
118	High-pressure behavior of Ca/Na clinopyroxenes: The effect of divalent and trivalent 3d-transition elements. American Mineralogist, 2010, 95, 832-838.	1.9	18
119	Pressure-volume equation of state for chromite and magnesiochromite: A single-crystal X-ray diffraction investigation. American Mineralogist, 2014, 99, 1248-1253.	1.9	18
120	Reaction of Copper(II) Chloroacetate with Pyrazole. Synthesis of a One-Dimensional Coordination Polymer and Unexpected Dehydrochlorination Reaction. Crystal Growth and Design, 2015, 15, 5910-5918.	3.0	18
121	An atomic force microscopy study of diamond dissolution features: The effect of H ₂ O and CO ₂ in the fluid on diamond morphology. American Mineralogist, 2011, 96, 1768-1775.	1.9	17
122	Synchrotron Mössbauer Source technique for in situ measurement of iron-bearing inclusions in natural diamonds. Lithos, 2016, 265, 328-333.	1.4	17
123	Inclusions in super-deep diamonds: windows on the very deep Earth. Rendiconti Lincei, 2017, 28, 595-604.	2.2	17
124	Mn-rich graftonite, ferrisicklerite, stanö-kite and Mn-rich vivianite in a granitic pegmatite at Soñ Valley, central Alps, Italy. Mineralogical Magazine, 2007, 71, 579-585.	1.4	16
125	Re-investigation of the crystal structure of enstatite under high-pressure conditions. American Mineralogist, 2012, 97, 1741-1748.	1.9	16
126	In-situ high-temperature emissivity spectra and thermal expansion of C ₂ /c pyroxenes: Implications for the surface of Mercury. American Mineralogist, 2014, 99, 786-792.	1.9	16

#	ARTICLE	IF	CITATIONS
127	Toward an accurate ab initio estimation of compressibility and thermal expansion of diamond in the [0, 3000 K] temperature and [0, 30 GPa] pressures ranges, at the hybrid HF/DFT theoretical level. <i>American Mineralogist</i> , 2014, 99, 1147-1154.	1.9	16
128	Garnet, the archetypal cubic mineral, grows tetragonal. <i>Scientific Reports</i> , 2019, 9, 14672.	3.3	16
129	Diamonds and the Mantle Geodynamics of Carbon. , 2019, , 89-128.		16
130	High-T phase transition of synthetic ANaB(LiMg)CMg ₅ Si ₈ O ₂₂ (OH) ₂ amphibole: an X-ray synchrotron powder diffraction and FTIR spectroscopic study. <i>Physics and Chemistry of Minerals</i> , 2005, 32, 515-523.	0.8	15
131	High temperature single crystal investigation in a clinopyroxene of composition (Na _{0.5} Ca _{0.5})(Cr _{0.5} Mg _{0.5})Si ₂ O ₆ . <i>European Journal of Mineralogy</i> , 2005, 17, 297-304.	1.3	15
132	Crystal chemistry of hydration in aluminous orthopyroxene. <i>American Mineralogist</i> , 2007, 92, 973-976.	1.9	15
133	The high-pressure C2/c \leftrightarrow P21/c phase transition along the LiAlSi ₂ O ₆ \leftrightarrow LiGaSi ₂ O ₆ solid solution. <i>Physics and Chemistry of Minerals</i> , 2008, 35, 477-484.	0.8	15
134	Bulk modulus variation along the diopsidekosmochlor solid solution. <i>European Journal of Mineralogy</i> , 2009, 21, 591-597.	1.3	15
135	(Na,Ca)(Ti ₃₊ ,Mg)Si ₂ O ₆ -clinopyroxenes at high pressure: influence of cation substitution on elastic behavior and phase transition. <i>Physics and Chemistry of Minerals</i> , 2010, 37, 25-43.	0.8	15
136	The crystal structure of dalnegroite, Tl ₅ \times Pb ₂ x(As,Sb) ₂₁ \times S ₃₄ : a masterpiece of structural complexity. <i>Mineralogical Magazine</i> , 2010, 74, 999-1012.	1.4	15
137	High-pressure behavior of the synthetic Ca ₂ Sb ₂ O ₇ weberite-type compound. <i>Solid State Sciences</i> , 2011, 13, 1092-1095.	3.2	15
138	Manganoblendite, Na ₂ Mn(SO ₄) ₂ \cdot 4H ₂ O, and cobaltblendite, Na ₂ Co(SO ₄) ₂ \cdot 4H ₂ O: two new members of the blendite group from the Blue Lizard mine, San Juan County, Utah, USA. <i>Mineralogical Magazine</i> , 2013, 77, 367-383.	1.4	15
139	Equation of state of hercynite, FeAl ₂ O ₄ , and high-pressure systematics of Mg-Fe-Cr-Al spinels. <i>Mineralogical Magazine</i> , 2015, 79, 285-294.	1.4	15
140	The structure of Pbc orthopyroxenes along the join diopside-enstatite (CaMgSi ₂ O ₆ -Mg ₂ Si ₂ O ₆). <i>European Journal of Mineralogy</i> , 2003, 15, 365-371.	1.3	14
141	High-pressure phase transitions in Ca _{0.2} Sr _{0.8} Al ₂ Si ₂ O ₈ feldspar. <i>American Mineralogist</i> , 2004, 89, 1474-1479.	1.9	14
142	Minerals at high pressure. Mechanics of compression from quantum mechanical calculations in a case study: the beryl (Al ₄ Be ₆ Si ₁₂ O ₃₆). <i>Physics and Chemistry of Minerals</i> , 2006, 34, 37-52.	0.8	14
143	COMPRESSIBILITY AND HIGH-PRESSURE BEHAVIOR OF Ab ₆₃ Or ₂₇ An ₁₀ ANORTHOCLASE. <i>Canadian Mineralogist</i> , 2008, 46, 1443-1454.	1.0	14
144	Inclusion Properties, Polymorphism and Desolvation Kinetics in a New 2-Pyridyl Iminophenol Compound with 1D Nanochannels. <i>Crystal Growth and Design</i> , 2009, 9, 3749-3758.	3.0	14

#	ARTICLE	IF	CITATIONS
145	Comparison between beryllium and diamond-backing plates in diamond-anvil cells: Application to single-crystal x-ray diffraction high-pressure data. <i>Review of Scientific Instruments</i> , 2011, 82, 055111.	1.3	14
146	High-pressure structural evolution and equation of state of analbite. <i>American Mineralogist</i> , 2011, 96, 383-392.	1.9	14
147	On the high-pressure behavior of gobbinsite, the natural counterpart of the synthetic zeolite Na ⁺ P2. <i>Microporous and Mesoporous Materials</i> , 2012, 163, 259-269.	4.4	14
148	Arsenic-bearing new mineral species from Valletta mine, Maira Valley, Piedmont, Italy: I. Grandaite, Sr ₂ Al(AsO ₄) ₂ (OH), description and crystal structure. <i>Mineralogical Magazine</i> , 2014, 78, 757-774.	1.4	14
149	First-principle modelling of forsterite surface properties: Accuracy of methods and basis sets. <i>Journal of Computational Chemistry</i> , 2015, 36, 1439-1445.	3.3	14
150	Record of intermediate-depth subduction seismicity in a dry slab from an exhumed ophiolite. <i>Earth and Planetary Science Letters</i> , 2020, 548, 116490.	4.4	14
151	Crystallographic Methods for Non-destructive Characterization of Mineral Inclusions in Diamonds. <i>Reviews in Mineralogy and Geochemistry</i> , 2022, 88, 257-305.	4.8	14
152	On the thermo-elastic behaviour of kyanite: a neutron powder diffraction study up to 1200°C. <i>Mineralogical Magazine</i> , 2006, 70, 309-317.	1.4	13
153	Effects of non-stoichiometry on the spinel structure at high pressure: Implications for Earth's mantle mineralogy. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 489-492.	3.9	13
154	A single-crystal neutron diffraction study of hambergite, Be ₂ BO ₃ (OH,F). <i>American Mineralogist</i> , 2012, 97, 1891-1897.	1.9	13
155	Mapiquiroite, (Sr,Pb)(U,Y)Fe ₂ (Ti,Fe ³⁺) ₁₈ O ₃₈ , a new member of the crichtonite group from the Apuan Alps, Tuscany, Italy. <i>European Journal of Mineralogy</i> , 2014, 26, 427-437.	1.3	13
156	Dynamics of mineral crystallization from precipitated slab-derived fluid phase: first in situ synchrotron X-ray measurements. <i>Contributions To Mineralogy and Petrology</i> , 2015, 169, 1.	3.1	13
157	High-brilliance X-ray system for high-pressure in-house research: applications for studies of superhard materials. <i>High Pressure Research</i> , 2006, 26, 137-143.	1.2	12
158	Aluminocerite-Ce: A new species from Baveno, Italy: Description and crystal-structure determination. <i>American Mineralogist</i> , 2009, 94, 487-493.	1.9	12
159	High-pressure behavior of space group P2 ₁ /n omphacite. <i>American Mineralogist</i> , 2012, 97, 407-414.	1.9	12
160	Synthetic LiAlGe ₂ O ₆ : The first pyroxene with P2 ₁ /n symmetry. <i>American Mineralogist</i> , 2012, 97, 1213-1218.	1.9	12
161	Te-RICH CANFIELDITE, Ag ₈ Sn(S,Te) ₆ , FROM THE LENGENBACH QUARRY, BINNTAL, CANTON VALAIS, SWITZERLAND: OCCURRENCE, DESCRIPTION AND CRYSTAL STRUCTURE. <i>Canadian Mineralogist</i> , 2012, 50, 111-118.	1.0	12
162	Deveroite-(Ce): a new REE-oxalate from Mount Cervandone, Devero Valley, Western-Central Alps, Italy. <i>Mineralogical Magazine</i> , 2013, 77, 3019-3026.	1.4	12

#	ARTICLE	IF	CITATIONS
163	Computational Approach to the Study of Epitaxy: Natural Occurrence in Diamond/Forsterite and Aragonite/Zabuyelite. <i>Crystal Growth and Design</i> , 2015, 15, 2979-2987.	3.0	12
164	Ralphcannonite, $\text{AgZn}_2\text{TlAs}_2\text{S}_6$, a new mineral of the routhierite isotypic series from Lengenbach, Binn Valley, Switzerland. <i>Mineralogical Magazine</i> , 2015, 79, 1089-1098.	1.4	12
165	Neutral dinuclear gold(I) complexes with N -phosphanyl, N -heterocyclic carbenes (NHCPs). <i>Journal of Organometallic Chemistry</i> , 2017, 829, 71-78.	1.8	12
166	Non-Destructive In Situ Study of Plastic Deformations in Diamonds: X-ray Diffraction Topography and μFTIR Mapping of Two Super Deep Diamond Crystals from São Luiz (Juina, Brazil). <i>Crystals</i> , 2017, 7, 233.	2.2	12
167	Vorontsovite, $(\text{Hg}_5\text{Cu})_6\text{TlAs}_4\text{S}_{12}$, and Ferrovorontsovite, $(\text{Fe}_5\text{Cu})_6\text{TlAs}_4\text{S}_{12}$: The Tl- and Tl-Fe-Analogues of Galkhaite from the Vorontsovskoe Gold Deposit, Northern Urals, Russia. <i>Minerals (Basel)</i> , 2018, 8, 218.	2.0	10
168	The High-Pressure Structural Evolution of Olivine along the Forsterite–Fayalite Join. <i>Minerals (Basel)</i> , 2018, 8, 218.	2.0	10
169	Discovery of terrestrial allabogdanite $(\text{Fe,Ni})_2\text{P}$, and the effect of Ni and Mo substitution on the barringerite-allabogdanite high-pressure transition. <i>American Mineralogist</i> , 2021, 106, 944-952.	1.9	12
170	The effect of composition and cation ordering on the compressibility of columbites up to 7 ÅGPa. <i>Physics and Chemistry of Minerals</i> , 2006, 33, 593-600.	0.8	11
171	Synthesis, TEM characterization and thermal behaviour of $\text{LiNiSi}_2\text{O}_6$ pyroxene. <i>Physics and Chemistry of Minerals</i> , 2009, 36, 527-536.	0.8	11
172	Melting and cataclastic features in shatter cones in basalt from the Vista Alegre impact structure, Brazil. <i>Meteoritics and Planetary Science</i> , 2015, 50, 1228-1243.	1.6	11
173	Chromium solubility in anhydrous Phase B. <i>Physics and Chemistry of Minerals</i> , 2016, 43, 103-110.	0.8	11
174	Raberite, $\text{Tl}_5\text{Ag}_4\text{As}_6\text{Sb}_5\text{S}_{15}$, a new Tl-bearing sulfosalt from Lengenbach quarry, Binn valley, Switzerland: description and crystal structure. <i>Mineralogical Magazine</i> , 2012, 76, 1153-1163.	1.4	10
175	Mejillonesite, a new acid sodium, magnesium phosphate mineral, from Mejillones, Antofagasta, Chile. <i>American Mineralogist</i> , 2012, 97, 19-25.	1.9	10
176	Compressibility and structural stability of two variably hydrated olivine samples ($\text{Fo}_{97}\text{Fa}_3$) to 34 GPa by X-ray diffraction and Raman spectroscopy. <i>American Mineralogist</i> , 2013, 98, 1972-1979.	1.9	10
177	Configurational and energy study of the (100) and (110) surfaces of the MgAl_2O_4 spinel by means of quantum mechanical and empirical techniques. <i>CrystEngComm</i> , 2014, 16, 9224-9235.	2.6	10
178	Ichnusaite, $\text{Th}(\text{MoO}_4)_2 \cdot 3\text{H}_2\text{O}$, the first natural thorium molybdate: Occurrence, description, and crystal structure. <i>American Mineralogist</i> , 2014, 99, 2089-2094.	1.9	10
179	Tsygankoite, $\text{Mn}_8\text{Tl}_8\text{Hg}_2(\text{Sb}_2\text{Pb}_2\text{Tl})_6\text{S}_{48}$, a New Sulfosalt from the Vorontsovskoe Gold Deposit, Northern Urals, Russia. <i>Minerals (Basel, Switzerland)</i> , 2018, 8, 218.	2.0	10
180	Let there be water: How hydration/dehydration reactions accompany key Earth and life processes#. <i>American Mineralogist</i> , 2020, 105, 1152-1160.	1.9	10

#	ARTICLE	IF	CITATIONS
181	Protogenetic sulfide inclusions in diamonds date the diamond formation event using Re-Os isotopes. <i>Geology</i> , 0, , .	4.4	10
182	Thermal infrared emissivity of felsic-rich to mafic-rich analogues of hot planetary regoliths. <i>Earth and Planetary Science Letters</i> , 2020, 534, 116089.	4.4	10
183	Gladkovskyite, MnTlAs ₃ S ₆ , a new thallium sulfosalt from the Vorontsovskoe gold deposit, Northern Urals, Russia. <i>Journal of Geosciences (Czech Republic)</i> , 2019, , 207-218.	0.6	10
184	Thermodynamic behaviour of the high-temperature $\text{CaAl}_2\text{Si}_2\text{O}_8 \leftrightarrow \text{SrAl}_2\text{Si}_2\text{O}_8$ join. <i>Physics and Chemistry of Minerals</i> , 2005, 32, 314-321.	0.8	9
185	The high-pressure structural configurations of $\text{Ca}_{0.2}\text{Sr}_{0.8}\text{Al}_2\text{Si}_2\text{O}_8$ feldspar: The I2/c and I2/c-P21/c phase transitions. <i>American Mineralogist</i> , 2007, 92, 1190-1199.	1.9	9
186	Single-crystal elastic properties of $\text{Ca}_{0.07}\text{Mg}_{1.93}\text{Si}_2\text{O}_6$ orthopyroxene. <i>American Mineralogist</i> , 2007, 92, 109-113.	1.9	9
187	Low-temperature behavior of $\text{NaGaSi}_2\text{O}_6$. <i>American Mineralogist</i> , 2007, 92, 560-569.	1.9	9
188	Lattice compression and structural behavior of NaVSi_2O_6 clinopyroxene to 11 GPa. <i>American Mineralogist</i> , 2009, 94, 557-564.	1.9	9
189	Compressibility of protoamphibole: A high-pressure single-crystal diffraction study of protomangano-ferro-anthophyllite. <i>American Mineralogist</i> , 2010, 95, 1758-1764.	1.9	9
190	High-pressure crystal structure investigation of synthetic Fe_2SiO_4 spinel. <i>Mineralogical Magazine</i> , 2011, 75, 2649-2655.	1.4	9
191	Bader's analysis of the electron density in the Pbcn enstatite - Pbcn protoenstatite phase transition. <i>European Journal of Mineralogy</i> , 2011, 23, 197-205.	1.3	9
192	Fassinaite, $\text{Pb}_2(\text{S}_2\text{O}_3)(\text{CO}_3)$, the first mineral with coexisting thiosulphate and carbonate groups: description and crystal structure. <i>Mineralogical Magazine</i> , 2011, 75, 2721-2732.	1.4	9
193	The effects of composition upon the high-pressure behaviour of amphiboles: compression of gedrite to 7 GPa and a comparison with anthophyllite and proto-amphibole. <i>Mineralogical Magazine</i> , 2012, 76, 987-995.	1.4	9
194	Compressibility of As_4S_4 : an <i>in situ</i> high-pressure single-crystal X-ray study. <i>Mineralogical Magazine</i> , 2012, 76, 963-973.	1.4	9
195	New thermoelastic parameters of natural C2/c omphacite. <i>Physics and Chemistry of Minerals</i> , 2012, 39, 295-304.	0.8	9
196	The crucial role of crystallography in diamond research. <i>Rendiconti Lincei</i> , 2015, 26, 225-233.	2.2	9
197	Ferrostalderite, $\text{CuFe}_2\text{TlAs}_2\text{S}_6$, a new mineral from Lengnabach, Switzerland: occurrence, crystal structure, and emphasis on the role of iron in sulfosalts. <i>Mineralogical Magazine</i> , 2016, 80, 175-186.	1.4	9
198	Source assemblage types for cratonic diamonds from X-ray synchrotron diffraction. <i>Lithos</i> , 2016, 265, 334-338.	1.4	9

#	ARTICLE	IF	CITATIONS
199	Bastn�site-(Ce) and Parisite-(Ce) From Mt. Malosa, Malawi. <i>Gems & Gemology</i> , 2010, 46, 42-47.	0.6	9
200	Pyroxmangite: A high-pressure single-crystal study. <i>American Mineralogist</i> , 2008, 93, 1921-1928.	1.9	8
201	The wulfenite�stolzite series: centric or acentric structures?. <i>Mineralogical Magazine</i> , 2008, 72, 987-990.	1.4	8
202	The effect of non-stoichiometry on the high-temperature behaviour of MgAl ₂ O ₄ spinel. <i>Mineralogical Magazine</i> , 2009, 73, 301-306.	1.4	8
203	The effect of Al/Si disorder on the bulk moduli of plagioclase feldspars. <i>Mineralogical Magazine</i> , 2010, 74, 943-950.	1.4	8
204	Kinetics of cation ordering in synthetic Mg(Al, Fe ³⁺) ₂ O ₄ spinels. <i>European Journal of Mineralogy</i> , 2012, 24, 633-643.	1.3	8
205	12. Diamonds and the Geology of Mantle Carbon. , 2013, , 355-422.		8
206	As-bearing new mineral species from Valletta mine, Maira Valley, Piedmont, Italy: II. Braccoite, NaMn ₂₊₅ [Si ₅ AsO ₁₇ (OH)](OH), description and crystal structure. <i>Mineralogical Magazine</i> , 2015, 79, 171-189.	1.4	8
207	The role of Fe content on the Fe-Mg exchange reaction in augite. <i>American Mineralogist</i> , 2016, 101, 2747-2750.	1.9	8
208	Cooling history and emplacement of a pyroxenitic lava as proxy for understanding Martian lava flows. <i>Scientific Reports</i> , 2019, 9, 17051.	3.3	8
209	Graphite-Based Geothermometry on Almahata Sitta Ureilitic Meteorites. <i>Minerals (Basel, Switzerland)</i> , 2020, 10, 1005.	2.0	8
210	Evidence for complex iron oxides in the deep mantle from FeNi(Cu) inclusions in superdeep diamond. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 21088-21094.	7.1	8
211	Maletoyvayamite, Au ₃ Se ₄ Te ₆ , a new mineral from Maletoyvayam deposit, Kamchatka peninsula, Russia. <i>Mineralogical Magazine</i> , 2020, 84, 117-123.	1.4	8
212	Hydrokenopyrochlore, (�-j,#)2Nb ₂ O ₆ �H ₂ O, a new species of the pyrochlore supergroup from the Sahatany Pegmatite Field, Antananarivo Province, Madagascar. <i>European Journal of Mineralogy</i> , 2018, 30, 869-876.	1.3	8
213	Mesoarchean diamonds formed in thickened lithosphere, caused by slab-stacking. <i>Earth and Planetary Science Letters</i> , 2022, 592, 117633.	4.4	8
214	Arsenic-rich fergusonite-beta-(Y) from Mount Cervandone (Western Alps, Italy): Crystal structure and genetic implications. <i>American Mineralogist</i> , 2010, 95, 487-494.	1.9	7
215	Xenotime-(Y) and Sn-rich thortveitite in miarolitic pegmatites from Baveno, Southern Alps, Italy. <i>Mineralogical Magazine</i> , 2012, 76, 761-767.	1.4	7
216	Witzkeite: A new rare nitrate-sulphate mineral from a guano deposit at Punta de Lobos, Chile. <i>American Mineralogist</i> , 2012, 97, 1783-1787.	1.9	7

#	ARTICLE	IF	CITATIONS
217	New milarite/osumilite-type phase formed during ancient glazing of an Egyptian scarab. Applied Physics A: Materials Science and Processing, 2013, 110, 371-377.	2.3	7
218	SINNERITE, $\text{Cu}_6\text{As}_4\text{S}_9$, FROM THE LENGENBACH QUARRY, BINN VALLEY, SWITZERLAND: DESCRIPTION AND RE-INVESTIGATION OF THE CRYSTAL STRUCTURE. Canadian Mineralogist, 2013, 51, 851-860.	1.0	7
219	Phase transitions during compression of thaumasite, $\text{Ca}_3\text{Si}(\text{OH})_6(\text{CO}_3)(\text{SO}_4)\cdot 12\text{H}_2\text{O}$: A high-pressure synchrotron powder X-ray diffraction study. Mineralogical Magazine, 2014, 78, 1193-1208.	1.4	7
220	Analysis of the Configurations of a Crystal Surface. Pyrope ($\text{Mg}_3\text{Al}_2\text{Si}_3\text{O}_{12}$) as a Case Study. Crystal Growth and Design, 2014, 14, 2357-2365.	3.0	7
221	Eckerite, $\text{Ag}_2\text{CuAsS}_3$, a new Cu-bearing sulfosalt from Lengenbach quarry, Binn valley, Switzerland: description and crystal structure. Mineralogical Magazine, 2015, 79, 687-694.	1.4	7
222	Thermal expansion behaviour of orthopyroxenes: the role of the Fe-Mn substitution. Mineralogical Magazine, 2015, 79, 71-87.	1.4	7
223	High-quality structures at high pressure? Insights from inclusions in diamonds. Zeitschrift Fur Kristallographie - Crystalline Materials, 2016, 231, 467-473.	0.8	7
224	As-bearing new mineral species from Valletta mine, Maira Valley, Piedmont, Italy: III. Canosioite, $\text{Ba}_2\text{Fe}_3(\text{AsO}_4)_2(\text{OH})$, description and crystal structure. Mineralogical Magazine, 2017, 81, 305-317.	1.4	7
225	Richardsollyite, TlPbAsS_3 , a new sulfosalt from the Lengenbach quarry, Binn Valley, Switzerland. European Journal of Mineralogy, 2017, 29, 679-688.	1.3	7
226	1D and 3D coordination polymers based on the $\text{Cu}_3(\frac{1}{4}\text{-OH})(\frac{1}{4}\text{-pz})_3$ and $\text{Cu}(\text{Hpz})_3$ SBUs connected by the flexible glutarate dianion. Inorganica Chimica Acta, 2018, 470, 385-392.	2.4	7
227	Origin of micrometer-sized impact diamonds in ureilites by catalytic growth involving Fe-Ni-silicide: The example of Kenna meteorite. Geochimica Et Cosmochimica Acta, 2021, 309, 286-298.	3.9	7
228	EoS of mantle minerals coupled with composition and thermal state of the lithosphere: Inferring the density structure of peridotitic systems. Lithos, 2021, 404-405, 106483.	1.4	7
229	Tennantite-(Cd), $\text{Cu}_6(\text{Cu}_4\text{Cd}_2)\text{As}_4\text{S}_{13}$, from the Berenguela mining district, Bolivia: the first Cd-member of the tetrahedrite group. Mineralogical Magazine, 2022, 86, 834-840.	1.4	7
230	High-pressure optical spectroscopy and X-ray diffraction studies on synthetic cobalt aluminum silicate garnet. American Mineralogist, 2007, 92, 1616-1623.	1.9	6
231	Crystal-structure refinement of Na-bearing clinopyroxenes from mantle-derived eclogite xenoliths. American Mineralogist, 2007, 92, 1242-1245.	1.9	6
232	Piemontite-(Pb), $\text{CaPbAl}_2\text{Mn}_3[\text{Si}_2\text{O}_7][\text{SiO}_4]\text{O}(\text{OH})$, a new mineral species of the epidote supergroup. Neues Jahrbuch Fur Mineralogie, Abhandlungen, 2012, 189, 275-286.	0.3	6
233	High-pressure behavior of $\text{NaInSi}_2\text{O}_6$ and the influence of Me^{3+} on the compressibility of $\text{NaMe}_3\text{Si}_2\text{O}_6$ silicates. Solid State Communications, 2012, 152, 132-137.	1.9	6
234	Time-of-flight neutron powder diffraction with milligram samples: the crystal structures of NaCoF_3 and NaNiF_3 post-perovskites. Journal of Applied Crystallography, 2014, 47, 1939-1947.	4.5	6

#	ARTICLE	IF	CITATIONS
235	Wampenite, C ₁₈ H ₁₆ , a new organic mineral from the fossil conifer locality at Wampen, Bavaria, Germany. <i>European Journal of Mineralogy</i> , 2017, 29, 511-515.	1.3	6
236	Multiphase inclusions associated with residual carbonate in a transition zone diamond from Juina (Brazil). <i>Lithos</i> , 2019, 350-351, 105279.	1.4	6
237	Non-Metamict Aeschnite-(Y), Polycrase-(Y), and Samarskite-(Y) in NYF Pegmatites from Arvogno, Vigizzo Valley (Central Alps, Italy). <i>Minerals (Basel, Switzerland)</i> , 2019, 9, 313.	2.0	6
238	Discovery of moissanite in a peralkaline syenite from the Azores Islands. <i>Lithos</i> , 2019, 324-325, 68-73.	1.4	6
239	Karpenkoite, Co ₃ (V ₂ O ₇)(OH) ₂ ·2H ₂ O, a cobalt analogue of martyite from the Little Eva mine, Grand County, Utah, USA. <i>Journal of Geosciences (Czech Republic)</i> , 2015, , 251-257.	0.6	6
240	Crystal-chemical study of <i>Cr</i> natural oxides along the eskolaite “karelianite” hematite (Cr ₂ O ₃ “V ₂ O ₃ ” Fe ₂ O ₃) join. <i>Mineralogical Magazine</i> , 2008, 72, 785-792.	1.4	5
241	High-pressure displacive phase transition of a natural Mg-rich pigeonite. <i>Physics and Chemistry of Minerals</i> , 2011, 38, 379-385.	0.8	5
242	Saltonseaitite, K ₃ NaMn ₂ Cl ₆ , the Mn analogue of rinneite from the Salton Sea, California. <i>American Mineralogist</i> , 2013, 98, 231-235.	1.9	5
243	Monazite-(Ce) and Xenotime-(Y) From An Lct, NYF Tertiary Pegmatite Field: Evidence From A Regional Study In the Central Alps (Italy and Switzerland). <i>Canadian Mineralogist</i> , 2016, 54, 863-877.	1.0	5
244	Non-destructive, multi-method, internal analysis of multiple inclusions in a single diamond: First occurrence of mackinawite (Fe,Ni) _{1+x} S. <i>American Mineralogist</i> , 2017, 102, 2235-2243.	1.9	5
245	3T polytype of an iron-rich oxyphlogopite from the Bartoy volcanic field, Transbaikalia: M [†] ssbauer, infrared, Raman spectroscopy, and crystal structure. <i>Physics and Chemistry of Minerals</i> , 2019, 46, 899-908.	0.8	5
246	Synthesis of Coordination Polymers and Discrete Complexes from the Reaction of Copper(II) Carboxylates with Pyrazole: Role of Carboxylates Basicity. <i>Crystal Growth and Design</i> , 2022, 22, 1032-1044.	3.0	5
247	High-pressure I ₂ /c-P ₂ 1/c phase transformation in SrAl ₂ Si ₂ O ₈ feldspar. <i>American Mineralogist</i> , 2011, 96, 1182-1185.	1.9	4
248	Pyroxene inclusions in paleo-Christian mosaic tesserae: a new tool for constraining the glass manufacturing temperature. <i>Applied Physics A: Materials Science and Processing</i> , 2011, 103, 207-212.	2.3	4
249	Anisotropic mean-squared-displacement tensor in cubic almandine garnet: a single crystal ⁵⁷ Fe M [†] ssbauer study. <i>Physics and Chemistry of Minerals</i> , 2012, 39, 561-575.	0.8	4
250	High-pressure X-ray study of LiCrSi ₂ O ₆ clinopyroxene and the general compressibility trends for Li-clinopyroxenes. <i>Physics and Chemistry of Minerals</i> , 2013, 40, 387-399.	0.8	4
251	Re-investigation of lead(II) formate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2013, 69, 41-43.	0.4	4
252	The alunite supergroup under high pressure: the case of natrojarosite, NaFe ₃ (SO ₄) ₂ (OH) ₆ . <i>Mineralogical Magazine</i> , 2013, 77, 3007-3017.	1.4	4

#	ARTICLE	IF	CITATIONS
253	Dervillite, Ag_2AsS_2 , from Lengenbach quarry, Binn valley, Switzerland: occurrence and crystal structure. <i>Mineralogical Magazine</i> , 2013, 77, 3105-3112.	1.4	4
254	Ghiaraite: A new mineral from Vesuvius volcano, Naples (Italy). <i>American Mineralogist</i> , 2014, 99, 519-524.	1.9	4
255	High-pressure behavior of thiospinel CuCr_2S_4 . <i>American Mineralogist</i> , 2014, 99, 908-913.	1.9	4
256	Development of an ultra-miniaturised XRD/XRF instrument for the in situ mineralogical and chemical analysis of planetary soils and rocks: implication for archaeometry. <i>Rendiconti Lincei</i> , 2015, 26, 529-537.	2.2	4
257	First evidence of P21/n to P21/c structural transformation in pyroxene-type $\text{LiAlGe}_2\text{O}_6$ under high-pressure conditions. <i>Journal of Solid State Chemistry</i> , 2015, 228, 250-257.	2.9	4
258	The origin of water on Earth: stars or diamonds?. <i>Rendiconti Lincei</i> , 2019, 30, 261-268.	2.2	4
259	Hingganite-(Nd), $\text{Nd}_2\text{Be}_2\text{Si}_2\text{O}_8(\text{OH})_2$, a new gadolinite-supergruop mineral from Zagi Mountain, Pakistan. <i>Canadian Mineralogist</i> , 2020, 58, 549-562.	1.0	4
260	Crystal chemistry of aegirine as an indicator of P-T conditions. <i>Mineralogical Magazine</i> , 2007, 71, 321-326.	1.4	3
261	Low-temperature crystal structure evolution of $(\text{Na,Ca})(\text{Cr,Mg})\text{Si}_2\text{O}_6$ pyroxene. <i>Mineralogical Magazine</i> , 2008, 72, 809-816.	1.4	3
262	Elasticity and high-pressure structure of arsenoflorencite-(La): insights into the high-pressure behaviour of the alunite supergroup. <i>Mineralogical Magazine</i> , 2012, 76, 975-985.	1.4	3
263	THE ROLE OF THE Sb^{3+} LONE-ELECTRON PAIRS AND Fe^{2+} COORDINATION IN THE HIGH-PRESSURE BEHAVIOR OF BERTHIERITE. <i>Canadian Mineralogist</i> , 2012, 50, 201-218.	1.0	3
264	Debattistiite, $\text{Ag}_9\text{Hg}_{0.5}\text{As}_6\text{S}_{12}\text{Te}_2$, a new Te-bearing sulfosalt from Lengenbach quarry, Binn valley, Switzerland: description and crystal structure. <i>Mineralogical Magazine</i> , 2012, 76, 743-750.	1.4	3
265	Compressibility of $\text{NaMnSi}_2\text{O}_6$: The role of electronic isovalency for the validity of bulk-modulus–volume relationship. <i>Solid State Sciences</i> , 2012, 14, 1036-1039.	3.2	3
266	5. Ringwoodite: its importance in Earth Sciences. , 2015, , 127-148.		3
267	A new micro-furnace for in situ high-temperature single-crystal X-ray diffraction measurements. <i>Journal of Applied Crystallography</i> , 2015, 48, 1192-1200.	4.5	3
268	First crystal-structure determination of natural lansfordite, $\text{MgCO}_3 \cdot 5\text{H}_2\text{O}$. <i>Mineralogical Magazine</i> , 2017, 81, 1063-1071.	1.4	3
269	Patynite, $\text{NaCa}_4[\text{Si}_9\text{O}_{23}]$, a New Mineral from the Patynskiy Massif, Southern Siberia, Russia. <i>Minerals (Basel, Switzerland)</i> , 2019, 9, 611.	2.0	3
270	Jahnsite-(mnmfe), $\text{Mn}_2\text{Mn}_2\text{Fe}_2\text{Fe}_3\text{2}(\text{PO}_4)_4(\text{OH})_2 \cdot 8\text{H}_2\text{O}$, a New Phosphate Mineral from the Malpensata Pegmatite, Olgiasca, Colico Municipality, Lecco Province, Italy. <i>Canadian Mineralogist</i> , 2019, 57, 225-233.	1.0	3

#	ARTICLE	IF	CITATIONS
271	Nixonite, Na ₂ Ti ₆ O ₁₃ , a new mineral from a metasomatized mantle garnet pyroxenite from the western Rae Craton, Darby kimberlite field, Canada. <i>American Mineralogist</i> , 2019, 104, 1336-1344.	1.9	3
272	The role of elastic anisotropy in determining the depth of formation for diamonds and their inclusions. <i>Rendiconti Lincei</i> , 2020, 31, 285-293.	2.2	3
273	How to apply elastic geobarometry in geology. <i>American Mineralogist</i> , 2021, 106, 669-671.	1.9	3
274	Inclusions in diamonds probe Earth's chemistry through deep time. <i>Communications Chemistry</i> , 2022, 5, .	4.5	3
275	Equation of state and crystal structure of a new germanate post-titanite phase. <i>American Mineralogist</i> , 2008, 93, 1424-1428.	1.9	2
276	Diamonds, the mantle petrologist's best friends. <i>European Journal of Mineralogy</i> , 2012, 24, 561-562.	1.3	2
277	Tazzoliite: a new mineral with a pyrochlore-related structure from the Euganei Hills, Padova, Italy. <i>Mineralogical Magazine</i> , 2012, 76, 827-838.	1.4	2
278	Synthesis and reactivity of Ln- and LnNa-macrocyclic compartmental Schiff base and polyamino complexes. <i>Inorganica Chimica Acta</i> , 2014, 416, 226-234.	2.4	2
279	Fibrous minerals from Somma-Vesuvius volcanic complex. <i>Mineralogy and Petrology</i> , 2016, 110, 471-489.	1.1	2
280	The mineralogy of the historical Mochalin Log REE deposit, South Urals, Russia. Part II. RadekÅ;kodaite-(La), (CaLa ₅ (Al ₄ Fe ₂₊)[Si ₂ O ₇][SiO ₄] ₅ O(OH) ₃ and radekÅ;kodaite-(Ce), (CaCe ₅ (Al ₄ Fe ₂₊)[Si ₂ O ₇][SiO ₄] ₅ O(OH) ₃ , two new minerals with a novel structure-type belonging to the epidote-tÄrnebohmite polysomatic series. <i>Mineralogical Magazine</i> , 2020, 84, 839-853.	1.4	2
281	Manganese-Containing Inclusions in Late-Antique Glass Mosaic Tesserae: A New Technological Marker?. <i>Minerals (Basel, Switzerland)</i> , 2020, 10, 881.	2.0	2
282	The new mineral crowningshieldite: A high-temperature NiS polymorph found in a type Ila diamond from the Letseng mine, Lesotho. <i>American Mineralogist</i> , 2021, 106, 301-308.	1.9	2
283	Redetermination and new description of the crystal structure of vanthoffite, Na ₆ Mg(SO ₄) ₄ . <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2020, 76, 785-789.	0.5	2
284	Women in geosciences within the Italian University system in the last 20 years. <i>Advances in Geosciences</i> , 0, 53, 155-167.	12.0	2
285	As-bearing new mineral species from Valletta mine, Maira Valley, Piedmont, Italy: IV. Lombardoite, Ba ₂ Mn ³⁺ (AsO ₄) ₂ (OH) and aldomarinoite, Sr ₂ Mn ³⁺ (AsO ₄) ₂ (OH), description and crystal structure. <i>Mineralogical Magazine</i> , 0, 1-34.	1.4	2
286	Correction to New Coordination Polymers and Porous Supramolecular Metal Organic Network Based on the Trinuclear Triangular Secondary Building Unit [Cu ₃ (1/3-OH)(1/4-pz) ₃] ₂ and 4,4'-Bypyridine. 1 Å°. <i>Crystal Growth and Design</i> , 2013, 13, 1799-1799.		1
287	Post-magmatic solid solutions of CaCeAl ₂ (Fe _{3+ 2/3} 1/3)[Si ₂ O ₇][SiO ₄] ₅ O(OH), allanite-(Ce) and REE-bearing epidote in miarolitic pegmatites of Permian Baveno granite (Verbania, central-southern alps, Italy). <i>Mineralogy and Petrology</i> , 2017, 111, 315-323.	1.1	1
288	Fossil submarine hydrothermalism in metabasalts from the Gudon (Bressanone) amphibolite (Southalpine basement, Eastern Alps, NE Italy). <i>European Journal of Mineralogy</i> , 2018, 30, 355-366.	1.3	1

#	ARTICLE	IF	CITATIONS
289	Fluorcarmoite-(BaNa), the first Mg-dominant mineral of the arrojadite group. <i>European Journal of Mineralogy</i> , 2019, 31, 823-836.	1.3	1
290	“EosFit-Pinc: A simple GUI for host-inclusion elastic thermobarometry” Reply to Zhong et al.. <i>American Mineralogist</i> , 2020, , .	1.9	1
291	R _{1/4} dingerite, Mn ₂ +2V ₅ +As ₅ +O ₇ ·2H ₂ O, a New Species Isostructural with Fianelite. <i>Minerals (Basel)</i> Tj ETQq1 1,0,784314 rgBT /O	2.0	1
292	Demagjstrisite, the Missing Link in a Polysomatic Series from Lawsonite to Orientite. <i>Canadian Mineralogist</i> , 2021, , .	1.0	1
293	The best temperature range to acquire reliable thermal infrared spectra from orbit. <i>Scientific Reports</i> , 2021, 11, 13212.	3.3	1
294	Dissolution-Repackaging of Hellandite-(Ce), Mottanaite-(Ce)/Ferri-Mottanaite-(Ce). <i>Minerals (Basel)</i> Tj ETQq0 0 0 rgBT /Overlck 10 Tf 5	2.0	1
295	Diamonds in Ureilites: the Never-Ending Story. <i>Elements</i> , 2021, 17, 292-293.	0.5	1
296	P21/ctoC2/cphase transition in clinopyroxenes and the geodynamic implications. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2010, 66, s42-s43.	0.3	0
297	Thermo-elastic behaviour of Be ₂ BO ₃ OH (hambergite) up to 7ÂGPa and 1,100ÂK. <i>Physics and Chemistry of Minerals</i> , 2013, 40, 401-409.	0.8	0
298	Crystal structure mechanism of the hydrostatic compression in Mg-rich orthopyroxene. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2015, 71, s370-s370.	0.1	0
299	OrientXplotâ€“ a program to analyse and display relative crystal orientations. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2015, 71, s82-s82.	0.1	0
300	Garnet inclusions in diamond: the role of elastic properties. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2015, 71, s346-s346.	0.1	0
301	Super-deep diamonds and their mineral inclusions: an overview. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2016, 72, s70-s70.	0.1	0
302	Reply to: Evidence for two blue (type IIb) diamond populations. <i>Nature</i> , 2019, 570, E28-E29.	27.8	0
303	The response of frameworks toPandT: of tilts and tetrahedra in feldspars. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2010, 66, s45-s45.	0.3	0
304	Comparison of HP data for X-ray diffraction in Be and diamond-backed DACs. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2010, 66, s189-s190.	0.3	0
305	A new micro-furnace for 'in situ' high-temperature single-crystal X-ray diffraction measurements. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2015, 71, s348-s348.	0.1	0
306	Results and significance of crustal data obtained with active seismic methods. <i>Rendiconti Online Societa Geologica Italiana</i> , 0, 37, 47-49.	0.3	0