Sadao Suzuki

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/473040/sadao-suzuki-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50	714	13	25
papers	citations	h-index	g-index
57	920	3.5	3.83
ext. papers	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
50	Association of perceived stress and coping strategies with the renal function in middle-aged and older Japanese men and women <i>Scientific Reports</i> , 2022 , 12, 291	4.9	
49	Genetic polymorphisms in CYP19A1 and ESR1 are associated with serum CK activity after prolonged running in men <i>Journal of Applied Physiology</i> , 2022 ,	3.7	2
48	Study Profile of the Japan Multi-institutional Collaborative Cohort (J-MICC) Study. <i>Journal of Epidemiology</i> , 2021 , 31, 660-668	3.4	7
47	Moderate-to-vigorous physical activity and sedentary behavior are independently associated with renal function: a cross-sectional study. <i>Journal of Epidemiology</i> , 2021 ,	3.4	1
46	Association of skipping breakfast and short sleep duration with the prevalence of metabolic syndrome in the general Japanese population: Baseline data from the Japan Multi-Institutional Collaborative cohort study <i>Preventive Medicine Reports</i> , 2021 , 24, 101613	2.6	O
45	Differential Effect of Polymorphisms on Body Mass Index Across the Life Course of Japanese: The Japan Multi-Institutional Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2021 , 31, 172-179	3.4	2
44	Impact of PSCA Polymorphisms on the Risk of Duodenal Ulcer. <i>Journal of Epidemiology</i> , 2021 , 31, 12-20	3.4	4
43	Neighbourhood relationships moderate the positive association between family caregiver burden and psychological distress in Japanese adults: a cross-sectional study. <i>Public Health</i> , 2020 , 185, 80-86	4	1
42	Association of Dietary Acid Load with the Prevalence of Metabolic Syndrome among Participants in Baseline Survey of the Japan Multi-Institutional Collaborative Cohort Study. <i>Nutrients</i> , 2020 , 12,	6.7	8
41	Association Between Second-hand Smoke Exposure and Depressive Symptoms Among Japanese Adults: A Cross-sectional Study. <i>Journal of Epidemiology</i> , 2020 , 30, 566-573	3.4	3
40	The interaction between ABCA1 polymorphism and physical activity on the HDL-cholesterol levels in a Japanese population. <i>Journal of Lipid Research</i> , 2020 , 61, 86-94	6.3	4
39	Letter to the Editor: Authors the sponse to letter to the Editor: Safety concerns with human papilloma virus immunization in Japan: Analysis and evaluation of Nagoya City surveillance data for adverse events. Japan Journal of Nursing Science, 2020, 17, e12309	1.7	
38	Letter to the editor: Safety concerns with human papilloma virus immunization in Japan: Analysis and evaluation of Nagoya Cityld surveillance data for adverse events. <i>Japan Journal of Nursing Science</i> , 2019 , 16, 500-502	1.7	3
37	Associations of Nutrient Patterns with the Prevalence of Metabolic Syndrome: Results from the Baseline Data of the Japan Multi-Institutional Collaborative Cohort Study. <i>Nutrients</i> , 2019 , 11,	6.7	12
36	Independent relationships of daily life activity and leisure-time exercise with metabolic syndrome and its traits in the general Japanese population. <i>Endocrine</i> , 2019 , 64, 552-563	4	1
35	Genome-wide association meta-analysis and Mendelian randomization analysis confirm the influence of ALDH2 on sleep durationin the Japanese population. <i>Sleep</i> , 2019 , 42,	1.1	8
34	Genome-wide meta-analysis identifies multiple novel loci associated with serum uric acid levels in Japanese individuals. <i>Communications Biology</i> , 2019 , 2, 115	6.7	42

33	GWAS analysis reveals a significant contribution of PSCA to the risk of Heliobacter pylori-induced gastric atrophy. <i>Carcinogenesis</i> , 2019 , 40, 661-668	4.6	9
32	Cohort profile: Aichi regional sub-cohort of the Japan Environment and Children Study (JECS-A). <i>BMJ Open</i> , 2019 , 9, e028105	3	3
31	Community social capital and the onset of functional disability among older adults in Japan: a multilevel longitudinal study using Japan Gerontological Evaluation Study (JAGES) data. <i>BMJ Open</i> , 2019 , 9, e029279	3	10
30	Association of genetic risk score and chronic kidney disease in a Japanese population. <i>Nephrology</i> , 2019 , 24, 670-673	2.2	3
29	A genome-wide association study of coping behaviors suggests FBXO45 is associated with emotional expression. <i>Genes, Brain and Behavior</i> , 2019 , 18, e12481	3.6	11
28	No association between HPV vaccine and reported post-vaccination symptoms in Japanese young women: Results of the Nagoya study. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2018 , 5, 96-103	₃ 4.6	65
27	A genome-wide association study in the Japanese population identifies the 12q24 locus for habitual coffee consumption: The J-MICC Study. <i>Scientific Reports</i> , 2018 , 8, 1493	4.9	22
26	Genomewide Association Study of Leisure-Time Exercise Behavior in Japanese Adults. <i>Medicine and Science in Sports and Exercise</i> , 2018 , 50, 2433-2441	1.2	18
25	Genome-Wide Association Study of Renal Function Traits: Results from the Japan Multi-Institutional Collaborative Cohort Study. <i>American Journal of Nephrology</i> , 2018 , 47, 304-316	4.6	8
24	Genetic Variants of RAMP2 and CLR are Associated with Stroke. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017 , 24, 1267-1281	4	7
23	Accuracy of self-reported height, weight and waist circumference in a Japanese sample. <i>Obesity Science and Practice</i> , 2017 , 3, 417-424	2.6	10
22	Re: Thyroid Cancer Among Young People in Fukushima. <i>Epidemiology</i> , 2016 , 27, e19	3.1	11
21	Diabetes Mellitus and Risk of Colorectal Cancer Mortality in Japan: the Japan Collaborative Cohort Study. <i>Asian Pacific Journal of Cancer Prevention</i> , 2016 , 17, 4681-4688	1.7	8
20	Associations between Dietary Patterns, ADRI Gln27Glu and ADRI Trp64Arg with Regard to Serum Triglyceride Levels: J-MICC Study. <i>Nutrients</i> , 2016 , 8,	6.7	3
19	Low intake of vegetables and fruits and risk of colorectal cancer: the Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2014 , 24, 353-60	3.4	12
18	Associations between hOGG1 Ser326Cys polymorphism and increased body mass index and fasting glucose level in the Japanese general population. <i>Journal of Epidemiology</i> , 2014 , 24, 379-84	3.4	3
17	Polymorphisms of genes involved in lipid metabolism and risk of chronic kidney disease in Japanese - cross-sectional data from the J-MICC study. <i>Lipids in Health and Disease</i> , 2014 , 13, 162	4.4	5
16	Obesity/weight gain and breast cancer risk: findings from the Japan collaborative cohort study for the evaluation of cancer risk. <i>Journal of Epidemiology</i> , 2013 , 23, 139-45	3.4	40

15	Gene-gene combination effect and interactions among ABCA1, APOA1, SR-B1, and CETP polymorphisms for serum high-density lipoprotein-cholesterol in the Japanese population. <i>PLoS ONE</i> , 2013 , 8, e82046	3.7	12
14	eNOS genotype modifies the effect of leisure-time physical activity on serum triglyceride levels in a Japanese population. <i>Lipids in Health and Disease</i> , 2012 , 11, 150	4.4	11
13	Effect of the PPARG2 Pro12Ala polymorphism and clinical risk factors for diabetes mellitus on HbA1c in the Japanese general population. <i>Journal of Epidemiology</i> , 2012 , 22, 523-31	3.4	20
12	Profile of participants and genotype distributions of 108 polymorphisms in a cross-sectional study of associations of genotypes with lifestyle and clinical factors: a project in the Japan Multi-Institutional Collaborative Cohort (J-MICC) Study. <i>Journal of Epidemiology</i> , 2011 , 21, 223-35	3.4	77
11	Insulin-like growth factor (IGF)-I, IGF-II, IGF binding protein-3, and risk of colorectal cancer: a nested case-control study in the Japan Collaborative Cohort study. <i>Asian Pacific Journal of Cancer Prevention</i> , 2009 , 10 Suppl, 45-9	1.7	8
10	Effect of physical activity on breast cancer risk: findings of the Japan collaborative cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3396-401	4	33
9	Dietary habits and risk of ovarian cancer death in a large-scale cohort study (JACC study) in Japan. <i>Nutrition and Cancer</i> , 2007 , 57, 138-45	2.8	35
8	Conditional relative odds ratio and comparison of accuracy of diagnostic tests based on 2 x 2 tables. <i>Journal of Epidemiology</i> , 2006 , 16, 145-53	3.4	11
7	Effects of smoking and drinking habits on the incidence of periodontal disease and tooth loss among Japanese males: a 4-yr longitudinal study. <i>Journal of Periodontal Research</i> , 2006 , 41, 560-6	4.3	66
6	Diagnostic accuracy of glycohemoglobin A1c (HbA1c) for postprandial hyperglycemia was equivalent to that of fasting blood glucose. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 1052-7	5.7	14
5	Change in food intake frequency at five years after baseline in the JACC study. <i>Journal of Epidemiology</i> , 2005 , 15 Suppl 1, S48-55	3.4	6
4	The conditional relative odds ratio provided less biased results for comparing diagnostic test accuracy in meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 461-9	5.7	46
3	Pure red cell aplasia induced by FK506. <i>Transplantation</i> , 1996 , 61, 831-2	1.8	21
2	Development of de novo malignancies following renal transplantation: a single-center study. <i>Transplantation Proceedings</i> , 1994 , 26, 938-40	1.1	4
1	Inhibitory effects of cyclosporin on exocrine and endocrine functions of the rat pancreas. Transplantation Proceedings, 1989, 21, 913-4	1.1	4