

# Heike Ebendorff-Heidepriem

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4730805/publications.pdf>

Version: 2024-02-01

317  
papers

8,691  
citations

43973

48  
h-index

58464

82  
g-index

323  
all docs

323  
docs citations

323  
times ranked

6359  
citing authors

#	ARTICLE	IF	CITATIONS
1	Infrared fibers. <i>Advances in Optics and Photonics</i> , 2015, 7, 379.	12.1	274
2	Bismuth glass holey fibers with high nonlinearity. <i>Optics Express</i> , 2004, 12, 5082.	1.7	234
3	THz porous fibers: design, fabrication and experimental characterization. <i>Optics Express</i> , 2009, 17, 14053.	1.7	222
4	Effect of glass composition on Juddâ€“Ofelt parameters and radiative decay rates of Er <sup>3+</sup> in fluoride phosphate and phosphate glasses. <i>Journal of Non-Crystalline Solids</i> , 1998, 240, 66-78.	1.5	197
5	Formation and UV absorption of cerium, europium and terbium ions in different valencies in glasses. <i>Optical Materials</i> , 2000, 15, 7-25.	1.7	197
6	Extrusion of complex preforms for microstructured optical fibers. <i>Optics Express</i> , 2007, 15, 15086.	1.7	195
7	Spectroscopic and lasing properties of Er <sup>3+</sup> :Yb <sup>3+</sup> -doped fluoride phosphate glasses. <i>Applied Physics B: Lasers and Optics</i> , 2001, 72, 399-405.	1.1	188
8	Mid-IR Supercontinuum Generation From Nonsilica Microstructured Optical Fibers. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2007, 13, 738-749.	1.9	181
9	Plasmonic Fiber Optic Refractometric Sensors: From Conventional Architectures to Recent Design Trends. <i>Sensors</i> , 2017, 17, 12.	2.1	175
10	Highly nonlinear and anomalously dispersive lead silicate glass holey fibers. <i>Optics Express</i> , 2003, 11, 3568.	1.7	165
11	Sensing with suspended-core optical fibers. <i>Optical Fiber Technology</i> , 2010, 16, 343-356.	1.4	165
12	PROGRESS IN MICROSTRUCTURED OPTICAL FIBERS. <i>Annual Review of Materials Research</i> , 2006, 36, 467-495.	4.3	159
13	Spectroscopic properties of Eu <sup>3+</sup> and Tb <sup>3+</sup> ions for local structure investigations of fluoride phosphate and phosphate glasses. <i>Journal of Non-Crystalline Solids</i> , 1996, 208, 205-216.	1.5	149
14	Detection of gold nanoparticles with different sizes using absorption and fluorescence based method. <i>Sensors and Actuators B: Chemical</i> , 2016, 227, 117-127.	4.0	148
15	Dual-polarized highly sensitive plasmonic sensor in the visible to near-IR spectrum. <i>Optics Express</i> , 2018, 26, 30347.	1.7	148
16	Suspended nanowires: fabrication, design and characterization of fibers with nanoscale cores. <i>Optics Express</i> , 2009, 17, 2646.	1.7	138
17	Fifty percent internal slope efficiency femtosecond direct-written Tm <sup>3+</sup> :ZBLAN waveguide laser. <i>Optics Letters</i> , 2011, 36, 1587.	1.7	124
18	High-nonlinearity dispersion-shifted lead-silicate holey fibers for efficient 1- $\mu$ m pumped supercontinuum generation. <i>Journal of Lightwave Technology</i> , 2006, 24, 183-190.	2.7	120

#	ARTICLE	IF	CITATIONS
19	3D-printed extrusion dies: a versatile approach to optical material processing. <i>Optical Materials Express</i> , 2014, 4, 1494.	1.6	120
20	Ternary tellurite glasses for the fabrication of nonlinear optical fibres. <i>Optical Materials Express</i> , 2012, 2, 140.	1.6	103
21	Dehydration of phosphate glasses. <i>Journal of Non-Crystalline Solids</i> , 1993, 163, 74-80.	1.5	96
22	Chemical Deposition of Silver for the Fabrication of Surface Plasmon Microstructured Optical Fibre Sensors. <i>Plasmonics</i> , 2011, 6, 133-136.	1.8	92
23	Exposed-core microstructured optical fibers for real-time fluorescence sensing. <i>Optics Express</i> , 2009, 17, 18533.	1.7	88
24	High-sensitivity Sagnac-interferometer biosensor based on exposed core microstructured optical fiber. <i>Sensors and Actuators B: Chemical</i> , 2018, 269, 103-109.	4.0	88
25	Detection of quantum-dot labelled proteins using soft glass microstructured optical fibers. <i>Optics Express</i> , 2007, 15, 17819.	1.7	85
26	Diamond in Tellurite Glass: a New Medium for Quantum Information. <i>Advanced Materials</i> , 2011, 23, 2806-2810.	11.1	82
27	Surface Plasmon Scattering in Exposed Core Optical Fiber for Enhanced Resolution Refractive Index Sensing. <i>Sensors</i> , 2015, 15, 25090-25102.	2.1	82
28	Spectroscopic and laser properties of Ce <sup>3+</sup> –Cr <sup>3+</sup> –Nd <sup>3+</sup> co-doped fluoride phosphate and phosphate glasses. <i>Journal of Non-Crystalline Solids</i> , 1994, 171, 94-104.	1.5	77
29	Recent Advances in Hybrid Optical Materials: Integrating Nanoparticles within a Glass Matrix. <i>Advanced Optical Materials</i> , 2019, 7, 1900702.	3.6	77
30	Silica exposed-core microstructured optical fibers. <i>Optical Materials Express</i> , 2012, 2, 1538.	1.6	76
31	Highly birefringent elliptical core photonic crystal fiber for terahertz application. <i>Optics Communications</i> , 2018, 407, 92-96.	1.0	76
32	Upconversion Nanocrystal-Doped Glass: A New Paradigm for Photonic Materials. <i>Advanced Optical Materials</i> , 2016, 4, 1507-1517.	3.6	75
33	Spectroscopic properties of Nd <sup>3+</sup> ions in phosphate glasses. <i>Journal of Non-Crystalline Solids</i> , 1995, 183, 191-200.	1.5	74
34	Tb <sup>3+</sup> f-d absorption as indicator of the effect of covalency on the Judd-Ofelt $\Omega_2$ parameter in glasses. <i>Journal of Non-Crystalline Solids</i> , 1999, 248, 247-252.	1.5	74
35	Small core optical waveguides are more nonlinear than expected: experimental confirmation. <i>Optics Letters</i> , 2009, 34, 3577.	1.7	69
36	Fluorescence-Based Aluminum Ion Sensing Using a Surface-Functionalized Microstructured Optical Fiber. <i>Langmuir</i> , 2011, 27, 5680-5685.	1.6	69

#	ARTICLE	IF	CITATIONS
37	Extruded tellurite glass and fibers with low OH content for mid-infrared applications. <i>Optical Materials Express</i> , 2012, 2, 432.	1.6	69
38	Lead-germanate glasses and fibers: a practical alternative to tellurite for nonlinear fiber applications. <i>Optical Materials Express</i> , 2013, 3, 1488.	1.6	68
39	Light induced degradation in mixed-halide perovskites. <i>Journal of Materials Chemistry C</i> , 2019, 7, 9326-9334.	2.7	67
40	Antibody immobilization within glass microstructured fibers: a route to sensitive and selective biosensors. <i>Optics Express</i> , 2008, 16, 18514.	1.7	64
41	Energy level decay and excited state absorption processes in erbium-doped tellurite glass. <i>Journal of Applied Physics</i> , 2011, 110, .	1.1	63
42	Interferometric high temperature sensor using suspended-core optical fibers. <i>Optics Express</i> , 2016, 24, 8967.	1.7	61
43	Fluoride glass microstructured optical fiber with large mode area and mid-infrared transmission. <i>Optics Letters</i> , 2008, 33, 2861.	1.7	58
44	Versatile large-mode-area femtosecond laser-written Tm:ZBLAN glass chip lasers. <i>Optics Express</i> , 2012, 20, 27503.	1.7	56
45	Temperature sensing up to 1300°C using suspended-core microstructured optical fibers. <i>Optics Express</i> , 2016, 24, 3714.	1.7	56
46	Experimental Study on Glass and Polymers: Determining the Optimal Material for Potential Use in Terahertz Technology. <i>IEEE Access</i> , 2020, 8, 97204-97214.	2.6	56
47	An optical fibre-based sensor for the detection of gaseous ammonia with methylammonium lead halide perovskite. <i>Journal of Materials Chemistry C</i> , 2018, 6, 6988-6995.	2.7	54
48	In Situ Temperature-Compensated DNA Hybridization Detection Using a Dual-Channel Optical Fiber Sensor. <i>Analytical Chemistry</i> , 2021, 93, 10561-10567.	3.2	51
49	Glass and Process Development for the Next Generation of Optical Fibers: A Review. <i>Fibers</i> , 2017, 5, 11.	1.8	50
50	Laser writing of waveguides in photosensitive glasses. <i>Optical Materials</i> , 2004, 25, 109-115.	1.7	48
51	Ultrafast Laser Inscription in Soft Glasses: A Comparative Study of Athermal and Thermal Processing Regimes for Guided Wave Optics. <i>International Journal of Applied Glass Science</i> , 2012, 3, 332-348.	1.0	48
52	21 $\mu$ m waveguide laser fabricated by femtosecond laser direct-writing in Ho <sup>3+</sup> , Tm <sup>3+</sup> :ZBLAN glass. <i>Optics Letters</i> , 2012, 37, 996.	1.7	47
53	Energy transfer and upconversion in erbium-ytterbium-doped fluoride phosphate glasses. <i>Applied Physics B: Lasers and Optics</i> , 2002, 74, 233-236.	1.1	46
54	Index matching between passive and active tellurite glasses for use in microstructured fiber lasers: Erbium doped lanthanum-tellurite glass. <i>Optics Express</i> , 2009, 17, 15578.	1.7	46

#	ARTICLE	IF	CITATIONS
55	Thulium pumped high power supercontinuum in loss-determined optimum lengths of tellurite photonic crystal fiber. <i>Applied Physics Letters</i> , 2010, 97, 061106.	1.5	46
56	Electron spin resonance spectra of Eu <sup>2+</sup> and Tb <sup>4+</sup> ions in glasses. <i>Journal of Physics Condensed Matter</i> , 1999, 11, 7627-7634.	0.7	45
57	Diode-pumped erbium-ytterbium-glass laser passively Q-switched with a PbS semiconductor quantum-dot doped glass. <i>Applied Physics B: Lasers and Optics</i> , 2001, 72, 175-178.	1.1	44
58	Predicting the drawing conditions for Microstructured Optical Fiber fabrication. <i>Optical Materials Express</i> , 2014, 4, 29.	1.6	44
59	Magnetically sensitive nanodiamond-doped tellurite glass fibers. <i>Scientific Reports</i> , 2018, 8, 1268.	1.6	44
60	Raman Spectroscopy of Formamidinium-Based Lead Halide Perovskite Single Crystals. <i>Journal of Physical Chemistry C</i> , 2020, 124, 2265-2272.	1.5	44
61	Light confinement within nanoholes in nanostructured optical fibers. <i>Optics Express</i> , 2010, 18, 26018.	1.7	42
62	Sensing in the presence of strong noise by deep learning of dynamic multimode fiber interference. <i>Photonics Research</i> , 2021, 9, B109.	3.4	42
63	Efficient 29 $\mu$ m fluorozirconate glass waveguide chip laser. <i>Optics Letters</i> , 2013, 38, 2588.	1.7	40
64	Mid-infrared astrophotonics: study of ultrafast laser induced index change in compatible materials. <i>Optical Materials Express</i> , 2017, 7, 698.	1.6	40
65	Luminescence from bismuth-germanate glasses and its manipulation through oxidants. <i>Optical Materials Express</i> , 2012, 2, 1320.	1.6	39
66	Nitric oxide optical fiber sensor based on exposed core fibers and CdTe/CdS quantum dots. <i>Sensors and Actuators B: Chemical</i> , 2018, 273, 9-17.	4.0	39
67	Towards rewritable multilevel optical data storage in single nanocrystals. <i>Optics Express</i> , 2018, 26, 12266.	1.7	38
68	Temperature-Compensated Refractive Index Measurement Using a Dual Fabry-Perot Interferometer Based on C-Fiber Cavity. <i>IEEE Sensors Journal</i> , 2020, 20, 6408-6413.	2.4	37
69	In-situ DNA detection with an interferometric-type optical sensor based on tapered exposed core microstructured optical fiber. <i>Sensors and Actuators B: Chemical</i> , 2022, 351, 130942.	4.0	37
70	Fabrication and supercontinuum generation in dispersion flattened bismuth microstructured optical fiber. <i>Optics Express</i> , 2011, 19, 21135.	1.7	36
71	Surface tension and viscosity measurement of optical glasses using a scanning CO <sub>2</sub> laser. <i>Optical Materials Express</i> , 2012, 2, 1101.	1.6	36
72	Extruded high-NA microstructured polymer optical fibre. <i>Optics Communications</i> , 2007, 273, 133-137.	1.0	35

#	ARTICLE	IF	CITATIONS
73	Taming the Light in Microstructured Optical Fibers for Sensing. International Journal of Applied Glass Science, 2015, 6, 229-239.	1.0	35
74	Quasiperiodic Nanohole Arrays on Optical Fibers as Plasmonic Sensors: Fabrication and Sensitivity Determination. ACS Sensors, 2016, 1, 1078-1083.	4.0	35
75	Cleaving of Extremely Porous Polymer Fibers. IEEE Photonics Journal, 2009, 1, 286-292.	1.0	34
76	Radiation dosimetry using optically stimulated luminescence in fluoride phosphate optical fibres. Optical Materials Express, 2012, 2, 62.	1.6	34
77	Simultaneous Measurement of Temperature and Refractive Index Using an Exposed Core Microstructured Optical Fiber. IEEE Journal of Selected Topics in Quantum Electronics, 2020, 26, 1-7.	1.9	34
78	Femtosecond laser induced structural changes in fluorozirconate glass. Optical Materials Express, 2013, 3, 574.	1.6	33
79	Nanodiamond in tellurite glass Part II: practical nanodiamond-doped fibers. Optical Materials Express, 2015, 5, 73.	1.6	33
80	Localized surface plasmon resonance sensing structure based on gold nanohole array on beveled fiber edge. Nanotechnology, 2017, 28, 435504.	1.3	33
81	Experimental study of chemical durability of fluorozirconate and fluoroindate glasses in deionized water. Optical Materials Express, 2014, 4, 1213.	1.6	32
82	Microstructured Optical Fiber-based Biosensors: Reversible and Nanoliter-Scale Measurement of Zinc Ions. ACS Applied Materials & Interfaces, 2016, 8, 12727-12732.	4.0	32
83	Driving down the Detection Limit in Microstructured Fiber-Based Chemical Dip Sensors. Sensors, 2011, 11, 2961-2971.	2.1	31
84	Analysis of glass flow during extrusion of optical fiber preforms. Optical Materials Express, 2012, 2, 304.	1.6	31
85	Drawing of micro-structured fibres: circular and non-circular tubes. Journal of Fluid Mechanics, 2014, 755, 176-203.	1.4	31
86	Perspective: Biomedical sensing and imaging with optical fibers—Innovation through convergence of science disciplines. APL Photonics, 2018, 3, .	3.0	31
87	Scalable Functionalization of Optical Fibers Using Atomically Thin Semiconductors. Advanced Materials, 2020, 32, e2003826.	11.1	31
88	Effect of Tb <sup>3+</sup> ions on X-ray-induced defect formation in phosphate containing glasses. Optical Materials, 2002, 18, 419-430.	1.7	30
89	Fabrication of extruded fluoroindate optical fibers. Optical Materials Express, 2013, 3, 318.	1.6	30
90	Multimode exposed core fiber specklegram sensor. Optics Letters, 2020, 45, 3212.	1.7	30

#	ARTICLE	IF	CITATIONS
91	<title>Spectroscopic properties of rare-earth ions in heavy metal oxide and phosphate-containing glasses</title>. , 1999, 3622, 19.		29
92	Crystallization behavior and spectroscopic properties of Ho <sup>3+</sup> -doped ZBYA-fluoride glass. Optical Materials, 2000, 14, 127-136.	1.7	29
93	Midinfrared optical rogue waves in soft glass photonic crystal fiber. Optics Express, 2011, 19, 17973.	1.7	29
94	Tellurite microspheres for nanoparticle sensing and novel light sources. Optics Express, 2014, 22, 11995.	1.7	29
95	Effect of europium ions on X-ray-induced defect formation in phosphate containing glasses. Optical Materials, 2002, 19, 351-363.	1.7	28
96	Optical fiber refractive index sensor with low detection limit and large dynamic range using a hybrid fiber interferometer. Journal of Lightwave Technology, 2019, , 1-1.	2.7	28
97	Nanodiamond in tellurite glass Part I: origin of loss in nanodiamond-doped glass. Optical Materials Express, 2014, 4, 2608.	1.6	27
98	Miniaturized single-fiber-based needle probe for combined imaging and sensing in deep tissue. Optics Letters, 2018, 43, 1682.	1.7	27
99	All-fiber all-optical quantitative polymerase chain reaction (qPCR). Sensors and Actuators B: Chemical, 2020, 323, 128681.	4.0	27
100	Ultra-simplified Single-Step Fabrication of Microstructured Optical Fiber. Scientific Reports, 2020, 10, 9678.	1.6	27
101	Sensing Free Sulfur Dioxide in Wine. Sensors, 2012, 12, 10759-10773.	2.1	26
102	Reduction of scattering loss in fluoroindate glass fibers. Optical Materials Express, 2013, 3, 1285.	1.6	26
103	Stability of Grating-Based Optical Fiber Sensors at High Temperature. IEEE Sensors Journal, 2019, 19, 2978-2983.	2.4	26
104	Plug-in label-free optical fiber DNA hybridization sensor based on C-type fiber Vernier effect. Sensors and Actuators B: Chemical, 2022, 354, 131212.	4.0	26
105	Reduced loss in extruded soft glass microstructured fibre. Electronics Letters, 2007, 43, 1343.	0.5	24
106	Analysis of 3D-printed metal for rapid-prototyped reflective terahertz optics. Optics Express, 2016, 24, 17384.	1.7	24
107	Fluorescent diamond microparticle doped glass fiber for magnetic field sensing. APL Materials, 2020, 8, .	2.2	24
108	Silk: A bio-derived coating for optical fiber sensing applications. Sensors and Actuators B: Chemical, 2020, 311, 127864.	4.0	24

#	ARTICLE	IF	CITATIONS
109	Hollow Core Inhibited Coupled Antiresonant Terahertz Fiber: A Numerical and Experimental Study. IEEE Transactions on Terahertz Science and Technology, 2021, 11, 245-260.	2.0	24
110	Simultaneous Measurement of Temperature and Relative Humidity Using Cascaded C-shaped Fabry-Perot interferometers. Journal of Lightwave Technology, 2022, 40, 1209-1215.	2.7	24
111	Photoinduced Electron Transfer Based Ion Sensing within an Optical Fiber. Sensors, 2011, 11, 9560-9572.	2.1	23
112	Enhanced radiation dosimetry of fluoride phosphate glass optical fibres by terbium (III) doping. Optical Materials Express, 2016, 6, 3692.	1.6	23
113	UV radiation effects in fluoride phosphate glasses. Journal of Non-Crystalline Solids, 1996, 196, 113-117.	1.5	22
114	Plasmonic nanoparticle-functionalized exposed-core fiber as an optofluidic refractive index sensing platform. Optics Letters, 2017, 42, 4395.	1.7	22
115	Drawing tubular fibres: experiments versus mathematical modelling. Optical Materials Express, 2016, 6, 166.	1.6	21
116	Single-ring hollow core optical fibers made by glass billet extrusion for Raman sensing. Optics Express, 2016, 24, 5911.	1.7	21
117	A Neutron and X-ray Diffraction Study of the Structure of Nd Phosphate Glasses. Zeitschrift Fur Naturforschung - Section A Journal of Physical Sciences, 2001, 56, 237-243.	0.7	20
118	Record nonlinearity in optical fibre. Electronics Letters, 2008, 44, 1453.	0.5	20
119	Extruded Microstructured Fiber Lasers. IEEE Photonics Technology Letters, 2012, 24, 578-580.	1.3	20
120	Novel polymer functionalization method for exposed-core optical fiber. Optical Materials Express, 2014, 4, 1515.	1.6	20
121	Elliptical pore regularisation of the inverse problem for microstructured optical fibre fabrication. Journal of Fluid Mechanics, 2015, 778, 5-38.	1.4	20
122	Effect of surface roughness on metal enhanced fluorescence in planar substrates and optical fibers. Optical Materials Express, 2016, 6, 2128.	1.6	20
123	Optical fibre turn-on sensor for the detection of mercury based on immobilized fluorophore. Measurement: Journal of the International Measurement Confederation, 2018, 121, 122-126.	2.5	20
124	MoS2-enhanced epoxy-based plasmonic fiber-optic sensor for selective and sensitive detection of methanol. Sensors and Actuators B: Chemical, 2020, 305, 127513.	4.0	20
125	Large-area freestanding gold nanomembranes with nanoholes. Materials Horizons, 2019, 6, 1005-1012.	6.4	20
126	Microstructured optical fibre drawing with active channel pressurisation. Journal of Fluid Mechanics, 2015, 783, 137-165.	1.4	19



#	ARTICLE	IF	CITATIONS
127	Photoswitchable calcium sensor: "On" "Off" sensing in cells or with microstructured optical fibers. <i>Sensors and Actuators B: Chemical</i> , 2017, 252, 965-972.	4.0	19
128	Multiplexed Optical Fiber Biochemical Sensing Using Cascaded C-Shaped Fabry-Perot Interferometers. <i>IEEE Sensors Journal</i> , 2019, 19, 10425-10431.	2.4	19
129	Flexible Plasmonic Tapes with Nanohole and Nanoparticle Arrays for Refractometric and Strain Sensing. <i>ACS Applied Nano Materials</i> , 2020, 3, 8242-8246.	2.4	19
130	Lanthanide upconversion within microstructured optical fibers: improved detection limits for sensing and the demonstration of a new tool for nanocrystal characterization. <i>Nanoscale</i> , 2012, 4, 7448.	2.8	18
131	Enhancement of extraordinary optical transmission and sensing performance through coupling between metal nanohole and nanoparticle arrays. <i>Journal Physics D: Applied Physics</i> , 2019, 52, 275201.	1.3	18
132	Compact plasmonic fiber tip for sensitive and fast humidity and human breath monitoring. <i>Optics Letters</i> , 2020, 45, 985.	1.7	18
133	Fabrication of low-loss, small-core exposed core microstructured optical fibers. <i>Optical Materials Express</i> , 2017, 7, 1496.	1.6	17
134	A spiropyran with enhanced fluorescence: A bright, photostable and red-emitting calcium sensor. <i>Tetrahedron</i> , 2018, 74, 1240-1244.	1.0	17
135	Third harmonic generation in exposed-core microstructured optical fibers. <i>Optics Express</i> , 2016, 24, 17860.	1.7	16
136	Transmission loss measurements of plastic scintillating optical fibres. <i>Optical Materials Express</i> , 2019, 9, 1.	1.6	16
137	Temperature-Compensated Interferometric High-Temperature Pressure Sensor Using a Pure Silica Microstructured Optical Fiber. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2022, 71, 1-12.	2.4	16
138	Properties of Er <sup>3+</sup> -doped glasses for waveguide and fiber lasers. , 2000, , .		15
139	A Fundamental Study Into the Surface Functionalization of Soft Glass Microstructured Optical Fibers via Silane Coupling Agents. <i>Journal of Lightwave Technology</i> , 2009, 27, 576-582.	2.7	14
140	Optically Stimulated Luminescence in Fluoride-Phosphate Glass for Radiation Dosimetry. <i>Journal of the American Ceramic Society</i> , 2011, 94, 474-477.	1.9	13
141	Towards microstructured optical fibre sensors: surface analysis of silanised lead silicate glass. <i>Journal of Materials Chemistry C</i> , 2013, 1, 6782.	2.7	13
142	Non-silica microstructured optical fibers for mid-IR supercontinuum generation from 2 $\mu$ m - 5 $\mu$ m. , 2006, , .		12
143	Development of low-loss lead-germanate glass for mid-infrared fiber optics: II. preform extrusion and fiber fabrication. <i>Journal of the American Ceramic Society</i> , 2021, 104, 833-850.	1.9	12
144	Spectroscopic analysis and laser simulations of Yb <sup>3+</sup> /Ho <sup>3+</sup> co-doped lead-germanate glass. <i>Optical Materials Express</i> , 2020, 10, 2819.	1.6	12

#	ARTICLE	IF	CITATIONS
145	A Rationally Designed, Spiropyran-Based Chemosensor for Magnesium. <i>Chemosensors</i> , 2018, 6, 17.	1.8	11
146	Soft-glass imaging microstructured optical fibers. <i>Optics Express</i> , 2018, 26, 33604.	1.7	11
147	Microchip and ultra-fast laser inscribed waveguide lasers in Yb <sup>3+</sup> germanate glass. <i>Optical Materials Express</i> , 2019, 9, 3557.	1.6	11
148	Microwire fibers for low-loss THz transmission. , 2006, , .		10
149	Progress in the Fabrication of the Next-Generation Soft Glass Microstructured Optical Fibers. <i>AIP Conference Proceedings</i> , 2008, , .	0.3	10
150	Emerging Nonlinear Optical Fibers: Revised Fundamentals, Fabrication and Access to Extreme Nonlinearity. <i>IEEE Journal of Quantum Electronics</i> , 2009, 45, 1357-1364.	1.0	10
151	Gravitational extension of a fluid cylinder with internal structure. <i>Journal of Fluid Mechanics</i> , 2016, 790, 308-338.	1.4	10
152	An optical fibre sensor for remotely detecting water traces in organic solvents. <i>RSC Advances</i> , 2016, 6, 82186-82190.	1.7	10
153	Integration of conductive reduced graphene oxide into microstructured optical fibres for optoelectronics applications. <i>Scientific Reports</i> , 2016, 6, 21682.	1.6	10
154	Nanofilm-induced spectral tuning of third harmonic generation. <i>Optics Letters</i> , 2017, 42, 1812.	1.7	10
155	Surface Functionalization of Exposed Core Glass Optical Fiber for Metal Ion Sensing. <i>Sensors</i> , 2019, 19, 1829.	2.1	10
156	Relationships between glass structure and spectroscopic properties of Eu <sup>3+</sup> and Tb <sup>3+</sup> doped glasses. <i>Zeitschrift Fur Elektrotechnik Und Elektrochemie</i> , 1996, 100, 1621-1624.	0.9	9
157	Soliton-self-frequency-shift effects and pulse compression in an anomalously dispersive high nonlinearity lead silicate holey fiber. , 2003, , .		9
158	High stability supercontinuum generation in lead silicate SF57 photonic crystal fibers. <i>Chinese Physics B</i> , 2013, 22, 014215.	0.7	9
159	Chirped pulse amplification in single mode Tm: fiber using a chirped Bragg grating. <i>Applied Physics B: Lasers and Optics</i> , 2013, 111, 299-304.	1.1	9
160	Lead silicate microstructured optical fibres for electro-optical applications. <i>Optics Express</i> , 2013, 21, 31309.	1.7	9
161	Luminescent properties of fluoride phosphate glass for radiation dosimetry. <i>Optical Materials Express</i> , 2013, 3, 960.	1.6	9
162	Distributed optical fiber sensing of micron-scale particles. <i>Sensors and Actuators A: Physical</i> , 2020, 303, 111762.	2.0	9

#	ARTICLE	IF	CITATIONS
163	Development of low-loss lead-germanate glass for mid-infrared fiber optics: I. glass preparation optimization. <i>Journal of the American Ceramic Society</i> , 2021, 104, 860-876.	1.9	9
164	Asymptotic Modelling of a Six-Hole MOF. <i>Journal of Lightwave Technology</i> , 2016, 34, 5651-5656.	2.7	9
165	Tunable multi-wavelength third-harmonic generation using exposed-core microstructured optical fiber. <i>Optics Letters</i> , 2019, 44, 626.	1.7	9
166	Demonstration of an Exposed-Core Fiber Platform for Two-Photon Rubidium Spectroscopy. <i>Physical Review Applied</i> , 2015, 4, .	1.5	8
167	Surface Analysis and Treatment of Extruded Fluoride Phosphate Glass Preforms for Optical Fiber Fabrication. <i>Journal of the American Ceramic Society</i> , 2016, 99, 1874-1877.	1.9	8
168	Whispering gallery mode excitation using exposed-core fiber. <i>Optics Express</i> , 2021, 29, 23549.	1.7	8
169	Quantum noise limited nanoparticle detection with exposed-core fiber. <i>Optics Express</i> , 2019, 27, 18601.	1.7	8
170	Development of innovative tools for investigation of nutrient-gut interaction. <i>World Journal of Gastroenterology</i> , 2020, 26, 3562-3576.	1.4	8
171	Fundamentals and applications of silica and nonsilica holey fibers. , 2004, 5350, 35.		7
172	Computational Modeling of Die Swell of Extruded Glass Preforms at High Viscosity. <i>Journal of the American Ceramic Society</i> , 2014, 97, 1572-1581.	1.9	7
173	Computational Modeling of Hole Distortion in Extruded Microstructured Optical Fiber Glass Preforms. <i>Journal of Lightwave Technology</i> , 2015, 33, 424-431.	2.7	7
174	Electrochemical plasmonic optical fiber probe for real-time insight into coreactant electrochemiluminescence. <i>Sensors and Actuators B: Chemical</i> , 2020, 321, 128469.	4.0	7
175	Freestanding metal nanohole array for high-performance applications. <i>Photonics Research</i> , 2020, 8, 1749.	3.4	7
176	A Fibre-Optic Platform for Sensing Nitrate Using Conducting Polymers. <i>Sensors</i> , 2021, 21, 138.	2.1	7
177	Fabrication and optical properties of lead silicate glass holey fibers. <i>Journal of Non-Crystalline Solids</i> , 2004, 345-346, 293-296.	1.5	6
178	Atom-Photon Coupling from Nitrogen-vacancy Centres Embedded in Tellurite Microspheres. <i>Scientific Reports</i> , 2015, 5, 11486.	1.6	6
179	Enhanced terahertz magnetic dipole response by subwavelength fiber. <i>APL Photonics</i> , 2018, 3, 051701.	3.0	6
180	Luminescence effects in reactive powder sintered silica glasses for radiation sensing. <i>Journal of the American Ceramic Society</i> , 2019, 102, 222-238.	1.9	6

#	ARTICLE	IF	CITATIONS
181	Short-Range Non-Bending Fully Distributed Water/Humidity Sensors. Journal of Lightwave Technology, 2019, 37, 2014-2022.	2.7	6
182	Resonance-Induced Dispersion Tuning for Tailoring Nonsolitonic Radiation via Nanofilms in Exposed Core Fibers. Laser and Photonics Reviews, 2020, 14, 1900418.	4.4	6
183	A Multiplexed Microfluidic Platform toward Interrogating Endocrine Function: Simultaneous Sensing of Extracellular Ca <sup>2+</sup> and Hormone. ACS Sensors, 2020, 5, 490-499.	4.0	6
184	Exposed-core fiber multimode interference sensor. Results in Optics, 2021, 5, 100125.	0.9	6
185	Towards zero dispersion highly nonlinear lead silicate glass holey fibres at 1550 nm by structured-element-stacking. , 2005, , .		6
186	Reusable polymer optical fiber strain sensor with memory capability based on ABS crazing. Applied Optics, 2019, 58, 9870.	0.9	6
187	Tailored Multi-Color Dispersive Wave Formation in Quasi-Phase-Matched Exposed Core Fibers. Advanced Science, 2022, 9, e2103864.	5.6	6
188	Comparison of surface functionalization processes for optical fibre biosensing applications. , 2009, , .		5
189	Hybrid Materials: Diamond in Tellurite Glass: a New Medium for Quantum Information (Adv. Mater.) Tj ETQq1 1 0.784314 rgBT /Overlo 11.1 5		5
190	Extrusion of fluid cylinders of arbitrary shape with surface tension and gravity. Journal of Fluid Mechanics, 2017, 810, 127-154.	1.4	5
191	Palladium speciation in UV-transparent glasses. Journal of the American Ceramic Society, 2020, 103, 4214-4223.	1.9	5
192	Preferential coupling of diamond NV centres in step-index fibres. Optics Express, 2021, 29, 14425.	1.7	5
193	Lasing from Narrow Bandwidth Light-Emitting One-Dimensional Nanoporous Photonic Crystals. ACS Photonics, 2022, 9, 1226-1239.	3.2	5
194	New Yb-doped fluoride phosphate laser glass-structural investigations using probe ions. Journal of Luminescence, 1997, 72-74, 449-450.	1.5	4
195	RARE EARTH IONS AS INDICATORS FOR RADIATION-INDUCED DEFECT CENTER FORMATION IN PHOSPHATE CONTAINING GLASSES. Phosphorus Research Bulletin, 1999, 10, 552-557.	0.1	4
196	FLUORIDE PHOSPHATE AND PHOSPHATE GLASSES FOR PHOTONICS. Phosphorus Research Bulletin, 2002, 13, 11-20.	0.1	4
197	Heavy metal oxide glass holey fibers with high nonlinearity. , 2005, , .		4
198	Experimental investigation of dispersion properties of THz porous fibers. , 2009, , .		4

#	ARTICLE	IF	CITATIONS
199	Optical Fibres for Distributed Corrosion Sensing - Architecture and Characterisation. Key Engineering Materials, 2013, 558, 522-533.	0.4	4
200	Suspended Core Fibers for the Transmission of Cylindrical Vector Modes. Journal of Lightwave Technology, 2016, 34, 5620-5626.	2.7	4
201	Control of Molecular Recognition via Modulation of the Nanoenvironment. ACS Applied Materials & Interfaces, 2018, 10, 41866-41870.	4.0	4
202	Light-controllable fiber interferometer utilizing photoexcitation dynamics in colloidal quantum dot. Optics Express, 2018, 26, 3903.	1.7	4
203	Nano-mechanical Characterization of SLM-Fabricated Ti6Al4V Alloy: Etching and Precision. Metallography, Microstructure, and Analysis, 2019, 8, 749-756.	0.5	4
204	A fibre optic based approach and device for sensing beta radiation in liquids. Sensors and Actuators A: Physical, 2019, 296, 101-109.	2.0	4
205	A carbonâ€nanofiber glass composite with high electrical conductivity. International Journal of Applied Glass Science, 2020, 11, 590-600.	1.0	4
206	Resist-free nanoimprinting on optical fibers for plasmonic optrodes. Applied Materials Today, 2020, 20, 100751.	2.3	4
207	Towards new fiber optic sensors based on the vapor deposited conducting polymer PEDOT:Tos. Optical Materials Express, 2019, 9, 4517.	1.6	4
208	Terahertz Waveguides and Materials. , 2006, , .		3
209	Extruded polymer preforms for high-NA polymer microstructured fiber. , 2006, , .		3
210	Reduced loss in extruded soft glass microstructured fibre. , 2007, , .		3
211	Exposed-core microstructured fibres for real-time fluorescence sensing. , 2009, , .		3
212	Fiber optic approach for detecting corrosion. , 2016, , .		3
213	High precision extrusion of glass tubes. International Journal of Applied Glass Science, 2019, 10, 172-180.	1.0	3
214	Field Deployable Method for Gold Detection Using Gold Pre-Concentration on Functionalized Surfaces. Sensors, 2020, 20, 492.	2.1	3
215	A six-strut suspended core fiber for cylindrical vector mode generation and propagation. Optics Express, 2018, 26, 32037.	1.7	3
216	Extruded suspended core fibers from lanthanum-aluminum-silicate glass. Optical Materials Express, 2021, 11, 142.	1.6	3

#	ARTICLE	IF	CITATIONS
217	Microfluidic Raman Sensing Using a Single Ring Negative Curvature Hollow Core Fiber. Biosensors, 2021, 11, 430.	2.3	3
218	Single-peak fiber Bragg gratings in suspended-core optical fibers. Optics Express, 2020, 28, 23354.	1.7	3
219	High Nonlinearity Holey Fibers: Design, Fabrication and Applications. , 0, , .		2
220	Nonlinearity and dispersion control in small core lead silicate holey fibers by structured element stacking. , 2006, , .		2
221	Low loss, low dispersion T-ray transmission in Microwires. , 2007, , .		2
222	New tellurite glasses for erbium fibre lasers. , 2008, , .		2
223	Antibody immobilization within glass microstructured fibers: a route to sensitive and selective biosensors. , 2008, , .		2
224	Waveguide Writing and Characterization in Tellurite Glass. , 2009, , .		2
225	Fusion splicing soft-glass suspended core fibers to solid silica fibers for optical fiber sensing. , 2010, , .		2
226	Sensing in suspended-core optical fibers. , 2011, , .		2
227	Low concentration fluorescence sensing in suspended-core fibers. , 2011, , .		2
228	Lanthanide upconversion nanocrystals within microstructured optical fibres; a sensitive platform for biosensing and a new tool for nanocrystal characterisation. , 2012, , .		2
229	Online remote monitoring of explosives by optical fibres. RSC Advances, 2016, 6, 103324-103327.	1.7	2
230	Mechanistic insight into the non-hydrolytic sol-gel process of tellurite glass films to attain a high transmission. RSC Advances, 2020, 10, 2404-2415.	1.7	2
231	Longitudinally thickness-controlled nanofilms on exposed core fibres enabling spectrally flattened supercontinuum generation. Light Advanced Manufacturing, 2021, 2, 1.	2.2	2
232	Investigation of oversized channels in tubular fibre drawing. Optical Materials Express, 2021, 11, 905.	1.6	2
233	Real-time Raman analysis of the hydrolysis of formaldehyde oligomers for enhanced collagen fixation. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2022, 264, 120285.	2.0	2
234	Electro-holographic display using a ZBLAN glass as the image space. Optics Letters, 2017, 42, 1317.	1.7	2

#	ARTICLE	IF	CITATIONS
235	Single-Step Tabletop Fabrication for Low-Attenuation Terahertz Special Optical Fibers. <i>Advanced Photonics Research</i> , 2021, 2, 2100165.	1.7	2
236	Fabrication of imaging microstructured optical fibers. , 2019, , .		2
237	Effects of pressurization and surface tension on drawing Ge-Sb-Se chalcogenide glass suspended-core fiber. <i>Optical Materials Express</i> , 2019, 9, 1933.	1.6	2
238	Realization of a Single-Layer Terahertz Magnetic Mirror. <i>IEEE Access</i> , 2020, 8, 229108-229116.	2.6	2
239	Progress in soft glass microstructured fibres. , 2005, , .		1
240	Concentration effects in erbium doped tellurite glass. , 2006, , .		1
241	Progress in the fabrication of soft glass microstructured optical fibres with complex and new structures. , 2006, , .		1
242	Efficient Four-Wave-Mixing at 1.55 $\mu$ m in a Short-Length Dispersion Shifted Lead Silicate Holey Fibre. , 2006, , .		1
243	Spectroscopy of erbium in La <sup>3+</sup> -doped tellurite glass &#x0026; fibres. , 2008, , .		1
244	Fluoride glass microstructured optical fibre with large mode area and mid-infrared transmission. , 2008, , .		1
245	Sensitive fluorescence detection with microstructured optical fibers. , 2011, , .		1
246	Optically stimulated luminescence in fluoride phosphate glass optical fibres for radiation dosimetry. , 2012, , .		1
247	Class and Photonics - an Overview. <i>International Journal of Applied Glass Science</i> , 2012, 3, 287-288.	1.0	1
248	Femtosecond laser direct-written microstructured waveguides in passive as well as in novel active glasses. , 2012, , .		1
249	Ultrafast laser inscribed 3D integrated photonics. , 2013, , .		1
250	Fabrication and properties of lead-germanate glasses for high nonlinearity fibre applications. , 2013, , .		1
251	Glasses for Infrared Fibre Applications. , 2013, , .		1
252	Functionalization of exposed core fibers with multiligand binding molecules for fluorescence based ion sensing. <i>Proceedings of SPIE</i> , 2014, , .	0.8	1

#	ARTICLE	IF	CITATIONS
253	Enhanced electric and magnetic response of a THz sub-wavelength fiber excited by a localized source. , 2017, , .		1
254	Wavelength shifted third harmonic generation in an exposed-core microstructured optical fiber. , 2017, , .		1
255	Optical Fiber Materials: feature introduction. Optical Materials Express, 2019, 9, 3565.	1.6	1
256	Wet chemical etching of single-bore microstructured silicon dioxide fibers. Physics of Fluids, 2020, 32, 073314.	1.6	1
257	Dynamic in vivo protein carbonyl biosensor for measuring oxidative stress. Medical Devices & Sensors, 2020, 3, e10135.	2.7	1
258	Two-dimensional mapping of surface scatterers on an optical fiber core using selective mode launching. APL Photonics, 2021, 6, 026105.	3.0	1
259	Cytoplasmic delivery of quantum dots via microelectrophoresis technique. Electrophoresis, 2021, 42, 1247-1254.	1.3	1
260	Focused electron beam induced deposition of platinum plasmonic antennae. , 2018, , .		1
261	Emerging optical fibers: new fiber materials and structures. , 2009, , .		1
262	Upconversion Nanocrystals Doped Glass: A New Paradigm for Integrated Optical Glass. , 2016, , .		1
263	High Resolution Imaging Microstructured Optical Fibres. , 2018, , .		1
264	Modal interferometric refractive index sensing in microstructured exposed core fibres. Optics Express, 2019, 27, 36269.	1.7	1
265	Flexible integration of metallic nanostructures on fiber tips for plasmonic sensing. , 2021, , .		1
266	Oxide glass and optical fiber fabrication. , 2022, , 111-176.		1
267	Low loss, low dispersion T-ray transmission in microwires. , 2007, , .		0
268	Highly efficient fluorescence sensing using microstructured optical fibres: general model and experiment. , 2008, , .		0
269	Soft glass microstructured optical fibers: recent progress in fabrication and opportunities for novel optical devices. , 2009, , .		0
270	Soft glass microstructured optical fibres: Recent progress in fabrication and opportunities for novel optical devices. , 2009, , .		0



#	ARTICLE	IF	CITATIONS
271	Emerging nonlinear optical fibers: Fabrication and access to new properties. , 2009, , .		0
272	Supercontinuum generation in dispersion-tailored bismuth microstructured optical fibre. , 2010, , .		0
273	Towards hybrid diamond optical devices. , 2011, , .		0
274	Extruded fluoride fiber for 2.3 $\mu$ m laser application. , 2011, , .		0
275	A low-volume microstructured optical fiber hydrogen peroxide sensor. Proceedings of SPIE, 2011, , .	0.8	0
276	Single photon emission from nanodiamond in tellurite glass. , 2011, , .		0
277	Fluoroindate fibres with reduced loss in the mid infrared spectral region: A study of the glass melting and fibre preparation conditions. , 2011, , .		0
278	A 40% slope efficiency 790nm pumped 1.9 $\mu$ m Tm <sup>3+</sup> : ZBLAN directly-written waveguide laser. , 2011, , .		0
279	Fabrication of depressed cladding waveguide Bragg-gratings in rare-earth doped heavy-metal fluoride glass. , 2011, , .		0
280	A microstructured optical fiber sensor for ion-sensing based on the photoinduced electron transfer effect. Proceedings of SPIE, 2012, , .	0.8	0
281	Direct-write depressed cladding waveguide Bragg-gratings in ZBLAN glass. , 2012, , .		0
282	Extruded single ring hollow core optical fibers for Raman sensing. , 2014, , .		0
283	Exploiting surface plasmon scattering on optical fibers. , 2016, , .		0
284	Reflective terahertz optics using 3D-printed metals. , 2016, , .		0
285	High temperature fiber sensor using the interference effect within a suspended core microstructured optical fiber. , 2016, , .		0
286	Quasiperiodic nanohole array plasmonic sensors on optical fibers. , 2017, , .		0
287	High temperature sensing with single material silica optical fibers. , 2017, , .		0
288	High Temperature Stability of Femtosecond Written Ablation Fiber Bragg Gratings in Microstructured Optical Fibers. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
289	Can We Fabricate That Fibre?. IUTAM Symposium on Cellular, Molecular and Tissue Mechanics, 2019, , 1-13.	0.1	0
290	Refractive Index and Temperature Sensing with Sagnac-Mach Zehnder Hybrid Fiber Interferometer. , 2020, , .		0
291	Integrated Photonics: Scalable Functionalization of Optical Fibers Using Atomically Thin Semiconductors (Adv. Mater. 47/2020). Advanced Materials, 2020, 32, 2070354.	11.1	0
292	Precise on-Fiber Plasmonic Spectroscopy Using a Gradient-Index Microlens. Journal of Lightwave Technology, 2021, 39, 270-274.	2.7	0
293	Graded Nanofilm Controlled Dispersion and Supercontinuum Generation in Exposed Core Fibers. , 2021, , .		0
294	Correction to: "Experimental Study on Glass and Polymers: Determining the Optimal Material for Potential Use in Terahertz Technology" IEEE Access, 2021, 9, 2705-2705.	2.6	0
295	Novel concepts for fabrication and applications of fibers using high-index heavy metal oxide glasses. , 2021, , .		0
296	Scalable Integrated Waveguide with CVD-Grown MoS2 and WS2 Monolayers on Exposed-Core Fibers. , 2021, , .		0
297	Advances in chemical and biological sensing using emerging soft glass optical fibers. , 2009, , .		0
298	Diamond in Glass, a New Platform for Quantum Photonics. , 2012, , .		0
299	Upconversion Lasing for Index Sensing and Strong Amplitude Modulation of WGMs in Er-Yb Co-doped Tellurite Spheres. , 2013, , .		0
300	Atom-Photon Coupling from Nitrogen-vacancy Centers Embedded in Tellurite Microspheres. , 2015, , .		0
301	Low-Loss Tellurite Fibers With Embedded Nanodiamonds. , 2015, , .		0
302	Hollow-Core Optical Fibers Made by Glass Billet Extrusion as Sensors for Raman Spectroscopy. , 2016, , .		0
303	Optical fiber sensor for the detection of mercury based on immobilized fluorophore. , 2016, , .		0
304	Nitric oxide sensitive optic fiber sensor based on immobilized ruthenium(II) complex. , 2016, , .		0
305	3D Photonics in the Mid-infrared: Parametric study of ultrafast laser inscribed waveguides for stellar interferometry. , 2016, , .		0
306	High Temperature Sensing with Suspended Core Fibers. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
307	Hollow core optical fibres made by glass billet extrusion as sensors for Raman spectroscopy. , 2016, , .		0
308	Imaging-aided Temperature Measurements with a Single Optical Fiber for in-vivo Sensing Applications. , 2018, , .		0
309	Rewritable multilevel optical data storage in BaFCl nanocrystals. , 2018, , .		0
310	Microstructured optical fiber high-temperature sensors. , 2019, , .		0
311	Novel concepts for sensing, imaging and mode generation in fibers using high-index glass. , 2019, , .		0
312	Nitrate sensing using optical properties of PEDOT at the tip of the fibre. , 2020, , .		0
313	Photoluminescence and Third Harmonic Generation in Directly-Grown MoS <sub>2</sub> and WS <sub>2</sub> Exposed-Core Fibers. , 2020, , .		0
314	Sensing Intra- and Extra-Cellular Ca <sup>2+</sup> in the Islet of Langerhans. Advanced Functional Materials, 2022, 32, 2106020.	7.8	0
315	Controlled delivery of quantum dots using microelectrophoresis technique: Intracellular behavior and preservation of cell viability. Bioelectrochemistry, 2022, 144, 108035.	2.4	0
316	Mid-infrared chalcogenide polarization-maintaining single-mode fiber. , 2022, , .		0
317	Non-Oxide Optical Materials: Introduction to the Special Issue. Optical Materials Express, 0, , .	1.6	0