

# Louise Heelan

## List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4731401/louise-heelan-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

453  
papers

17,264  
citations

61  
h-index

102  
g-index

475  
ext. papers

19,730  
ext. citations

4.6  
avg, IF

1.1  
L-index

#	Paper	IF	Citations
453	Measurement of single top-quark production in association with a $W$ boson in the single-lepton channel at ( $\sqrt{s} = 8\text{ TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
452	Search for squarks and gluinos in final states with same-sign leptons and jets using $139\text{ fb}^{-1}$ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
451	Measurement of the $Z(\rightarrow l^+l^-)$ production cross-section in pp collisions at ( $\sqrt{s} = 13\text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2
450	Measurement of long-range two-particle azimuthal correlations in $Z$ -boson tagged pp collisions at ( $\sqrt{s}=8$ ) and $13\text{ TeV}$ . <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	3
449	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	30
448	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in ( $\sqrt{s}=13$ ) ( $\text{TeV}$ ) pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	50
447	Search for light long-lived neutral particles produced in pp collisions at ( $\sqrt{s} = 13\text{ TeV}$ ) and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	8
446	Determination of jet calibration and energy resolution in proton-proton collisions at ( $\sqrt{s} = 8\text{--}13\text{ TeV}$ ) using the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	3
445	Measurement of $J/\psi$ production in association with a $W\bar{b}$ boson with pp data at $8\text{ TeV}$ . <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	4
444	Search for new resonances in mass distributions of jet pairs using $139\text{ fb}^{-1}$ of pp collisions at ( $\sqrt{\text{mathrm{s}}}) = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	20
443	Fluctuations of anisotropic flow in Pb+Pb collisions at ( $\sqrt{\{\text{mathrm{s}}\}_{\{\text{NN}\}}} = 5.02\text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	13
442	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	13
441	Measurement of differential cross sections for single diffractive dissociation in ( $\sqrt{s} = 8\text{ TeV}$ ) pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
440	Measurement of isolated-photon plus two-jet production in pp collisions at ( $\sqrt{s} = 13\text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2
439	Search for the $HH \rightarrow b\bar{b}b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at ( $\sqrt{s} = 13\text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	5
438	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at ( $\sqrt{s}=13\text{ TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	7
437	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at ( $\sqrt{s} = 13\text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1

436	Measurements of top-quark pair spin correlations in the (emu ) channel at ( $\sqrt{s} = 13$ ) TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	8
435	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at ( $\sqrt{s}=8\text{TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	11
434	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at ( $\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
433	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at ( $\sqrt{s} = 13$ TeV). <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	37
432	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at ( $\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	2
431	Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of ( $\sqrt{\text{sqrt}(s)} = 13$ TeV) with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	15
430 <sup>O</sup>	Search for single production of vector-like quarks decaying into Wb in pp collisions at ( $\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	14
429	Search for top-quark decays $t \rightarrow b\bar{q}$ with $36 \text{ fb}^{-1}$ of pp collision data at ( $\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	13
428	Measurement of VH, ( $H \rightarrow b\bar{b}$ ) production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
427	Measurements of W and Z boson production in pp collisions at ( $\sqrt{s}=5.02$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	12
426	Performance of top-quark and ( $\mathbf{W}$ )-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	19
425	Measurements of inclusive and differential fiducial cross-sections of ( $t\bar{t}\gamma$ ) production in leptonic final states at ( $\sqrt{s}=13\text{TeV}$ ) in ATLAS. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	7
424	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , <b>2019</b> , 14, P03017-P03017	1	25
423	Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 58	4.2	20
422	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	21
421 <sup>I</sup>	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	16
420 <sup>O</sup>	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	26
419	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at ( $\sqrt{s} = 13$ and 8 TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	5

418	Measurement of the top quark mass in the ( $t\bar{t}$ ) lepton+jets channel from ( $\sqrt{s}=8$ ) TeV ATLAS data and combination with previous results. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	24
417	Search for pair production of Higgs bosons in the ( $b\bar{b}$ ) final state using proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	31
416	Constraints on mediator-based dark matter and scalar dark energy models using ( $\sqrt{s}=13$ TeV) pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	31
415	Search for long-lived neutral particles in pp collisions at ( $\sqrt{s}=13$ TeV) that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	18
414	Search for Higgs boson pair production in the $WW(*)WW(*)$ decay channel using ATLAS data recorded at ( $\sqrt{s}=13$ TeV). <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	12
413	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at ( $\sqrt{s}=13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
412	Measurement of ( $W^{\pm}Z$ ) production cross sections and gauge boson polarisation in pp collisions at ( $\sqrt{s}=13$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	20
411	Searches for third-generation scalar leptoquarks in ( $\sqrt{s}=13$ TeV) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	18
410	Search for scalar resonances decaying into $t\bar{t}$ events with and without b-tagged jets produced in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
409	Search for diboson resonances in hadronic final states in $139 \text{ fb}^{-1}$ of pp collisions at ( $\sqrt{s}=13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	10
408	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \approx 13$ TeV with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , <b>2019</b> , 79,	4.2	3
407	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $13 \text{ TeV}$ . <i>European Physical Journal C</i> , <b>2019</b> , 79,	4.2	11
406	Measurement of $K_S^0$ and $\Lambda^0$ production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	3
405	Measurement of the inclusive isolated-photon cross section in pp collisions at ( $\sqrt{s}=13$ TeV) using $36 \text{ fb}^{-1}$ of ATLAS data. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
404	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	14
403	Measurement of the top-quark mass in ( $t\bar{t}$ ) + 1-jet events collected with the ATLAS detector in pp collisions at ( $\sqrt{s}=8$ TeV). <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	12
402	Measurement of fiducial and differential ( $W^+W^-$ ) production cross-sections at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	16
401	Measurement of ZZ production in the final state with the ATLAS detector in pp collisions at ( $\sqrt{s}=13$ TeV). <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2

400	Measurement of ( $W^{\pm}$ )-boson and Z-boson production cross-sections in pp collisions at ( $\sqrt{s}=2.76$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	2
399	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	4
398	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	21
397	Measurement of ( $W^{\pm}$ ) boson production in Pb+Pb collisions at ( $\sqrt{s_{\text{NN}}}=5.02$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	7
396	ATLAS b-jet identification performance and efficiency measurement with ( $t\bar{t}$ ) events in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	43
395	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at ( $\sqrt{s_{\text{NN}}}=5.02$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	16
394	Measurements of top-quark pair differential and double-differential cross-sections in the ( $\ell\ell$ )+jets channel with pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	13
393	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
392	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 $\text{fb}^{-1}$ of pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	81
391	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at ( $\sqrt{s}=13$ ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	10
390	Measurement of the -boson mass in pp collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 110	4.2	59
389	Search for new phenomena in high-mass final states with a photon and a jet from collisions at = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 102	4.2	7
388	Search for the direct production of charginos and neutralinos in final states with tau leptons in collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 154	4.2	23
387	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at and 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 142	4.2	35
386	Measurement of quarkonium production in proton-lead and proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 171	4.2	35
385	Measurement of differential cross-sections of a single top quark produced in association with a boson at with ATLAS. <i>European Physical Journal C</i> , <b>2018</b> , 78, 186	4.2	5
384	Search for heavy resonances in the and final states using proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 293	4.2	41
383	A search for pair-produced resonances in four-jet final states at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 250	4.2	28

382	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb $\text{^{-1}}$ of ( $\text{sqrt}\{s\}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	26
381	Search for heavy resonances decaying into in the final state in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 24	4.2	47
380	Direct top-quark decay width measurement in the lepton+jets channel at with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 129	4.2	11
379	Search for W W/W Z resonance production in $\ell\bar{\ell}q\bar{q}$ final states in pp collisions at ( $\text{sqrt}\{s\}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	22
378	Measurement of the Higgs boson coupling properties in the H -jZZ* -j4l Decay channel at ( $\text{sqrt}\{s\}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	36
377	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at ( $\text{sqrt}\{s\}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
376	Search for dark matter produced in association with bottom or top quarks in $t\bar{t}$ TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 18	4.2	32
375	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 199	4.2	55
374	Measurement of polarisation in decays in proton-proton collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 163	4.2	3
373	Searches for heavy ZZ and ZW resonances in the $\ell\bar{\ell}q\bar{q}$ and $\ell\bar{\ell}q\bar{q}$ final states in pp collisions at ( $\text{sqrt}\{s\}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	17
372	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	23
371	Measurement of differential cross sections and W+/W- cross-section ratios for W boson production in association with jets at ( $\text{sqrt}\{s\}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
370	Measurement of the W-boson mass in pp collisions at ( $\text{sqrt}\{s\}=7$ , $\text{TeV}$ ) with the ATLAS detector <b>2018</b> , 78, 1	1	
369	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ( $\text{sqrt}\{s\}=13$ , $\text{TeV}$ ) <b>2018</b> , 78, 1	1	
368	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb $\text{^{-1}}$ of ( $\text{sqrt}\{s\}=13$ ) TeV pp collisions with the ATLAS detector <b>2018</b> , 2018, 1	1	
367	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the H -jaa -j4b channel in pp collisions at ( $\text{sqrt}\{s\}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
366	Measurement of the ( $Z\gamma\gamma \rightarrow \nu\overline{\nu}\gamma\gamma$ ) production cross section in pp collisions at ( $\text{sqrt}\{s\}=13$ ) TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
365	Prompt and non-prompt elliptic flow in Pb+Pb collisions at Tev with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 784	4.2	8

364	Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 1007	4.2	21
363	Measurement of colour flow using jet-pull observables in events with the ATLAS experiment at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 847	4.2	5
362	Angular analysis of $B \rightarrow K^* \pi^*$ decays in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	44
361	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb of collisions at 13 TeV with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 401	4.2	23
360	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	15
359	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	4
358	Search for Higgs boson pair production in the ( $up\gamma up\gamma b\bar{b}$ ) final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	23
357	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	21
356	Measurement of the azimuthal anisotropy of charged particles produced in = 5.02 TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 997	4.2	21
355	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 903	4.2	66
354	Search for electroweak production of supersymmetric particles in final states with two or three leptons at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 995	4.2	49
353	Search for charged Higgs bosons decaying into top and bottom quarks at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	39
352	Operation and performance of the ATLAS Tile Calorimeter in RunI. <i>European Physical Journal C</i> , <b>2018</b> , 78, 987	4.2	13
351	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	28
350	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	16
349	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb of ( $\sqrt{s}=13$ ) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	33
348	Search for long-lived charginos based on a disappearing-track signature in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	48
347	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	9

346	Search for charged Higgs bosons decaying via $H^\pm \rightarrow \text{jet} \pm \text{lepton}$ in the jets and lepton final states with 36 fb $^{-1}$ of pp collision data recorded at ( $\sqrt{s}=13$ ) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	33
345	Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 762	4.2	23
344	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	22
343	Search for exclusive Higgs and Z boson decays to $\gamma \text{ and } \nu \bar{\nu}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
342	Measurements of b-jet tagging efficiency with the ATLAS detector using ( $t\bar{t}$ ) events at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	31
341	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	8
340	Measurement of the inclusive and fiducial production cross-sections in the lepton+jets channel in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 487	4.2	5
339	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 565	4.2	34
338	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\gamma$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 625	4.2	15
337	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	101
336	Measurement of the [Formula: see text] and [Formula: see text] production cross sections in multilepton final states using 3.2 fb[Formula: see text] of [Formula: see text] collisions at [Formula: see text] = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 40	4.2	14
335	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 -collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 26	4.2	22
334	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	22
333	Measurement of jet activity produced in top-quark events with an electron, a muon and two -tagged jets in the final state in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 220	4.2	5
332	Measurement of the boson polarisation in [Formula: see text] events from collisions at [Formula: see text] = 8 TeV in the lepton+jets channel with ATLAS. <i>European Physical Journal C</i> , <b>2017</b> , 77, 264	4.2	19
331	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2017</b> , 77, 195	4.2	61
330	Measurements of top-quark pair differential cross-sections in the [Formula: see text] channel in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 292	4.2	13
329	Performance of algorithms that reconstruct missing transverse momentum in [Formula: see text]= 8 TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 241	4.2	38

328	Measurement of the prompt /[Formula: see text] pair production cross-section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 76	4.2	47
327	Search for triboson [Formula: see text] production in collisions at [Formula: see text] [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 141	4.2	13
326	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , <b>2017</b> , 77, 490	4.2	177
325	Fiducial, total and differential cross-section measurements of -channel single top-quark production in collisions at 8 TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 531	4.2	27
324	Measurements of electroweak [Formula: see text] production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 474	4.2	14
323	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 466	4.2	42
322	Measurement of multi-particle azimuthal correlations in pp, p-Pb and low-multiplicity Pb-Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 428	4.2	48
321	Measurement of inclusive and differential cross sections in the H-j $ZZ^* \rightarrow j4\ell$ decay channel in pp collisions at ( sqrt{s}=13 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	25
320	Measurement of lepton differential distributions and the top quark mass in production in collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 804	4.2	11
319	Measurement of the ( toverline{gamma} ) production cross section in proton-proton collisions at ( sqrt{s}=8 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
318	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at ( sqrt{s}=8 ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	6
317	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , <b>2017</b> , 77, 673	4.2	33
316	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text] [Formula: see text] [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 144	4.2	8
315	Measurement of the ZZ production cross section in proton-proton collisions at ( sqrt{s}=8 ) TeV using the ZZ-j $\rightarrow 4\ell$ and ( ZZto {ell}^+ {ell}^- {nu} overline{nu} ) decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
314	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at ( sqrt{s}=8 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
313	Measurements of D $S$ and X(3872) -jJ/ $\psi$ production in pp collisions at ( sqrt{s}=8 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	15
312	Measurements of top-quark pair to Z-boson cross-section ratios at ( sqrt{s}=13 ), 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
311	Search for lepton-flavour-violating decays of the Higgs and bosons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 70	4.2	52

310	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , <b>2017</b> , 77, 317	4.2	272
309	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , <b>2017</b> , 77, 332	4.2	29
308	Measurements of the production cross section of a [Formula: see text] boson in association with jets in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 361	4.2	26
307	Precision measurement and interpretation of inclusive , and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 367	4.2	56
306	Measurement of jet fragmentation in Pb+Pb and collisions at TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2017</b> , 77, 379	4.2	35
305	Search for dark matter at [Formula: see text] in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 393	4.2	52
304	Measurement of charged-particle distributions sensitive to the underlying event in ( $\sqrt{s}=13$ ) TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
303	Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 898	4.2	19
302	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
301	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 765	4.2	10
300	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	5
299	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	13
298	Measurement of the inclusive jet cross-sections in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
297	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	27
296	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 580	4.2	16
295	Measurement of production with the hadronically decaying boson reconstructed as one or two jets in collisions at with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , <b>2017</b> , 77, 563	4.2	15
294	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using ( $\sqrt{s}=13$ ) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
293	Searches for the Z decay mode of the Higgs boson and for new high-mass resonances in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	20

292	Studies of Z production in association with a high-mass dijet system in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
291	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
290	Search for top quark decays $t \rightarrow q\bar{q}H$ , with $H \rightarrow j\bar{j}$ in ( $\sqrt{s}=13$ ) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
289	Study of and production in collisions at and search for anomalous quartic gauge couplings with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2017</b> , 77, 646	4.2	11
288	Measurements of top quark spin observables in ( $t\bar{t}$ ) events using dilepton final states in ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
287	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	8
286	Top-quark mass measurement in the all-hadronic ( $t\bar{t}$ ) decay channel at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	6
285	Measurement of the Drell-Yan triple-differential cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	16
284	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	30
283	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 $\text{fb}^{-1}$ of ( $\sqrt{s}=13$ ) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	22
282	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	29
281	Measurement of the k t splitting scales in Z-jets events in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	3
280	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
279	Evidence for the ( $H \rightarrow b\bar{b}$ ) decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	50
278	Search for new high-mass phenomena in the dilepton final state using 36 $\text{fb}^{-1}$ of proton-proton collision data at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	126
277	Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 872	4.2	19
276	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2016</b> , 76, 295	4.2	28
275	Performance of pile-up mitigation techniques for jets in [Formula: see text] collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 581	4.2	148

274	Measurement of the charged-particle multiplicity inside jets from [Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 322	4.2	35
273	Measurement of jet activity in top quark events using the $e\bar{e}$ final state with two b-tagged jets in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	4
272	Measurement of the transverse momentum and [Formula: see text] distributions of Drell-Yan lepton pairs in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 291	4.2	63
271	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^*\rightarrow e\bar{e}$ with the ATLAS detector at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
270	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
269	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in ( $\sqrt{s}=8$ ) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
268	Identification of high transverse momentum top quarks in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
267	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , <b>2016</b> , 18, 073021	2.9	1
266	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, P05013-P05013	1	8
265	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 538	4.2	48
264	Measurement of the differential cross-sections of prompt and non-prompt production of [Formula: see text] and [Formula: see text] in collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 283	4.2	42
263	Luminosity determination in collisions at [Formula: see text] = 8 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 653	4.2	188
262	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at [Formula: see text] TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 683	4.2	7
261	Addendum to Measurement of the ( $t\bar{t}$ ) production cross-section using (emu) events with b-tagged jets in pp collisions at ( $\sqrt{s}$ ) = 7 and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 1	4.2	13
260	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	20
259	Searches for heavy diboson resonances in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	20
258	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in ( $\sqrt{s}=8$ ) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
257	Search for the Standard Model Higgs boson decaying into ( $b\bar{b}$ ) produced in association with top quarks decaying hadronically in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16

256	Measurement of the CP-violating phase $\delta$ and the $B_0 \bar{s}$ meson decay width difference with $B_0 \bar{s} \rightarrow J/\psi \ell \bar{\nu}$ decays in ATLAS. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
255	Search for squarks and gluinos in final states with jets and missing transverse momentum at $ p_T  > 13$ [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 392	4.2	53
254	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	24
253	A search for prompt lepton-jets in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	22
252	Search for new phenomena with photon+jet events in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
251	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 199	4.2	39
250	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
249	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	14
248	Search for strong gravity in multijet final states produced in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
247	Identification of boosted, hadronically decaying bosons and comparisons with ATLAS data taken at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 154	4.2	44
246	Search for new phenomena in events with at least three photons collected in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 210	4.2	53
245	Probing lepton flavour violation via neutrinoless [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 232	4.2	12
244	A new method to distinguish hadronically decaying boosted bosons from bosons using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 238	4.2	6
243	Search for supersymmetry at [Formula: see text] TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 259	4.2	48
242	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	45
241	Search for anomalous couplings in the $Wtb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1-46	5.4	12
240	Searches for scalar leptoquarks in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 5	4.2	68
239	Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at [Formula: see text] and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , <b>2016</b> , 76, 6	4.2	185

238	Measurements of fiducial cross-sections for [Formula: see text] production with one or two additional -jets in collisions at [Formula: see text]=8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 11	4.2	21
237	Study of the [Formula: see text] and [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 4	4.2	13
236	Search for an additional, heavy Higgs boson in the [Formula: see text] decay channel at [Formula: see text] in [Formula: see text] collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 45	4.2	152
235	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 55	4.2	28
234	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ( $\sqrt{s}=8$ ,mathrm TeV{}) with the ATLAS detector <b>2016</b> , 76, 1		1
233	The Laser calibration of the ATLAS Tile Calorimeter during the LHC run 1. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, T10005-T10005	1	13
232	Study of hard double-parton scattering in four-jet events in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	21
231	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	8
230	Measurement of event-shape observables in [Formula: see text] events in collisions at [Formula: see text][Formula: see text] with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 375	4.2	5
229	Charged-particle distributions in interactions at [Formula: see text] measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 403	4.2	19
228	Charged-particle distributions at low transverse momentum in [Formula: see text] TeV interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 502	4.2	37
227	Search for bottom squark pair production in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 547	4.2	25
226	Search for minimal supersymmetric standard model Higgs Bosons $\tilde{h}$ and for a [Formula: see text] boson in the [Formula: see text] final state produced in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 585	4.2	28
225	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , <b>2016</b> , 76, 666	4.2	53
224	Measurement of the [Formula: see text] dijet cross section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 670	4.2	7
223	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , <b>2016</b> , 76, 526	4.2	16
222	Search for new phenomena in different-flavour high-mass dilepton final states in collisions at [Formula: see text] Tev with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 541	4.2	7
221	Search for the Higgs boson produced in association with a boson and decaying to four -quarks via two spin-zero particles in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 605	4.2	16

220	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at [Formula: see text]=13 TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 292	4.2	263
219	Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 658	4.2	26
218	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at [Formula: see text] = 13 Te V with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 565	4.2	20
217	Measurement of the inclusive isolated prompt photon cross section in pp collisions at ( sqrt{s}=8 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	25
216	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at ( sqrt{s}=8 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	59
215	Search for flavour-changing neutral current top-quark decays to [Formula: see text] in [Formula: see text] collision data collected with the ATLAS detector at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 12	4.2	16
214	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in collision data at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 87	4.2	18
213	Search for direct top squark pair production in final states with two tau leptons in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 81	4.2	7
212	Search for charged Higgs bosons in the H $\rightarrow$ tb decay channel in pp collisions at ( sqrt{s}=8 ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	33
211	Study of the rare decays of [Formula: see text] and [Formula: see text] into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 513	4.2	27
210	Search for supersymmetry in a final state containing two photons and missing transverse momentum in [Formula: see text] $\oplus$ 13 TeV [Formula: see text] collisions at the LHC using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 517	4.2	17
209	Search for resonances in diphoton events at ( sqrt{s}=13 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	49
208	Search for single production of vector-like quarks decaying into in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 442	4.2	24
207	Measurement of the relative width difference of the ( {B}^0hbox{-} {overline{B}}^0 ) system with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	5
206	Jet energy measurement and its systematic uncertainty in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 17	4.2	194
205	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 79	4.2	21
204	Search for resonant diboson production in the [Formula: see text] final state in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 69	4.2	62
203	Measurements of the [Formula: see text] production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 82	4.2	54

202	Search for dark matter in events with heavy quarks and missing transverse momentum in [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 92	4.2	60
201	Measurement of the ( $t\bar{t}$ ) production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	14
200	Measurement of the $W W + W Z$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	12
199	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	29
198	Search for the ( $b\bar{b}$ ) decay of the Standard Model Higgs boson in associated ( $W/Z/H$ ) production with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	64
197	Measurement of the inclusive jet cross-section in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using 4.5 $\text{fb}^{-1}$ of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	27
196	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with ( $\sqrt{s}=8$ ) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	45
195	Search for charged Higgs bosons decaying via $H \rightarrow j\ell\nu$ in fully hadronic final states using pp collision data at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	56
194	Search for production of [Formula: see text] resonances decaying to a lepton, neutrino and jets in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 209	4.2	73
193	Performance of the ATLAS muon trigger in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2015</b> , 75, 120	4.2	51
192	Search for Higgs boson pair production in the [Formula: see text] final state from collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 412	4.2	66
191	Determination of spin and parity of the Higgs boson in the [Formula: see text] decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 231	4.2	15
190	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 299	4.2	202
189	Search for a new resonance decaying to a or boson and a Higgs boson in the [Formula: see text] final states with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 263	4.2	46
188	Measurement of three-jet production cross-sections in [Formula: see text] collisions at 7[Formula: see text] centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 228	4.2	18
187	Constraints on the off-shell Higgs boson signal strength in the high-mass and final states with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 335	4.2	56
186	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 303	4.2	49
185	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 476	4.2	104

184	Observation and measurements of the production of prompt and non-prompt [Formula: see text] mesons in association with a [Formula: see text] boson in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 229	4.2	38
183	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into [Formula: see text] in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 349	4.2	94
182	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text] TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 318	4.2	44
181	Search for heavy long-lived multi-charged particles in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 362	4.2	22
180	Two-particle Bose-Einstein correlations in collisions at [Formula: see text] 0.9 and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 466	4.2	28
179	Measurement of the top quark mass in the [Formula: see text] and [Formula: see text] channels using [Formula: see text] [Formula: see text] ATLAS data. <i>European Physical Journal C</i> , <b>2015</b> , 75, 330	4.2	32
178	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , <b>2015</b> , 75, 510	4.2	109
177	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at ( sqrt{s}=8 ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	2
176	A search for high-mass resonances decaying to $\ell\bar{\nu}\ell\bar{\nu}$ in pp collisions at ( sqrt{s}=8 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	22
175	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	42
174	Search for lepton-flavour-violating H -jet decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	46
173	Measurement of four-jet differential cross sections in ( sqrt{s}=8 ) TeV proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-76	5.4	5
172	A search for ( toverline{t} ) resonances using lepton-plus-jets events in proton-proton collisions at ( sqrt{s}=8 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	57
171	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at ( sqrt{s}=7 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	18
170	Measurement of charged-particle spectra in Pb+Pb collisions at ( sqrt{s_{NN}}=2.76 ) TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	49
169	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at ( sqrt{s}=8 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	26
168	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	91
167	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at ( sqrt{s}=8 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-39	5.4	66

166	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at ( $\sqrt{s}=7$ ) TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	31
165	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	65
164	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	54
163	Search for new phenomena in events with three or more charged leptons in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
162	Summary of the searches for squarks and gluinos using ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	55
161	Determination of the top-quark pole mass using ( $\overline{t} + 1\text{-jet}$ ) events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	15
160	Measurement of the ( $\overline{t}W$ ) and ( $\overline{t}Z$ ) production cross sections in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
159	Search for flavour-changing neutral current top quark decays $t \rightarrow b q$ in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-65	5.4	18
158	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	22
157	Performance of the ATLAS Tile Calorimeter. <i>Journal of Physics: Conference Series</i> , <b>2015</b> , 623, 012014	0.3	
156	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	37
155	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	74
154	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at ( $\sqrt{s}=7$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
153	Search for [Formula: see text] decays in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 165	4.2	25
152	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 158	4.2	8
151	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 208	4.2	50
150	Study of (W/Z)H production and Higgs boson couplings using H-jW W * decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	14
149	Search for metastable heavy charged particles with large ionisation energy loss in collisions at [Formula: see text] TeV using the ATLAS experiment. <i>European Physical Journal C</i> , <b>2015</b> , 75, 407	4.2	18

148	Measurement of the production and lepton charge asymmetry of [Formula: see text] bosons in Pb+Pb collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 23	4.2	31
147	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector <b>2015</b> , 75, 1	1	
146	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector <b>2015</b> , 75, 1	2	
145	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector <b>2015</b> , 75, 1	3	
144	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider <b>2015</b> , 75, 1	3	
143	Measurement of the inclusive jet cross-section in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using 4.5 fb $^{-1}$ of data with the ATLAS detector <b>2015</b> , 2015, 1	3	
142	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	24
141	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	29
140	The differential production cross section of the [Formula: see text](1020) meson in [Formula: see text] = 7 TeV [Formula: see text] collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2895	4.2	12
139	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2941	4.2	160
138	Measurement of the underlying event in jet events from 7 (text {TeV}) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	18
137	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2982	4.2	18
136	Light-quark and gluon jet discrimination in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3023	4.2	46
135	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	14
134	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	76
133	Measurement of the production cross section of prompt J/ $\psi$ mesons in association with a W boson in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	24
132	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	17
131	Measurement of the production of a W boson in association with a charm quark in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	37

130	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	120
129	Search for supersymmetry at ( $\sqrt{s}$ ) = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	39
128	Measurement of the low-mass Drell-Yan differential cross section at ( $\sqrt{s}$ ) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	18
127	Search for direct top-squark pair production in final states with two leptons in pp collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	52
126	Measurement of $t\bar{t}1$ and $t\bar{t}2$ production with ( $\sqrt{s}$ ) = 7 TeV pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	26
125	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	6
124	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	40
123	Search for direct top squark pair production in events with a [Formula: see text] boson, [Formula: see text]-jets and missing transverse momentum in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2883	4.2	41
122	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	67
121	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3130	4.2	166
120	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in [Formula: see text] collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3117	4.2	17
119	A measurement of the ratio of the production cross sections for [Formula: see text] and [Formula: see text] bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3168	4.2	16
118	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at ( $\sqrt{s}=8$ ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	30
117	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in $20 \text{ fb}^{-1}$ of ( $\sqrt{s}$ ) = 8 TeV proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	9
116	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using ( $\sqrt{s}=8$ ) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	108
115	Measurement of the [Formula: see text] production cross-section using [Formula: see text] events with [Formula: see text]-tagged jets in [Formula: see text] collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3109	4.2	107
114	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in ( $\sqrt{s}$ ) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	54
113	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at [Formula: see text] TeV in 2010. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3034	4.2	45

112	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	160
111	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3134	4.2	31
110	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3157	4.2	52
109	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3195	4.2	21
108	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	36
107	Measurement of the production cross-section of $Z\bar{S} \rightarrow J/\psi + \text{miss.} E_T$ in pp collisions at ( $\sqrt{s}$ ) = 7 TeV at ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	16
106	Measurement of the $Z/\gamma^*$ boson transverse momentum distribution in pp collisions at ( $\sqrt{s}$ )=7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	79
105	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at ( $\sqrt{s}$ ) = 8 ) TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	31
104	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	26
103	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at ( $\sqrt{s}$ )=8 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	38
102	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at ( $\sqrt{s}$ )=8 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	29
101	Measurement of the ( $t\bar{t}$ ) production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at ( $\sqrt{s}$ )=7 and 8 TeV with the ATLAS detector <b>2014</b> , 74, 1	2	
100	Measurement of the production cross section of jets in association with a Z boson in pp collisions at ( $\sqrt{s}$ )=7 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	50
99	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at ( $\sqrt{s}$ )=7 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	34
98	Search for third generation scalar leptoquarks in pp collisions at ( $\sqrt{s}$ )=7 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	30
97	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	124
96	Measurement of ZZ production in pp collisions at ( $\sqrt{s}$ )=7 ) TeV and limits on anomalous ZZZ and ZZ $\gamma$ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	45
95	Search for charged Higgs bosons through the violation of lepton universality in ( $t\bar{t}$ ) events using pp collision data at ( $\sqrt{s}$ )=7 ) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	14

94	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	47
93	Measurement of splitting scales in -j events at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2432	4.2	8
92	Search for a light charged Higgs boson in the decay channel [Formula: see text] in [Formula: see text] events using collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2465	4.2	76
91	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	92
90	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at ( $\sqrt{s}=8$ ) TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	64
89	Measurement of the differential cross-section of B + meson production in pp collisions at ( $\sqrt{s}=7$ ) TeV at ATLAS. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	24
88	Performance of jet substructure techniques for large-R jets in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	43
87	Improved luminosity determination in collisions at [Formula: see text] using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2518	4.2	276
86	Measurement of the inclusive jet cross-section in collisions at [Formula: see text] and comparison to the inclusive jet cross-section at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2509	4.2	71
85	Multi-channel search for squarks and gluinos in [Formula: see text] collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2362	4.2	25
84	Jet energy measurement with the ATLAS detector in proton-proton collisions at ( $\sqrt{\text{mathrm{s}}}=7 \text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	209
83	Measurement of jet shapes in top-quark pair events at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2676	4.2	18
82	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at ( $\sqrt{\{s_{\text{NN}}\}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	143
81	Measurement of the top quark charge in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	15
80	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	72
79	Measurement of isolated-photon pair production in pp collisions at ( $\sqrt{s}=7 \text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	44
78	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	55
77	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at ( $\sqrt{s}=7 \text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	15

76	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	55
75	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	44
74	Measurement of the flavour composition of dijet events in pp collisions at ( $\sqrt{s}=7 \text{ TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	12
73	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	41
72	Jet energy resolution in proton-proton collisions at [Formula: see text] recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2306	4.2	153
71	Measurement of the [Formula: see text] production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2328	4.2	30
70	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , <b>2013</b> , 15, 043009	2.9	15
69	Performance of the ATLAS liquid argon forward calorimeter in beam tests. <i>Journal of Instrumentation</i> , <b>2013</b> , 8, P05006-P05006	1	
68	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	14
67	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ) with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	31
66	Measurement of the charge asymmetry in top quark pair production in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2039	4.2	78
65	Search for lepton flavour violation in the continuum with the ATLAS detector in [Formula: see text] collisions at the LHC. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2040	4.2	10
64	Measurement of the top quark mass with the template method in the [Formula: see text] channel using ATLAS data. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2046	4.2	42
63	Search for heavy neutrinos and right-handed bosons in events with two leptons and jets in collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2056	4.2	78
62	Measurement of polarization in -jdecays with the ATLAS detector in collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2062	4.2	17
61	Measurement of the cross section for top-quark pair production in pp collisions at ( $\sqrt{s} = \{7\}, \{\text{TeV}\}$ ) with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	43
60	Jet mass and substructure of inclusive jets in ( $\sqrt{s} = 7; \{\text{TeV}\}$ ) pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	67
59	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	10

58	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb $\cdot$ of ( $\sqrt{s} = 7\text{TeV}$ ) proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	48
57	A search for ( $t\bar{t}$ ) resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	39
56	Search for the Standard Model Higgs boson in the $H \rightarrow \ell^+\ell^-$ decay mode in ( $\sqrt{s} = 7\text{TeV}$ ) pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	37
55	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at ( $\sqrt{s}=7\text{TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	31
54	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	11
53	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	53
52	Search for high-mass resonances decaying to dilepton final states in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	49
51	Search for anomalous production of prompt like-sign lepton pairs at ( $\sqrt{s}=7\text{TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	16
50	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in ( $\sqrt{s}=7\text{TeV}$ ) pp collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	45
49	Search for R-parity-violating supersymmetry in events with four or more leptons in ( $\sqrt{s}=7\text{TeV}$ ) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	13
48	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	199
47	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at ( $\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	70
46	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at ( $\sqrt{s} = 7\text{TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	13
45	Measurement of [Formula: see text] production with a veto on additional central jet activity in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2043	4.2	82
44	A search for [Formula: see text] resonances with the ATLAS detector in 2.05 fb of proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2083	4.2	14
43	Search for second generation scalar leptoquarks in pp collisions at ( $\sqrt{s}=7\text{TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	35
42	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	13
41	Measurement of $W \rightarrow Z$ production in proton-proton collisions at ( $\sqrt{s}=7\text{TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	54

40	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	24
39	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	18
38	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	11
37	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in ( $\sqrt{s} = 7 \text{ TeV}$ ) proton-proton collisions. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	31
36	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	34
35	Search for doubly charged Higgs bosons in like-sign dilepton final states at ( $\sqrt{s} = 7 \text{ TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	104
34	Performance of missing transverse momentum reconstruction in proton-proton collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ) with ATLAS. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	217
33	Performance of the ATLAS Trigger System in 2010. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	232
32	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	34
31	Search for charged Higgs bosons decaying via $H^\pm \rightarrow t\bar{t}$ ( $t\bar{t}$ ) events using pp collision data at ( $\sqrt{s} = 7 \text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	112
30	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	52
29	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	23
28	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	103
27	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	138
26	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	16
25	Luminosity determination in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ) using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	167
24	Measurements of underlying-event properties using neutral and charged particles in pp collisions at ( $\sqrt{s} = 900 \text{ GeV}$ ) and ( $\sqrt{s} = 7 \text{ TeV}$ ) with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	30
23	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in ( $\sqrt{s} = 7 \text{ TeV}$ ) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	18

22	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in ( $\sqrt{s}=7\text{TeV}$ ) proton-proton collisions with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	41
21	Limits on the production of the standard model Higgs boson in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	37
20	Search for diphoton events with large missing transverse energy with 36 pb $^{-1}$ of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	15
19	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	44
18	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	51
17	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb $^{-1}$ of ATLAS data. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	13
16	Search for massive colored scalars in four-jet final states in ( $\sqrt{s}=7\text{TeV}$ ) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	37
15	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at ( $\sqrt{s}=7\text{TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	53
14	Measurement of W and Z production in proton-proton collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	11
13	Inclusive search for same-sign dilepton signatures in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	31
12	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using ( $\sqrt{s} = 7$ TeV) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	60
11	Performance of the electronic readout of the ATLAS liquid argon calorimeters. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, P09003-P09003	1	25
10	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. <i>European Physical Journal C</i> , <b>2010</b> , 70, 723-753	4.2	41
9	The ATLAS Inner Detector commissioning and calibration. <i>European Physical Journal C</i> , <b>2010</b> , 70, 787-821	4.2	70
8	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. <i>European Physical Journal C</i> , <b>2010</b> , 70, 755-785	4.2	12
7	Commissioning of the ATLAS Muon Spectrometer with cosmic rays. <i>European Physical Journal C</i> , <b>2010</b> , 70, 875-916	4.2	14
6	The ATLAS Simulation Infrastructure. <i>European Physical Journal C</i> , <b>2010</b> , 70, 823-874	4.2	817
5	Readiness of the ATLAS Tile Calorimeter for LHC collisions. <i>European Physical Journal C</i> , <b>2010</b> , 70, 1193-1236	4.2	82

## LIST OF PUBLICATIONS

- |   |   |     |    |
|---|---|-----|----|
| 4 | Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1   | 5.4 | 14 |
| 3 | Measurement of the $W \rightarrow l\nu$ and $Z \rightarrow ll$ production cross sections in proton-proton collisions at ( $\sqrt{s} = 7\text{TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1 | 5.4 | 58 |
| 2 | Performance of the ATLAS forward calorimeter. <i>Journal of Physics: Conference Series</i> , <b>2009</b> , 160, 012058 o.3  | 1   |    |
| 1 | Energy calibration of the ATLAS Liquid Argon Forward Calorimeter. <i>Journal of Instrumentation</i> , <b>2008</b> , 3, P02002-P02002  | 1   | 14 |