

Wael Att

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4731433/wael-att-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65
papers

2,722
citations

28
h-index

51
g-index

73
ext. papers

3,360
ext. citations

4.5
avg, IF

5.39
L-index

#	Paper	IF	Citations
65	Influence of ambient temperature changes on intraoral scanning accuracy.. <i>Journal of Prosthetic Dentistry</i> , 2022 ,	4	3
64	Additive Manufacturing Technologies: Current Status and Future Perspectives.. <i>Journal of Prosthodontics</i> , 2022 , 31, 4-12	3.9	5
63	Chemical Composition, Knoop Hardness, Surface Roughness, and Adhesion Aspects of Additively Manufactured Dental Interim Materials. <i>Journal of Prosthodontics</i> , 2021 , 30, 698-705	3.9	6
62	Optimizing the esthetic outcome by using screw-retained implant abutment crowns: A 3-year clinical follow-up. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 608-615	4	
61	Evaluation of the response of esthetic restorative materials to ultraviolet aging. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 679-685	4	0
60	10.9-year survival of pressed acid etched monolithic e.max lithium disilicate glass-ceramic partial coverage restorations: Performance and outcomes as a function of tooth position, age, sex, and the type of partial coverage restoration (inlay or onlay). <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 523-532	4	7
59	Comparison of 16.9-year survival of pressed acid etched e.max lithium disilicate glass-ceramic complete and partial coverage restorations in posterior teeth: Performance and outcomes as a function of tooth position, age, sex, and thickness of ceramic material. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 533-545	4	8
58	A vat-polymerized 3-dimensionally printed dual-material occlusal device: A dental technique. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 271-275	4	5
57	Artificial intelligence applications in restorative dentistry: A systematic review. <i>Journal of Prosthetic Dentistry</i> , 2021 ,	4	5
56	Trueness and precision of complete-arch photogrammetry implant scanning assessed with a coordinate-measuring machine. <i>Journal of Prosthetic Dentistry</i> , 2021 ,	4	5
55	3D printing parameters, supporting structures, slicing, and post-processing procedures of vat-polymerization additive manufacturing technologies: A narrative review. <i>Journal of Dentistry</i> , 2021 , 109, 103630	4.8	30
54	Artificial intelligence applications in implant dentistry: A systematic review. <i>Journal of Prosthetic Dentistry</i> , 2021 ,	4	6
53	Artificial intelligence models for tooth-supported fixed and removable prosthodontics: A systematic review. <i>Journal of Prosthetic Dentistry</i> , 2021 ,	4	6
52	Comparison of conventional, photogrammetry, and intraoral scanning accuracy of complete-arch implant impression procedures evaluated with a coordinate measuring machine. <i>Journal of Prosthetic Dentistry</i> , 2021 , 125, 470-478	4	13
51	Analysis of Different Illuminance of the Room Lighting Condition on the Accuracy (Trueness and Precision) of An Intraoral Scanner. <i>Journal of Prosthodontics</i> , 2021 , 30, 157-162	3.9	14
50	Effects of thermal and mechanical cycling on the mechanical strength and surface properties of dental CAD-CAM restorative materials. <i>Journal of Prosthetic Dentistry</i> , 2021 ,	4	3
49	2D and 3D patient representation of simulated restorative esthetic outcomes using different computer-aided design software programs. <i>Journal of Esthetic and Restorative Dentistry</i> , 2021 , 33, 143-151	2.5	4

48	Effect of aging process on some properties of conventional and multilayered translucent zirconia for monolithic restorations. <i>Ceramics International</i> , 2020 , 46, 1854-1868	5.1	8
47	The influence of prosthetic material on implant and prosthetic survival of implant-supported fixed complete dentures: a systematic review and meta-analysis. <i>Journal of Prosthodontic Research</i> , 2019 , 63, 251-265	4.3	16
46	Complete digital workflow in prosthesis prototype fabrication for complete-arch implant rehabilitation: A technique. <i>Journal of Prosthetic Dentistry</i> , 2019 , 122, 189-192	4	17
45	Nomogram to predict the prognosis of parotid gland mucoepidermoid carcinoma: a population-based study of 1306 cases. <i>PeerJ</i> , 2019 , 7, e7237	3.1	7
44	Current Workflows for Computer-Aided Implant Surgery: a Review Article. <i>Current Oral Health Reports</i> , 2019 , 6, 295-305	1.2	2
43	Current status of zirconia implants in dentistry: preclinical tests. <i>Journal of Prosthodontic Research</i> , 2019 , 63, 1-14	4.3	37
42	A systematic review and meta-analysis on the clinical outcome of zirconia implant-restoration complex. <i>Journal of Prosthodontic Research</i> , 2018 , 62, 397-406	4.3	23
41	Clinical and Radiographic Evaluation of Short Implants Placed in the Posterior Mandible: A 1-Year Pilot Split-Mouth Study. <i>Journal of Oral Implantology</i> , 2018 , 44, 250-259	1.2	3
40	The single mandibular implant study - Short-term effects of the loading protocol on Oral Health-related Quality of Life. <i>Journal of Prosthodontic Research</i> , 2018 , 62, 313-316	4.3	10
39	A Novel Method to Evaluate Precision of Optical Implant Impressions with Commercial Scan Bodies-An Experimental Approach. <i>Journal of Prosthodontics</i> , 2017 , 26, 34-41	3.9	37
38	Success and Survival of Various Types of All-Ceramic Single Crowns: A Critical Review and Analysis of Studies with a Mean Follow-Up of 5 Years or Longer. <i>International Journal of Prosthodontics</i> , 2017 , 30, 168-181	1.9	25
37	Precision of Dental Implant Digitization Using Intraoral Scanners. <i>International Journal of Prosthodontics</i> , 2016 , 29, 277-83	1.9	94
36	Orthodontic extrusion for pre-implant site enhancement: Principles and clinical guidelines. <i>Journal of Prosthodontic Research</i> , 2016 , 60, 145-55	4.3	15
35	Long-Term Progressive Degradation of the Biological Capability of Titanium. <i>Materials</i> , 2016 , 9,	3.5	15
34	The Effect of UV Treatment on the Osteoconductive Capacity of Zirconia-Based Materials. <i>Materials</i> , 2016 , 9,	3.5	22
33	Influence of ultraviolet photofunctionalization on the surface characteristics of zirconia-based dental implant materials. <i>Dental Materials</i> , 2015 , 31, e14-24	5.7	40
32	Effect of the implant-abutment interface on peri-implant tissues: a systematic review. <i>Acta Odontologica Scandinavica</i> , 2014 , 72, 13-25	2.2	29
31	Photofunctionalization increases the bioactivity and osteoconductivity of the titanium alloy Ti6Al4V. <i>Journal of Biomedical Materials Research - Part A</i> , 2014 , 102, 3618-30	5.4	40

30	Accuracy of full-arch scans using intraoral scanners. <i>Clinical Oral Investigations</i> , 2014 , 18, 1687-94	4.2	239
29	A retrospective evaluation of teeth restored with zirconia ceramic posts: 10-year results. <i>Clinical Oral Investigations</i> , 2014 , 18, 1181-1187	4.2	22
28	Osteoblast and bone tissue response to surface modified zirconia and titanium implant materials. <i>Dental Materials</i> , 2013 , 29, 763-76	5.7	69
27	N-acetyl cysteine as an osteogenesis-enhancing molecule for bone regeneration. <i>Biomaterials</i> , 2013 , 34, 6147-56	15.6	53
26	Distinct cell functions of osteoblasts on UV-functionalized titanium- and zirconia-based implant materials are modulated by surface topography. <i>Tissue Engineering - Part C: Methods</i> , 2013 , 19, 850-63	2.9	35
25	Zirconia in fixed implant prosthodontics. <i>Clinical Implant Dentistry and Related Research</i> , 2012 , 14, 633-45	9	104
24	Biological aging of implant surfaces and their restoration with ultraviolet light treatment: a novel understanding of osseointegration. <i>International Journal of Oral and Maxillofacial Implants</i> , 2012 , 27, 753-61	2.8	54
23	TiO ₂ micro-nano-hybrid surface to alleviate biological aging of UV-photofunctionalized titanium. <i>International Journal of Nanomedicine</i> , 2011 , 6, 1327-41	7.3	28
22	Improvement in the osteoblastic cellular response to a commercial collagen membrane and demineralized freeze-dried bone by an amino acid derivative: an in vitro study. <i>Clinical Oral Implants Research</i> , 2011 , 22, 165-72	4.8	15
21	Synergistic effects of UV photofunctionalization and micro-nano hybrid topography on the biological properties of titanium. <i>Biomaterials</i> , 2011 , 32, 4358-68	15.6	71
20	Prosthodontic complications with implant overdentures: a systematic literature review. <i>International Journal of Prosthodontics</i> , 2010 , 23, 195-203	1.9	110
19	N-Acetyl cysteine restores viability and function of rat odontoblast-like cells impaired by polymethylmethacrylate dental resin extract. <i>Redox Report</i> , 2009 , 14, 13-22	5.9	24
18	Fixed rehabilitation of the edentulous maxilla: possibilities and clinical outcome. <i>Journal of Oral and Maxillofacial Surgery</i> , 2009 , 67, 60-73	1.8	48
17	Marginal adaptation of three different zirconium dioxide three-unit fixed dental prostheses. <i>Journal of Prosthetic Dentistry</i> , 2009 , 101, 239-47	4	88
16	N-Acetyl cysteine prevents suppression of oral fibroblast function on poly(methylmethacrylate) resin. <i>Acta Biomaterialia</i> , 2009 , 5, 391-8	10.8	39
15	The effect of UV-photofunctionalization on the time-related bioactivity of titanium and chromium-cobalt alloys. <i>Biomaterials</i> , 2009 , 30, 4268-76	15.6	164
14	Enhanced osteoblast function on ultraviolet light-treated zirconia. <i>Biomaterials</i> , 2009 , 30, 1273-80	15.6	73
13	Ultraviolet light-mediated photofunctionalization of titanium to promote human mesenchymal stem cell migration, attachment, proliferation and differentiation. <i>Acta Biomaterialia</i> , 2009 , 5, 3247-57	10.8	136

12	Ultraviolet treatment overcomes time-related degrading bioactivity of titanium. <i>Tissue Engineering - Part A</i> , 2009 , 15, 3679-88	3.9	73
11	Time-dependent degradation of titanium osteoconductivity: an implication of biological aging of implant materials. <i>Biomaterials</i> , 2009 , 30, 5352-63	15.6	200
10	Effect of titanium surface characteristics on the behavior and function of oral fibroblasts. <i>International Journal of Oral and Maxillofacial Implants</i> , 2009 , 24, 419-31	2.8	13
9	Biomechanical properties of jaw periosteum-derived mineralized culture on different titanium topography. <i>International Journal of Oral and Maxillofacial Implants</i> , 2009 , 24, 831-41	2.8	3
8	Effect of mouth-motion fatigue and thermal cycling on the marginal accuracy of partial coverage restorations made of various dental materials. <i>Dental Materials</i> , 2008 , 24, 1248-57	5.7	34
7	Ceramic abutments and ceramic oral implants. An update. <i>Periodontology 2000</i> , 2008 , 47, 224-43	12.9	110
6	Marginal adaptation of all-ceramic crowns on implant abutments. <i>Clinical Implant Dentistry and Related Research</i> , 2008 , 10, 218-25	3.9	17
5	Fracture resistance of different zirconium dioxide three-unit all-ceramic fixed partial dentures. <i>Acta Odontologica Scandinavica</i> , 2007 , 65, 14-21	2.2	18
4	Effect of supramicron roughness characteristics produced by 1- and 2-step acid etching on the osseointegration capability of titanium. <i>International Journal of Oral and Maxillofacial Implants</i> , 2007 , 22, 719-28	2.8	17
3	Marginal accuracy of press-ceramic veneers influenced by preparation design and fatigue. <i>American Journal of Dentistry</i> , 2007 , 20, 380-4	1.3	7
2	Fracture resistance of single-tooth implant-supported all-ceramic restorations: an in vitro study. <i>Journal of Prosthetic Dentistry</i> , 2006 , 95, 111-6	4	126
1	Sinus floor elevation using osteotomes: a systematic review and meta-analysis. <i>Journal of Periodontology</i> , 2005 , 76, 1237-51	4.6	169