## Dudley Robinson, Frcog

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4731722/publications.pdf

Version: 2024-02-01

105 2,608 24
papers citations h-index

24 47
sindex g-index

169 2336

citing authors

169 all docs 169 docs citations

times ranked

#	Article	IF	CITATIONS
1	International Urogynaecology Consultation chapter 1 committee 4: patients' perception of disease burden of pelvic organ prolapse. International Urogynecology Journal, 2022, 33, 189-210.	0.7	11
2	Shifting the treatment paradigm in idiopathic overactive bladder. International Journal of Clinical Practice, 2021, 75, e13847.	0.8	4
3	Erosion of an intrauterine contraceptive device into the urinary bladder: A case report. Case Reports in Women's Health, 2021, 29, e00274.	0.2	4
4	Defining nocturnal polyuria in women. Neurourology and Urodynamics, 2021, 40, 265-271.	0.8	3
5	Pharmacist's knowledge regarding the management of overactive bladder in elderly women. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 258, 269-272.	0.5	О
6	Modern management of genitourinary syndrome of menopause. Faculty Reviews, 2021, 10, 25.	1.7	10
7	A randomized, placeboâ€controlled clinical development program exploring the use of litoxetine for treating urinary incontinence. Neurourology and Urodynamics, 2021, 40, 1515-1523.	0.8	4
8	Healthcare professional's choice for surgical management of stress urinary incontinence in a U.K. tertiary hospital. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 263, 7-14.	0.5	3
9	Anticholinergic therapy: A case-based approach. Case Reports in Women's Health, 2020, 25, e00164.	0.2	1
10	Practice observed in managing gynaecological problems in post-menopausal women during the COVID-19 pandemic. Post Reproductive Health, 2020, 26, 227-228.	0.3	3
11	An unusual late complication with tension-free vaginal tape (TVT): A case report. Case Reports in Women's Health, 2020, 28, e00252.	0.2	1
12	<p>Cognitive Effects of Anticholinergic Load in Women with Overactive Bladder</p> . Clinical Interventions in Aging, 2020, Volume 15, 1493-1503.	1.3	30
13	The use of 3D ultrasound in comparing surgical techniques for posterior wall prolapse repair: a pilot randomised controlled trial. Journal of Obstetrics and Gynaecology, 2020, 41, 1-7.	0.4	1
14	The cognitive safety of antimuscarinics in the treatment of overactive bladder. Expert Opinion on Drug Safety, 2020, 19, 1303-1313.	1.0	2
15	Vaginal mesh: What lessons have we learnt?. Case Reports in Women's Health, 2020, 28, e00258.	0.2	3
16	Urethral bulking agent found in a urethral caruncle which did not respond to topical oestrogens: A case report. Case Reports in Women's Health, 2020, 28, e00268.	0.2	0
17	Is there enough evidence to justify the use of laser and other thermal therapies in female lower urinary tract dysfunction? Report from the ICIâ€RS 2019. Neurourology and Urodynamics, 2020, 39, S140-S147.	0.8	6
18	What affects the placebo effect?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 246, 134-137.	0.5	5

#	Article	IF	Citations
19	Recent advances in managing overactive bladder. F1000Research, 2020, 9, 1125.	0.8	14
20	Recent advances in urodynamics in women. F1000Research, 2020, 9, 606.	0.8	1
21	Time for a botulinum toxin passport?. Neurourology and Urodynamics, 2020, 39, 2546-2549.	0.8	1
22	Efficacy and Safety of Combination Pharmacotherapy for Patients with Overactive Bladder: A Rapid Evidence Assessment. European Urology, 2019, 76, 767-779.	0.9	19
23	Management of nocturia: overcoming the challenges of nocturnal polyuria. British Journal of Hospital Medicine (London, England: 2005), 2019, 80, 517-524.	0.2	3
24	Can we replace the catheter when evaluating urinary residuals?. Neurourology and Urodynamics, 2019, 38, 1100-1105.	0.8	3
25	The Role of Local Hormone Replacement in Overactive Bladder. Current Bladder Dysfunction Reports, 2019, 14, 342-349.	0.2	O
26	Do we need better information to advise women with stress incontinence on their choice of surgery? Report from the IClâ€RS 2018. Neurourology and Urodynamics, 2019, 38, S98-S103.	0.8	1
27	Is our current understanding and management of nocturia allowing improved care? International Consultation on Incontinenceâ€Research Society 2018. Neurourology and Urodynamics, 2019, 38, S127-S133.	0.8	3
28	Longâ€term treatment of older patients with overactive bladder using a combination of mirabegron and solifenacin: a prespecified analysis from the randomized, phase III SYNERGY II study. Neurourology and Urodynamics, 2019, 38, 779-792.	0.8	13
29	Prevalence and predictors of overactive bladder in nonpregnant nulliparous women below 65Âyears of age. International Urogynecology Journal, 2018, 29, 531-537.	0.7	3
30	Cardiovascular Safety of the β <sub>3</sub> â€Adrenoceptor Agonist Mirabegron and the Antimuscarinic Agent Solifenacin in the SYNERGY Trial. Journal of Clinical Pharmacology, 2018, 58, 1084-1091.	1.0	15
31	A strategy utilizing ambulatory monitoring and home and clinic blood pressure measurements to optimize the safety evaluation of noncardiovascular drugs with potential for hemodynamic effects. Blood Pressure Monitoring, 2018, 23, 153-163.	0.4	9
32	Patientâ€reported outcomes from SYNERGY, a randomized, doubleâ€blind, multicenter study evaluating combinations of mirabegron and solifenacin compared with monotherapy and placebo in OAB patients. Neurourology and Urodynamics, 2018, 37, 394-406.	0.8	33
33	Laparoscopic mesh repair of a labial hernia. Neurourology and Urodynamics, 2018, 37, 1178-1179.	0.8	О
34	Narrated video demonstrating the procedure of videourodynamics. Neurourology and Urodynamics, 2018, 37, 1176-1177.	0.8	2
35	Post-hysterectomy vaginal vault prolapse. Maturitas, 2018, 107, 39-43.	1.0	24
36	Neuromodulation for refractory overactive bladder in men. Trends in Urology & Men's Health, 2018, 9, 21-25.	0.2	0

#	Article	IF	Citations
37	Expert Opinion on Three Clinical Cases with a Common Urgent Problem: Urge Urinary Incontinence. Case Reports in Urology, 2018, 2018, 1-6.	0.1	1
38	Does assessing urethral function allow the selection of the optimal therapy for recurrent SUI? Report from the IClâ€RS 2017. Neurourology and Urodynamics, 2018, 37, S69-S74.	0.8	2
39	6th International Consultation on Incontinence. Recommendations of the International Scientific Committee: EVALUATION AND TREATMENT OF URINARY INCONTINENCE, PELVIC ORGAN PROLAPSE AND FAECAL INCONTINENCE. Neurourology and Urodynamics, 2018, 37, 2271-2272.	0.8	484
40	Managing nocturia: The multidisciplinary approach. Maturitas, 2018, 116, 123-129.	1.0	9
41	Long-term Safety and Efficacy of Mirabegron and Solifenacin in Combination Compared with Monotherapy in Patients with Overactive Bladder: A Randomised, Multicentre Phase 3 Study (SYNERGY) Tj ETQq1	100978431	1 <b>48</b> gBT /Ove
42	Is there any association between urodynamic variables and severity of overactive bladder in women with idiopathic detrusor overactivity?. Neurourology and Urodynamics, 2017, 36, 780-783.	0.8	10
43	Eroded Tape: A Case of an Early Vesicoscopy Rather Than Laser Melting. Urology, 2017, 102, 247-251.	0.5	5
44	Anticholinergic prescription: are healthcare professionals the real burden?. International Urogynecology Journal, 2017, 28, 1249-1256.	0.7	22
45	Narrated video of a re-do colposuspension. Neurourology and Urodynamics, 2017, 36, 1427-1428.	0.8	0
46	Efficacy and safety of combinations of mirabegron and solifenacin compared with monotherapy and placebo in patients with overactive bladder ( <scp>SYNERGY</scp> study). BJU International, 2017, 120, 562-575.	1.3	132
47	Are we justified in suggesting change to caffeine, alcohol, and carbonated drink intake in lower urinary tract disease? Report from the IClâ€RS 2015. Neurourology and Urodynamics, 2017, 36, 876-881.	0.8	38
48	Under what circumstances should stress incontinence surgery be performed at the same time as prolapse surgery? IClâ€RS 2015. Neurourology and Urodynamics, 2017, 36, 909-914.	0.8	5
49	Can we create a valid treatment algorithm for patients with drug resistant overactive bladder (OAB) syndrome or detrusor overactivity (DO)? Results from a think tank (IClâ€RS 2015). Neurourology and Urodynamics, 2017, 36, 882-893.	0.8	44
50	Mesh removal after vaginal surgery: what happens in the UK?. International Urogynecology Journal, 2017, 28, 989-992.	0.7	5
51	Current evidence and emerging drug therapies for overactive bladder. Minerva Obstetrics and Gynecology, 2017, 69, 269-285.	0.5	1
52	Bladder wall thickness in women with symptoms of overactive bladder and detrusor overactivity: Results from the randomised, placebo-controlled shrink study. Neurourology and Urodynamics, 2016, 35, 819-825.	0.8	16
53	Do we need to know more about the effects of hormones on lower urinary tract dysfunction? ICI-RS 2014. Neurourology and Urodynamics, 2016, 35, 299-303.	0.8	33
54	Technical Video: Vesicoscopic Excision of Eroded Tension-free Vaginal Tape. Journal of Minimally Invasive Gynecology, 2016, 23, 676.	0.3	3

#	Article	IF	CITATIONS
55	Combined Laparoscopic, Vesicoscopic, and Vaginal Repair of a Vesicovaginal Fistula. Journal of Minimally Invasive Gynecology, 2016, 23, 859-860.	0.3	2
56	Can we predict detrusor overactivity in women with lower urinary tract symptoms? The King's Detrusor Overactivity Score (KiDOS). European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 205, 127-132.	0.5	5
57	Assessment of the impact of urogenital prolapse on sexual dysfunction. Maturitas, 2016, 92, 56-60.	1.0	7
58	Current and future pharmacotherapy for treating overactive bladder. Expert Opinion on Pharmacotherapy, 2016, 17, 1317-1325.	0.9	26
59	Digital assessment and quantification of pelvic organ prolapse (DPOP-Q): a randomised cross-over diagnostic agreement trial. International Urogynecology Journal, 2016, 27, 433-437.	0.7	5
60	A drug safety evaluation of mirabegron in the management of overactive bladder. Expert Opinion on Drug Safety, 2016, 15, 689-696.	1.0	16
61	The management of urinary tract infections in octogenarian women. Maturitas, 2015, 81, 343-347.	1.0	17
62	Management of recurrent stress urinary incontinence after failed midurethral sling: a survey of members of the International Urogynecological Association (IUGA). International Urogynecology Journal, 2015, 26, 1285-1291.	0.7	31
63	What is the best surgical intervention for stress urinary incontinence in the very young and very old? An International Consultation on Incontinence Research Society update. International Urogynecology Journal, 2015, 26, 1599-1604.	0.7	8
64	Overactive Bladder and the $\hat{l}^2$ 3-Adrenoceptor Agonists: Current Strategy and Future Prospects. Drugs, 2015, 75, 1707-1713.	4.9	7
65	Is there a link between preoperative fluoroscopic cough stress testing and synthetic midurethral tape outcome?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 193, 61-64.	0.5	O
66	Patient and surgeon goal achievement 10Âyears following surgery for pelvic organ prolapse and urinary incontinence. International Urogynecology Journal, 2015, 26, 1679-1686.	0.7	16
67	Voiding difficulties in the elderly. Post Reproductive Health, 2014, 20, 143-147.	0.3	3
68	Prevention and management of pelvic organ prolapse. F1000prime Reports, 2014, 6, 77.	5.9	27
69	Urinary Incontinence in the Young Woman: Treatment Plans and Options Available. Women's Health, 2014, 10, 201-217.	0.7	11
70	Oestrogens and overactive bladder. Neurourology and Urodynamics, 2014, 33, 1086-1091.	0.8	65
71	A comparison of risk factors for women seeking labiaplasty compared to those not seeking labiaplasty. Body Image, 2014, 11, 57-62.	1.9	39
72	Management of prolapse in older women. Post Reproductive Health, 2014, 20, 30-35.	0.3	5

#	Article	lF	Citations
73	Combined Vaginal and Vesicoscopic Collaborative Repair of Complex Vesicovaginal Fistulae. Urology, 2014, 84, 950-954.	0.5	10
74	You are what you eat: The impact of diet on overactive bladder and lower urinary tract symptoms. Maturitas, 2014, 79, 8-13.	1.0	21
75	Radiation exposure during videourodynamics in women. International Urogynecology Journal, 2013, 24, 1547-1551.	0.7	22
76	New developments in the medical management of overactive bladder. Maturitas, 2013, 76, 225-229.	1.0	9
77	The effect of hormones on the lower urinary tract. Menopause International, 2013, 19, 155-162.	1.6	121
78	The medical management of refractory Overactive Bladder. Maturitas, 2013, 74, 386-390.	1.0	12
79	The management of overactive bladder refractory to medical therapy. Maturitas, 2013, 75, 101-104.	1.0	13
80	Antimuscarinic drugs to treat overactive bladder. BMJ: British Medical Journal, 2012, 344, e2130-e2130.	2.4	28
81	Overactive bladder: Diagnosis and management. Maturitas, 2012, 71, 188-193.	1.0	24
82	Defining female voiding dysfunction: ICIâ€RS 2011. Neurourology and Urodynamics, 2012, 31, 313-316.	0.8	39
83	The efficacy and safety of PSD503 (phenylephrine 20%, w/w) for topical application in women with stress urinary incontinence. A phase II, multicentre, double-blind, placebo controlled, 2-way cross over study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2011, 159, 457-460.	0.5	10
84	Estrogens and the lower urinary tract. Neurourology and Urodynamics, 2011, 30, 754-757.	0.8	76
85	Measuring quality of life in urogenital prolapse. Expert Review of Obstetrics and Gynecology, 2010, 5, 525-532.	0.4	1
86	New drug treatments for urinary incontinence. Maturitas, 2010, 65, 340-347.	1.0	21
87	Threeâ€dimensional ultrasound of the urethral sphincter predicts continence surgery outcome. Neurourology and Urodynamics, 2009, 28, 90-94.	0.8	46
88	Solifenacin: pharmacology and clinical efficacy. Expert Review of Clinical Pharmacology, 2009, 2, 239-253.	1.3	8
89	Atlas of Urogynecological Endoscopy. BJU International, 2008, 101, 1461-1461.	1.3	O
90	Pharmacotherapy of overactive bladder syndrome. Expert Review of Clinical Pharmacology, 2008, 1, 163-175.	1.3	1

#	Article	IF	CITATIONS
91	A randomized doubleâ€blind placeboâ€controlled multicentre study to explore the efficacy and safety of tamsulosin and tolterodine in women with overactive bladder syndrome. BJU International, 2007, 100, 840-845.	1.3	72
92	Outcome measures in urogynaecology: the clinicians' perspective. International Urogynecology Journal, 2007, 18, 273-279.	0.7	29
93	Overactive bladder in the female patient: The role of estrogens. Current Bladder Dysfunction Reports, 2007, 2, 97-103.	0.2	0
94	Pharmacological Treatment for Overactive Bladder in Women. Women's Health, 2006, 2, 239-250.	0.7	0
95	P-QOL: a validated questionnaire to assess the symptoms and quality of life of women with urogenital prolapse. International Urogynecology Journal, 2005, 16, 176-181.	0.7	216
96	The emerging role of solifenacin in the treatment of overactive bladder. Expert Opinion on Investigational Drugs, 2004, 13, 1339-1348.	1.9	11
97	Oestrogens and the lower urinary tract. BJOG: an International Journal of Obstetrics and Gynaecology, 2004, 111, 10-14.	1.1	17
98	Urogenital effects of hormone therapy. Best Practice and Research in Clinical Endocrinology and Metabolism, 2003, 17, 91-104.	2.2	29
99	The role of estrogens in female lower urinary tract dysfunction. Urology, 2003, 62, 45-51.	0.5	239
100	Risk factors for urinary incontinence in women. The Journal of the British Menopause Society, 2003, 9, 75-79.	1.3	6
101	Overactive bladder in the female patient: The role of estrogens. Current Urology Reports, 2002, 3, 452-457.	1.0	8
102	Can ultrasound replace ambulatory urodynamics when investigating women with irritative urinary symptoms?. BJOG: an International Journal of Obstetrics and Gynaecology, 2002, 109, 145-148.	1.1	103
103	Randomised comparison of Burch colposuspension versus anterior colporrhaphy for patients with stress urinary incontinence. BJOG: an International Journal of Obstetrics and Gynaecology, 2001, 108, 128-129.	1.1	1
104	Ambulatory dynamics: do they help clinical management?. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 1183-1183.	1.1	0
105	The management of urogynaecological problems in pregnancy and the postpartum period. The Obstetrician and Gynaecologist, $0$ , , .	0.2	0