

Wei-Shao Lin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4732370/wei-shao-lin-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

49
papers

532
citations

13
h-index

22
g-index

58
ext. papers

765
ext. citations

3.4
avg, IF

4.26
L-index

#	Paper	IF	Citations
49	Influences of build angle on the accuracy, printing time, and material consumption of additively manufactured surgical templates. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 658-663	4	10
48	Coronavirus disease 2019 (COVID-19): Experiences and protocols from the Department of Prosthodontics at the Wuhan University. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 41-50	4	7
47	Evaluation of the accuracy of buccal bone thickness measurement from cone beam computed tomography compared with histologic analysis. <i>Journal of Prosthetic Dentistry</i> , 2021 ,	4	1
46	Addition of an irrigation channel to a surgical template to facilitate cooling during implant osteotomy. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 164-166	4	2
45	The effect of surface treatments on the color stability of CAD-CAM interim fixed dental prostheses. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 248-253	4	4
44	The Effect of Build Orientation on the Dimensional Accuracy of 3D-Printed Mandibular Complete Dentures Manufactured with a Multijet 3D Printer. <i>Journal of Prosthodontics</i> , 2021 , 30, 684-689	3.9	2
43	Integrating Facial and Intraoral Scans for Digital Esthetic and Occlusal Design: A Technical Report. <i>Journal of Prosthodontics</i> , 2021 , 30, 729-733	3.9	0
42	Use of intraoral scan for implant-supported dental prosthesis to design and fabricate a CAD-CAM verification device: A dental technique. <i>Journal of Prosthetic Dentistry</i> , 2021 , 125, 204-207	4	2
41	Using existing interim complete dentures as an aid for an interocclusal record to align edentulous intraoral scans for implant-retained overdentures. <i>Journal of Prosthetic Dentistry</i> , 2021 , 125, 854-857	4	1
40	Digital Duplication and 3D Printing for Implant Overdenture Fabrication. <i>Journal of Prosthodontics</i> , 2021 , 30, 139-142	3.9	4
39	Effect of additive manufacturing process and storage condition on the dimensional accuracy and stability of 3D-printed dental casts. <i>Journal of Prosthetic Dentistry</i> , 2021 ,	4	2
38	Response to Letter to the Editor regarding the article "Impact of caffeine on metabolic activity and biofilm formation of <i>Candida albicans</i> on acrylic denture resin in the presence of nicotine". <i>Journal of Prosthetic Dentistry</i> , 2021 ,	4	
37	Using a Digital Dentistry Integrated Planning and Manufacturing Service in Completely Edentulous Treatment. <i>Compendium of Continuing Education in Dentistry (Jamesburg, N J: 1995)</i> , 2021 , 42, f1-f4	0.3	
36	The effect of theobromine on the in vitro de- and remineralization of enamel carious lesions. <i>Journal of Dentistry</i> , 2020 , 103S, 100013	4.8	
35	Using an existing surgical template as an aid for a virtual interocclusal record. <i>Journal of Prosthetic Dentistry</i> , 2020 , 124, 400-401	4	
34	Impact of caffeine on metabolic activity and biofilm formation of <i>Candida albicans</i> on acrylic denture resin in the presence of nicotine. <i>Journal of Prosthetic Dentistry</i> , 2020 , 123, 875-879	4	4
33	CAD-CAM titanium preparation template for the socket-shield technique. <i>Journal of Prosthetic Dentistry</i> , 2020 , 123, 786-790	4	1

32	Accuracy of virtual interocclusal records for partially edentulous patients. <i>Journal of Prosthetic Dentistry</i> , 2020 , 123, 860-865	4	7
31	Evaluation of esthetic parameters related to a single implant restoration by laypeople and dentists. <i>Journal of Prosthetic Dentistry</i> , 2020 , 124, 94-99	4	2
30	CAD-CAM cobalt-chromium surgical template for static computer-aided implant surgery: A dental technique. <i>Journal of Prosthetic Dentistry</i> , 2020 , 123, 42-44	4	7
29	Consideration for Contemporary Implant Surgery. <i>Dental Clinics of North America</i> , 2019 , 63, 309-329	3.3	7
28	Use of an open-source CAD software program and additive manufacturing technology to design and fabricate a definitive cast for retrofitting a crown to an existing removable partial denture. <i>Journal of Prosthetic Dentistry</i> , 2019 , 122, 351-354	4	8
27	Accuracy, reproducibility, and dimensional stability of additively manufactured surgical templates. <i>Journal of Prosthetic Dentistry</i> , 2019 , 122, 309-314	4	33
26	Creating virtual 3-dimensional models for teaching pre-clinical tooth preparation: Students' uses and perceptions. <i>European Journal of Dental Education</i> , 2018 , 22, e573-e581	2.5	4
25	Accuracy and reproducibility of virtual edentulous casts created by laboratory impression scan protocols. <i>Journal of Prosthetic Dentistry</i> , 2018 , 120, 389-395	4	10
24	Fabrication of an interim complete removable dental prosthesis with an in-office digital light processing three-dimensional printer: A proof-of-concept technique. <i>Journal of Prosthetic Dentistry</i> , 2018 , 120, 331-334	4	32
23	Integrating a facial scan, virtual smile design, and 3D virtual patient for treatment with CAD-CAM ceramic veneers: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2018 , 119, 200-205	4	34
22	Group 2 ITI Consensus Report: Prosthodontics and implant dentistry. <i>Clinical Oral Implants Research</i> , 2018 , 29 Suppl 16, 215-223	4.8	45
21	Clinical performance of intentionally tilted implants versus axially positioned implants: A systematic review. <i>Clinical Oral Implants Research</i> , 2018 , 29 Suppl 16, 78-105	4.8	11
20	Importance of Prototype Use for Implant-Supported Complete Fixed Dental Prosthesis (ICFDP). <i>Compendium of Continuing Education in Dentistry (Jamesburg, N J: 1995)</i> , 2018 , 39, e5-e8	0.3	
19	Managing complications resulting from limited prosthetic space with a monolithic, multichromatic CAD-CAM implant-retained overdenture: A dental technique. <i>Journal of Prosthetic Dentistry</i> , 2017 , 118, 712-716	4	7
18	Digital Imaging and Prosthetic-Driven Implant Planning: Efficient, Accurate, and Reliable Treatment. <i>Compendium of Continuing Education in Dentistry (Jamesburg, N J: 1995)</i> , 2017 , 38, 492-494	0.3	
17	Use of CBCT Imaging, Open-Source Modeling Software, and Desktop Stereolithography 3D Printing to Duplicate a Removable Dental Prosthesis-A Proof of Concept. <i>Compendium of Continuing Education in Dentistry (Jamesburg, N J: 1995)</i> , 2017 , 38, e5-e8	0.3	1
16	Digital approach to planning computer-guided surgery and immediate provisionalization in a partially edentulous patient. <i>Journal of Prosthetic Dentistry</i> , 2016 , 116, 8-14	4	17
15	Use of intraoral digital scanning for a CAD/CAM-fabricated milled bar and superstructure framework for an implant-supported, removable complete dental prosthesis. <i>Journal of Prosthetic Dentistry</i> , 2015 , 113, 509-15	4	25

14	Maxillary and mandibular immediately loaded implant-supported interim complete fixed dental prostheses on immediately placed dental implants with a digital approach: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2015 , 114, 315-22	4	12
13	Use of prefabricated titanium abutments and customized anatomic lithium disilicate structures for cement-retained implant restorations in the esthetic zone. <i>Journal of Prosthetic Dentistry</i> , 2014 , 111, 181-5	4	18
12	A technique for verifying and correcting a milled polyurethane definitive cast for nonsegmental implant restoration in an edentulous jaw. <i>Journal of Prosthetic Dentistry</i> , 2014 , 112, 658-62	4	4
11	Relationship between Abutment Geometry and Peri-implant Tissue in Esthetic Zone Cases 2014 , 102-121		
10	Use of digital data acquisition and CAD/CAM technology for the fabrication of a fixed complete dental prosthesis on dental implants. <i>Journal of Prosthetic Dentistry</i> , 2014 , 111, 1-5	4	28
9	Treatment of a maxillary central incisor with class III invasive cervical resorption and compromised ferrule: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2014 , 111, 356-61	4	6
8	Use of implant-supported interim restorations to transfer periimplant soft tissue profiles to a milled polyurethane definitive cast. <i>Journal of Prosthetic Dentistry</i> , 2013 , 109, 333-7	4	26
7	Maxillary rehabilitation with a CAD/CAM-fabricated, long-term interim and anatomic contour definitive prosthesis with a digital workflow: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2013 , 110, 1-7	4	14
6	The use of a scannable impression coping and digital impression technique to fabricate a customized anatomic abutment and zirconia restoration in the esthetic zone. <i>Journal of Prosthetic Dentistry</i> , 2013 , 109, 187-91	4	37
5	The effect of core material, veneering porcelain, and fabrication technique on the biaxial flexural strength and weibull analysis of selected dental ceramics. <i>Journal of Prosthodontics</i> , 2012 , 21, 353-62	3.9	69
4	Trial insertion procedure for milled lithium disilicate restorations in the precrystallized state. <i>Journal of Prosthetic Dentistry</i> , 2012 , 107, 59-62	4	8
3	A three-appointment alternative treatment protocol for fabricating an implant-supported milled bar overdenture. <i>Journal of Prosthetic Dentistry</i> , 2012 , 107, 75-9	4	2
2	Oral rehabilitation of a patient with bruxism and cluster implant failures in the edentulous maxilla: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2012 , 108, 1-8	4	14
1	Influence of Dynamic Loading and Different Adhesive Systems on the Microleakage in Root Canals. <i>Journal of Adhesion Science and Technology</i> , 2012 , 26, 2517-2530	2	1