## Beatriz Gil-Hernndez

## List of Publications by Citations

**Source:** https://exaly.com/author-pdf/4732995/beatriz-gil-hernandez-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

21 550 10 22 g-index

22 587 3.4 3.33 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
21	Spontaneous resolution upon crystallization of chiral La(III) and Gd(III) MOFs from achiral dihydroxymalonate. <i>Chemical Communications</i> , <b>2010</b> , 46, 8270-2	5.8	108
20	Homochiral lanthanoid(III) mesoxalate metal@rganic frameworks: synthesis, crystal growth, chirality, magnetic and luminescent properties. <i>CrystEngComm</i> , <b>2012</b> , 14, 2635	3.3	71
19	Self-assembled 3D heterometallic Cu(II)/Fe(II) coordination polymers with octahedral net skeletons: structural features, molecular magnetism, thermal and oxidation catalytic properties. <i>Inorganic Chemistry</i> , <b>2010</b> , 49, 11096-105	5.1	70
18	Magnetic ordering in two molecule-based (10,3)-a nets prepared from a copper(II) trinuclear secondary building unit. <i>Inorganic Chemistry</i> , <b>2010</b> , 49, 7478-90	5.1	60
17	Copper(II) complexes with a new carboxylic-functionalized arylhydrazone of Ediketone as effective catalysts for acid-free oxidations. <i>New Journal of Chemistry</i> , <b>2012</b> , 36, 1646	3.6	48
16	Iron, copper and zinc ammonium-1-hydroxyalkylidene-diphosphonates with zero-, one- and two-dimensional covalent metal <b>l</b> gand structures extended into three-dimensional supramolecular networks by charge-assisted hydrogen-bonding. <i>Polyhedron</i> , <b>2010</b> , 29, 2537-2545	2.7	44
15	Proton conduction and long-range ferrimagnetic ordering in two isostructural Copper(II) mesoxalate metal-organic frameworks. <i>Inorganic Chemistry</i> , <b>2015</b> , 54, 1597-605	5.1	42
14	A rare alb-4,8-Cmce metalboordination network based on tetrazolate and phosphonate functionalized 1,3,5,7-tetraphenyladamantane. <i>CrystEngComm</i> , <b>2013</b> , 15, 1235	3.3	37
13	Palladium Nanoparticle-Immobilized Porous Polyurethane Material for Quick and Efficient Heterogeneous Catalysis of Suzuki-Miyaura Cross-Coupling Reaction at Room Temperature. <i>ChemistrySelect</i> , <b>2018</b> , 3, 1365-1370	1.8	13
12	rtl-M-MOFs (M = Cu, Zn) with a T-shaped bifunctional pyrazole-isophthalate ligand showing flexibility and S-shaped Type F-IV sorption isotherms with high saturation uptakes for $M = Cu$ . Dalton Transactions, 2019, 48, 8057-8067	4.3	10
11	Two-dimensional (6,3) networks obtained with the {Cu3(Hmesox)3}3ßecondary building unit (H4mesox = mesoxalic acid). <i>CrystEngComm</i> , <b>2012</b> , 14, 4289	3.3	10
10	A ferromagnetically coupled copper(II) trinuclear secondary building unit as precursor for the preparation of molecule-based magnets. <i>Inorganica Chimica Acta</i> , <b>2011</b> , 371, 47-52	2.7	9
9	Bis(benzotriazol-1-yl)methane as a linker in the assembly of new copper(II) coordination polymers: Synthesis, structure and investigations. <i>Polyhedron</i> , <b>2012</b> , 48, 253-263	2.7	8
8	Mesoxalate as Cu(II)In(III) linker in the construction of MOFs in DMSO/water medium. <i>CrystEngComm</i> , <b>2015</b> , 17, 6555-6565	3.3	5
7	Visible and NIR emitting Yb(iii) and Er(iii) complexes sensitized by Ediketonates and phenanthroline derivatives <i>RSC Advances</i> , <b>2020</b> , 10, 27815-27823	3.7	5
6	Effect of the apical ligand on the geometry and magnetic properties of copper(ii)/mesoxalate trinuclear units. <i>Dalton Transactions</i> , <b>2017</b> , 46, 5260-5268	4.3	4
5	A 2D Zinc Coordination Polymer Built from the Mono-deprotonated 4,4?-Azobis(3,5-dimethyl-1H-pyrazole) Ligand. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2018</b> , 644, 1311-1316	1.3	3

## LIST OF PUBLICATIONS

4	Anion Selective Disruption of Strong Intramolecular MH???O=C Hydrogen Bonds in a Nonchromogenic Tripodal Benzoylthiourea Receptor to Display Colorimetric Response. <i>ChemistrySelect</i> , <b>2019</b> , 4, 4068-4073	1.8	2
3	Solid-State Landscape of 4,4?-Azobis(3,5-dimethyl-1H-pyrazole) with the Isolation of Conformer-Dependent Polymorphs. <i>Crystal Growth and Design</i> , <b>2020</b> , 20, 2721-2733	3.5	1
2	Flexible bifunctional monoethylphosphonate/carboxylates of Zn(II) and Co(II) reinforced with DABCO co-ligand: paradigmatic structural organization with pcu topology. <i>CrystEngComm</i> , <b>2020</b> , 22, 2933-2944	3.3	O
1	Synthesis, structure and magnetic properties of a cobalt(II) mesoxalate 1D coordination polymer. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2021</b> , 647, 485-489	1.3	0