

Tuncer Aaykara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4733249/publications.pdf>

Version: 2024-02-01

131
papers

2,533
citations

172457

29
h-index

302126

39
g-index

132
all docs

132
docs citations

132
times ranked

3183
citing authors

#	ARTICLE	IF	CITATIONS
1	Thermosensitive poly(N-isopropylacrylamide-co-acrylamide) hydrogels: Synthesis, swelling and interaction with ionic surfactants. <i>European Polymer Journal</i> , 2006, 42, 348-355.	5.4	134
2	pH/Temperature - Sensitive Imprinted Ionic Poly(N-tert-butylacrylamide-co-acrylamide/maleic acid) Hydrogels for Bovine Serum Albumin. <i>Macromolecular Bioscience</i> , 2005, 5, 1032-1037.	4.1	80
3	A SERS-Based Sandwich Assay for Ultrasensitive and Selective Detection of Alzheimer's Tau Protein. <i>Biomacromolecules</i> , 2013, 14, 3001-3009.	5.4	76
4	Extremely sensitive sandwich assay of kanamycin using surface-enhanced Raman scattering of 2-mercaptobenzothiazole labeled gold@silver nanoparticles. <i>Analytica Chimica Acta</i> , 2014, 817, 33-41.	5.4	66
5	Preparation and Characterization of Blend Films of Poly(Vinyl Alcohol) and Sodium Alginate. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2006, 43, 1113-1121.	2.2	58
6	Molecularly imprinted superparamagnetic iron oxide nanoparticles for rapid enrichment and separation of cholesterol. <i>Analyst</i> , 2013, 138, 7238.	3.5	51
7	Effect of pH, ionic strength, and temperature on uranyl ion adsorption by poly(N-vinyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 50	2.6	50
8	Swelling and network parameters of pH-sensitive poly(acrylamide-co-acrylic acid) hydrogels. <i>Journal of Applied Polymer Science</i> , 2007, 106, 2000-2007.	2.6	48
9	Synthesis and network structure of ionic poly(N,N-dimethylacrylamide-co-acrylamide) hydrogels: Comparison of swelling degree with theory. <i>European Polymer Journal</i> , 2006, 42, 1437-1445.	5.4	45
10	Network structure and swelling behavior of poly(acrylamide/crotonic acid) hydrogels in aqueous salt solutions. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2003, 41, 1656-1664.	2.1	43
11	Synthesis of thermoresponsive poly(N-isopropylacrylamide) brush on silicon wafer surface via atom transfer radical polymerization. <i>Thin Solid Films</i> , 2010, 518, 5950-5954.	1.8	42
12	Fabrication of a SERS based aptasensor for detection of ricin B toxin. <i>Journal of Materials Chemistry B</i> , 2015, 3, 306-315.	5.8	42
13	Equilibrium swelling behavior of pH- and temperature-sensitive poly(N-vinyl 2-pyrrolidone-g-citric) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 50	2.1	39
14	Synthesis of cationic N-(3-(dimethylamino)propyl)methacrylamide brushes on silicon wafer via surface-initiated RAFT polymerization. <i>Journal of Polymer Science Part A</i> , 2011, 49, 423-431.	2.3	37
15	Network structure and swelling-shrinking behaviors of pH-sensitive poly(acrylamide-co-itaconic acid) hydrogels. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2004, 42, 2586-2594.	2.1	36
16	Network parameters and volume phase transition behavior of poly(N-isopropylacrylamide) hydrogels. <i>Journal of Applied Polymer Science</i> , 2006, 101, 1756-1762.	2.6	36
17	Preparation, characterization and surface pKa values of poly(N-vinyl-2-pyrrolidone)/chitosan blend films. <i>Applied Surface Science</i> , 2009, 255, 5979-5983.	6.1	36
18	Poly(2-(dimethylamino)ethyl methacrylate) brushes fabricated by surface-mediated RAFT polymerization and their response to pH. <i>European Polymer Journal</i> , 2013, 49, 3350-3358.	5.4	35

#	ARTICLE	IF	CITATIONS
19	SERS detection of hepatitis B virus DNA in a temperature-responsive sandwich hybridization assay. <i>Journal of Raman Spectroscopy</i> , 2017, 48, 668-672.	2.5	35
20	Influence of gel composition on the solubility parameter of poly(2-hydroxyethyl methacrylate-co-methacrylate) hydrogels. <i>Journal of Applied Polymer Science</i> , 1995-2003.	2.1	34
21	Macroporous Poly(Acrylamide) Hydrogels: Swelling and Shrinking Behaviors. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2006, 43, 889-897.	2.2	33
22	Preparation and Swelling Properties of Temperature-Sensitive Semi-Interpenetrating Polymer Networks Composed of Poly[(N-tert-butylacrylamide)-co-acrylamide] and Hydroxypropyl Cellulose. <i>Macromolecular Materials and Engineering</i> , 2006, 291, 1044-1051.	3.6	33
23	The effect of solvent composition on swelling and shrinking properties of poly(acrylamide-co-itaconic acid) hydrogels. <i>European Polymer Journal</i> , 2004, 40, 2605-2609.	5.4	32
24	Molecular design of photoswitchable surfaces with controllable wettability. <i>Journal of Materials Chemistry</i> , 2011, 21, 3189.	6.7	31
25	Construction of myoglobin imprinted polymer films by grafting from silicon surface. <i>Journal of Materials Chemistry</i> , 2012, 22, 636-642.	6.7	31
26	Determination of the competitive adsorption of heavy metal ions on poly(n-vinyl-2-pyrrolidone/acrylic) hydrogels. <i>Journal of Applied Polymer Science</i> , 2013-2018.	2.6	30
27	Hemoglobin recognition of molecularly imprinted hydrogels prepared at different pHs. <i>Analytica Chimica Acta</i> , 2008, 625, 110-115.	5.4	30
28	Effect of the amount and type of the crosslinker on the swelling behavior of temperature-sensitive poly(N-tert-butylacrylamide-co-acrylamide) hydrogels. <i>Colloid and Polymer Science</i> , 2006, 284, 1038-1048.	2.1	29
29	Thermal, Spectroscopic, and Mechanical Properties of Blend Films of Poly(N-Vinyl-2-Pyrrolidone) and Sodium Alginate. <i>Polymer-Plastics Technology and Engineering</i> , 2007, 46, 737-741.	1.9	29
30	Preparation and characterization of poly(isobutyl methacrylate) microbeads with grafted amidoxime groups. <i>Radiation Physics and Chemistry</i> , 2007, 76, 1569-1576.	2.8	29
31	Dependence of Protein Recognition of Temperature-Sensitive Imprinted Hydrogels on Preparation Temperature. <i>Macromolecular Bioscience</i> , 2009, 9, 421-428.	4.1	28
32	Investigation of thermal behavior of poly(2-hydroxyethyl methacrylate-co-itaconic acid) networks. <i>Journal of Applied Polymer Science</i> , 2007, 103, 1602-1607.	2.6	27
33	Thermo- and pH-induced phase transitions and network parameters of poly(N-isopropylacrylamide) hydrogels. <i>Polymer Physics</i> , 2008, 46, 1713-1724.	2.1	26
34	Preparation and characterization of poly(N-tert-butylacrylamide-co-acrylamide) ferrogel. <i>Journal of Applied Polymer Science</i> , 2009, 112, 800-804.	2.6	25
35	RAFT-mediated synthesis and temperature-induced responsive properties of poly(2-(2-methoxyethoxy)ethyl methacrylate) brushes. <i>Journal of Polymer Science Part A</i> , 2013, 51, 954-962.	2.3	25
36	Kinetic analysis of surface-initiated SET-LRP of poly(N-isopropylacrylamide). <i>Journal of Polymer Science Part A</i> , 2010, 48, 5842-5847.	2.3	24

#	ARTICLE	IF	CITATIONS
37	Radiation synthesis and uranyl-ion adsorption of poly(2-hydroxyethyl methacrylate/maleic acid) hydrogels. <i>Journal of Polymer Science Part A</i> , 2001, 39, 277-283.	2.3	23
38	Effect of maleic acid content on network structure and swelling properties of poly(N-isopropylacrylamide-co-maleic acid) polyelectrolyte hydrogels. <i>Journal of Applied Polymer Science</i> , 2004, 92, 763-769.	2.6	23
39	Fabrication of ultrahydrophobic poly(lauryl acrylate) brushes on silicon wafer via surface-initiated atom transfer radical polymerization. <i>Applied Surface Science</i> , 2010, 257, 1015-1020.	6.1	23
40	A facile route to end-functionalized poly(N-isopropylacrylamide) brushes synthesized by surface-initiated SET-LRP. <i>Reactive and Functional Polymers</i> , 2011, 71, 1089-1095.	4.1	23
41	Construction of hydroxyl-terminated poly(N-isopropylacrylamide) brushes on silicon wafer via surface-initiated atom transfer radical polymerization. <i>Journal of Polymer Science Part A</i> , 2010, 48, 3880-3887.	2.3	22
42	Temperature-responsive characteristics of poly(N-isopropylacrylamide) hydrogels with macroporous structure. <i>Polymer International</i> , 2007, 56, 275-282.	3.1	21
43	Swelling characteristics of thermo-sensitive poly[(2-diethylaminoethyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 502 Td (methacrylate)] brushes on silicon wafer surface. <i>Journal of Materials Chemistry</i> , 2012, 22, 13231.	3.1	21
44	Biofunctional oligoN-isopropylacrylamide brushes on silicon wafer surface. <i>Journal of Materials Chemistry</i> , 2012, 22, 13231.	6.7	21
45	RAFT-mediated synthesis of poly[(oligoethylene glycol) methyl ether acrylate] brushes for biological functions. <i>Journal of Polymer Science Part A</i> , 2012, 50, 4443-4450.	2.3	21
46	RAFT-mediated synthesis of cationic poly[(ar-vinylbenzyl)trimethylammonium chloride] brushes for quantitative DNA immobilization. <i>Materials Science and Engineering C</i> , 2013, 33, 111-120.	7.3	20
47	Effect of preparation methods on thermal properties of poly(acrylic acid)/silica composites. <i>Journal of Applied Polymer Science</i> , 1998, 70, 891-895.	2.6	19
48	Determination of the complex formation constants for some water-soluble polymers with trivalent metal ions by differential pulse polarography. <i>Colloid and Polymer Science</i> , 2004, 282, 1282-1285.	2.1	19
49	Surface energetics of poly(N-vinyl-2-pyrrolidone)/chitosan blend films. <i>Applied Surface Science</i> , 2006, 252, 7430-7435.	6.1	19
50	Effect of Pore-Forming Agent Type on Swelling Properties of Macroporous Poly(N-[3-(dimethylaminopropyl)]-methacrylamide-co-acrylamide) Hydrogels. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2008, 46, 58-64.	2.2	19
51	High density cationic polymer brushes from combined click chemistry and RAFT-mediated polymerization. <i>Journal of Polymer Science Part A</i> , 2012, 50, 2999-3007.	2.3	19
52	Novel pH-responsive mixed-charge copolymer brushes based on carboxylic acid and quaternary amine monomers. <i>Journal of Polymer Science Part A</i> , 2013, 51, 1612-1619.	2.3	19
53	Stimuli-responsive diblock copolymer brushes via combination of click chemistry and living radical polymerization. <i>Journal of Polymer Science Part A</i> , 2013, 51, 2677-2685.	2.3	19
54	The effect of gel composition on the uranyl ions adsorption capacity of poly(N-vinyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td (2-pyrrolidone) hydrogels. <i>Journal of Applied Polymer Science</i> , 2000, 77, 1037-1043.	2.6	18

#	ARTICLE	IF	CITATIONS
55	Controlled grafting of cationic poly[(ar-vinylbenzyl)trimethylammonium chloride] on hydrogen-terminated silicon substrate by surface-initiated RAFT polymerization. <i>Reactive and Functional Polymers</i> , 2012, 72, 588-595.	4.1	18
56	A new selenium-based RAFT agent for surface-initiated RAFT polymerization of 4-vinylpyridine. <i>Polymer</i> , 2013, 54, 5345-5350.	3.8	18
57	Adsorption of α -amylase onto poly(N-vinyl 2-pyrrolidone/itaconic acid) hydrogels. <i>Nuclear Instruments & Methods in Physics Research B</i> , 1999, 151, 238-241.	1.4	17
58	Swelling and Adsorption Properties of Hydrophobic Poly[(N-(3-(dimethylamino)propyl)methacrylamide)-co-(lauryl acrylate)] Hydrogels in Aqueous Solutions of Surfactants. <i>Macromolecular Materials and Engineering</i> , 2005, 290, 869-874.	3.6	16
59	Preparation and characterization of novel poly(glycidyl methacrylate) beads carrying amidoxime groups. <i>Journal of Applied Polymer Science</i> , 2007, 106, 2126-2131.	2.6	16
60	Synthesis and stability of BODIPY-based fluorescent polymer brushes at different pHs. <i>Journal of Polymer Science Part A</i> , 2014, 52, 3586-3596.	2.3	16
61	SERS detection of polyaromatic hydrocarbons on a β -cyclodextrin containing polymer brush. <i>Journal of Raman Spectroscopy</i> , 2018, 49, 452-461.	2.5	16
62	Determination of average molecular weight between crosslinks and polymer-solvent interaction parameters of poly(acrylamide-g-ethylene diamine tetraacetic acid) polyelectrolyte hydrogels. <i>Journal of Applied Polymer Science</i> , 2004, 91, 2168-2175.	2.6	15
63	Surface properties of binary blend films of poly(N-vinyl-2-pyrrolidone) and poly(vinyl alcohol) with sodium alginate. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 426-430.	2.1	15
64	Swelling behaviors of ionic poly(N,N-dimethylacrylamide-co-acrylamide) hydrogels in various media. <i>Journal of Applied Polymer Science</i> , 2007, 104, 2140-2145.	2.6	15
65	Construction of a novel multilayer system and its use for oriented immobilization of immunoglobulin G. <i>Surface Science</i> , 2007, 601, 4563-4570.	1.9	15
66	Molecularly imprinted hydrogels for fibrinogen recognition. <i>Reactive and Functional Polymers</i> , 2009, 69, 655-659.	4.1	15
67	Effect of type and concentration of surfactants on swelling behavior of poly[N-[3-(dimethylamino)propyl]methacrylamide-co-N,N-methylenebis(acrylamide)] hydrogels. <i>Colloid and Polymer Science</i> , 2005, 284, 258-265.	2.1	14
68	Preparation of polyacrylamide hydrogels at various charge densities by postmodification. <i>Journal of Applied Polymer Science</i> , 2009, 111, 108-113.	2.6	14
69	Characterization of network structure of poly(N-vinyl 2-pyrrolidone/acrylic acid) polyelectrolyte hydrogels by swelling measurements. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2000, 38, 3309-3317.	2.1	13
70	Solubility Parameters of Cross-Linked Poly(N-vinyl-2-pyrrolidone-co-crotonic Acid) Copolymers Prepared by Ray-induced Polymerization Technique. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2004, 41, 971-979.	2.2	13
71	Swelling/Shrinking Behavior of Poly(Acrylamide-co-itaconic Acid) Hydrogels in Water and Aqueous NaCl Solutions. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2005, 42, 105-111.	2.2	13
72	Photocontrollable DNA hybridization on reversibly photoresponsive surfaces. <i>Journal of Materials Chemistry</i> , 2011, 21, 10415.	6.7	13

#	ARTICLE	IF	CITATIONS
73	Preparation of amidoximated poly(glycidyl methacrylate) microbeads. <i>Polymer International</i> , 2011, 60, 141-145.	3.1	13
74	POLAROGRAPHIC DETERMINATION OF URANYL ION ADSORPTION ON POLY-(2-HYDROXYETHYL) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7	2.5	12
75	Thermal behavior and network structure of poly(N -vinyl-2-pyrrolidone-crotonic acid) hydrogels prepared by radiation-induced polymerization. <i>Polymers for Advanced Technologies</i> , 2004, 15, 134-139.	3.2	12
76	Competitive adsorption of uranyl ions in the presence of Pb(II) and Cd(II) ions by poly(glycidyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 <i>Applied Polymer Science</i> , 2007, 104, 4168-4172.	2.6	12
77	Swelling characteristics of poly(<i>N</i> -isopropylmethacrylamide-co-itaconic acid) gels prepared in various conditions. <i>Journal of Applied Polymer Science</i> , 2010, 117, 817-823.	2.6	12
78	SETâ€‘LRP of <i>N</i> -isopropylacrylamide in the presence of chain transfer agent. <i>Journal of Polymer Science Part A</i> , 2011, 49, 2818-2822.	2.3	12
79	A new plasmonic device made of gold nanoparticles and temperature responsive polymer brush on a silicon substrate. <i>Journal of Colloid and Interface Science</i> , 2015, 448, 215-221.	9.4	12
80	Synthesis of poly(<i>N</i> -(2-hydroxypropyl) methacrylamide) brushes by interface-mediated RAFT polymerization. <i>RSC Advances</i> , 2016, 6, 45259-45264.	3.6	12
81	Effects of Temperature and Surfactants on the Equilibrium Swelling Behavior of Poly[acrylamide-co-(itaconic acid)] Hydrogels. <i>Macromolecular Materials and Engineering</i> , 2004, 289, 548-551.	3.6	11
82	pH-responsive ionic poly(<i>N,N</i> -diethylaminoethyl methacrylate-co- <i>N</i> -vinyl-2-pyrrolidone) hydrogels: Synthesis and swelling properties. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 2819-2828.	2.1	11
83	DNA immobilization on polymer-modified Si surface by controlling pH. <i>Applied Surface Science</i> , 2009, 255, 6571-6576.	6.1	11
84	Immobilization of immunoglobulin G in a highly oriented manner on a protein-A terminated multilayer system. <i>Applied Surface Science</i> , 2011, 257, 2111-2117.	6.1	11
85	Preparation of oligoâ€‘ <i>N</i> -isopropylacrylamide brushes with -OH and -COOH endâ€‘groups via surfaceâ€‘initiated NMP. <i>Journal of Applied Polymer Science</i> , 2013, 129, 383-390.	2.6	11
86	Synthesis of dual-functional poly(6-azidohexylmethacrylate) brushes by a RAFT agent carrying carboxylic acid end groups. <i>Journal of Polymer Science Part A</i> , 2015, 53, 1696-1706.	2.3	11
87	Surface free energy analysis of vinyl triethoxy silane-methyl methacrylate copolymers and their homopolymer blends. <i>Journal of Applied Polymer Science</i> , 1998, 69, 1551-1556.	2.6	10
88	Î³-Ray induced graft copolymerization of methyl methacrylate onto poly(Î²-hydroxynonanoate). <i>Polymer Bulletin</i> , 1998, 41, 53-60.	3.3	10
89	The effect of filler type on the thermal degradation of inorganic filled poly(2-hydroxyethyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	3.8	10
90	Swelling behavior of poly{N-[3-(dimethylaminopropyl)] methacrylamide-co-acrylamide} hydrogels in aqueous solutions of surfactants. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 1645-1652.	2.1	10

#	ARTICLE	IF	CITATIONS
91	Preparation of macroporous poly(acrylamide) hydrogels by radiation induced polymerization technique. Nuclear Instruments & Methods in Physics Research B, 2007, 265, 366-369.	1.4	10
92	A new type of poly(glycidyl methacrylate) microbeads with surface grafted iminodiacetic acid: Synthesis and characterization. Polymer Bulletin, 2008, 61, 311-318.	3.3	10
93	The effect of preparation methods on the thermal properties of poly(acrylic acid) / alumina composites. Polymer Composites, 1998, 19, 193-197.	4.6	9
94	Radiation synthesis of poly(N-vinyl-2-pyrrolidone-g-tartaric acid) hydrogels and their swelling behaviors. Polymers for Advanced Technologies, 2002, 13, 87-93.	3.2	9
95	Surface free-energy analysis of poly(N-vinyl-2-pyrrolidone-crotonic acid) copolymers prepared by γ -ray-induced polymerization technique. Journal of Applied Polymer Science, 2004, 91, 1893-1897.	2.6	9
96	Synthesis and network parameters of hydrophobic poly(N-[3-(dimethylaminopropyl)]methacrylamide-co-lauryl acrylate) hydrogels. Journal of Applied Polymer Science, 2006, 101, 4159-4166.	2.6	9
97	Enhancement of uranyl ion uptake by the prestructuring of poly(2-hydroxyethyl methacrylate itaconic) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 467 Td (methacryl Applied Polymer Science, 2003, 90, 2385-2390.	2.6	8
98	External Stimuli-Responsive Characteristics of Ionic Poly[(N,N-diethylaminoethyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 Td (methacryl 2005, 290, 468-474.	3.6	8
99	Formation of dicarboxylic acid-terminated monolayers on silicon wafer surface. Surface Science, 2010, 604, 649-653.	1.9	8
100	DNA adsorption on poly(N,N-dimethylacrylamide)-grafted chitosan hydrogels. Journal of Applied Polymer Science, 2011, 120, 1420-1425.	2.6	8
101	Reentrant phase transition and network parameters of hydrophobically modified poly[2-(diethylamino)ethylmethacrylate-co-N-vinyl-2-pyrrolidone/octadecyl acrylate] hydrogels. European Polymer Journal, 2007, 43, 514-521.	5.4	7
102	Myoglobin adsorption onto poly(glycidyl methacrylate) microbeads with surface functionalized iminodiacetic acid. Materials Science and Engineering C, 2009, 29, 20-24.	7.3	7
103	Synthesis of poly(N-isopropylacrylamide) with a low molecular weight and a low polydispersity index by single electron transfer living radical polymerization. Journal of Polymer Science Part A, 2011, 49, 5116-5123.	2.3	7
104	Preparation and characterization of polysaccharide interpolymer complexes: PVA/alginate-chitosan. Journal of Applied Polymer Science, 2013, 127, 500-507.	2.6	7
105	Synthesis of superparamagnetic and thermoresponsive hybrid nanoparticles via surface-mediated RAFT polymerization of di(ethylene glycol) ethyl ether acrylate and (oligoethylene glycol) methyl ether acrylate. Journal of Polymer Science Part A, 2013, 51, 3420-3428.	2.3	7
106	Micro-patterned polymer brushes by a combination of photolithography and interface-mediated RAFT polymerization for DNA hybridization. Polymer Chemistry, 2015, 6, 6812-6818.	3.9	7
107	The Effect of Copolymer Composition on Surface Free Energy of Poly(2-Hydroxyethyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Chemistry, 2003, 40, 1173-1182.	2.2	6
108	Preparation, characterization, and surface energetics of hydroxypropyl cellulose/polyethylenimine blends. Journal of Applied Polymer Science, 2009, 114, 2751-2754.	2.6	6

#	ARTICLE	IF	CITATIONS
109	Competitive removal of Pb ²⁺ , Cd ²⁺ , and Zn ²⁺ by poly(acrylamide-co-maleic acid) hydrogels/differential pulse polarographic determination. <i>Journal of Applied Polymer Science</i> , 2004, 94, 2401-2406.	2.6	5
110	Preparation of comb-type grafted hydrogels composed of polyacrylamide and chitosan and their use for DNA adsorption. <i>Journal of Applied Polymer Science</i> , 2009, 111, 1862-1868.	2.6	5
111	Controlling immunoglobulin G orientation on a protein-A terminated bilayer system. <i>Materials Science and Engineering C</i> , 2012, 32, 1107-1111.	7.3	5
112	Reentrant phase transition and fast responsive behaviors of poly[(N-(3-(dimethylaminopropyl)methacrylamide)] hydrogels prepared in poly(ethylene glycol) solutions. <i>Journal of Applied Polymer Science</i> , 2009, 113, 547-552.	2.6	4
113	Formation of poly(octadecyl acrylate) brushes on a silicon wafer surface. <i>Polymer International</i> , 2012, 61, 581-586.	3.1	4
114	Glycopolymer brushes with specific protein recognition property. <i>Journal of Applied Polymer Science</i> , 2017, 134, 45238.	2.6	4
115	Ibuprofen-imprinted ultrathin poly[(2-hydroxypropyl) methacrylamide] films. <i>Journal of Applied Polymer Science</i> , 2018, 135, 45707.	2.6	4
116	pH-dependent swelling behavior and network parameters of ionic poly(N-t-butylacrylamide-co-acrylamide) hydrogels. <i>Journal of Applied Polymer Science</i> , 2006, 102, 1624-1630.	2.6	3
117	Thermosensitive Poly[(2-(diethylamino)ethyl methacrylate)-co-(N,N-dimethylacrylamide)] Cryogels Prepared by a Two-Step Polymerization Method. <i>Macromolecular Materials and Engineering</i> , 2006, 291, 1278-1286.	3.6	3
118	Adsorption of surfactant by hydrophobically modified effect of surfactant adsorption on the volume phase transition. <i>Journal of Applied Polymer Science</i> , 2007, 103, 3771-3775.	2.6	3
119	Gamma-rays induced copolymerization of vinyl triethoxy silane and methyl methacrylate: Their spectroscopic characterization. <i>Journal of Applied Polymer Science</i> , 1999, 73, 141-147.	2.6	2
120	Polarographic determination of the competitive adsorption of U(VI), Pb(II), and Cd(II) ions on poly(N-vinyl-2-pyrrolidone-g-citric acid) hydrogels. <i>Journal of Applied Polymer Science</i> , 2003, 89, 2019-2024.	2.6	2
121	Investigation of ZnO-release behavior of poly(N-isopropylacrylamide-co-maleic acid)/ZnO composite hydrogels by differential pulse polarography. <i>Journal of Applied Polymer Science</i> , 2004, 92, 2411-2414.	2.6	2
122	Surface chemical conversion of 3-glycidoxypropyldimethylethoxysilane on hydroxylated silicon surface: FT-IR, contact angle and ellipsometry analysis. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2012, 99, 144-149.	3.9	2
123	A novel route to prepare a multilayer system via the combination of interface-mediated catalytic chain transfer polymerization and thiol-ene click chemistry. <i>Materials Science and Engineering C</i> , 2017, 74, 103-109.	7.3	2
124	Surface-initiated single-electron transfer reversible addition-fragmentation chain transfer polymerization of 2-hydroxyethyl acrylamide on silicon substrate at ambient temperature. <i>Journal of Polymer Science Part A</i> , 2019, 57, 1140-1146.	2.3	2
125	Microwave-Assisted Synthesis of Stretchable and Transparent Poly(Ethyleneglycol-Sebacate) Elastomers with Autonomous Self-Healing and Capacitive Properties. <i>Soft Robotics</i> , 2021, 8, 262-272.	8.0	2
126	Grafting parameters and surface free energy components of photosensitive poly(methacrylated) Tj ETQq0 0 0 rgBT/Overlock_10 Tf 50 6	2.2	2

#	ARTICLE	IF	CITATIONS
127	Grafting density of oligo-bottle-brushes on silicon surface: effect of mole fraction of RAFT agent-functionalized alkenes in mixed self-assembled monolayers. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2020, 57, 479-487.	2.2	1
128	Synthesis of hyaluronated poly(exo-7-oxabicyclo[2.2.1]hept-5-en-2,3-dicarboxylic anhydride) brushes via a combination of surface-initiated ring-opening metathesis polymerization and thiol-ene click reaction. <i>Chemical Papers</i> , 2021, 75, 1629-1638.	2.2	1
129	Toward the Replacement of Long-Chain Perfluoroalkyl Compounds: Perfluoropolyether-Based Low Surface Energy Grafted Nanocoatings. <i>ACS Applied Polymer Materials</i> , 2022, 4, 980-986.	4.4	1
130	Alginate Blends of Poly(vinyl alcohol) and Poly(N -vinyl-2-pyrrolidone) for Higher Physicomechanical Properties. , 2017, , 565-579.		0
131	Photo-control of poly(N-[4-[(4-Nitrophenyl)azo]phenyl]acrylamide) brushes on graphene oxide coated silicon surface. <i>Chemical Papers</i> , 2019, 73, 927-935.	2.2	0