

Juan Antonio Ocaña González

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4733845/publications.pdf>

Version: 2024-02-01

22
papers

1,035
citations

516215

16
h-index

676716

22
g-index

22
all docs

22
docs citations

22
times ranked

1170
citing authors

#	ARTICLE	IF	CITATIONS
1	A Method for the Determination of Veterinary Drugs from Different Therapeutic Classes in Animal Urine. <i>Journal of Chromatographic Science</i> , 2020, 58, 127-135.	0.7	2
2	New developments in microextraction techniques in bioanalysis. A review. <i>Analytica Chimica Acta</i> , 2016, 905, 8-23.	2.6	169
3	Agar films containing silver nanoparticles as new supports for electromembrane extraction. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 1519-1525.	1.9	45
4	New developments in the extraction and determination of parabens in cosmetics and environmental samples. A review. <i>Analytica Chimica Acta</i> , 2015, 858, 1-15.	2.6	102
5	Hollow-fiber liquid-phase microextraction for the direct determination of flumequine in urban wastewaters by flow-injection analysis with terbium-sensitized chemiluminescence. <i>Journal of Separation Science</i> , 2014, 37, 2738-2744.	1.3	8
6	Application of chemiluminescence in the analysis of wastewaters – A review. <i>Talanta</i> , 2014, 122, 214-222.	2.9	54
7	Classification of Sherry vinegars by combining multidimensional fluorescence, parafac and different classification approaches. <i>Talanta</i> , 2012, 88, 456-462.	2.9	63
8	Analytical Applications of Hollow Fiber Liquid Phase Microextraction (HF-LPME): A Review. <i>Analytical Letters</i> , 2012, 45, 804-830.	1.0	115
9	Hollow fiber-based liquid phase microextraction (HF-LPME) as a new approach for the HPLC determination of fluoroquinolones in biological and environmental matrices. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011, 55, 332-341.	1.4	76
10	Rapid Flow-Injection Method for the Determination of Colistin by Sensitized Chemiluminescence Using the Acidic Permanganate–Sulfite System. <i>Analytical Letters</i> , 2009, 42, 1471-1478.	1.0	4
11	Fluorometric Determination of Mixtures of Quinolones by Means of Partial Least Squares and Neural Networks. <i>Analytical Sciences</i> , 2007, 23, 337-341.	0.8	3
12	Spectrofluorimetric and micelle-enhanced spectrofluorimetric determination of gatifloxacin in human urine and serum. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005, 37, 327-332.	1.4	65
13	Simultaneous Determination of Cefepime and the Quinolones Garenoxacin, Moxifloxacin and Levofloxacin in Human Urine by HPLC-UV. <i>Mikrochimica Acta</i> , 2005, 151, 39-45.	2.5	28
14	Nitrate Accumulation and Other Components of the Groundwater in Relation to Cropping System in an Aquifer in Southwestern Spain. <i>Water Resources Management</i> , 2005, 19, 1-22.	1.9	24
15	Application of Lanthanide-Sensitized Chemiluminescence to the Determination of Levofloxacin, Moxifloxacin and Trovafloxacin in Tablets. <i>Mikrochimica Acta</i> , 2004, 144, 207-213.	2.5	42
16	Simultaneous determination of cefepime and grepafloxacin in human urine by high-performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004, 36, 117-123.	1.4	11
17	Fluorescence and terbium-sensitized luminescence determination of garenoxacin in human urine and serum. <i>Talanta</i> , 2004, 63, 691-697.	2.9	37
18	Lanthanide sensitized chemiluminescence determination of grepafloxacin in tablets and human urine. <i>Analytica Chimica Acta</i> , 2003, 482, 105-113.	2.6	26

#	ARTICLE	IF	CITATIONS
19	Application of Terbium-Sensitized Luminescence for the Determination of Grepafloxacin in Human Urine and Serum. Journal of Pharmaceutical Sciences, 2001, 90, 1553-1557.	1.6	13
20	Determination of trovafloxacin in human serum by time resolved terbium-sensitised luminescence. European Journal of Pharmaceutical Sciences, 2001, 13, 297-301.	1.9	27
21	Terbium-sensitized luminescence determination of levofloxacin in tablets and human urine and serum. Analyst, The, 2000, 125, 1851-1854.	1.7	59
22	Spectrofluorimetric determination of moxifloxacin in tablets, human urine and serum. Analyst, The, 2000, 125, 2322-2325.	1.7	62