

Felipe PÃ©rez-GarcÃ­a

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4734473/publications.pdf>

Version: 2024-02-01

39
papers

848
citations

623574

14
h-index

552653

26
g-index

46
all docs

46
docs citations

46
times ranked

1965
citing authors

#	ARTICLE	IF	CITATIONS
1	Panbio antigen rapid test is reliable to diagnose SARS-CoV-2 infection in the first 7 days after the onset of symptoms. <i>Journal of Clinical Virology</i> , 2020, 133, 104659.	1.6	207
2	Viral RNA load in plasma is associated with critical illness and a dysregulated host response in COVID-19. <i>Critical Care</i> , 2020, 24, 691.	2.5	185
3	Plasma miRNA profile at COVID-19 onset predicts severity status and mortality. <i>Emerging Microbes and Infections</i> , 2022, 11, 676-688.	3.0	44
4	Alltest rapid lateral flow immunoassays is reliable in diagnosing SARS-CoV-2 infection from 14 days after symptom onset: A prospective single-center study. <i>Journal of Clinical Virology</i> , 2020, 129, 104473.	1.6	40
5	Diagnostic performance of CerTest and Panbio antigen rapid diagnostic tests to diagnose SARS-CoV-2 infection. <i>Journal of Clinical Virology</i> , 2021, 137, 104781.	1.6	36
6	<i>Candida guilliermondii</i> Complex Is Characterized by High Antifungal Resistance but Low Mortality in 22 Cases of Candidemia. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	1.4	33
7	Comparative evaluation of Panbio and SD Biosensor antigen rapid diagnostic tests for COVID-19 diagnosis. <i>Journal of Medical Virology</i> , 2021, 93, 5650-5654.	2.5	24
8	Influenza A and B co-infection: a case-control study and review of the literature. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2016, 35, 941-946.	1.3	23
9	Low anti-SARS-CoV-2 S antibody levels predict increased mortality and dissemination of viral components in the blood of critical COVID-19 patients. <i>Journal of Internal Medicine</i> , 2022, 291, 232-240.	2.7	21
10	Comparison of real-time and droplet digital PCR to detect and quantify SARS-CoV-2 RNA in plasma. <i>European Journal of Clinical Investigation</i> , 2021, 51, e13501.	1.7	20
11	High SARS-CoV-2 Viral Load and Low CCL5 Expression Levels in the Upper Respiratory Tract Are Associated With COVID-19 Severity. <i>Journal of Infectious Diseases</i> , 2022, 225, 977-982.	1.9	20
12	HCV core-antigen assay as an alternative to HCV RNA quantification: A correlation study for the assessment of HCV viremia. <i>Enfermedades Infecciosas Y MicrobiologÃa ClÃnica</i> , 2018, 36, 175-178.	0.3	19
13	Severe acute respiratory coronavirus virus 2 (SARS-CoV-2) infection among hospital workers in a severely affected institution in Madrid, Spain: A surveillance cross-sectional study. <i>Infection Control and Hospital Epidemiology</i> , 2021, 42, 803-809.	1.0	19
14	Estimation of missed bloodstream infections without the third blood culture set: a retrospective observational single-centre study. <i>Clinical Microbiology and Infection</i> , 2019, 25, 469-473.	2.8	16
15	New direct-acting antivirals for patients with chronic HCV infection: can we monitor treatment using an HCV core antigen assay?. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017, 87, 243-246.	0.8	15
16	Evaluation of the Architect HIV Ag/Ab Combo Assay in a low-prevalence setting: The role of samples with a low S/CO ratio. <i>Journal of Clinical Virology</i> , 2018, 103, 43-47.	1.6	15
17	<i>Mycobacterium tuberculosis</i> Acquires Limited Genetic Diversity in Prolonged Infections, Reactivations and Transmissions Involving Multiple Hosts. <i>Frontiers in Microbiology</i> , 2018, 8, 2661.	1.5	12
18	Comparative evaluation of six immunoassays for the detection of antibodies against SARS-CoV-2. <i>Journal of Virological Methods</i> , 2021, 289, 114047.	1.0	11

#	ARTICLE	IF	CITATIONS
19	Methodology of a Large Multicenter Observational Study of Patients with COVID-19 in Spanish Intensive Care Units. <i>Archivos De Bronconeumologia</i> , 2022, 58, 22-31.	0.4	10
20	Improved method for the detection of catheter colonization and catheter-related bacteremia in newborns. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017, 87, 311-314.	0.8	8
21	Diagnostic performance of Anyplex II MTB/MDR/XDR for detection of resistance to first and second line drugs in <i>Mycobacterium tuberculosis</i> . <i>Journal of Microbiological Methods</i> , 2017, 139, 74-78.	0.7	7
22	Are Reduced Levels of Coagulation Proteins Upon Admission Linked to COVID-19 Severity and Mortality?. <i>Frontiers in Medicine</i> , 2021, 8, 718053.	1.2	7
23	Age-Adjusted Endothelial Activation and Stress Index for Coronavirus Disease 2019 at Admission Is a Reliable Predictor for 28-Day Mortality in Hospitalized Patients With Coronavirus Disease 2019. <i>Frontiers in Medicine</i> , 2021, 8, 736028.	1.2	4
24	OLFM4 polymorphisms predict septic shock survival after major surgery. <i>European Journal of Clinical Investigation</i> , 2021, 51, e13416.	1.7	3
25	Prevalence and Risk Factors for Mortality Related to COVID-19 in a Severely Affected Area of Madrid, Spain. <i>SSRN Electronic Journal</i> , 0, , .	0.4	3
26	High Seroprevalence Against SARS-CoV-2 Among Faculty of Medicine and Health Sciences Personnel and Students of the University of AlcalÃ¡, Spain: Contributing Factors. <i>International Journal of General Medicine</i> , 2021, Volume 14, 7017-7024.	0.8	3
27	Hepatitis E Virus Seroprevalence is Associated with Neurodegenerative Disorders in Older People with Dementia: A Case-Control Study. <i>Journal of Infectious Diseases</i> , 0, , .	1.9	2
28	Equatorial Guinea, a multidrug-resistant tuberculosis hotspot in Central Africa. <i>European Respiratory Journal</i> , 2017, 49, 1600952.	3.1	1
29	IFNL3 rs12980275 Polymorphism Predicts Septic Shock-Related Death in Patients Undergoing Major Surgery: A Retrospective Study. <i>Frontiers in Medicine</i> , 2020, 7, 186.	1.2	1
30	Failure to Detect Oxacillin Susceptibility in <i>Staphylococcus aureus</i> Due to the Presence of an Extended-Spectrum Beta-Lactamase Producer in a Patient with Polymicrobial Bacteremia. <i>Clinical Microbiology Newsletter</i> , 2016, 38, 135-136.	0.4	0
31	Infections by emerging serogroups of <i>Neisseria meningitidis</i> : A case report. <i>Enfermedades Infecciosas Y MicrobiologÃa ClÃnica</i> , 2019, 37, 142-143.	0.3	0
32	Escalas predictoras de mortalidad en pacientes con gripe: lecciones aprendidas y camino por recorrer. <i>Medicina ClÃnica</i> , 2019, 153, 430-431.	0.3	0
33	Infections by emerging serogroups of <i>Neisseria meningitidis</i> : A case report. <i>Enfermedades Infecciosas Y Microbiologia Clinica (English Ed)</i> , 2019, 37, 142-143.	0.2	0
34	Predictive scores of mortality in patients with influenza: lessons learned and way to go. <i>Medicina ClÃnica (English Edition)</i> , 2019, 153, 430-431.	0.1	0
35	IL-1R1 rs6755229 polymorphism is related to death in patients undergoing major surgery who develop septic shock: a retrospective study. <i>Infectious Diseases</i> , 2021, , 1-4.	1.4	0
36	CEACAM7 polymorphisms predict genetic predisposition to mortality in post-surgical septic shock patients. <i>Journal of Microbiology, Immunology and Infection</i> , 2021, , .	1.5	0

#	ARTICLE	IF	CITATIONS
37	High Seroprevalence Against SARS-CoV-2 Among Faculty of Medicine and Health Sciences Personnel and Students of the University of AlcalÃ¡, Spain: Contributing Factors. International Journal of General Medicine, 2021, 14, 7017-7024.	0.8	0
38	Reply to Pati et al. Journal of Infectious Diseases, 2022, , .	1.9	0
39	Misdiagnosis rate among negative COVID-19 patients in real-life with Panbio COVID-19 antigen rapid test during 2021. Journal of Infection, 2022, , .	1.7	0