## Thomas M Kinfe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4735964/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Appropriate Use of Neurostimulation of the Spinal Cord and Peripheral Nervous System for the Treatment of Chronic Pain and Ischemic Diseases: The Neuromodulation Appropriateness Consensus Committee. Neuromodulation, 2014, 17, 515-550.	0.4	441
2	Cervical non-invasive vagus nerve stimulation (nVNS) for preventive and acute treatment of episodic and chronic migraine and migraine-associated sleep disturbance: preliminary findings from a prospective observational cohort study. Journal of Headache and Pain, 2015, 16, 101.	2.5	85
3	Elevated Systemic IL-6 Levels in Patients with Aneurysmal Subarachnoid Hemorrhage Is an Unspecific Marker for Post-SAH Complications. International Journal of Molecular Sciences, 2017, 18, 2580.	1.8	79
4	Role of Damage Associated Molecular Pattern Molecules (DAMPs) in Aneurysmal Subarachnoid Hemorrhage (aSAH). International Journal of Molecular Sciences, 2018, 19, 2035.	1.8	65
5	Kinetics of oxytocin effects on amygdala and striatal reactivity vary between women and men. Neuropsychopharmacology, 2020, 45, 1134-1140.	2.8	65
6	Chronic deep brain stimulation in patients with tardive dystonia without a history of major psychosis. Movement Disorders, 2010, 25, 1477-1481.	2.2	60
7	Micrographia induced by pallidal DBS for segmental dystonia: a subtle sign of hypokinesia?. Journal of Neural Transmission, 2011, 118, 549-553.	1.4	58
8	High Frequency (10 kHz) or Burst Spinal Cord Stimulation in Failed Back Surgery Syndrome Patients With Predominant Back Pain: Preliminary Data From a Prospective Observational Study. Neuromodulation, 2016, 19, 268-275.	0.4	57
9	Deep brain stimulation for camptocormia in dystonia and Parkinson's disease. Journal of Neurology, 2011, 258, 96-103.	1.8	50
10	Skull Base Chordomas and Chondrosarcomas. Neuroendocrinology, 2020, 110, 836-847.	1.2	43
11	Burst Spinal Cord Stimulation Increases Peripheral Antineuroinflammatory Interleukin 10 Levels in Failed Back Surgery Syndrome Patients With Predominant Back Pain. Neuromodulation, 2017, 20, 322-330.	0.4	39
12	Burst Spinal Cord Stimulation: Review of Preclinical Studies and Comments on Clinical Outcomes. Neuromodulation, 2018, 21, 431-439.	0.4	37
13	Percutaneous Implanted Paddle Lead for Spinal Cord Stimulation: Technical Considerations and Long-Term Follow-Up. Neuromodulation, 2012, 15, 402-407.	0.4	35
14	Inter-ictal assay of peripheral circulating inflammatory mediators in migraine patients under adjunctive cervical non-invasive vagus nerve stimulation (nVNS): A proof-of-concept study. Brain Stimulation, 2019, 12, 643-651.	0.7	34
15	Aneurysmal subarachnoid hemorrhage lead to systemic upregulation of IL-23/IL-17 inflammatory axis. Cytokine, 2017, 97, 96-103.	1.4	33
16	Occipital nerve block prior to occipital nerve stimulation for refractory chronic migraine and chronic cluster headache: Myth or prediction?. Cephalalgia, 2015, 35, 359-362.	1.8	31
17	Systemic High-Mobility Group Box-1: A Novel Predictive Biomarker for Cerebral Vasospasm in Aneurysmal Subarachnoid Hemorrhage*. Critical Care Medicine, 2018, 46, e1023-e1028.	0.4	31
18	A Review of Spinal and Peripheral Neuromodulation and Neuroinflammation: Lessons Learned Thus Far and Future Prospects of Biotype Development. Neuromodulation, 2019, 22, 235-243.	0.4	30

THOMAS M KINFE

#	Article	IF	CITATIONS
19	Selective L4 Dorsal Root Ganglion Stimulation Evokes Pain Relief and Changes of Inflammatory Markers: Part I Profiling of Saliva and Serum Molecular Patterns. Neuromodulation, 2019, 22, 44-52.	0.4	27
20	The Impact of Multichannel Microelectrode Recording (MER) in Deep Brain Stimulation of the Basal Ganglia. Acta Neurochirurgica Supplementum, 2013, 117, 27-33.	0.5	26
21	Oxytocin reduces a chemosensory-induced stress bias in social perception. Neuropsychopharmacology, 2019, 44, 281-288.	2.8	26
22	Paddle Versus Cylindrical Leads for Percutaneous Implantation in Spinal Cord Stimulation for Failed Back Surgery Syndrome: A Single-Center Trial. Journal of Neurological Surgery, Part A: Central European Neurosurgery, 2014, 75, 467-473.	0.4	23
23	Is Spinal Cord Stimulation Useful and Safe for the Treatment of Chronic Pain of Ischemic Origin? A Review. Clinical Journal of Pain, 2016, 32, 7-13.	0.8	22
24	Unilateral L4-dorsal root ganglion stimulation evokes pain relief in chronic neuropathic postsurgical knee pain and changes of inflammatory markers: part II whole transcriptome profiling. Journal of Translational Medicine, 2019, 17, 205.	1.8	22
25	Decompressive Craniectomy for Stroke: Early Cranioplasty Is a Predictor for Postoperative Complications. World Neurosurgery, 2016, 92, 83-88.	0.7	21
26	Tissue Hypoxia and Alterations in Microvascular Architecture Predict Glioblastoma Recurrence in Humans. Clinical Cancer Research, 2021, 27, 1641-1649.	3.2	21
27	LINAC stereotactic radiosurgery for trigeminal neuralgia –retrospective two-institutional examination of treatment outcomes. Radiation Oncology, 2018, 13, 153.	1.2	20
28	Vagus nerve stimulation reduces spreading depolarization burden and cortical infarct volume in a rat model of stroke. PLoS ONE, 2020, 15, e0236444.	1.1	20
29	Elevated Systemic IL-10 Levels Indicate Immunodepression Leading to Nosocomial Infections after Aneurysmal Subarachnoid Hemorrhage (SAH) in Patients. International Journal of Molecular Sciences, 2020, 21, 1569.	1.8	20
30	Centromedian–Parafascicular and Somatosensory Thalamic Deep Brain Stimulation for Treatment of Chronic Neuropathic Pain: A Contemporary Series of 40 Patients. Biomedicines, 2021, 9, 731.	1.4	20
31	Occipital Nerve Stimulation for Refractory Occipital Pain after Occipitocervical Fusion: Expanding Indications. Stereotactic and Functional Neurosurgery, 2008, 86, 391-393.	0.8	19
32	Treatment of acromegaly patients with risk-adapted single or fractionated stereotactic high-precision radiotherapy. Strahlentherapie Und Onkologie, 2015, 191, 477-485.	1.0	18
33	Spotlight on cervical vagus nerve stimulation for the treatment of primary headache disorders: a review. Journal of Pain Research, 2018, Volume 11, 1613-1625.	0.8	17
34	Radiophysiomics: Brain Tumors Classification by Machine Learning and Physiological MRI Data. Cancers, 2022, 14, 2363.	1.7	17
35	Elevated level of cerebrospinal fluid and systemic chemokine CCL5 is a predictive biomarker of clinical outcome after aneurysmal subarachnoid hemorrhage (aSAH). Cytokine, 2020, 133, 155142.	1.4	15
36	Saliva molecular inflammatory profiling in female migraine patients responsive to adjunctive cervical non-invasive vagus nerve stimulation: the MOXY Study. Journal of Translational Medicine, 2019, 17, 53.	1.8	13

THOMAS M KINFE

#	Article	IF	CITATIONS
37	Less Is More: Adaptation of Voltage after Battery Replacement in Deep Brain Stimulation for Dystonia. Stereotactic and Functional Neurosurgery, 2010, 88, 311-314.	0.8	12
38	Partial Response of Intractable Cluster-Tic Syndrome Treated by Cervical Non-Invasive Vagal Nerve Stimulation (nVNS). Brain Stimulation, 2015, 8, 669-671.	0.7	12
39	Solitary fibrous tumor of the foramen of Monro. Clinical Neurology and Neurosurgery, 2008, 110, 404-407.	0.6	11
40	Impact of surgical treatment on tremor due to posterior fossa tumors. Journal of Neurosurgery, 2008, 108, 692-697.	0.9	11
41	Deep brain stimulation for treatment of hemichorea-hemiballism after craniopharyngioma resection: long-term follow-up. Journal of Neurosurgery, 2011, 115, 966-970.	0.9	11
42	Changes of Metabolic Disorders Associated Peripheral Cytokine/Adipokine Traffic in Non-Obese Chronic Back Patients Responsive to Burst Spinal Cord Stimulation. Neuromodulation, 2018, 21, 31-37.	0.4	10
43	Leptin and Associated Mediators of Immunometabolic Signaling: Novel Molecular Outcome Measures for Neurostimulation to Treat Chronic Pain. International Journal of Molecular Sciences, 2019, 20, 4737.	1.8	10
44	Increased Temporal Discounting in Social Anxiety Disorder Normalizes after Oxytocin Treatment. Psychotherapy and Psychosomatics, 2019, 88, 55-57.	4.0	10
45	Incisionless MR-guided focused ultrasound: technical considerations and current therapeutic approaches in psychiatric disorders. Expert Review of Neurotherapeutics, 2020, 20, 687-696.	1.4	9
46	Deep brain stimulation in patients on chronic antiplatelet or anticoagulation treatment. Acta Neurochirurgica, 2021, 163, 2825-2831.	0.9	9
47	Pallidal deep brain stimulation in belly dancer's dyskinesia. Movement Disorders, 2009, 24, 1698-1700.	2.2	8
48	Stereotactic versus endoscopic surgery in periventricular lesions. Acta Neurochirurgica, 2011, 153, 517-526.	0.9	8
49	Extended Long-Term Effects of Cervical Vagal Nerve Stimulation on Headache Intensity/Frequency and Affective/Cognitive Headache Perception in Drug Resistant Complex-Partial Seizure Patients. Neuromodulation, 2017, 20, 375-382.	0.4	7
50	Quantitative sensory phenotyping in chronic neuropathic pain patients treated with unilateral L4-dorsal root ganglion stimulation. Journal of Translational Medicine, 2020, 18, 403.	1.8	7
51	Melatonin Moderates the Triangle of Chronic Pain, Sleep Architecture and Immunometabolic Traffic. Biomedicines, 2021, 9, 984.	1.4	7
52	Deep Brain Stimulation, Stereotactic Radiosurgery and High-Intensity Focused Ultrasound Targeting the Limbic Pain Matrix: A Comprehensive Review. Pain and Therapy, 2022, 11, 459-476.	1.5	7
53	The Diagnostic and Therapeutic Role of Leptin and Its Receptor ObR in Glioblastoma Multiforme. Cancers, 2020, 12, 3691.	1.7	6
54	Migraine Improvement After Anterior Thalamic Deep Brain Stimulation for Drugâ€Resistant Idiopathic Generalized Seizure: A Case Report. Headache, 2017, 57, 964-966.	1.8	5

THOMAS M KINFE

#	Article	IF	CITATIONS
55	Subperceptional Burst Versus Perceptional Tonic Spinal Cord Stimulation Waveforms for Drug-resistant Orthostatic Tremor: Comparative Data of 2 Cases. Movement Disorders Clinical Practice, 2017, 4, 612-615.	0.8	5
56	Metabolic Tumor Microenvironment Characterization of Contrast Enhancing Brain Tumors Using Physiologic MRI. Metabolites, 2021, 11, 668.	1.3	5
57	Earlier and sustained response with incidental use of cardiovascular drugs among patients with low- to medium-grade meningiomas treated with radiosurgery (SRS) or stereotactic radiotherapy (SRT). Radiotherapy and Oncology, 2014, 111, 446-450.	0.3	4
58	The Usefulness of Spinal Cord Stimulation for Chronic Pain Due to Combined Vasospastic Prinzmetal Angina and Diabetic Neuropathic Pain of the Lower Limbs. Journal of Neurological Surgery, Part A: Central European Neurosurgery, 2016, 77, 176-178.	0.4	4
59	Stereotactic MR-guided focused ultrasound deep brain lesioning: the resurrection of posteroventral pallidotomy and thalamotomy for Parkinson's disease?. Acta Neurochirurgica, 2017, 159, 1367-1369.	0.9	4
60	Association between tissue hypoxia, perfusion restrictions, and microvascular architecture alterations with lesion-induced impairment of neurovascular coupling. Journal of Cerebral Blood Flow and Metabolism, 2022, 42, 526-539.	2.4	4
61	Are Transventricular Approaches Associated With Increased Hemorrhage? A Comparative Study in a Series of 624 Deep Brain Stimulation Surgeries. Operative Neurosurgery, 2022, 23, e108-e113.	0.4	4
62	Burst Motor Cortex Stimulation Evokes Sustained Suppression of Thalamic Stroke Pain: A Narrative Review and Single-Case Overview. Pain and Therapy, 2021, 10, 101-114.	1.5	2
63	Hypoxia and Microvascular Alterations Are Early Predictors of IDH-Mutated Anaplastic Glioma Recurrence. Cancers, 2021, 13, 1797.	1.7	2
64	Physiological MRI of microvascular architecture, neovascularization activity, and oxygen metabolism facilitate early recurrence detection in patients with IDH-mutant WHO grade 3 glioma. Neuroradiology, 2022, 64, 265-277.	1.1	2
65	The default mode network: a neuroimaging-based objective biomarker and predictor for neuromodulation treatment of migraine?. Journal of Neurosurgical Sciences, 2018, 62, 378-379.	0.3	2
66	Reconstruction of the petrosal bone for treatment of kinetic tremor due to cerebellar herniation and torsion of cerebellar outflow pathways. Movement Disorders, 2008, 23, 1485-1487.	2.2	1
67	The impact of MRI steady-state sequences as an additional assessment modality in vestibular schwannoma patients after LINAC stereotactic radiotherapy or radiosurgery. Strahlentherapie Und Onkologie, 2018, 194, 1103-1113.	1.0	1
68	Pallidal Deep Brain Stimulation in Patients with Prior Bilateral Pallidotomy and Selective Peripheral Denervation for Treatment of Dystonia. Stereotactic and Functional Neurosurgery, 2021, 99, 1-5.	0.8	1
69	The anesthetic approach for endovascular recanalization therapy depends on the lesion site in acute ischemic stroke. Neuroradiology, 2021, 63, 2121-2129.	1.1	1
70	Deep brain stimulation and stereotactic-assisted brain graft injection targeting fronto-striatal circuits for Huntington's disease: an update. Expert Review of Neurotherapeutics, 0, , 1-8.	1.4	1
71	Is Molecular Inflammatory Profiling a Useful Tool for Personalized Brain Stimulation in Psychiatric Disorders?. Neuromodulation, 2018, 21, 826-827.	0.4	0
72	Progress in noninvasive, abortive neuromodulation therapy for treating acute pain in primary headache disorders. Pain Management, 2019, 9, 9-11.	0.7	0

#	Article	IF	CITATIONS
73	Can we use the dynamic and complex interplay between pain and sleep to quantify neuromodulation responsiveness for chronic pain?. Expert Review of Neurotherapeutics, 2021, 21, 141-143.	1.4	0
74	A Clarion Call for Neuroinflammatory Assays in Brain Stimulation for Chronic Pain. Brain Sciences, 2022, 12, 364.	1.1	0