

# Thomas G Pomorski

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4736230/thomas-g-pomorski-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88  
papers

2,866  
citations

31  
h-index

52  
g-index

101  
ext. papers

3,274  
ext. citations

5.1  
avg, IF

5.09  
L-index

#	Paper	IF	Citations
88	CDC50A is required for aminophospholipid transport and cell fusion in mouse C2C12 myoblasts. <i>Journal of Cell Science</i> , <b>2022</b> , 135,	5.3	2
87	A Fluorescence-based Assay for Measuring Phospholipid Scramblase Activity in Giant Unilamellar Vesicles.. <i>Bio-protocol</i> , <b>2022</b> , 12, e4366	0.9	
86	NBD-lipid Uptake Assay for Mammalian Cell Lines.. <i>Bio-protocol</i> , <b>2022</b> , 12, e4330	0.9	
85	Autoinhibition and regulation by phosphoinositides of ATP8B1, a human lipid flippase associated with intrahepatic cholestatic disorders.. <i>ELife</i> , <b>2022</b> , 11,	8.9	3
84	Chloroplast Ribosomes Interact With the Insertase Alb3 in the Thylakoid Membrane.. <i>Frontiers in Plant Science</i> , <b>2021</b> , 12, 781857	6.2	0
83	Imaging of Lipid Uptake in Seedlings Utilizing Fluorescent Lipids and Confocal Microscopy.. <i>Bio-protocol</i> , <b>2021</b> , 11, e4228	0.9	2
82	P-Type ATPase Apt1 of the Fungal Pathogen Is a Lipid Flippase of Broad Substrate Specificity. <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2021</b> , 7,	5.6	2
81	Aminoglycerophospholipid flipping and P4-ATPases in <i>Toxoplasma gondii</i> . <i>Journal of Biological Chemistry</i> , <b>2021</b> , 296, 100315	5.4	5
80	Endoplasmic reticulum phospholipid scramblase activity revealed after protein reconstitution into giant unilamellar vesicles containing a photostable lipid reporter. <i>Scientific Reports</i> , <b>2021</b> , 11, 14364	4.9	2
79	Structural requirements for membrane binding of human guanylate-binding protein 1. <i>FEBS Journal</i> , <b>2021</b> , 288, 4098-4114	5.7	3
78	Improved quantum efficiency in an engineered light harvesting/photosystem II super-complex for high current density biophotoanodes. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 14463-14471	13	4
77	Small Lipoprotein Atu8019 Is Involved in Selective Outer Membrane Vesicle (OMV) Docking to Bacterial Cells. <i>Frontiers in Microbiology</i> , <b>2020</b> , 11, 1228	5.7	12
76	Functional Significance of Conserved Cysteines in the Extracellular Loops of the ATP Binding Cassette Transporter Pdr11p. <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2020</b> , 7,	5.6	1
75	Label-Free Fluorescence Quantification of Hydrolytic Enzyme Activity on Native Substrates Reveals How Lipase Function Depends on Membrane Curvature. <i>Langmuir</i> , <b>2020</b> , 36, 6473-6481	4	6
74	The transport mechanism of P4 ATPase lipid flippases. <i>Biochemical Journal</i> , <b>2020</b> , 477, 3769-3790	3.8	9
73	Pseudohyphal growth in involves protein kinase-regulated lipid flippases. <i>Journal of Cell Science</i> , <b>2020</b> , 133,	5.3	9
72	Role of lipid transporters in fungal physiology and pathogenicity. <i>Computational and Structural Biotechnology Journal</i> , <b>2019</b> , 17, 1278-1289	6.8	8

71	Time-resolved small-angle neutron scattering as a probe for the dynamics of lipid exchange between human lipoproteins and naturally derived membranes. <i>Scientific Reports</i> , <b>2019</b> , 9, 7591	4.9	14
70	Short-chain lipid-conjugated pH sensors for imaging of transporter activities in reconstituted systems and living cells. <i>Analyst, The</i> , <b>2019</b> , 144, 3030-3037	5	3
69	Non-invasive Quantification of Cell Wall Porosity by Fluorescence Quenching Microscopy. <i>Bio-protocol</i> , <b>2019</b> , 9, e3344	0.9	1
68	Novel tool to quantify cell wall porosity relates wall structure to cell growth and drug uptake. <i>Journal of Cell Biology</i> , <b>2019</b> , 218, 1408-1421	7.3	6
67	The P5A ATPase Spf1p is stimulated by phosphatidylinositol 4-phosphate and influences cellular sterol homeostasis. <i>Molecular Biology of the Cell</i> , <b>2019</b> , 30, 1069-1084	3.5	22
66	The lipid head group is the key element for substrate recognition by the P4 ATPase ALA2: a phosphatidylserine flippase. <i>Biochemical Journal</i> , <b>2019</b> , 476, 783-794	3.8	8
65	Ergosterol is mainly located in the cytoplasmic leaflet of the yeast plasma membrane. <i>Traffic</i> , <b>2018</b> , 19, 198-214	5.7	40
64	LEGO-Inspired Drug Design: Unveiling a Class of Benzo[d]thiazoles Containing a 3,4-Dihydroxyphenyl Moiety as Plasma Membrane H <sup>+</sup> -ATPase Inhibitors. <i>ChemMedChem</i> , <b>2018</b> , 13, 37-47	3.7	4
63	Purification and characterisation of the yeast plasma membrane ATP binding cassette transporter Pdr11p. <i>PLoS ONE</i> , <b>2017</b> , 12, e0184236	3.7	6
62	Membrane protein reconstitution into giant unilamellar vesicles: a review on current techniques. <i>European Biophysics Journal</i> , <b>2017</b> , 46, 103-119	1.9	65
61	Lipid somersaults: Uncovering the mechanisms of protein-mediated lipid flipping. <i>Progress in Lipid Research</i> , <b>2016</b> , 64, 69-84	14.3	108
60	Biophysical study of resin acid effects on phospholipid membrane structure and properties. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2016</b> , 1858, 2827-2838	3.8	10
59	Direct observation of proton pumping by a eukaryotic P-type ATPase. <i>Science</i> , <b>2016</b> , 351, 1469-73	33.3	57
58	Measuring H <sup>(+)</sup> Pumping and Membrane Potential Formation in Sealed Membrane Vesicle Systems. <i>Methods in Molecular Biology</i> , <b>2016</b> , 1377, 171-80	1.4	2
57	Assay of Flippase Activity in Proteoliposomes Using Fluorescent Lipid Derivatives. <i>Methods in Molecular Biology</i> , <b>2016</b> , 1377, 181-91	1.4	3
56	Cell-Based Lipid Flippase Assay Employing Fluorescent Lipid Derivatives. <i>Methods in Molecular Biology</i> , <b>2016</b> , 1377, 371-82	1.4	4
55	Application of image cytometry to characterize heterologous lipid flippases in yeast. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , <b>2016</b> , 89, 673-80	4.6	4
54	Role of post-translational modifications at the $\beta$ subunit ectodomain in complex association with a promiscuous plant P4-ATPase. <i>Biochemical Journal</i> , <b>2016</b> , 473, 1605-15	3.8	13

53	Biosynthetic preparation of selectively deuterated phosphatidylcholine in genetically modified <i>Escherichia coli</i> . <i>Applied Microbiology and Biotechnology</i> , <b>2015</b> , 99, 241-54	5.7	28
52	A phospholipid uptake system in the model plant <i>Arabidopsis thaliana</i> . <i>Nature Communications</i> , <b>2015</b> , 6, 7649	17.4	52
51	A lipid switch unlocks Parkinson's disease-associated ATP13A2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2015</b> , 112, 9040-5	11.5	68
50	Cell wall staining with Trypan blue enables quantitative analysis of morphological changes in yeast cells. <i>Frontiers in Microbiology</i> , <b>2015</b> , 6, 107	5.7	33
49	Lipid-conjugated fluorescent pH sensors for monitoring pH changes in reconstituted membrane systems. <i>Analyst, The</i> , <b>2015</b> , 140, 6313-20	5	22
48	Structure and mechanism of ATP-dependent phospholipid transporters. <i>Biochimica Et Biophysica Acta - General Subjects</i> , <b>2015</b> , 1850, 461-75	4	53
47	Novel approach to measure the size of plasma-membrane nanodomains in single molecule localization microscopy. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , <b>2015</b> , 87, 868-77	4.6	11
46	Specific Activation of the Plant P-type Plasma Membrane H <sup>+</sup> -ATPase by Lysophospholipids Depends on the Autoinhibitory N- and C-terminal Domains. <i>Journal of Biological Chemistry</i> , <b>2015</b> , 290, 16281-91	5.4	18
45	Grafted biomembranes containing membrane proteins--the case of the leucine transporter. <i>Soft Matter</i> , <b>2015</b> , 11, 7707-11	3.6	11
44	Formation and Characterization of Supported Lipid Bilayers Composed of Hydrogenated and Deuterated <i>Escherichia coli</i> Lipids. <i>PLoS ONE</i> , <b>2015</b> , 10, e0144671	3.7	37
43	P4-ATPases: lipid flippases in cell membranes. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2014</b> , 466, 1227-40	4.6	86
42	Metabolic incorporation of unsaturated fatty acids into boar spermatozoa lipids and de novo formation of diacylglycerols. <i>Chemistry and Physics of Lipids</i> , <b>2014</b> , 177, 41-50	3.7	7
41	Stealth carriers for low-resolution structure determination of membrane proteins in solution. <i>Acta Crystallographica Section D: Biological Crystallography</i> , <b>2014</b> , 70, 317-28		51
40	Chromatographic and electrophoretic methods for nanodisc purification and analysis. <i>Reviews in Analytical Chemistry</i> , <b>2014</b> , 33,	2.3	2
39	Serum albumin promotes ATP-binding cassette transporter-dependent sterol uptake in yeast. <i>FEMS Yeast Research</i> , <b>2014</b> , 14, 1223-33	3.1	16
38	Model cell membranes: discerning lipid and protein contributions in shaping the cell. <i>Advances in Colloid and Interface Science</i> , <b>2014</b> , 205, 207-20	14.3	46
37	The dendrimer impact on vesicles can be tuned based on the bilayer charge and the presence of albumin. <i>Soft Matter</i> , <b>2013</b> , 9, 8862-70	3.6	19
36	Organization of fluorescent cholesterol analogs in lipid bilayers - lessons from cyclodextrin extraction. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2013</b> , 1828, 1822-8	3.8	32

35	Active plasma membrane P-type H <sup>+</sup> -ATPase reconstituted into nanodiscs is a monomer. <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 26419-29	5.4	14
34	Isolation of monodisperse nanodisc-reconstituted membrane proteins using free flow electrophoresis. <i>Analytical Chemistry</i> , <b>2013</b> , 85, 3497-500	7.8	18
33	Synthesis and thermotropic phase behavior of four glycolycerolipids. <i>Molecules</i> , <b>2013</b> , 18, 13546-73	4.8	6
32	Transbilayer dynamics of phospholipids in the plasma membrane of the Leishmania genus. <i>PLoS ONE</i> , <b>2013</b> , 8, e55604	3.7	10
31	Bimolecular fluorescence complementation and interaction of various Arabidopsis major intrinsic proteins expressed in yeast. <i>Physiologia Plantarum</i> , <b>2013</b> , 148, 422-31	4.6	9
30	Creating a Proteoliposome Assay for Single Photosystem I Activity Assessment. <i>Biophysical Journal</i> , <b>2012</b> , 102, 626a-627a	2.9	1
29	Induced dye leakage by PAMAM G6 does not imply dendrimer entry into vesicle lumen. <i>Soft Matter</i> , <b>2012</b> , 8, 8972	3.6	24
28	Leishmania promastigotes lack phosphatidylserine but bind annexin V upon permeabilization or miltefosine treatment. <i>PLoS ONE</i> , <b>2012</b> , 7, e42070	3.7	56
27	Pumping lipids with P4-ATPases. <i>Biological Chemistry</i> , <b>2011</b> , 392, 67-76	4.5	20
26	Flip or Flop: Mechanism and (Patho)Physiology of P4-ATPase-Catalyzed Lipid Transport <b>2011</b> , 147-170		
25	Ca <sup>2+</sup> -activated transbilayer movement of plasma membrane phospholipids in Leishmania donovani during ionomycin or thapsigargin stimulation. <i>Molecular and Biochemical Parasitology</i> , <b>2011</b> , 179, 59-68	1.9	4
24	The yeast plasma membrane ATP binding cassette (ABC) transporter Aus1: purification, characterization, and the effect of lipids on its activity. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 21835-43	5.4	29
23	Disruption of the lipid-transporting LdMT-LdRos3 complex in Leishmania donovani affects membrane lipid asymmetry but not host cell invasion. <i>PLoS ONE</i> , <b>2010</b> , 5, e12443	3.7	26
22	Intracellular targeting signals and lipid specificity determinants of the ALA/ALIS P4-ATPase complex reside in the catalytic ALA alpha-subunit. <i>Molecular Biology of the Cell</i> , <b>2010</b> , 21, 791-801	3.5	75
21	A flippase-independent function of ATP8B1, the protein affected in familial intrahepatic cholestasis type 1, is required for apical protein expression and microvillus formation in polarized epithelial cells. <i>Hepatology</i> , <b>2010</b> , 51, 2049-60	11.2	61
20	Identification of a novel mouse P4-ATPase family member highly expressed during spermatogenesis. <i>Journal of Cell Science</i> , <b>2009</b> , 122, 2866-76	5.3	34
19	Functional implications of the influence of ABCA1 on lipid microenvironment at the plasma membrane: a biophysical study. <i>FASEB Journal</i> , <b>2009</b> , 23, 1775-85	0.9	39
18	DLC1 activation requires lipid interaction through a polybasic region preceding the RhoGAP domain. <i>Molecular Biology of the Cell</i> , <b>2009</b> , 20, 4400-11	3.5	28

17	Biophysical characterization of a new phospholipid analogue with a spin-labeled unsaturated fatty acyl chain. <i>Biophysical Journal</i> , <b>2009</b> , 96, 1008-15	2.9	4
16	The Arabidopsis P4-ATPase ALA3 localizes to the golgi and requires a beta-subunit to function in lipid translocation and secretory vesicle formation. <i>Plant Cell</i> , <b>2008</b> , 20, 658-76	11.6	106
15	A novel ATP-binding cassette transporter from Leishmania is involved in transport of phosphatidylcholine analogues and resistance to alkyl-phospholipids. <i>Molecular Microbiology</i> , <b>2007</b> , 64, 1141-53	4.1	67
14	Phosphorylation of StarD10 on serine 284 by casein kinase II modulates its lipid transfer activity. <i>Journal of Biological Chemistry</i> , <b>2007</b> , 282, 22492-8	5.4	13
13	Flip-flop of fluorescently labeled phospholipids in proteoliposomes reconstituted with Saccharomyces cerevisiae microsomal proteins. <i>Eukaryotic Cell</i> , <b>2007</b> , 6, 1625-34		36
12	Flippase activity detected with unlabeled lipids by shape changes of giant unilamellar vesicles. <i>Journal of Biological Chemistry</i> , <b>2007</b> , 282, 15559-68	5.4	51
11	Lipid flippases and their biological functions. <i>Cellular and Molecular Life Sciences</i> , <b>2006</b> , 63, 2908-21	10.3	212
10	Loss of P4 ATPases Drs2p and Dnf3p disrupts aminophospholipid transport and asymmetry in yeast post-Golgi secretory vesicles. <i>Molecular Biology of the Cell</i> , <b>2006</b> , 17, 1632-42	3.5	124
9	Antigen recognition induces phosphatidylserine exposure on the cell surface of human CD8+ T cells. <i>Blood</i> , <b>2006</b> , 108, 4094-101	2.2	122
8	New fluorescent probes reveal that flippase-mediated flip-flop of phosphatidylinositol across the endoplasmic reticulum membrane does not depend on the stereochemistry of the lipid. <i>Organic and Biomolecular Chemistry</i> , <b>2005</b> , 3, 1275-83	3.9	52
7	Headgroup-specific exposure of phospholipids in ABCA1-expressing cells. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 26321-9	5.4	55
6	Drs2p-related P-type ATPases Dnf1p and Dnf2p are required for phospholipid translocation across the yeast plasma membrane and serve a role in endocytosis. <i>Molecular Biology of the Cell</i> , <b>2003</b> , 14, 12403-54	3.5	302
5	Helicobacter pylori-induced prostaglandin E(2) synthesis involves activation of cytosolic phospholipase A(2) in epithelial cells. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 804-10	5.4	44
4	Lipid distribution and transport across cellular membranes. <i>Seminars in Cell and Developmental Biology</i> , <b>2001</b> , 12, 139-48	7.5	112
3	Lipid traffic: the ABC of transbilayer movement. <i>Traffic</i> , <b>2000</b> , 1, 226-34	5.7	79
2	Autoinhibition and regulation by phosphoinositides of ATP8B1, a human lipid flippase associated with intrahepatic cholestatic disorders		1
1	Effects of 4-Br-A23187 on Bacillus subtilis cells and unilamellar vesicles reveal it to be a potent copper ionophore. <i>Proteomics</i> , <b>2000</b> , 2200061	4.8	0