

# Krzysztof Marek Mrozik

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4737052/publications.pdf>

Version: 2024-02-01

23  
papers

1,133  
citations

516215

16  
h-index

676716

22  
g-index

24  
all docs

24  
docs citations

24  
times ranked

2002  
citing authors

#	ARTICLE	IF	CITATIONS
1	N-cadherin in cancer metastasis, its emerging role in haematological malignancies and potential as a therapeutic target in cancer. <i>BMC Cancer</i> , 2018, 18, 939.	1.1	222
2	Generation of Functional Mesenchymal Stem Cells from Different Induced Pluripotent Stem Cell Lines. <i>Stem Cells and Development</i> , 2014, 23, 1084-1096.	1.1	141
3	Periodontal-Ligament-Derived Stem Cells Exhibit the Capacity for Long-Term Survival, Self-Renewal, and Regeneration of Multiple Tissue Types in Vivo. <i>Stem Cells and Development</i> , 2014, 23, 1001-1011.	1.1	122
4	Isolation and characterization of mesenchymal stem cell-like cells from healthy and inflamed gingival tissue: potential use for clinical therapy. <i>Regenerative Medicine</i> , 2012, 7, 819-832.	0.8	90
5	Heat Shock Protein-90 beta Is Expressed at the Surface of Multipotential Mesenchymal Precursor Cells: Generation of a Novel Monoclonal Antibody, STRO-4, With Specificity for Mesenchymal Precursor Cells From Human and Ovine Tissues. <i>Stem Cells and Development</i> , 2009, 18, 1253-1262.	1.1	70
6	Proteomic Characterization of Mesenchymal Stem Cell-Like Populations Derived from Ovine Periodontal Ligament, Dental Pulp, and Bone Marrow: Analysis of Differentially Expressed Proteins. <i>Stem Cells and Development</i> , 2010, 19, 1485-1499.	1.1	66
7	Regeneration of periodontal tissues using allogeneic periodontal ligament stem cells in an ovine model. <i>Regenerative Medicine</i> , 2013, 8, 711-723.	0.8	57
8	Epithelial Cell Rests of Malassez Contain Unique Stem Cell Populations Capable of Undergoing Epithelial-Mesenchymal Transition. <i>Stem Cells and Development</i> , 2012, 21, 2012-2025.	1.1	56
9	Clodronate-Liposome Mediated Macrophage Depletion Abrogates Multiple Myeloma Tumor Establishment In Vivo. <i>Neoplasia</i> , 2019, 21, 777-787.	2.3	53
10	HIF-2 $\alpha$ Promotes Dissemination of Plasma Cells in Multiple Myeloma by Regulating CXCL12/CXCR4 and CCR1. <i>Cancer Research</i> , 2017, 77, 5452-5463.	0.4	41
11	A Novel Method for Somatic Cell Nuclear Transfer to Mouse Embryonic Stem Cells. <i>Cloning and Stem Cells</i> , 2005, 7, 265-271.	2.6	35
12	A Method to Isolate, Purify, and Characterize Human Periodontal Ligament Stem Cells. <i>Methods in Molecular Biology</i> , 2017, 1537, 413-427.	0.4	31
13	PTTG1 expression is associated with hyperproliferative disease and poor prognosis in multiple myeloma. <i>Journal of Hematology and Oncology</i> , 2015, 8, 106.	6.9	29
14	Effect of coating Straumann <sup>®</sup> Bone Ceramic with Emdogain on mesenchymal stromal cell hard tissue formation. <i>Clinical Oral Investigations</i> , 2012, 16, 867-878.	1.4	28
15	Therapeutic targeting of N-cadherin is an effective treatment for multiple myeloma. <i>British Journal of Haematology</i> , 2015, 171, 387-399.	1.2	25
16	Twist-1 is upregulated by NSD2 and contributes to tumour dissemination and an epithelial-mesenchymal transition-like gene expression signature in t(4;14)-positive multiple myeloma. <i>Cancer Letters</i> , 2020, 475, 99-108.	3.2	22
17	Tetraploid Embryonic Stem Cells Contribute to the Inner Cell Mass of Mouse Blastocysts. <i>Cloning and Stem Cells</i> , 2005, 7, 272-278.	2.6	17
18	Expression of the chemokine receptor CCR1 promotes the dissemination of multiple myeloma plasma cells &lt;i>in vivo</i>. <i>Haematologica</i> , 2021, 106, 3176-3187.	1.7	11

#	ARTICLE	IF	CITATIONS
19	Targeted Disruption of Bone Marrow Stromal Cell-Derived Gremlin1 Limits Multiple Myeloma Disease Progression In Vivo. <i>Cancers</i> , 2020, 12, 2149.	1.7	6
20	LCRF0006, a small molecule mimetic of the N-cadherin antagonist peptide ADH1, synergistically increases multiple myeloma response to bortezomib. <i>FASEB BioAdvances</i> , 2020, 2, 339-353.	1.3	6
21	Characterization of the role of Samsn1 loss in multiple myeloma development. <i>FASEB BioAdvances</i> , 2020, 2, 554-572.	1.3	3
22	GLIPR1 expression is reduced in multiple myeloma but is not a tumour suppressor in mice. <i>PLoS ONE</i> , 2020, 15, e0228408.	1.1	2
23	Proteomic Characterization of Mesenchymal Stem Cell-Like Populations Derived from Various Tissue Types. , 2012, , 75-94.		0