

# Liwen Mu

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4738085/liwen-mu-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85  
papers

1,870  
citations

26  
h-index

40  
g-index

86  
ext. papers

2,307  
ext. citations

6.9  
avg, IF

5.12  
L-index

#	Paper	IF	Citations
85	Thermal transport in polymeric materials and across composite interfaces. <i>Applied Materials Today</i> , <b>2018</b> , 12, 92-130	6.6	177
84	Cotton fabric derived hierarchically porous carbon and nitrogen doping for sustainable capacitor electrode. <i>Carbon</i> , <b>2017</b> , 111, 839-848	10.4	113
83	Superamphiphobic and Electroactive Nanocomposite toward Self-Cleaning, Antiwear, and Anticorrosion Coatings. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 12481-93	9.5	112
82	In-situ reduction of Ag nanoparticles on oxygenated mesoporous carbon fabric: Exceptional catalyst for nitroaromatics reduction. <i>Applied Catalysis B: Environmental</i> , <b>2016</b> , 182, 306-315	21.8	63
81	A biomimetic spherical cactus superhydrophobic coating with durable and multiple anti-corrosion effects. <i>Chemical Engineering Journal</i> , <b>2018</b> , 338, 670-679	14.7	58
80	Facile synthesis of mesoporous carbon nanocomposites from natural biomass for efficient dye adsorption and selective heavy metal removal. <i>RSC Advances</i> , <b>2016</b> , 6, 2259-2269	3.7	57
79	Non-corrosive green lubricants: strengthened lignin[Choline][amino acid] ionic liquids interaction via reciprocal hydrogen bonding. <i>RSC Advances</i> , <b>2015</b> , 5, 66067-66072	3.7	55
78	The tribological behavior of nanometer and micrometer TiO <sub>2</sub> particle-filled polytetrafluoroethylene/polyimide. <i>Materials &amp; Design</i> , <b>2011</b> , 32, 964-970		46
77	The effect of thermal conductivity and friction coefficient on the contact temperature of polyimide composites: Experimental and finite element simulation. <i>Tribology International</i> , <b>2012</b> , 53, 45-52	4.9	42
76	Green processing of plant biomass into mesoporous carbon as catalyst support. <i>Chemical Engineering Journal</i> , <b>2016</b> , 295, 301-308	14.7	41
75	Lignin in Ethylene Glycol and Poly(ethylene glycol): Fortified Lubricants with Internal Hydrogen Bonding. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2016</b> , 4, 1840-1849	8.3	39
74	TiO <sub>2</sub> nanofibers heterogeneously wrapped with reduced graphene oxide as efficient Pt electrocatalyst supports for methanol oxidation. <i>International Journal of Hydrogen Energy</i> , <b>2015</b> , 40, 3679-3688 <sup>39</sup>	6.7	39
73	Structurally tuning microwave absorption of core/shell structured CNT/polyaniline catalysts for energy efficient saccharide-HMF conversion. <i>Applied Catalysis B: Environmental</i> , <b>2018</b> , 220, 581-588	21.8	38
72	Molecular Origin of Efficient Phonon Transfer in Modulated Polymer Blends: Effect of Hydrogen Bonding on Polymer Coil Size and Assembled Microstructure. <i>Journal of Physical Chemistry C</i> , <b>2017</b> , 121, 14204-14212	3.8	37
71	Ionic Grease Lubricants: Protic [Triethanolamine][Oleic Acid] and Aprotic [Choline][Oleic Acid]. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 4977-84	9.5	37
70	Expedited Phonon Transfer in Interfacially Constrained Polymer Chain along Self-Organized Amino Acid Crystals. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 12138-12145	9.5	36
69	Comparative Study of Tribological Properties of Different Fibers Reinforced PTFE/PEEK Composites at Elevated Temperatures. <i>Tribology Transactions</i> , <b>2010</b> , 53, 189-194	1.8	35

68	Superamphiphobicity and electroactivity enabled dual physical/chemical protections in novel anticorrosive nanocomposite coatings. <i>Polymer</i> , <b>2016</b> , 85, 37-46	3.9	34
67	Holistically Engineered Polymer-Polymer and Polymer-Ion Interactions in Biocompatible Polyvinyl Alcohol Blends for High-Performance Triboelectric Devices in Self-Powered Wearable Cardiovascular Monitorings. <i>Advanced Materials</i> , <b>2020</b> , 32, e2002878	24	33
66	The stiffness-thermal conduction relationship at the composite interface: the effect of particle alignment on the long-range confinement of polymer chains monitored by scanning thermal microscopy. <i>Nanoscale</i> , <b>2018</b> , 10, 1695-1703	7.7	33
65	Developing heat conduction pathways through short polymer chains in a hydrogen bonded polymer system. <i>Composites Science and Technology</i> , <b>2017</b> , 148, 97-105	8.6	32
64	Paving the Thermal Highway with Self-Organized Nanocrystals in Transparent Polymer Composites. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 29080-29087	9.5	31
63	[N-Methyl-2-pyrrolidone][C1-C4 carboxylic acid]: a novel solvent system with exceptional lignin solubility. <i>Chemical Communications</i> , <b>2015</b> , 51, 13554-7	5.8	30
62	Enriching Heteroelements in Lignin as Lubricating Additives for Bioionic Liquids. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2016</b> , 4, 3877-3887	8.3	30
61	Moisture driven thermal conduction in polymer and polymer blends. <i>Composites Science and Technology</i> , <b>2017</b> , 151, 115-123	8.6	30
60	Lignin from Hardwood and Softwood Biomass as a Lubricating Additive to Ethylene Glycol. <i>Molecules</i> , <b>2018</b> , 23,	4.8	29
59	Excellent performance of Pt-C/TiO <sub>2</sub> for methanol oxidation: Contribution of mesopores and partially coated carbon. <i>Applied Surface Science</i> , <b>2017</b> , 426, 890-896	6.7	26
58	Enhancing Energy Efficiency in Saccharide-BMF Conversion with Core/shell Structured Microwave Responsive Catalysts. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2017</b> , 5, 4352-4358	8.3	23
57	Superhydrophobic polyaniline hollow spheres with mesoporous brain-like convex-fold shell textures. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 19299-19303	13	23
56	Friction and Wear Behavior of CF/PTFE Composites Lubricated by Choline Chloride Ionic Liquids. <i>Tribology Letters</i> , <b>2013</b> , 49, 413-420	2.8	22
55	Tribological behavior of carbon nanotube and polytetrafluoroethylene filled polyimide composites under different lubricated conditions. <i>Journal of Applied Polymer Science</i> , <b>2011</b> , 121, 1574-1578	2.9	20
54	Two important factors of selecting lignin as efficient lubricating additives in poly (ethylene glycol): Hydrogen bond and molecular weight. <i>International Journal of Biological Macromolecules</i> , <b>2019</b> , 129, 564-570	7.9	19
53	Turning the solubility and lubricity of ionic liquids by absorbing CO <sub>2</sub> . <i>Tribology International</i> , <b>2018</b> , 121, 223-230	4.9	19
52	Durable Self-Healing Superhydrophobic Coating with Biomimic "Chloroplast" Analogous Structure. <i>Advanced Materials Interfaces</i> , <b>2016</b> , 3, 1600040	4.6	19
51	Influences of geometrical topography and surface chemistry on the stable immobilization of adenosine deaminase on mesoporous TiO <sub>2</sub> . <i>Chemical Engineering Science</i> , <b>2016</b> , 139, 142-151	4.4	18

50	Grafting heteroelement-rich groups on graphene oxide: Tuning polarity and molecular interaction with bio-ionic liquid for enhanced lubrication. <i>Journal of Colloid and Interface Science</i> , <b>2017</b> , 498, 47-54	9.3	17
49	Pore size dependent molecular adsorption of cationic dye in biomass derived hierarchically porous carbon. <i>Journal of Environmental Management</i> , <b>2017</b> , 196, 168-177	7.9	17
48	Unveiling Mesopore Evolution in Carbonized Wood: Interfacial Separation, Migration, and Degradation of Lignin Phase. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2015</b> , 3, 2489-2495	8.3	17
47	Synthesis of hollow fullerene-like molybdenum disulfide/reduced graphene oxide nanocomposites with excellent lubricating properties. <i>Carbon</i> , <b>2018</b> , 134, 423-430	10.4	16
46	Carbon nanofiber reinforced Co-continuous HDPE/PMMA composites: Exploring the role of viscosity ratio on filler distribution and electrical/thermal properties. <i>Composites Science and Technology</i> , <b>2019</b> , 184, 107859	8.6	16
45	Elastohydrodynamic Performance of a Bio-Based, Non-Corrosive Ionic Liquid. <i>Applied Sciences (Switzerland)</i> , <b>2017</b> , 7, 996	2.6	16
44	Techno-economic analysis of biomass processing with dual outputs of energy and activated carbon. <i>Bioresource Technology</i> , <b>2021</b> , 319, 124108	11	16
43	Organosilane grafted silica: Quantitative correlation of microscopic surface characters and macroscopic surface properties. <i>Applied Surface Science</i> , <b>2017</b> , 399, 565-572	6.7	15
42	Engineering Hydrogen Bonding Interaction and Charge Separation in Bio-Polymers for Green Lubrication. <i>Journal of Physical Chemistry B</i> , <b>2017</b> , 121, 5669-5678	3.4	14
41	Self-Lubricating Polytetrafluoroethylene/Polyimide Blends Reinforced with Zinc Oxide Nanoparticles. <i>Journal of Nanomaterials</i> , <b>2015</b> , 2015, 1-8	3.2	14
40	Localizing microwave heat by surface polarization of titanate nanostructures for enhanced catalytic reaction efficiency. <i>Applied Catalysis B: Environmental</i> , <b>2018</b> , 227, 266-275	21.8	13
39	Interface-Strengthened Polyimide/Carbon Nanofibers Nanocomposites with Superior Mechanical and Tribological Properties. <i>Macromolecular Chemistry and Physics</i> , <b>2014</b> , 215, 1407-1414	2.6	13
38	Boosting Energy Efficiency of Nickel Cobaltite via Interfacial Engineering in Hierarchical Supercapacitor Electrode. <i>Journal of Physical Chemistry C</i> , <b>2016</b> , 120, 23377-23388	3.8	13
37	High load capacity with ionic liquid-lubricated tribological system. <i>Tribology International</i> , <b>2016</b> , 94, 315-322	11.7	12
36	Tribological properties of polyimide-graphene composite coatings at elevated temperatures. <i>Progress in Organic Coatings</i> , <b>2020</b> , 142, 105602	4.8	11
35	Concanavalin A induced orientation immobilization of Nuclease P1: The effect of lectin agglutination. <i>Process Biochemistry</i> , <b>2018</b> , 64, 160-169	4.8	11
34	Tribological properties of polyimide coating filled with carbon nanotube at elevated temperatures. <i>Polymer Composites</i> , <b>2020</b> , 41, 2652-2661	3	10
33	Tribological behaviors of carbon series additions reinforced CF/PTFE composites at high speed. <i>Journal of Applied Polymer Science</i> , <b>2016</b> , 133, n/a-n/a	2.9	10

32	Durable polytetrafluoroethylene composites in harsh environments: Tribology and corrosion investigation. <i>Journal of Applied Polymer Science</i> , <b>2012</b> , 124, 4307-4314	2.9	9
31	Novel Biorefinery Approach Aimed at Vegetarians Reduces the Dependency on Marine Fish Stocks for Obtaining Squalene and Docosahexaenoic Acid. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2020</b> , 8, 8803-8813	8.3	9
30	Structural strategies to design bio-ionic liquid: Tuning molecular interaction with lignin for enhanced lubrication. <i>Journal of Molecular Liquids</i> , <b>2019</b> , 280, 49-57	6	8
29	Heterogeneous nucleation/growth of silver nanoparticles onto oxygenated mesoporous carbon: Alcohol effect and catalytic property. <i>Catalysis Communications</i> , <b>2016</b> , 77, 65-69	3.2	8
28	A study of tribological and mechanical properties of PTFE composites filled with surface treated K2Ti6O13 whisker. <i>Journal of Applied Polymer Science</i> , <b>2012</b> , 124, 1456-1463	2.9	8
27	Sorption mechanism of organic dyes on a novel self-nitrogen-doped porous graphite biochar: Coupling DFT calculations with experiments. <i>Chemical Engineering Science</i> , <b>2021</b> , 242, 116739	4.4	8
26	Effect of the Composition of Biomass on the Quality of Syngas Produced from Thermochemical Conversion Based on Thermochemical Data Prediction. <i>Energy &amp; Fuels</i> , <b>2019</b> , 33, 5253-5262	4.1	7
25	Tuning nitrogen species on natural biomass derived porous carbon for efficient acetone adsorption. <i>Materials Chemistry and Physics</i> , <b>2020</b> , 253, 123338	4.4	7
24	Confined molecular motion across liquid/liquid interfaces in a triphasic reaction towards free-standing conductive polymer tube arrays. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 6290-6294	13	7
23	Friction and Wear Behaviors of Solid Lubricants/Polyimide Composites in Liquid Mediums. <i>Materials Science Forum</i> , <b>2010</b> , 654-656, 2763-2766	0.4	7
22	Carbon coated Li4Ti5O12 fibers: Relying on the lithium diffusivity in TiO2B crystal structure for high rate lithium battery. <i>Journal of Alloys and Compounds</i> , <b>2017</b> , 721, 545-553	5.7	6
21	Machine learning prediction of bio-oil characteristics quantitatively relating to biomass compositions and pyrolysis conditions. <i>Fuel</i> , <b>2022</b> , 312, 122812	7.1	6
20	Polyelectrolyte cellulose gel with PEG/water: Toward fully green lubricating grease. <i>Carbohydrate Polymers</i> , <b>2020</b> , 230, 115670	10.3	6
19	Thermal Conduction in Polymer Composites <b>2019</b> , 77-110		5
18	Stable Dispersed Zeolitic Imidazolate Framework/Graphene Oxide Nanocomposites in Ionic Liquids Resulting in High Lubricating Performance. <i>Advanced Materials Interfaces</i> , <b>2020</b> , 7, 1902194	4.6	3
17	Critical Role of Carbonized Cellulose in the Evolution of Highly Porous Biocarbon: Seeing the Structural and Compositional Changes of Spent Mushroom Substrate by Deconvoluted Thermogravimetric Analysis. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2020</b> , 59, 22541-22548	3.9	3
16	Poly(alkylimidazolium bis(trifluoromethylsulfonyl)imide)-Based Polymerized Ionic Liquids: A Potential High-Performance Lubricating Grease. <i>Advanced Materials Interfaces</i> , <b>2019</b> , 6, 1801796	4.6	3
15	Single-Cell Oils from Oleaginous Microorganisms as Green Bio-Lubricants: Studies on Their Tribological Performance. <i>Energies</i> , <b>2021</b> , 14, 6685	3.1	2

14	Versatile Ionic Gel Driven by Dual Hydrogen Bond Networks: Toward Advanced Lubrication and Self-Healing. <i>ACS Applied Polymer Materials</i> ,	4.3	2
13	Hollow IF-MoS <sub>2</sub> /r-GO Nanocomposite Filled Polyimide Coating with Improved Mechanical, Thermal and Tribological Properties. <i>Coatings</i> , <b>2021</b> , 11, 25	2.9	2
12	Surfactant assisted and in situ formed micro liquid metal as excellent lubricant additive in polyimide coating. <i>Tribology International</i> , <b>2021</b> , 159, 106953	4.9	2
11	Fat mimicking compounds as grease thickeners in Poly(ethylene glycol)/water: Adopting the solution from history. <i>Journal of Colloid and Interface Science</i> , <b>2020</b> , 578, 619-628	9.3	1
10	Synthesis of biogas-residue-based mesoporous carbons via one-step template-free method for organic and inorganic pollutants removal. <i>Fuel</i> , <b>2021</b> , 311, 122516	7.1	1
9	Naturally dispersed ash components in bio-carbon composites: integrated ammonia nitrogen removal and specific surface area augment. <i>Biomass Conversion and Biorefinery</i> , 1	2.3	1
8	Cycling pressure-switching process enriches micropores in activated carbon by accelerating reactive gas internal diffusion in porous channels. <i>Sustainable Materials and Technologies</i> , <b>2021</b> , 28, e00248	5.3	1
7	CO <sub>2</sub> -negative biomass conversion: An economic route with co-production of green hydrogen and highly porous carbon. <i>Applied Energy</i> , <b>2022</b> , 311, 118685	10.7	1
6	Advanced Material-oriented Biomass Precise Reconstruction: A Review on Porous Carbon with Inherited Natural Structure and Created Artificial Structure by Post-treatment.. <i>Macromolecular Bioscience</i> , <b>2022</b> , e2100479	5.5	0
5	A negative-carbon footprint process with mixed biomass feedstock maximizes conversion efficiency, product value and CO mitigation.. <i>Bioresource Technology</i> , <b>2022</b> , 351, 127004	11	0
4	A facile and green strategy to synthesize N/P co-doped bio-char as VOCs adsorbent: Through efficient biogas slurry treatment and struvite transform. <i>Fuel</i> , <b>2022</b> , 322, 124156	7.1	0
3	Valorization of industrial lignin as lubricating additives by C-O Bond Cleavage and doping heteroelement-rich groups. <i>Biomass and Bioenergy</i> , <b>2022</b> , 161, 106470	5.3	0
2	Molecular Transformation, Diffusion, and Assembling into Three-Dimensional Freestanding Tube Arrays via a Triphasic Reaction. <i>Langmuir</i> , <b>2016</b> , 32, 11525-11531	4	
1	Biomass-derived mesoporous and super-hydrophilic carbon manufactured by cycling-pressure-switching air activation process towards ultrahigh adsorption efficiency of tetracycline. <i>Sustainable Materials and Technologies</i> , <b>2022</b> , e00430	5.3	