

Jordan S Pober

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/473811/publications.pdf>

Version: 2024-02-01

263
papers

22,232
citations

7069

78
h-index

10424

139
g-index

268
all docs

268
docs citations

268
times ranked

23742
citing authors

#	ARTICLE	IF	CITATIONS
1	Evolving functions of endothelial cells in inflammation. <i>Nature Reviews Immunology</i> , 2007, 7, 803-815.	10.6	1,505
2	THE ROLE OF ENDOTHELIAL CELLS IN INFLAMMATION. <i>Transplantation</i> , 1990, 50, 537-544.	0.5	730
3	Selective Inhibition of NF-kappa B Activation by a Peptide That Blocks the Interaction of NEMO with the I-kappa B Kinase Complex. <i>Science</i> , 2000, 289, 1550-1554.	6.0	664
4	Dicer Dependent MicroRNAs Regulate Gene Expression and Functions in Human Endothelial Cells. <i>Circulation Research</i> , 2007, 100, 1164-1173.	2.0	656
5	Tumor necrosis factor receptor-associated factors (TRAFs). <i>Oncogene</i> , 2001, 20, 6482-6491.	2.6	593
6	Lymphocytes recognize human vascular endothelial and dermal fibroblast Ia antigens induced by recombinant immune interferon. <i>Nature</i> , 1983, 305, 726-729.	13.7	499
7	Tissue-engineered vascular grafts transform into mature blood vessels via an inflammation-mediated process of vascular remodeling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 4669-4674.	3.3	495
8	Dicer-dependent endothelial microRNAs are necessary for postnatal angiogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 14082-14087.	3.3	453
9	Activation of Monocyte/Macrophage Functions Related to Acute Atheroma Complication by Ligation of CD40. <i>Circulation</i> , 1997, 96, 396-399.	1.6	389
10	Chronic Rejection. <i>Immunity</i> , 2001, 14, 387-397.	6.6	383
11	Interleukin-17 and Interferon- γ Are Produced Concomitantly by Human Coronary Artery-Infiltrating T Cells and Act Synergistically on Vascular Smooth Muscle Cells. <i>Circulation</i> , 2009, 119, 1424-1432.	1.6	369
12	Interferon- γ elicits arteriosclerosis in the absence of leukocytes. <i>Nature</i> , 2000, 403, 207-211.	13.7	362
13	Control of Apoptosis during Angiogenesis by Survivin Expression in Endothelial Cells. <i>American Journal of Pathology</i> , 2000, 156, 393-398.	1.9	330
14	Cutting Edge: TNF-Induced MicroRNAs Regulate TNF-Induced Expression of E-Selectin and Intercellular Adhesion Molecule-1 on Human Endothelial Cells: Feedback Control of Inflammation. <i>Journal of Immunology</i> , 2010, 184, 21-25.	0.4	293
15	Cultured human endothelial cells express platelet-derived growth factor B chain: cDNA cloning and structural analysis. <i>Nature</i> , 1985, 316, 748-750.	13.7	291
16	TNF Signaling in Vascular Endothelial Cells. <i>Experimental and Molecular Pathology</i> , 2001, 70, 317-325.	0.9	280
17	Porcine aortic endothelial cells activate human T cells: Direct presentation of MHC antigens and costimulation by ligands for human CD2 and CD28. <i>Immunity</i> , 1994, 1, 57-63.	6.6	260
18	Endothelial injury mediated by cytotoxic T lymphocytes and loss of microvessels in chronic graft versus host disease. <i>Lancet, The</i> , 2002, 359, 2078-2083.	6.3	243

#	ARTICLE	IF	CITATIONS
19	Mechanisms of Endothelial Dysfunction, Injury, and Death. Annual Review of Pathology: Mechanisms of Disease, 2009, 4, 71-95.	9.6	211
20	INDUCIBLE EXPRESSION OF CLASS II MAJOR HISTOCOMPATIBILITY COMPLEX ANTIGENS AND THE IMMUNOGENICITY OF VASCULAR ENDOTHELIUM. Transplantation, 1986, 41, 141-146.	0.5	200
21	Inflammation and the Blood Microvascular System. Cold Spring Harbor Perspectives in Biology, 2015, 7, a016345.	2.3	200
22	A critical role for macrophages in neovessel formation and the development of stenosis in tissue-engineered vascular grafts. FASEB Journal, 2011, 25, 4253-4263.	0.2	199
23	A Phosphatidylinositol 3-Kinase/Akt Pathway, Activated by Tumor Necrosis Factor or Interleukin-1, Inhibits Apoptosis but Does Not Activate NF- κ B in Human Endothelial Cells. Journal of Biological Chemistry, 2000, 275, 15458-15465.	1.6	193
24	Light dissociates enzymatically-cleaved rhodopsin into two different fragments. Journal of Molecular Biology, 1975, 95, 477-481.	2.0	186
25	Endothelial activation: intracellular signaling pathways. Arthritis Research, 2002, 4, S109.	2.0	179
26	T Lymphocyte-Endothelial Cell Interactions. Annual Review of Immunology, 2004, 22, 683-709.	9.5	179
27	Suppression of Vascular Endothelial Growth Factor-Mediated Endothelial Cell Protection by Survivin Targeting. American Journal of Pathology, 2001, 158, 1757-1765.	1.9	177
28	Endothelial TGF- β 2 signalling drives vascular inflammation and atherosclerosis. Nature Metabolism, 2019, 1, 912-926.	5.1	172
29	TRAIL Induces Apoptosis and Inflammatory Gene Expression in Human Endothelial Cells. Journal of Immunology, 2003, 171, 1526-1533.	0.4	162
30	Small-diameter biodegradable scaffolds for functional vascular tissue engineering in the mouse model. Biomaterials, 2008, 29, 1454-1463.	5.7	160
31	Three Dimensional Bioprinting of a Vascularized and Perfusable Skin Graft Using Human Keratinocytes, Fibroblasts, Pericytes, and Endothelial Cells. Tissue Engineering - Part A, 2020, 26, 227-238.	1.6	160
32	Endothelial Cells Require STAT3 for Protection against Endotoxin-induced Inflammation. Journal of Experimental Medicine, 2003, 198, 1517-1525.	4.2	151
33	Vascularization and engraftment of a human skin substitute using circulating progenitor cell-derived endothelial cells. FASEB Journal, 2006, 20, 1739-1741.	0.2	151
34	Effects of cytokines on vascular endothelium: Their role in vascular and immune injury. Kidney International, 1989, 35, 969-975.	2.6	146
35	Cytomegalovirus-Infected Human Endothelial Cells Can Stimulate Allogeneic CD4+ Memory T Cells by Releasing Antigenic Exosomes. Journal of Immunology, 2009, 182, 1548-1559.	0.4	142
36	CAN GRAFT ENDOTHELIAL CELLS INITIATE A HOST ANTI-GRAFT IMMUNE RESPONSE?. Transplantation, 1996, 61, 343-349.	0.5	141

#	ARTICLE	IF	CITATIONS
37	Tissue-engineered vascular grafts form neovessels that arise from regeneration of the adjacent blood vessel. <i>FASEB Journal</i> , 2011, 25, 2731-2739.	0.2	136
38	Antibody to human leukocyte antigen triggers endothelial exocytosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 1301-1306.	3.3	135
39	TNFR1- and TNFR2-mediated signaling pathways in human kidney are cell type-specific and differentially contribute to renal injury. <i>FASEB Journal</i> , 2005, 19, 1637-1645.	0.2	134
40	Alloantibody and Complement Promote T Cell-Mediated Cardiac Allograft Vasculopathy Through Noncanonical Nuclear Factor- κ B Signaling in Endothelial Cells. <i>Circulation</i> , 2013, 128, 2504-2516.	1.6	132
41	Participation of blood vessel cells in human adaptive immune responses. <i>Trends in Immunology</i> , 2012, 33, 49-57.	2.9	127
42	Obstacles facing translational research in academic medical centers. <i>FASEB Journal</i> , 2001, 15, 2303-2313.	0.2	118
43	Comparison of human fetal liver, umbilical cord blood, and adult blood hematopoietic stem cell engraftment in NOD-scid/ $\beta^2\mu$, Balb/c-Rag1/ $\beta^2\mu$, and C.B-17-scid/bg immunodeficient mice. <i>Human Immunology</i> , 2009, 70, 790-802.	1.2	117
44	Expression of Tumor Necrosis Factor Receptors in Normal Kidney and Rejecting Renal Transplants. <i>Laboratory Investigation</i> , 2001, 81, 1503-1515.	1.7	116
45	Antigen Presentation by Vascular Cells. <i>Frontiers in Immunology</i> , 2017, 8, 1907.	2.2	116
46	AIP1/DAB2IP, a Novel Member of the Ras-GAP Family, Transduces TRAF2-induced ASK1-JNK Activation. <i>Journal of Biological Chemistry</i> , 2004, 279, 44955-44965.	1.6	111
47	Endothelial Cells in Allograft Rejection. <i>Transplantation</i> , 2008, 86, 1340-1348.	0.5	108
48	Immunologic Interactions of T Lymphocytes with Vascular Endothelium. <i>Advances in Immunology</i> , 1991, 50, 261-302.	1.1	106
49	CyTOF supports efficient detection of immune cell subsets from small samples. <i>Journal of Immunological Methods</i> , 2014, 415, 1-5.	0.6	106
50	HUMAN CD4+ T CELLS PROLIFERATE TO HLA-DR+ ALLOGENEIC VASCULAR ENDOTHELIUM. <i>Transplantation</i> , 1993, 56, 128-134.	0.5	105
51	Interleukin-11 Up-Regulates Survivin Expression in Endothelial Cells through a Signal Transducer and Activator of Transcription-3 Pathway. <i>Laboratory Investigation</i> , 2001, 81, 327-334.	1.7	105
52	IL-8 and angiogenesis: evidence that human endothelial cells lack receptors and do not respond to IL-8 in vitro. <i>Cytokine</i> , 1995, 7, 267-272.	1.4	104
53	Nanoparticle targeting to the endothelium during normothermic machine perfusion of human kidneys. <i>Science Translational Medicine</i> , 2017, 9, .	5.8	104
54	Large-Scale Culture and Selective Maturation of Human Langerhans Cells from Granulocyte Colony-Stimulating Factor-Mobilized CD34+Progenitors. <i>Journal of Immunology</i> , 2000, 164, 3600-3607.	0.4	102

#	ARTICLE	IF	CITATIONS
55	Interferon- β Axis in Graft Arteriosclerosis. <i>Circulation Research</i> , 2007, 100, 622-632.	2.0	102
56	Memory T Cells and Their Costimulators in Human Allograft Injury. <i>Journal of Immunology</i> , 2005, 175, 4886-4896.	0.4	101
57	A Sustained Reduction in β May Contribute to Persistent NF- κ B Activation in Human Endothelial Cells. <i>Journal of Biological Chemistry</i> , 1996, 271, 16317-16322.	1.6	100
58	Human Endothelial Cell Presentation of Antigen and the Homing of Memory/Effector T Cells to Skin. <i>Annals of the New York Academy of Sciences</i> , 2001, 941, 12-25.	1.8	100
59	An Artificial Antigen-presenting Cell with Paracrine Delivery of IL-2 Impacts the Magnitude and Direction of the T Cell Response. <i>Journal of Biological Chemistry</i> , 2011, 286, 34883-34892.	1.6	99
60	Immunobiology of human vascular endothelium. <i>Immunologic Research</i> , 1999, 19, 225-232.	1.3	98
61	Caveolae Participate in Tumor Necrosis Factor Receptor 1 Signaling and Internalization in a Human Endothelial Cell Line. <i>American Journal of Pathology</i> , 2005, 166, 1273-1282.	1.9	98
62	Interacting Mechanisms in the Pathogenesis of Cardiac Allograft Vasculopathy. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 1609-1614.	1.1	98
63	Transcriptional Regulation of the Interleukin-2 Gene in Normal Human Peripheral Blood T Cells. <i>Journal of Biological Chemistry</i> , 1996, 271, 5369-5377.	1.6	95
64	Induction, differentiation, and remodeling of blood vessels after transplantation of Bcl-2-transduced endothelial cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 425-430.	3.3	95
65	Interferon- β Induces Human Vascular Smooth Muscle Cell Proliferation and Intimal Expansion by Phosphatidylinositol 3-Kinase-Dependent Mammalian Target of Rapamycin Raptor Complex 1 Activation. <i>Circulation Research</i> , 2007, 101, 560-569.	2.0	95
66	Increased ICAM-1 Expression Causes Endothelial Cell Leakiness, Cytoskeletal Reorganization and Junctional Alterations. <i>Journal of Investigative Dermatology</i> , 2007, 127, 762-774.	0.3	95
67	Complement Membrane Attack Complex. <i>American Journal of Pathology</i> , 2020, 190, 1138-1150.	1.9	95
68	Human Vascular Endothelial Cells Stimulate Memory But Not Naive CD8+ T Cells to Differentiate into CTL Retaining an Early Activation Phenotype. <i>Journal of Immunology</i> , 2000, 164, 5146-5155.	0.4	94
69	Human Effector Memory CD4+ T Cells Directly Recognize Allogeneic Endothelial Cells In Vitro and In Vivo. <i>Journal of Immunology</i> , 2007, 179, 4397-4404.	0.4	91
70	Induction of Indoleamine 2,3-Dioxygenase in Vascular Smooth Muscle Cells by Interferon- β Contributes to Medial Immunoprivilege. <i>Journal of Immunology</i> , 2007, 179, 5246-5254.	0.4	90
71	T cell-mediated vascular dysfunction of human allografts results from IFN- β dysregulation of NO synthase. <i>Journal of Clinical Investigation</i> , 2004, 114, 846-856.	3.9	90
72	Urine TNF- α and IL-9 for clinical diagnosis of acute interstitial nephritis. <i>JCI Insight</i> , 2019, 4, .	2.3	89

#	ARTICLE	IF	CITATIONS
73	Dual delivery of VEGF and MCP-1 to support endothelial cell transplantation for therapeutic vascularization. <i>Biomaterials</i> , 2010, 31, 3054-3062.	5.7	85
74	CXCR3-dependent accumulation and activation of perivascular macrophages is necessary for homeostatic arterial remodeling to hemodynamic stresses. <i>Journal of Experimental Medicine</i> , 2010, 207, 1951-1966.	4.2	84
75	IL-17 Promotes Neutrophil-Mediated Immunity by Activating Microvascular Pericytes and Not Endothelium. <i>Journal of Immunology</i> , 2016, 197, 2400-2408.	0.4	84
76	IL-1 β and IL-1 γ Are Endogenous Mediators Linking Cell Injury to the Adaptive Alloimmune Response. <i>Journal of Immunology</i> , 2007, 179, 6536-6546.	0.4	83
77	An Inflammatory Pathway of IFN- γ Production in Coronary Atherosclerosis. <i>Journal of Immunology</i> , 2007, 178, 592-604.	0.4	83
78	Inflammatory and Immune Responses in the Arterial Media. <i>Circulation Research</i> , 2015, 116, 312-322.	2.0	83
79	Interleukin-11 and Interleukin-6 Protect Cultured Human Endothelial Cells from H ₂ O ₂ -Induced Cell Death. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2003, 29, 513-522.	1.4	82
80	Tumor Necrosis Factor Alpha Increases Human Cerebral Endothelial Cell Gb3 and Sensitivity to Shiga Toxin. <i>Infection and Immunity</i> , 2001, 69, 1889-1894.	1.0	81
81	Spontaneous reversal of stenosis in tissue-engineered vascular grafts. <i>Science Translational Medicine</i> , 2020, 12, .	5.8	81
82	Antibody-Mediated Aplastic Anemia and Diffuse Fasciitis. <i>New England Journal of Medicine</i> , 1979, 300, 718-721.	13.9	80
83	Interferon- γ Rapidly Increases Peptide Transporter (TAP) Subunit Expression and Peptide Transport Capacity in Endothelial Cells. <i>Journal of Biological Chemistry</i> , 1997, 272, 16585-16590.	1.6	80
84	Caveolin-1 Associates with TRAF2 to Form a Complex That Is Recruited to Tumor Necrosis Factor Receptors. <i>Journal of Biological Chemistry</i> , 2001, 276, 8341-8349.	1.6	80
85	Interleukin (IL)-1 promotes allogeneic T cell intimal infiltration and IL-17 production in a model of human artery rejection. <i>Journal of Experimental Medicine</i> , 2008, 205, 3145-3158.	4.2	80
86	Lanosterol Modulates TLR4-Mediated Innate Immune Responses in Macrophages. <i>Cell Reports</i> , 2017, 19, 2743-2755.	2.9	79
87	Histamine Antagonizes Tumor Necrosis Factor (TNF) Signaling by Stimulating TNF Receptor Shedding from the Cell Surface and Golgi Storage Pool. <i>Journal of Biological Chemistry</i> , 2003, 278, 21751-21760.	1.6	77
88	Focus on Fundamentals: Achieving Effective Nanoparticle Targeting. <i>Trends in Molecular Medicine</i> , 2018, 24, 598-606.	3.5	77
89	Ex vivo pretreatment of human vessels with siRNA nanoparticles provides protein silencing in endothelial cells. <i>Nature Communications</i> , 2017, 8, 191.	5.8	76
90	RIP1-mediated AIP1 Phosphorylation at a 14-3-3-binding Site Is Critical for Tumor Necrosis Factor-induced ASK1-JNK/p38 Activation. <i>Journal of Biological Chemistry</i> , 2007, 282, 14788-14796.	1.6	74

#	ARTICLE	IF	CITATIONS
91	Engraftment of a vascularized human skin equivalent. <i>FASEB Journal</i> , 2003, 17, 2250-2256.	0.2	73
92	IL-11 Activates Human Endothelial Cells to Resist Immune-Mediated Injury. <i>Journal of Immunology</i> , 2000, 164, 3837-3846.	0.4	72
93	Sustained delivery of proangiogenic microRNA-132 by nanoparticle transfection improves endothelial cell transplantation. <i>FASEB Journal</i> , 2014, 28, 908-922.	0.2	72
94	Cytoprotection of Human Umbilical Vein Endothelial Cells Against Apoptosis and CTL-Mediated Lysis Provided by Caspase-Resistant Bcl-2 Without Alterations in Growth or Activation Responses. <i>Journal of Immunology</i> , 2000, 164, 4665-4671.	0.4	71
95	Antigen Presentation by Human Microvascular Endothelial Cells Triggers ICAM-1-Dependent Transendothelial Protrusion by, and Fractalkine-Dependent Transendothelial Migration of, Effector Memory CD4+ T Cells. <i>Journal of Immunology</i> , 2008, 180, 8386-8392.	0.4	70
96	Claudin-5 Controls Intercellular Barriers of Human Dermal Microvascular but Not Human Umbilical Vein Endothelial Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 489-500.	1.1	70
97	TL1A Both Promotes and Protects from Renal Inflammation and Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 953-960.	3.0	68
98	Recruitment of CXCR3+ and CCR5+ T Cells and Production of Interferon-gamma-Inducible Chemokines in Rejecting Human Arteries. <i>American Journal of Transplantation</i> , 2005, 5, 1226-1236.	2.6	67
99	Explant Outgrowth, Propagation and Characterization of Human Pericytes. <i>Microcirculation</i> , 2010, 17, no-no.	1.0	67
100	Rapamycin-treated human endothelial cells preferentially activate allogeneic regulatory T cells. <i>Journal of Clinical Investigation</i> , 2013, 123, 1677-1693.	3.9	65
101	Interferon- γ plays a nonredundant role in mediating T cell-dependent outward vascular remodeling of allogeneic human coronary arteries. <i>FASEB Journal</i> , 2004, 18, 606-608.	0.2	64
102	Efficient Gene Disruption in Cultured Primary Human Endothelial Cells by CRISPR/Cas9. <i>Circulation Research</i> , 2015, 117, 121-128.	2.0	64
103	The Cathepsin B Death Pathway Contributes to TNF Plus IFN- γ -Mediated Human Endothelial Injury. <i>Journal of Immunology</i> , 2005, 175, 1858-1866.	0.4	63
104	Heparin Displaces Interferon- γ -Inducible Chemokines (IP-10, I-TAC, and Mig) Sequestered in the Vasculature and Inhibits the Transendothelial Migration and Arterial Recruitment of T Cells. <i>Circulation</i> , 2006, 114, 1293-1300.	1.6	63
105	Rapamycin antagonizes TNF induction of VCAM-1 on endothelial cells by inhibiting mTORC2. <i>Journal of Experimental Medicine</i> , 2014, 211, 395-404.	4.2	63
106	Endothelial cell lymphocyte function-associated antigen-3 and an unidentified ligand act in concert to provide costimulation to human peripheral blood CD4+ T cells. <i>Cellular Immunology</i> , 1991, 137, 150-163.	1.4	61
107	Human Placental Pericytes Poorly Stimulate and Actively Regulate Allogeneic CD4 T Cell Responses. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 183-189.	1.1	61
108	Identification of Endothelial Cell Junctional Proteins and Lymphocyte Receptors Involved in Transendothelial Migration of Human Effector Memory CD4+ T Cells. <i>Journal of Immunology</i> , 2011, 186, 1763-1768.	0.4	61

#	ARTICLE	IF	CITATIONS
109	Apoptosis-inducing Agents Cause Rapid Shedding of Tumor Necrosis Factor Receptor 1 (TNFR1). <i>Journal of Biological Chemistry</i> , 1999, 274, 13643-13649.	1.6	60
110	Interferon- β Augments CD95(APO-1/Fas) and Pro-Caspase-8 Expression and Sensitizes Human Vascular Endothelial Cells to CD95-Mediated Apoptosis. <i>American Journal of Pathology</i> , 2002, 161, 1485-1495.	1.9	60
111	Engineering of multifunctional gels integrating highly efficient growth factor delivery with endothelial cell transplantation. <i>FASEB Journal</i> , 2008, 22, 2949-2956.	0.2	60
112	Blockade of CD2-LFA-3 interactions protects human skin allografts in immunodeficient mouse/human chimeras. <i>Nature Biotechnology</i> , 1997, 15, 759-762.	9.4	59
113	MyD88-dependent, superoxide-initiated inflammation is necessary for flow-mediated inward remodeling of conduit arteries. <i>Journal of Experimental Medicine</i> , 2008, 205, 3159-3171.	4.2	59
114	MEK5 is Activated by Shear Stress, Activates ERK5 and Induces KLF4 to Modulate TNF Responses in Human Dermal Microvascular Endothelial Cells. <i>Microcirculation</i> , 2011, 18, 102-117.	1.0	59
115	Tumor Necrosis Factor Disrupts Claudin-5 Endothelial Tight Junction Barriers in Two Distinct NF- κ B-Dependent Phases. <i>PLoS ONE</i> , 2015, 10, e0120075.	1.1	59
116	Tumor Necrosis Factor Receptor Expression and Signaling in Renal Cell Carcinoma. <i>American Journal of Pathology</i> , 2010, 177, 943-954.	1.9	58
117	Blocking MHC class II on human endothelium mitigates acute rejection. <i>JCI Insight</i> , 2016, 1, .	2.3	58
118	Selective labelling of the hydrophobic segments of intrinsic membrane proteins with a lipophilic photogenerated carbene. <i>Nature</i> , 1979, 280, 841-843.	13.7	57
119	HUMAN ALLOGENEIC VASCULAR REJECTION AFTER ARTERIAL TRANSPLANTATION AND PERIPHERAL LYMPHOID RECONSTITUTION IN SEVERE COMBINED IMMUNODEFICIENT MICE1. <i>Transplantation</i> , 1999, 67, 897-903.	0.5	57
120	Transendothelial Migration Enables Subsequent Transmigration of Neutrophils through Underlying Pericytes. <i>PLoS ONE</i> , 2013, 8, e60025.	1.1	57
121	Dermal Microvascular Injury in the Human Peripheral Blood Lymphocyte Reconstituted-Severe Combined Immunodeficient (HuPBL-SCID) Mouse/Skin Allograft Model Is T Cell Mediated and Inhibited by a Combination of Cyclosporine and Rapamycin. <i>American Journal of Pathology</i> , 1998, 153, 627-638.	1.9	56
122	Complement Membrane Attack Complexes Assemble NLRP3 Inflammasomes Triggering IL-1 Activation of IFN- γ -Primed Human Endothelium. <i>Circulation Research</i> , 2019, 124, 1747-1759.	2.0	56
123	Inhibition of Phosphatidylinositol 3-Kinase Sensitizes Vascular Endothelial Cells to Cytokine-initiated Cathepsin-dependent Apoptosis. <i>Journal of Biological Chemistry</i> , 2003, 278, 21295-21306.	1.6	55
124	VEGF Blockade Inhibits Lymphocyte Recruitment and Ameliorates Immune-Mediated Vascular Remodeling. <i>Circulation Research</i> , 2010, 107, 408-417.	2.0	55
125	Pericytes modulate endothelial sprouting. <i>Cardiovascular Research</i> , 2013, 100, 492-500.	1.8	55
126	ALP1 Prevents Graft Arteriosclerosis by Inhibiting Interferon- γ -Dependent Smooth Muscle Cell Proliferation and Intimal Expansion. <i>Circulation Research</i> , 2011, 109, 418-427.	2.0	54

#	ARTICLE	IF	CITATIONS
127	Neutralizing IL-6 Reduces Human Arterial Allograft Rejection by Allowing Emergence of CD161+ CD4+ Regulatory T Cells. <i>Journal of Immunology</i> , 2011, 187, 6268-6280.	0.4	54
128	IFN- γ Induces Transcription of Hypoxia-Inducible Factor-1 α to Inhibit Proliferation of Human Endothelial Cells. <i>Journal of Immunology</i> , 2008, 181, 1052-1062.	0.4	53
129	Complement membrane attack complexes activate noncanonical NF- κ B by forming an Akt ⁺ signalosome on Rab5 ⁺ endosomes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 9686-9691.	3.3	53
130	The potential roles of vascular endothelium in immune reactions. <i>Human Immunology</i> , 1990, 28, 258-262.	1.2	52
131	Immunopathology of human T cell responses to skin, artery and endothelial cell grafts in the human peripheral blood lymphocyte/severe combined immunodeficient mouse. <i>Seminars in Immunopathology</i> , 2003, 25, 167-180.	4.0	51
132	IL-11 Protects Human Microvascular Endothelium from Alloinjury In Vivo by Induction of Survivin Expression. <i>Journal of Immunology</i> , 2004, 172, 1391-1396.	0.4	50
133	Knockdown of TNFR1 by the sense strand of an ICAM-1 siRNA: dissection of an off-target effect. <i>Nucleic Acids Research</i> , 2007, 36, 1081-1097.	6.5	49
134	Human Aortic Smooth Muscle Cells Promote Arteriole Formation by Coengrafted Endothelial Cells. <i>Tissue Engineering - Part A</i> , 2009, 15, 165-173.	1.6	48
135	Blood Vessels in Allotransplantation. <i>American Journal of Transplantation</i> , 2015, 15, 1748-1754.	2.6	48
136	Differential functional roles of fibroblasts and pericytes in the formation of tissue-engineered microvascular networks in vitro. <i>Npj Regenerative Medicine</i> , 2020, 5, 1.	2.5	48
137	Endothelial cells augment the expression of CD40 ligand on newly activated human CD4+ T cells through a CD2/LFA-3 signaling pathway. <i>European Journal of Immunology</i> , 1996, 26, 610-617.	1.6	47
138	Induction of inducible NO synthase in bystander human T cells increases allogeneic responses in the vasculature. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 1313-1318.	3.3	47
139	Recent advances in allograft vasculopathy. <i>Current Opinion in Organ Transplantation</i> , 2017, 22, 1-7.	0.8	47
140	Regulation of Arterial-Venous Differences in Tumor Necrosis Factor Responsiveness of Endothelial Cells by Anatomic Context. <i>American Journal of Pathology</i> , 2008, 172, 1088-1099.	1.9	44
141	Inducibility and Expression of Microvascular Endothelial Adhesion Molecules in Lesional, Perilesional, and Uninvolved Skin of Psoriatic Patients. <i>Journal of Investigative Dermatology</i> , 1994, 103, 300-305.	0.3	43
142	Prolonged peak elevations in cytoplasmic free calcium ions, derived from intracellular stores, correlate with the extent of thrombin-stimulated exocytosis in single human umbilical vein endothelial cells. <i>Journal of Cellular Physiology</i> , 1994, 160, 545-554.	2.0	42
143	Interferon Induction of TAP1. <i>Circulation Research</i> , 1998, 83, 815-823.	2.0	39
144	Ceramide Is Not a Signal for Tumor Necrosis Factor- α -Induced Gene Expression but Does Cause Programmed Cell Death in Human Vascular Endothelial Cells. <i>Circulation Research</i> , 1996, 79, 736-747.	2.0	39

#	ARTICLE	IF	CITATIONS
145	Interferon β but Not Interleukin 12 Activates STAT4 Signaling in Human Vascular Endothelial Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 26789-26796.	1.6	38
146	Vascular smooth muscle cells derived from inbred swine induced pluripotent stem cells for vascular tissue engineering. <i>Biomaterials</i> , 2017, 147, 116-132.	5.7	38
147	Alloimmunity to Human Endothelial Cells Derived from Cord Blood Progenitors. <i>Journal of Immunology</i> , 2007, 179, 7488-7496.	0.4	37
148	Human Organ Culture: Updating the Approach to Bridge the Gap from In Vitro to In Vivo in Inflammation, Cancer, and Stem Cell Biology. <i>Frontiers in Medicine</i> , 2017, 4, 148.	1.2	37
149	Lysis of cold-storage-induced microvascular obstructions for ex vivo revitalization of marginal human kidneys. <i>American Journal of Transplantation</i> , 2021, 21, 161-173.	2.6	37
150	Early delayed-type hypersensitivity eosinophil infiltrates depend on T helper 2 cytokines and interferon-gamma via CXCR3 chemokines. <i>Immunology</i> , 2004, 111, 306-317.	2.0	36
151	TNFR2 ligation in human T regulatory cells enhances IL2-induced cell proliferation through the non-canonical NF- κ B pathway. <i>Scientific Reports</i> , 2018, 8, 12079.	1.6	36
152	The Death Domain of Tumor Necrosis Factor Receptor 1 Is Necessary but Not Sufficient for Golgi Retention of the Receptor and Mediates Receptor Desensitization. <i>Laboratory Investigation</i> , 2000, 80, 1185-1194.	1.7	35
153	Interferon- β Induces X-linked Inhibitor of Apoptosis-associated Factor-1 and Noxa Expression and Potentiates Human Vascular Smooth Muscle Cell Apoptosis by STAT3 Activation. <i>Journal of Biological Chemistry</i> , 2008, 283, 6832-6842.	1.6	35
154	Human Vascular Endothelial Cells Stimulate a Lower Frequency of Alloreactive CD8+Pre-CTL and Induce Less Clonal Expansion than Matching B Lymphoblastoid Cells: Development of a Novel Limiting Dilution Analysis Method Based on CFSE Labeling of Lymphocytes. <i>Journal of Immunology</i> , 2001, 166, 3846-3854.	0.4	34
155	Kaposi's Sarcoma-Associated Herpesvirus K3 and K5 Proteins Block Distinct Steps in Transendothelial Migration of Effector Memory CD4+ T Cells by Targeting Different Endothelial Proteins. <i>Journal of Immunology</i> , 2010, 184, 5186-5192.	0.4	33
156	Targeting of Tumor Necrosis Factor Receptor 1 to Low Density Plasma Membrane Domains in Human Endothelial Cells. <i>Journal of Biological Chemistry</i> , 2010, 285, 23868-23879.	1.6	33
157	IFN- β Primes Intact Human Coronary Arteries and Cultured Coronary Smooth Muscle Cells to Double-Stranded RNA- and Self-RNA-Induced Inflammatory Responses by Upregulating TLR3 and Melanoma Differentiation-Associated Gene 5. <i>Journal of Immunology</i> , 2010, 185, 1283-1294.	0.4	33
158	Immortalization of human endothelial cells by murine sarcoma viruses, without morphologic transformation. <i>Journal of Cellular Physiology</i> , 1988, 134, 47-56.	2.0	32
159	An endothelial microRNA-1-regulated network controls eosinophil trafficking in asthma and chronic rhinosinusitis. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 550-562.	1.5	31
160	Human TNF Can Induce Nonspecific Inflammatory and Human Immune-Mediated Microvascular Injury of Pig Skin Xenografts in Immunodeficient Mouse Hosts. <i>Journal of Immunology</i> , 2000, 164, 6601-6609.	0.4	30
161	TCR Signaling Antagonizes Rapid IP-10-Mediated Transendothelial Migration of Effector Memory CD4+ T Cells. <i>Journal of Immunology</i> , 2007, 178, 3237-3243.	0.4	30
162	Endothelial Cell-Derived Interleukin-18 Released During Ischemia Reperfusion Injury Selectively Expands T Peripheral Helper Cells to Promote Alloantibody Production. <i>Circulation</i> , 2020, 141, 464-478.	1.6	30

#	ARTICLE	IF	CITATIONS
163	Cutting Edge: Internalization of Transduced E-Selectin by Cultured Human Endothelial Cells: Comparison of Dermal Microvascular and Umbilical Vein Cells and Identification of a Phosphoserine-Type Di-leucine Motif. <i>Journal of Immunology</i> , 2002, 168, 2091-2095.	0.4	29
164	Activation of Signal Transducer and Activator of Transcription 1 (STAT1) Is Not Sufficient for the Induction of STAT1-dependent Genes in Endothelial Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 8012-8021.	1.6	29
165	ZFYVE21 is a complement-induced Rab5 effector that activates non-canonical NF- κ B via phosphoinositide remodeling of endosomes. <i>Nature Communications</i> , 2019, 10, 2247.	5.8	29
166	Expression of Silencer of Death Domains and Death-Receptor-3 in Normal Human Kidney and in Rejecting Renal Transplants. <i>American Journal of Pathology</i> , 2003, 163, 401-411.	1.9	28
167	Immunomodulatory Properties of FK734, a Humanized Anti-CD28 Monoclonal Antibody With Agonistic and Antagonistic Activities. <i>Transplantation</i> , 2007, 83, 304-313.	0.5	28
168	Development of a Humanized Mouse Model to Study the Role of Macrophages in Allograft Injury. <i>Transplantation</i> , 2009, 87, 189-197.	0.5	28
169	Vascular endothelial cells enhance T cell responses by markedly augmenting IL-2 concentrations. <i>Cellular Immunology</i> , 1989, 118, 166-177.	1.4	27
170	Endothelial Cells Promote Human Immunodeficiency Virus Replication in Nondividing Memory T Cells via Nef-, Vpr-, and T-Cell Receptor-Dependent Activation of NFAT. <i>Journal of Virology</i> , 2005, 79, 11194-11204.	1.5	27
171	Human Endothelial Cells Enhance Human Immunodeficiency Virus Type 1 Replication in CD4+ T Cells in a Nef-Dependent Manner In Vitro and In Vivo. <i>Journal of Virology</i> , 2005, 79, 264-276.	1.5	27
172	Endothelial Cell-T Lymphocyte Interactions: iP-10 Stimulates Rapid Transendothelial Migration of Human Effector but not Central Memory CD4+ T Cells. Requirements for Shear Stress and Adhesion Molecules. <i>Transplantation</i> , 2006, 82, S9-S14.	0.5	27
173	TCR-Driven Transendothelial Migration of Human Effector Memory CD4 T Cells Involves Vav, Rac, and Myosin IIA. <i>Journal of Immunology</i> , 2013, 190, 3079-3088.	0.4	26
174	Symptoms and Clinical Course of EHEC O104 Infection in Hospitalized Patients: A Prospective Single Center Study. <i>PLoS ONE</i> , 2013, 8, e55278.	1.1	26
175	TGF β 2 receptor 1 inhibition prevents stenosis of tissue-engineered vascular grafts by reducing host mononuclear phagocyte activation. <i>FASEB Journal</i> , 2016, 30, 2627-2636.	0.2	26
176	Endothelial Cell Function and Dysfunction in Critically Ill Children. <i>Pediatrics</i> , 2017, 140, .	1.0	26
177	Transglutaminase modifies the carboxy-terminal intracellular region of HLA-A and -B antigens. <i>Nature</i> , 1981, 289, 819-821.	13.7	25
178	Immune Accessory Functions of Human Endothelial Cells Are Modulated by Overexpression of B7-H1 (PDL1). <i>Human Immunology</i> , 2006, 67, 568-578.	1.2	25
179	Reperfusion Injury Intensifies the Adaptive Human T Cell Alloresponse in a Human-Mouse Chimeric Artery Model. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 353-360.	1.1	25
180	Coronavirus Disease 2019 (COVID-19) Coronary Vascular Thrombosis. <i>American Journal of Pathology</i> , 2022, 192, 112-120.	1.9	25

#	ARTICLE	IF	CITATIONS
181	Bcl-2 Transduction Protects Human Endothelial Cell Synthetic Microvessel Grafts from Allogeneic T Cells In Vivo. <i>Journal of Immunology</i> , 2004, 173, 3020-3026.	0.4	24
182	Paracrine exchanges of molecular signals between alginate-encapsulated pericytes and freely suspended endothelial cells within a 3D protein gel. <i>Biomaterials</i> , 2013, 34, 8899-8908.	5.7	24
183	Endothelial cell-secreted MIF reduces pericyte contractility and enhances neutrophil extravasation. <i>FASEB Journal</i> , 2019, 33, 2171-2186.	0.2	24
184	Porcine Endothelial Cells, Unlike Human Endothelial Cells, Can Be Killed by Human CTL Via Fas Ligand and Cannot Be Protected by Bcl-2. <i>Journal of Immunology</i> , 2002, 169, 6850-6855.	0.4	23
185	Poly(amine-co-ester) nanoparticles for effective Nogo-B knockdown in the liver. <i>Journal of Controlled Release</i> , 2019, 304, 259-267.	4.8	23
186	Peroxisome Proliferator-Activated Receptor- β Agonists Prevent In Vivo Remodeling of Human Artery Induced by Alloreactive T Cells. <i>Circulation</i> , 2011, 124, 196-205.	1.6	22
187	Development of a model system for preliminary evaluation of tissue-engineered vascular conduits. <i>Journal of Pediatric Surgery</i> , 2006, 41, 787-791.	0.8	21
188	Human Allograft Arterial Injury Is Ameliorated by Sirolimus and Cyclosporine and Correlates with Suppression of Interferon- γ . <i>Transplantation</i> , 2006, 81, 559-566.	0.5	21
189	TNF, acting through inducibly expressed TNFR2, drives activation and cell cycle entry of c-Kit ⁺ cardiac stem cells in ischemic heart disease. <i>Stem Cells</i> , 2013, 31, 1881-1892.	1.4	21
190	Complement-activated interferon- β -primed human endothelium transpresents interleukin-15 to CD8 ⁺ T cells. <i>Journal of Clinical Investigation</i> , 2020, 130, 3437-3452.	3.9	21
191	PEC β : An immortalized porcine aortic endothelial cell. <i>Xenotransplantation</i> , 1995, 2, 79-87.	1.6	20
192	Is host endothelium a silver lining for allografts?. <i>Lancet, The</i> , 2001, 357, 2-3.	6.3	20
193	HUMAN T CELLS INFILTRATE AND INJURE PIG CORONARY ARTERY GRAFTS WITH ACTIVATED BUT NOT QUIESCENT ENDOTHELIUM IN IMMUNODEFICIENT MOUSE HOSTS1. <i>Transplantation</i> , 2001, 71, 1622-1630.	0.5	20
194	Interferon-Gamma Induces Prolyl Hydroxylase (PHD)3 Through a STAT1-Dependent Mechanism in Human Endothelial Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1363-1369.	1.1	20
195	Polarized Granzyme Release Is Required for Antigen-Driven Transendothelial Migration of Human Effector Memory CD4 T Cells. <i>Journal of Immunology</i> , 2014, 193, 5809-5815.	0.4	19
196	A p190BRhoGAP mutation and prolonged RhoB activation in fatal systemic capillary leak syndrome. <i>Journal of Experimental Medicine</i> , 2017, 214, 3497-3505.	4.2	19
197	Thrombin and histamine rapidly stimulate the phosphorylation of the myristoylated alanine-rich C-kinase substrate in human umbilical vein endothelial cells: Evidence for distinct patterns of protein kinase activation. <i>Journal of Cellular Physiology</i> , 1992, 152, 166-176.	2.0	18
198	Airway hyper-reactivity mediated by B-1 cell immunoglobulin M antibody generating complement C5a at 1 day post-immunization in a murine hapten model of non-atopic asthma. <i>Immunology</i> , 2004, 113, 234-245.	2.0	18

#	ARTICLE	IF	CITATIONS
199	Amelioration of Human Allograft Arterial Injury by Atorvastatin or Simvastatin Correlates With Reduction of Interferon- γ Production by Infiltrating T Cells. <i>Transplantation</i> , 2008, 86, 719-727.	0.5	18
200	Human Vascular Smooth Muscle Cells Lack Essential Costimulatory Molecules to Activate Allogeneic Memory T Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 1795-1801.	1.1	18
201	Mural Cell-Specific Deletion of Cerebral Cavernous Malformation 3 in the Brain Induces Cerebral Cavernous Malformations. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, 2171-2186.	1.1	18
202	Desensitization of Signaling by Oncostatin M in Human Vascular Cells Involves Cytoplasmic Tyr Residue 759 in gp130 but Is Not Mediated by Either Src Homology 2 Domain-containing Tyrosine Phosphatase 2 or Suppressor of Cytokine Signaling 3. <i>Journal of Biological Chemistry</i> , 2003, 278, 25014-25023.	1.6	17
203	CXCL12 Induction of Inducible Nitric Oxide Synthase in Human CD8 T Cells. <i>Journal of Heart and Lung Transplantation</i> , 2008, 27, 1333-1339.	0.3	17
204	A composite model of the human postcapillary venule for investigation of microvascular leukocyte recruitment. <i>FASEB Journal</i> , 2014, 28, 1166-1180.	0.2	17
205	Infantile Hemangiomas Exhibit Neural Crest and Pericyte Markers. <i>Annals of Plastic Surgery</i> , 2015, 74, 230-236.	0.5	17
206	Progenitor-derived human endothelial cells evade alloimmunity by CRISPR/Cas9-mediated complete ablation of MHC expression. <i>JCI Insight</i> , 2019, 4, .	2.3	17
207	Significant Differences in Antigen-Induced Transendothelial Migration of Human CD8 and CD4 T Effector Memory Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 1910-1918.	1.1	16
208	Tumor Necrosis Factor- α and IL-17A Activation Induces Pericyte-Mediated Basement Membrane Remodeling in Human Neutrophilic Dermatoses. <i>American Journal of Pathology</i> , 2017, 187, 1893-1906.	1.9	16
209	Interferon- γ converts human microvascular pericytes into negative regulators of alloimmunity through induction of indoleamine 2,3-dioxygenase 1. <i>JCI Insight</i> , 2018, 3, .	2.3	16
210	Tumor necrosis factor receptor 2-signaling in CD133-expressing cells in renal clear cell carcinoma. <i>Oncotarget</i> , 2016, 7, 24111-24124.	0.8	16
211	Is hypertension an autoimmune disease?. <i>Journal of Clinical Investigation</i> , 2014, 124, 4234-4236.	3.9	13
212	Angiotensin II receptor I blockade prevents stenosis of tissue engineered vascular grafts. <i>FASEB Journal</i> , 2018, 32, 6822-6832.	0.2	13
213	Interferon- γ -Mediated Allograft Rejection Exacerbates Cardiovascular Disease of Hyperlipidemic Murine Transplant Recipients. <i>Circulation Research</i> , 2015, 117, 943-955.	2.0	12
214	Vascular cells have limited capacities to activate and differentiate T cells: Implications for transplant vascular sclerosis. <i>Transplant Immunology</i> , 1997, 5, 251-254.	0.6	11
215	Cellular and molecular biology of cardiac transplant rejection. <i>Journal of Nuclear Cardiology</i> , 2000, 7, 669-685.	1.4	11
216	FOXO3a Regulates Oxygen-responsive Expression of Tumor Necrosis Factor Receptor 2 in Human Dermal Microvascular Endothelial Cells. <i>Journal of Biological Chemistry</i> , 2009, 284, 19331-19339.	1.6	11

#	ARTICLE	IF	CITATIONS
217	Generation of NO by Bystander Human CD8 T Cells Augments Allogeneic Responses by Inhibiting Cytokine Deprivation-Induced Cell Death. <i>American Journal of Transplantation</i> , 2009, 9, 2281-2291.	2.6	11
218	Lipopolysaccharide Can Trigger a Cathepsin B-Dependent Programmed Death Response in Human Endothelial Cells. <i>American Journal of Pathology</i> , 2009, 175, 1124-1135.	1.9	11
219	ALP1 in Graft Arteriosclerosis. <i>Trends in Cardiovascular Medicine</i> , 2011, 21, 229-233.	2.3	11
220	Antiapoptotic Activities of Bcl-2 Correlate with Vascular Maturation and Transcriptional Modulation of Human Endothelial Cells. <i>Endothelium: Journal of Endothelial Cell Research</i> , 2008, 15, 59-71.	1.7	10
221	Just the FACS or Stalking the Elusive Circulating Endothelial Progenitor Cell. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 837-838.	1.1	10
222	Tumor necrosis factor α -induced ArhGEF10 selectively activates RhoB contributing to human microvascular endothelial cell tight junction disruption. <i>FASEB Journal</i> , 2021, 35, e21627.	0.2	10
223	Cardiac allograft vasculopathy: current review and future research directions. <i>Cardiovascular Research</i> , 2021, 117, 2624-2638.	1.8	10
224	An Implantable Vascularized Protein Gel Construct That Supports Human Fetal Hepatoblast Survival and Infection by Hepatitis C Virus in Mice. <i>PLoS ONE</i> , 2010, 5, e9987.	1.1	9
225	Complement-activated human endothelial cells stimulate increased polyfunctionality in alloreactive T cells. <i>American Journal of Transplantation</i> , 2021, 21, 1902-1909.	2.6	9
226	3D bioprinting of an implantable xeno-free vascularized human skin graft. <i>Bioengineering and Translational Medicine</i> , 2023, 8, .	3.9	9
227	Rat hepatocyte engraftment in severe combined immunodeficient x beige mice using mouse-specific anti-fas antibody. <i>Xenotransplantation</i> , 2006, 13, 53-62.	1.6	8
228	Interleukin-17 and Atherosclerotic Vascular Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1465-1466.	1.1	8
229	Controlled protein delivery in the generation of microvascular networks. <i>Drug Delivery and Translational Research</i> , 2015, 5, 75-88.	3.0	8
230	A 3D tri-culture system reveals that activin receptor-like kinase 5 and connective tissue growth factor drive human glomerulosclerosis. <i>Journal of Pathology</i> , 2017, 243, 390-400.	2.1	8
231	Alloimmune-Mediated Vascular Remodeling of Human Coronary Artery Grafts in Immunodeficient Mouse Recipients Is Independent of Preexisting Atherosclerosis. <i>Transplantation</i> , 2007, 83, 1501-1505.	0.5	7
232	Regulation of human T cell responses by dNP2-ctCTLA-4 inhibits human skin and microvessel graft rejection. <i>Biomaterials</i> , 2018, 183, 128-138.	5.7	7
233	Ex vivo isolated human vessel perfusion system for the design and assessment of nanomedicines targeted to the endothelium. <i>Bioengineering and Translational Medicine</i> , 2020, 5, e10154.	3.9	7
234	Tumor necrosis factor receptor α signaling pathways promote survival of cancer stem-like CD133 ⁺ cells in clear cell renal carcinoma. <i>FASEB BioAdvances</i> , 2020, 2, 126-144.	1.3	7

#	ARTICLE	IF	CITATIONS
235	Coagulation factor V is a T-cell inhibitor expressed by leukocytes in COVID-19. <i>IScience</i> , 2022, 25, 103971.	1.9	7
236	Tumor necrosis factor regulation of major histocompatibility complex gene expression. <i>Immunologic Research</i> , 1991, 10, 141-155.	1.3	6
237	Quantitative microscopy-based measurements of circulating nanoparticle concentration using microliter blood volumes. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2017, 13, 1863-1867.	1.7	6
238	Divergent TCR-Initiated Calcium Signals Govern Recruitment versus Activation of Human Alloreactive Effector Memory T Cells by Endothelial Cells. <i>Journal of Immunology</i> , 2018, 201, 3167-3174.	0.4	6
239	Aortic Interposition Grafts: A Model of Rejection or Rejection of the Model?. <i>American Journal of Transplantation</i> , 2002, 2, 201-202.	2.6	5
240	Native human collagen type I provides a viable physiologically relevant alternative to xenogeneic sources for tissue engineering applications: A comparative in vitro and in vivo study. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2022, , .	1.6	5
241	Sera From Children After Cardiopulmonary Bypass Reduces Permeability of Capillary Endothelial Cell Barriers. <i>Pediatric Critical Care Medicine</i> , 2018, 19, 609-618.	0.2	4
242	Differential inflammatory responses of the native left and right ventricle associated with donor heart preservation. <i>Physiological Reports</i> , 2021, 9, e15004.	0.7	4
243	Vascular Endothelial Cells as Immunological Targets in Atherosclerosis. , 2012, , 87-114.		4
244	Chapter 4 Complete Primary Structure of Human Histocompatibility Antigen Hla-B7: Evolutionary and Functional Implications. <i>Current Topics in Developmental Biology</i> , 1980, 14, 97-113.	1.0	3
245	ArhGEF12 activates Rap1A and not RhoA in human dermal microvascular endothelial cells to reduce tumor necrosis factor-induced leak. <i>FASEB Journal</i> , 2022, 36, e22254.	0.2	3
246	[34] Proteolysis of rhodopsin. <i>Methods in Enzymology</i> , 1982, 81, 236-239.	0.4	2
247	11 Tumour necrosis factor is trafficked to a mitochondrial tumour necrosis factor binding protein. <i>Biochemical Society Transactions</i> , 1998, 26, S316-S316.	1.6	2
248	Immunologic Frontiers of Transplantation. <i>Immunity</i> , 2001, 14, 345-346.	6.6	2
249	Charles A. Janeway, Jr. (1943-2003). <i>Cell</i> , 2003, 113, 433-434.	13.5	2
250	Transfer of Human Leukocytes into Double-Knockout Pfp ^{+/+} Rag2 ^{+/+} Mice Grafted with Human Skin: Increased Accumulation of Neutrophils in Human Dermal Microvessels. <i>Transplantation</i> , 2004, 78, 1557-1559.	0.5	2
251	Physiology and Pathobiology of Microvascular Endothelium. , 2008, , 37-55.		2
252	Signaling through tumor necrosis receptor 2 induces stem cell marker in CD133+ regenerating tubular epithelial cells in acute cell-mediated rejection of human renal allografts. <i>American Journal of Transplantation</i> , 2020, 20, 2380-2391.	2.6	2

#	ARTICLE	IF	CITATIONS
253	Co-Expression and Functional Interactions of Death Receptor 3 and E-Selectin in Clear Cell Renal Cell Carcinoma. American Journal of Pathology, 2022, 192, 722-736.	1.9	2
254	Wanted: An Endothelial Cell Targeting Atlas for Nanotherapeutic Delivery in Allograft Organs. American Journal of Transplantation, 2022, , .	2.6	2
255	Tumor Necrosis Factor. , 2007, , 261-265.		1
256	Tissue-Engineered Microvasculature to Reperfuse Isolated Renal Glomeruli. Tissue Engineering - Part A, 2015, 21, 2673-2679.	1.6	1
257	A digital pathology tool for quantification of color features in histologic specimens. Bioengineering and Translational Medicine, 2022, 7, e10242.	3.9	1
258	VASCULAR REJECTION AFTER ARTERIAL TRANSPLANTATION AND PERIPHERAL LYMPHOID RECONSTITUTION IN SCID MICE. Transplantation, 1998, 66, S47.	0.5	1
259	Mitochondrial fission in allograft endothelial cells: A novel actionable target. American Journal of Transplantation, 2022, 22, 337-338.	2.6	1
260	Continuity and Change. Immunity, 2000, 12, 119.	6.6	0
261	Tucker Collins, M.D., Ph.D., 1952â€“2007. American Journal of Pathology, 2008, 172, 855-856.	1.9	0
262	Engineered molecular delivery for control and enhancement of transplanted endothelial cell fate in tissue engineering. , 2009, , .		0
263	Human hepatic stellate cells and hepatocyte coâ€œcultures maintain differentiation in vitro and in vivo. FASEB Journal, 2008, 22, 465.3.	0.2	0