

Ying-xin Zhao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4740016/ying-xin-zhao-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64
papers

562
citations

12
h-index

21
g-index

71
ext. papers

750
ext. citations

3.3
avg, IF

3.69
L-index

#	Paper	IF	Citations
64	Perivascular adipose-derived exosomes reduce macrophage foam cell formation through miR-382-5p and the BMP4-PPAR α /ABCA1/ABCG1 pathways.. <i>Vascular Pharmacology</i> , 2022 , 143, 106968	5.9	4
63	Effect of lipoprotein(a) levels on long-term outcome in octogenarians with coronary artery disease after drug-eluting stent implantation.. <i>Reviews in Cardiovascular Medicine</i> , 2022 , 23, 79	3.9	
62	Serum CTRP9 Reflects Coronary Collateralization in Nondiabetic Patients with Obstructive Coronary Artery Disease.. <i>BioMed Research International</i> , 2022 , 2022, 8537686	3	
61	A Real-Time Medical Ventilation on Heart Failure Analysis Based on Sleep Apnea Snore and Meta-Analysis.. <i>Journal of Healthcare Engineering</i> , 2022 , 2022, 9979413	3.7	0
60	Increased estimated remnant-like particle cholesterol is associated with impaired coronary collateralization in patients with coronary chronic total occlusions.. <i>Diabetology and Metabolic Syndrome</i> , 2022 , 14, 57	5.6	
59	Transcatheter Aortic Valve Implantation in Sievers Type 0 vs. Type 1 Bicuspid Aortic Valve Morphology: Systematic Review and Meta-Analysis. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 771789	5.4	0
58	Comparison of Drug-Coated Balloon Angioplasty vs. Drug-Eluting Stent Implantation for Drug-Eluting Stent Restenosis in the Routine Clinical Practice: A Meta-Analysis of Randomized Controlled Trials.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 766088	5.4	1
57	Association between the triglyceride glucose index and coronary collateralization in coronary artery disease patients with chronic total occlusion lesions. <i>Lipids in Health and Disease</i> , 2021 , 20, 140	4.4	2
56	Combined effect of hyperhomocysteinemia and smoking on the severity of coronary artery disease in young adults ≥ 5 years of age: a hospital-based observational study. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 484	2.3	1
55	Efficacy and Safety of Evolocumab in Reducing Low-Density Lipoprotein Cholesterol Levels in Chinese Patients with Non-ST-segment Elevation Acute Coronary Syndrome. <i>Current Vascular Pharmacology</i> , 2021 , 19, 429-437	3.3	1
54	Intracoronary Imaging Versus Coronary Angiography to Guide Drug-Coated Balloon Intervention in Coronary Artery Disease: A Propensity-Matched Pilot Study Analysis. <i>Angiology</i> , 2021 , 72, 971-978	2.1	
53	Associations between hyperhomocysteinemia and the presence and severity of acute coronary syndrome in young adults ≥ 5 years of age. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 47	2.3	3
52	Association of Plasma MiRNA-204 and the Presence and Severity of Coronary Artery Calcification in Patients With Type 2 Diabetes. <i>Angiology</i> , 2021 , 72, 451-458	2.1	1
51	A Synergistic Effect of Lp(a) and GRACE Score on Cardiovascular Risk in Acute Coronary Syndrome Patients Undergoing Percutaneous Coronary Intervention: A Cohort Study From China. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 637366	5.4	0
50	Triglyceride-glucose index is associated with in-stent restenosis in patients with acute coronary syndrome after percutaneous coronary intervention with drug-eluting stents. <i>Cardiovascular Diabetology</i> , 2021 , 20, 137	8.7	7
49	Perivascular Adipose-Derived Exosomes Reduce Foam Cell Formation by Regulating Expression of Cholesterol Transporters. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 697510	5.4	2
48	A Novel Risk Scoring Tool to Predict Saphenous Vein Graft Occlusion After Cardiac Artery Bypass Graft Surgery. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 670045	5.4	1

47	Atherogenic Index of Plasma and the Risk of In-Stent Restenosis in Patients with Acute Coronary Syndrome beyond the Traditional Risk Factors. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021 ,	4	3
46	Relation between quantity and quality of peri-coronary epicardial adipose tissue and its underlying hemodynamically significant coronary stenosis. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 226	2.3	3
45	Ticagrelor Versus Clopidogrel in Patients with Two CYP2C19 Loss-of-Function Alleles Undergoing Percutaneous Coronary Intervention. <i>Cardiovascular Drugs and Therapy</i> , 2020 , 34, 179-188	3.9	4
44	The sensibility of the new blood lipid indicator--atherogenic index of plasma (AIP) in menopausal women with coronary artery disease. <i>Lipids in Health and Disease</i> , 2020 , 19, 27	4.4	17
43	Serum microRNA-204 levels are associated with long-term cardiovascular disease risk based on the Framingham risk score in patients with type 2 diabetes: results from an observational study. <i>Journal of Geriatric Cardiology</i> , 2020 , 17, 330-337	1.7	1
42	Effects and mechanisms of glucose-insulin-potassium on post-procedural myocardial injury after percutaneous coronary intervention. <i>Journal of Geriatric Cardiology</i> , 2020 , 17, 554-560	1.7	
41	Fasting Blood Glucose and HbA Correlate With Severity of Coronary Artery Disease in Elective PCI Patients With HbA 5.7% to 6.4. <i>Angiology</i> , 2020 , 71, 167-174	2.1	8
40	Discordance between the triglyceride glucose index and fasting plasma glucose or HbA1C in patients with acute coronary syndrome undergoing percutaneous coronary intervention predicts cardiovascular events: a cohort study from China. <i>Cardiovascular Diabetology</i> , 2020 , 19, 116	8.7	13
39	Perivascular Adipose Tissue as an Indication, Contributor to, and Therapeutic Target for Atherosclerosis. <i>Frontiers in Physiology</i> , 2020 , 11, 615503	4.6	7
38	Deferral Versus Performance of Revascularization for Coronary Stenosis With Grey Zone Fractional Flow Reserve Values: A Systematic Review and Meta-Analysis. <i>Angiology</i> , 2020 , 71, 48-55	2.1	1
37	Risk Factors for Postoperative Events in Patients on Antiplatelet Therapy Undergoing Off-Pump Coronary Artery Bypass Grafting Surgery. <i>Angiology</i> , 2020 , 71, 704-712	2.1	1
36	Aortic Arch Calcification Is a Strong Predictor of the Severity of Coronary Artery Disease in Patients with Acute Coronary Syndrome. <i>BioMed Research International</i> , 2019 , 2019, 7659239	3	2
35	Clinical Outcomes of Transcatheter Aortic Valve Replacement in Nonagenarians: A Systematic Review and Meta-Analysis. <i>Journal of Interventional Cardiology</i> , 2019 , 2019, 5819232	1.8	4
34	Significant association between admission serum monocyte chemoattractant protein-1 and early changes in myocardial function in patients with first ST-segment elevation myocardial infarction after primary percutaneous coronary intervention. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 107	2.3	3
33	Time-Dependent Change in Omentin-1 Level Correlated with Early Improvement of Myocardial Function in Patients with First Anterior ST-Segment Elevation Myocardial Infarction After Primary Percutaneous Coronary Intervention. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019 , 26, 856-867	4	4
32	Diagnostic accuracy of a deep learning approach to calculate FFR from coronary CT angiography. <i>Journal of Geriatric Cardiology</i> , 2019 , 16, 42-48	1.7	15
31	Platelet-Derived Exosomes Affect the Proliferation and Migration of Human Umbilical Vein Endothelial Cells Via miR-126. <i>Current Vascular Pharmacology</i> , 2019 , 17, 379-387	3.3	26
30	Hyperuricemia and severity of coronary artery disease: An observational study in adults 35 years of age and younger with acute coronary syndrome. <i>Cardiology Journal</i> , 2019 , 26, 275-282	1.4	8

29	High Serum Secreted Frizzled-Related Protein 5 Levels Associates with Early Improvement of Cardiac Function Following ST-Segment Elevation Myocardial Infarction Treated by Primary Percutaneous Coronary Intervention. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019 , 26, 868-878	4	10
28	Optimal Revascularization Threshold of Fractional Flow Reserve and its Effect on Outcomes: Perspectives From a High-Volume Center in China. <i>Angiology</i> , 2019 , 70, 423-430	2.1	4
27	Long-Term Follow-Up After Treatment of Drug-Eluting Stent Restenosis and De Novo Lesions Using SeQuent Please Paclitaxel-Coated Balloons. <i>Angiology</i> , 2019 , 70, 414-422	2.1	1
26	Endoplasmic Reticulum Stress Affects Lipid Metabolism in Atherosclerosis Via CHOP Activation and Over-Expression of miR-33. <i>Cellular Physiology and Biochemistry</i> , 2018 , 48, 1995-2010	3.9	35
25	Obstructive sleep apnea is associated with severity and long-term prognosis of acute coronary syndrome. <i>Journal of Geriatric Cardiology</i> , 2018 , 15, 146-152	1.7	11
24	New predictors of in-stent restenosis in patients with diabetes mellitus undergoing percutaneous coronary intervention with drug-eluting stent. <i>Journal of Geriatric Cardiology</i> , 2018 , 15, 137-145	1.7	8
23	Platelet Distribution Width on Admission Predicts In-Stent Restenosis in Patients with Coronary Artery Disease and Type 2 Diabetes Mellitus Treated with Percutaneous Coronary Intervention. <i>Chinese Medical Journal</i> , 2018 , 131, 757-763	2.9	12
22	Stenting for Aorto-Ostial In-Stent Restenosis via Side Strut of an Excessively Protruding Stent Guided by Intracoronary Imaging. <i>Chinese Medical Journal</i> , 2018 , 131, 2767-2768	2.9	
21	Hyperuricemia and smoking in young adults suspected of coronary artery disease ≥ 5 years of age: a hospital-based observational study. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 178	2.3	5
20	Long-Term Outcomes of Acute Myocardial Infarction in Patients With Hypertrophic Cardiomyopathy. <i>Angiology</i> , 2018 , 69, 900-908	2.1	3
19	Human epicardial adipose tissue-derived and circulating secreted frizzled-related protein 4 (SFRP4) levels are increased in patients with coronary artery disease. <i>Cardiovascular Diabetology</i> , 2017 , 16, 133	8.7	18
18	The conical stent in coronary artery improves hemodynamics compared with the traditional cylindrical stent. <i>International Journal of Cardiology</i> , 2017 , 227, 166-171	3.2	6
17	Elevated IL-37 levels in the plasma of patients with severe coronary artery calcification. <i>Journal of Geriatric Cardiology</i> , 2017 , 14, 285-291	1.7	7
16	Transvenous versus open chest lead placement for resynchronization therapy in patients with heart failure: comparison of ventricular electromechanical synchronicity. <i>Journal of Geriatric Cardiology</i> , 2017 , 14, 261-265	1.7	
15	Percutaneous Coronary Intervention Rates and Associated Independent Predictors for Progression of Nontarget Lesions in Patients With Diabetes Mellitus After Drug-Eluting Stent Implantation. <i>Angiology</i> , 2016 , 67, 12-20	2.1	1
14	Women With Early Menopause Have Higher Rates of Target Lesion Revascularization After Percutaneous Coronary Intervention. <i>Angiology</i> , 2016 , 67, 311-6	2.1	1
13	Revascularization treatment for spontaneous coronary artery dissection: A reconsideration of drug-coated balloons and bioresorbable vascular scaffold. <i>International Journal of Cardiology</i> , 2016 , 209, 49-50	3.2	2
12	Association between omentin-1 expression in human epicardial adipose tissue and coronary atherosclerosis. <i>Cardiovascular Diabetology</i> , 2016 , 15, 90	8.7	66

11	The patient's selection of PARACHUTE [®] endoventricular partitioning device: The important role of detailed echocardiography. <i>International Journal of Cardiology</i> , 2015 , 195, 176-9	3.2	1
10	The Protective Effect of Interleukin-37 on Vascular Calcification and Atherosclerosis in Apolipoprotein E-Deficient Mice with Diabetes. <i>Journal of Interferon and Cytokine Research</i> , 2015 , 35, 530-9	3.5	35
9	Preconditioning With Tauroursodeoxycholic Acid Protects Against Contrast-Induced HK-2 Cell Apoptosis by Inhibiting Endoplasmic Reticulum Stress. <i>Angiology</i> , 2015 , 66, 941-9	2.1	10
8	High clopidogrel dose in patients with chronic kidney disease having clopidogrel resistance after percutaneous coronary intervention. <i>Angiology</i> , 2015 , 66, 319-25	2.1	5
7	Valsartan protects HK-2 cells from contrast media-induced apoptosis by inhibiting endoplasmic reticulum stress. <i>Cell Biology International</i> , 2015 , 39, 1408-17	4.5	10
6	Perivascular adipose tissue-derived adiponectin inhibits collar-induced carotid atherosclerosis by promoting macrophage autophagy. <i>PLoS ONE</i> , 2015 , 10, e0124031	3.7	41
5	Current understanding of coronary artery calcification. <i>Journal of Geriatric Cardiology</i> , 2015 , 12, 668-75	1.7	54
4	Effect of remote ischemic preconditioning in the elderly patients with coronary artery disease with diabetes mellitus undergoing elective drug-eluting stent implantation. <i>Angiology</i> , 2014 , 65, 660-6	2.1	48
3	Protective role of statins in patients with acute coronary syndrome aged ≥ 75 years with low LDL-C who underwent percutaneous coronary intervention. <i>Angiology</i> , 2014 , 65, 590-5	2.1	1
2	High-dose statin pretreatment decreases periprocedural myocardial infarction and cardiovascular events in patients undergoing elective percutaneous coronary intervention: a meta-analysis of twenty-four randomized controlled trials. <i>PLoS ONE</i> , 2014 , 9, e113352	3.7	16
1	Heart rate distribution and predictors of resting heart rate after initiation of beta-blocker treatment in patients with coronary artery disease: REsults of Sympathetic Evaluation And Research of China (RESEARCH) study. <i>Chinese Medical Journal</i> , 2013 , 126, 3460-3	2.9	1