Adriana Renzoni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4740130/publications.pdf

Version: 2024-02-01

516561 28 808 citations papers

501076 16 28 g-index h-index

28 28 docs citations all docs

28 1182 times ranked citing authors

| # | Article | IF | CITATIONS |
|----------------------|--|---------------------------------|---|
| 1 | MazF toxin causes alterations in <i>Staphylococcus aureus</i> transcriptome, translatome and proteome that underlie bacterial dormancy. Nucleic Acids Research, 2021, 49, 2085-2101. | 6.5 | 14 |
| 2 | The Role of ArlRS and VraSR in Regulating Ceftaroline Hypersusceptibility in Methicillin-Resistant Staphylococcus aureus. Antibiotics, 2021, 10, 821. | 1.5 | 5 |
| 3 | Hydrogen Peroxide Affects Growth of S. aureus Through Downregulation of Genes Involved in Pyrimidine Biosynthesis. Frontiers in Immunology, 2021, 12, 673985. | 2.2 | 10 |
| 4 | Insights into the global effect on Staphylococcus aureus growth arrest by induction of the endoribonuclease MazF toxin. Nucleic Acids Research, 2020, 48, 8545-8561. | 6.5 | 9 |
| 5 | YjbH Solubility Controls Spx in Staphylococcus aureus: Implication for MazEF Toxin-Antitoxin System Regulation. Frontiers in Microbiology, 2020, 11, 113. | 1.5 | 10 |
| 6 | Linking toxin-antitoxin systems with phenotypes: A Staphylococcus aureus viewpoint. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2019, 1862, 742-751. | 0.9 | 13 |
| 7 | Thermosensitive PBP2a requires extracellular folding factors PrsA and HtrA1 for Staphylococcus aureus MRSA \hat{l}^2 -lactam resistance. Communications Biology, 2019, 2, 417. | 2.0 | 21 |
| 8 | Sub-Inhibitory Doses of Individual Constituents of Essential Oils Can Select for Staphylococcus aureus Resistant Mutants. Molecules, 2019, 24, 170. | 1.7 | 16 |
| 9 | Whole-Genome Sequencing and Genetic Analysis Reveal Novel Stress Responses to Individual Constituents of Essential Oils in Escherichia coli. Applied and Environmental Microbiology, 2018, 84, . | 1.4 | 16 |
| | Molecular Bases Determining Daptomycin Resistance-Mediated Resensitization to \hat{I}^2 -Lactams (Seesaw) Tj ETQc | ΛΛΛ κ~DT | 10 1 1 0 0 |
| 10 | 61,. | 1.4 | Overlock 10 54 |
| 10 | | | |
| | 61, . Antimicrobial activity of ceftaroline against methicillin-resistant Staphylococcus aureus (MRSA) isolates collected in 2013–2014 at the Geneva University Hospitals. European Journal of Clinical | 1.4 | 54 |
| 11 | Antimicrobial activity of ceftaroline against methicillin-resistant Staphylococcus aureus (MRSA) isolates collected in 2013–2014 at the Geneva University Hospitals. European Journal of Clinical Microbiology and Infectious Diseases, 2017, 36, 343-350. Rifampin Resistance ⟨i>rpoB⟨/i> Alleles or Multicopy Thioredoxin/Thioredoxin Reductase Suppresses the Lethality of Disruption of the Global Stress Regulator ⟨i>spx⟨/i> in Staphylococcus aureus. | 1.3 | 54 15 |
| 11 12 | Antimicrobial activity of ceftaroline against methicillin-resistant Staphylococcus aureus (MRSA) isolates collected in 2013–2014 at the Geneva University Hospitals. European Journal of Clinical Microbiology and Infectious Diseases, 2017, 36, 343-350. Rifampin Resistance ⟨i>rpoB⟨ i> Alleles or Multicopy Thioredoxin/Thioredoxin Reductase Suppresses the Lethality of Disruption of the Global Stress Regulator ⟨i>spx⟨ i⟩ in Staphylococcus aureus. Journal of Bacteriology, 2016, 198, 2719-2731. The Staphylococcus aureus Chaperone PrsA Is a New Auxiliary Factor of Oxacillin Resistance Affecting | 1.4 | 1523 |
| 11 12 13 | Antimicrobial activity of ceftaroline against methicillin-resistant Staphylococcus aureus (MRSA) isolates collected in 2013–2014 at the Geneva University Hospitals. European Journal of Clinical Microbiology and Infectious Diseases, 2017, 36, 343-350. Rifampin Resistance <i>rpoB</i> Alleles or Multicopy Thioredoxin/Thioredoxin Reductase Suppresses the Lethality of Disruption of the Global Stress Regulator <i>spx</i> in Staphylococcus aureus. Journal of Bacteriology, 2016, 198, 2719-2731. The Staphylococcus aureus Chaperone PrsA Is a New Auxiliary Factor of Oxacillin Resistance Affecting Penicillin-Binding Protein 2A. Antimicrobial Agents and Chemotherapy, 2016, 60, 1656-1666. Missense Mutations in PBP2A Affecting Ceftaroline Susceptibility Detected in Epidemic Hospital-Acquired Methicillin-Resistant Staphylococcus aureus Clonotypes ST228 and ST247 in | 1.4 1.3 1.0 | 152360 |
| 11 12 13 14 | Antimicrobial activity of ceftaroline against methicillin-resistant Staphylococcus aureus (MRSA) isolates collected in 2013â6°2014 at the Geneva University Hospitals. European Journal of Clinical Microbiology and Infectious Diseases, 2017, 36, 343-350. Rifampin Resistance <i>>rpoB</i> > Alleles or Multicopy Thioredoxin/Thioredoxin Reductase Suppresses the Lethality of Disruption of the Global Stress Regulator <i>>spx</i> > in Staphylococcus aureus. Journal of Bacteriology, 2016, 198, 2719-2731. The Staphylococcus aureus Chaperone PrsA Is a New Auxiliary Factor of Oxacillin Resistance Affecting Penicillin-Binding Protein 2A. Antimicrobial Agents and Chemotherapy, 2016, 60, 1656-1666. Missense Mutations in PBP2A Affecting Ceftaroline Susceptibility Detected in Epidemic Hospital-Acquired Methicillin-Resistant Staphylococcus aureus Clonotypes ST228 and ST247 in Western Switzerland Archived since 1998. Antimicrobial Agents and Chemotherapy, 2015, 59, 1922-1930. The Staphylococcus aureus Thiol/Oxidative Stress Global Regulator Spx Controls <i>trfA</i> > , a Gene Implicated in Cell Wall Antibiotic Resistance. Antimicrobial Agents and Chemotherapy, 2013, 57, | 1.4 1.3 1.0 1.4 | 5415236076 |
| 11 12 13 14 | Antimicrobial activity of ceftaroline against methicillin-resistant Staphylococcus aureus (MRSA) isolates collected in 2013–2014 at the Geneva University Hospitals. European Journal of Clinical Microbiology and Infectious Diseases, 2017, 36, 343-350. Rifampin Resistance <i>rpoB</i> Alleles or Multicopy Thioredoxin/Thioredoxin Reductase Suppresses the Lethality of Disruption of the Global Stress Regulator <i>spx</i> in Staphylococcus aureus. Journal of Bacteriology, 2016, 198, 2719-2731. The Staphylococcus aureus Chaperone PrsA Is a New Auxiliary Factor of Oxacillin Resistance Affecting Penicillin-Binding Protein 2A. Antimicrobial Agents and Chemotherapy, 2016, 60, 1656-1666. Missense Mutations in PBP2A Affecting Ceftaroline Susceptibility Detected in Epidemic Hospital-Acquired Methicillin-Resistant Staphylococcus aureus Clonotypes ST228 and ST247 in Western Switzerland Archived since 1998. Antimicrobial Agents and Chemotherapy, 2015, 59, 1922-1930. The Staphylococcus aureus Thiol/Oxidative Stress Global Regulator Spx Controls <i>trfA</i> a Gene Implicated in Cell Wall Antibiotic Resistance. Antimicrobial Agents and Chemotherapy, 2013, 57, 3283-3292. Genetic Variation in the Staphylococcus aureus 8325 Strain Lineage Revealed by Whole-Genome | 1.4 1.3 1.0 1.4 1.4 | 541523607640 |

| # | Article | IF | CITATION |
|----|---|-----|----------|
| 19 | Prevalence of isolates with reduced glycopeptide susceptibility in orthopedic device-related infections due to methicillin-resistant Staphylococcus aureus. European Journal of Clinical Microbiology and Infectious Diseases, 2012, 31, 3367-3374. | 1.3 | 13 |
| 20 | Site-Specific Mutation of <i>Staphylococcus aureus</i> VraS Reveals a Crucial Role for the VraR-VraS Sensor in the Emergence of Glycopeptide Resistance. Antimicrobial Agents and Chemotherapy, 2011, 55, 1008-1020. | 1.4 | 36 |
| 21 | Whole Genome Sequencing and Complete Genetic Analysis Reveals Novel Pathways to Glycopeptide Resistance in Staphylococcus aureus. PLoS ONE, 2011, 6, e21577. | 1.1 | 56 |
| 22 | Underestimation of Vancomycin and Teicoplanin MICs by Broth Microdilution Leads to Underdetection of Glycopeptide-Intermediate Isolates of <i>Staphylococcus aureus</i> Antimicrobial Agents and Chemotherapy, 2010, 54, 3861-3870. | 1.4 | 43 |
| 23 | Control of the <i>Staphylococcus aureus</i> Toxic Shock <i>tst</i> Promoter by the Global Regulator SarA. Journal of Bacteriology, 2010, 192, 6077-6085. | 1.0 | 41 |
| 24 | Exploring innate glycopeptide resistance mechanisms in Staphylococcus aureus. Trends in Microbiology, 2010, 18, 55-56. | 3.5 | 8 |
| 25 | Increased Uptake and Improved Intracellular Survival of a Teicoplanin-Resistant Mutant of Methicillin-Resistant <i>Staphylococcus aureus</i> in Non-Professional Phagocytes. Chemotherapy, 2009, 55, 183-188. | 0.8 | 12 |
| 26 | Identification by Genomic and Genetic Analysis of Two New Genes Playing a Key Role in Intermediate Glycopeptide Resistance in <i>Staphylococcus aureus</i> . Antimicrobial Agents and Chemotherapy, 2009, 53, 903-911. | 1.4 | 32 |
| 27 | Comparative activity of oritavancin against meticillin-resistant Staphylococcus aureus (MRSA) bloodstream isolates from Geneva University Hospital. International Journal of Antimicrobial Agents, 2009, 34, 540-543. | 1.1 | 4 |
| 28 | Transcriptomic and Functional Analysis of an Autolysis-Deficient, Teicoplanin-Resistant Derivative of Methicillin-Resistant Staphylococcus aureus. Antimicrobial Agents and Chemotherapy, 2006, 50, 3048-3061. | 1.4 | 47 |