

Michael Baer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4740812/michael-baer-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

3,865
citations

29
h-index

62
g-index

86
ext. papers

3,999
ext. citations

2.8
avg, IF

5.37
L-index

#	Paper	IF	Citations
70	HeH2+: structure and dynamics. <i>International Reviews in Physical Chemistry</i> , 2022 , 41, 49-93	7	
69	Non-adiabatic coupling as a frictional force in (He, H, H)+ dynamics and the formation of HeH2+. <i>Molecular Physics</i> , 2021 , 119, e1811907	1.7	3
68	Charge Transfer Processes for H + H Reaction Employing Coupled 3D Wavepacket Approach on Beyond Born-Oppenheimer Based Ab Initio Constructed Diabatic Potential Energy Surfaces. <i>Journal of Physical Chemistry A</i> , 2021 , 125, 731-745	2.8	5
67	Non-adiabatic coupling as a frictional force in the formation of H3+: a model dynamical study. <i>European Physical Journal D</i> , 2020 , 74, 1	1.3	0
66	Non-adiabatic coupling and conical intersection(s) between potential energy surfaces for HeH2+. <i>Molecular Physics</i> , 2020 , 118, e1683243	1.7	3
65	Topological studies related to molecular systems formed during the Big Bang: H3+ as an example. <i>International Journal of Quantum Chemistry</i> , 2019 , 119, e25949	2.1	6
64	Introducing time-dependent molecular fields: a new derivation of the wave equations. <i>European Physical Journal D</i> , 2018 , 72, 1	1.3	
63	Topological study of the H3++ molecular system: H3++ as a cornerstone for building molecules during the Big Bang. <i>Molecular Physics</i> , 2018 , 116, 2435-2448	1.7	7
62	The special theory of relativity as applied to the Born-Oppenheimer-Huang approach. <i>Molecular Physics</i> , 2017 , 115, 1534-1543	1.7	1
61	Study of Topological Effects Concerning the Lowest A ² and the Three A ¹ States for the CO2(+) Ion. <i>Journal of Physical Chemistry A</i> , 2016 , 120, 2999-3008	2.8	8
60	Time-dependent molecular fields created by the interaction of an external electro-magnetic field with a molecular system: the derivation of the wave equations. <i>Molecular Physics</i> , 2016 , 114, 227-244	1.7	3
59	Time-dependent molecular fields created by the interaction of an external electromagnetic field with a molecular system. <i>International Journal of Quantum Chemistry</i> , 2014 , 114, 1645-1659	2.1	5
58	The adiabatic-to-diabatic transformation angle and the berry phase for coupled jahnTeller/rennerTeller systems: The F + H2 as a case study. <i>International Journal of Quantum Chemistry</i> , 2012 , 112, 2561-2570	2.1	13
57	H2 + photodissociation by an intense pulsed photonic Fock state. <i>Physical Review A</i> , 2010 , 81,	2.6	6
56	Proton Energy Loss Spectroscopy as a State-to-State Probe of Molecular Dynamics. <i>Advances in Chemical Physics</i> , 2007 , 553-647		27
55	Diabatic Potential Energy Surfaces for Charge-Transfer Processes. <i>Advances in Chemical Physics</i> , 2007 , 73-134		58
54	State-Selected and State-to-State Ion-Molecular Reaction Dynamics by Photoionization and Differential Reactivity Methods. <i>Advances in Chemical Physics</i> , 2007 , 401-500		21

53	A Review of Quantum-Mechanical Approximate Treatments of Three-Body Reactive Systems. <i>Advances in Chemical Physics</i> , 2007 , 191-309		67
52	State Selected Charge Transfer and Chemical Reactions by the Tesico Technique. <i>Advances in Chemical Physics</i> , 2007 , 263-307		16
51	Multicoincidence Detection in Beam Studies of Ion-Molecule Reactions: Technique and Application to X- + h ₂ Reactions. <i>Advances in Chemical Physics</i> , 2007 , 309-399		6
50	Crossed-Molecular Beam Studies of State-to-State Reaction Dynamics. <i>Advances in Chemical Physics</i> , 2007 , 501-552		3
49	Control of Transition-Metal Cation Reactivity by Electronic State Selection. <i>Advances in Chemical Physics</i> , 2007 , 213-262		18
48	Multiphoton Ionization State Selection: Vibrational-Mode and Rotational-State Control. <i>Advances in Chemical Physics</i> , 2007 , 177-212		43
47	Conical intersections induced by the Renner effect in polyatomic molecules. <i>Journal of Physics A: Mathematical and Theoretical</i> , 2007 , 40, F267-F272	2	29
46	Inhomogeneous RF Fields: A Versatile Tool for the Study of Processes with Slow Ions. <i>Advances in Chemical Physics</i> , 2007 , 1-176		314
45	Born-Oppenheimer Approach: Diabatization and Topological Matrix 2006 , 26-57		2
44	Space-time contours to treat the interaction between an intense electric field and a molecular system. <i>Journal of Physical Chemistry A</i> , 2006 , 110, 6571-8	2.8	8
43	2006 ,		362
42	Applying Direct Molecular Dynamics to Non-Adiabatic Systems. <i>Advances in Chemical Physics</i> , 2003 , 355-431		50
41	Complex States of Simple Molecular Systems. <i>Advances in Chemical Physics</i> , 2003 , 197-282		11
40	Non-Adiabatic Effects in Chemical Reactions: Extended Born-Oppenheimer Equations and its Applications. <i>Advances in Chemical Physics</i> , 2003 , 143-196		25
39	A survey of ab initio conical intersections for the H+H ₂ system. <i>Journal of Chemical Physics</i> , 2003 , 118, 3052-3064	3.9	45
38	Curl equations as substratum for the derivation of the electronic nonadiabatic coupling terms. <i>International Journal of Quantum Chemistry</i> , 2002 , 90, 1577-1585	2.1	12
37	Ab initio non-adiabatic coupling elements: the conical intersection between the 22A [?] and the 32A [?] of the H+H ₂ system. <i>Chemical Physics Letters</i> , 2002 , 358, 163-169	2.5	28
36	Some properties of electronic non-adiabatic coupling terms. <i>Molecular Physics</i> , 2002 , 100, 1011-1015	1.7	20

35	On the Conical Intersection and the Possibility of a New Assignment for Molecular Systems□ <i>Journal of Physical Chemistry A</i> , 2001 , 105, 2198-2208	2.8	14
34	On phase factors and geometric phases in isotopes of H ₃ : A line integral study. <i>Journal of Chemical Physics</i> , 2000 , 112, 2746-2751	3.9	45
33	The Electronic Adiabatic-Diabatic Transformation Matrix: A Theoretical and Numerical Study of a Three-State System. <i>Journal of Physical Chemistry A</i> , 2000 , 104, 389-396	2.8	78
32	A three-dimensional quantum mechanical study of the H+H ₂ ⁺ -H ₂ +H ⁺ system: Competition between chemical exchange and inelastic processes. <i>Journal of Chemical Physics</i> , 1997 , 107, 1451-1459	3.9	54
31	A modified Born-Oppenheimer equation: application to conical intersections and other types of singularities. <i>Chemical Physics Letters</i> , 1997 , 265, 105-108	2.5	62
30	A study of degenerate vibronic coupling effects on scattering processes: are resonances affected by degenerate vibronic coupling?. <i>Chemical Physics Letters</i> , 1997 , 265, 629-637	2.5	25
29	A study of conical intersection effects on scattering processes: The validity of adiabatic single-surface approximations within a quasi-Jahn-Teller model. <i>Journal of Chemical Physics</i> , 1996 , 105, 9141-9152	3.9	121
28	The application of negative imaginary arrangement decoupling potentials to reactive scattering: Conversion of a reactive scattering problem into a bound-type problem. <i>Journal of Chemical Physics</i> , 1992 , 96, 2017-2024	3.9	36
27	A study of the diabatic electronic representation within the Born-Oppenheimer approximation. <i>Molecular Physics</i> , 1992 , 75, 293-303	1.7	114
26	The application of wave packets to reactive atom-diatom systems: A new approach. <i>Journal of Chemical Physics</i> , 1989 , 91, 4651-4657	3.9	226
25	A three-dimensional quantum mechanical study of vibrationally resolved charge transfer processes in H ⁺ +H ₂ at E _{cm} =20 eV. <i>Journal of Chemical Physics</i> , 1989 , 91, 4169-4182	3.9	104
24	Arrangement channel approach to atom-diatom reactive systems: Theory and accurate three-dimensional probabilities for the H+H ₂ system. <i>Journal of Chemical Physics</i> , 1989 , 90, 3043-3054	3.9	23
23	The time-dependent Schrödinger equation: Application of absorbing boundary conditions. <i>Journal of Chemical Physics</i> , 1989 , 90, 4351-4355	3.9	470
22	Quantum Effects in Three-Dimensional H + D ₂ Reaction at High Energies. <i>Israel Journal of Chemistry</i> , 1989 , 29, 451-460	3.4	3
21	BKLT equations for reactive scattering. I. Theory and application to three finite mass atom systems. <i>Journal of Chemical Physics</i> , 1983 , 78, 6666-6679	3.9	22
20	A quasiclassical trajectory study of the F+HH→FH+H reaction. <i>Journal of Chemical Physics</i> , 1983 , 78, 4414-4422	3.9	36
19	Trajectory studies within the framework of the infinite order sudden approximation for the F+H ₂ -HF+H reaction. <i>Journal of Chemical Physics</i> , 1983 , 78, 4494-4501	3.9	11
18	Infinite order sudden approximation for reactive scattering within classical mechanics. I. Theory. <i>Journal of Chemical Physics</i> , 1982 , 76, 4883-4892	3.9	27

17	Semiempirical three-dimensional potential energy surfaces suitable for both reaction channels of the XH ₂ system (X = F, Cl). <i>Journal of Chemical Physics</i> , 1981 , 75, 288-299	3.9	42
16	Electronic non-adiabatic transitions derivation of the general adiabatic-diabatic transformation matrix. <i>Molecular Physics</i> , 1980 , 40, 1011-1013	1.7	140
15	Kinetic modeling of rotational nonequilibrium in chemical lasers. A comparison of three models applied to the Cl ₂ /HI/He system. <i>Journal of Applied Physics</i> , 1980 , 51, 130-141	2.5	3
14	Electronic non-adiabatic transitions in the reaction Ar ⁺⁺ H ₂ (v _i =0)-ArH ⁺⁺ H. <i>Molecular Physics</i> , 1978 , 35, 1637-1648	1.7	29
13	Incorporation of electronically nonadiabatic effects into bimolecular reactive systems. I. Theory. <i>Journal of Chemical Physics</i> , 1977 , 66, 1363-1371	3.9	141
12	Incorporation of electronically nonadiabatic effects into bimolecular reactive systems. II. The collinear (H ₂ + H, H ₂ ⁺ + H) system. <i>Chemical Physics</i> , 1977 , 25, 1-18	2.3	87
11	Adiabatic and diabatic representations for atom-molecule collisions: Treatment of the collinear arrangement. <i>Chemical Physics Letters</i> , 1975 , 35, 112-118	2.5	385
10	An exact quantum mechanical study of the isotopic collinear reactive systems H ₂ + Cl and D ₂ + Cl. <i>Molecular Physics</i> , 1974 , 27, 1429-1435	1.7	37
9	Exact quantum mechanical study of kinetic isotope effects in the collinear reaction Cl + H ₂ -> HCl + H. The H ₂ /D ₂ and the H ₂ /T ₂ isotope effects. <i>Journal of Chemical Physics</i> , 1974 , 60, 133-136	3.9	30
8	Isotopic reactive systems H+Cl ₂ and D+Cl ₂ . A quantum mechanical treatment of the collinear arrangement. <i>Journal of Chemical Physics</i> , 1974 , 60, 1057-1063	3.9	79
7	Nonadiabatic Interactions Between Potential Energy Surfaces: Theory and Applications. <i>Advances in Chemical Physics</i> , 1-71		70
6	Model Potential Energy Surfaces for Inelastic and Charge-Transfer Processes in Ion-Molecule Collisions. <i>Advances in Chemical Physics</i> , 135-186		10
5	Quantum-Mechanical Treatment for Charge-Transfer Processes in Ion-Molecule Collisions. <i>Advances in Chemical Physics</i> , 187-241		13
4	Semiclassical Approach to Charge-Transfer Processes in Ion-Molecule Collisions. <i>Advances in Chemical Physics</i> , 243-319		16
3	The Semiclassical Time-Dependent Approach to Charge-Transfer Processes. <i>Advances in Chemical Physics</i> , 321-421		22
2	The Classical Trajectory-Surface-Hopping Approach to Charge-Transfer Processes. <i>Advances in Chemical Physics</i> , 423-483		47
1	Statistical Aspects of Ion-Molecule Reactions. <i>Advances in Chemical Physics</i> , 485-529		16