

Bernard Bingen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4741870/bernard-bingen-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78
papers

4,233
citations

37
h-index

64
g-index

85
ext. papers

4,685
ext. citations

3.5
avg, IF

5.27
L-index

#	Paper	IF	Citations
78	A geochronological review of magmatism along the external margin of Columbia and in the Grenville-age orogens forming the core of Rodinia. <i>Precambrian Research</i> , 2022 , 106463	3.9	4
77	The Sveconorwegian orogeny. <i>Gondwana Research</i> , 2021 , 90, 273-313	5.1	17
76	Tracing the Sveconorwegian orogen into the Caledonides of West Norway: Geochronological and isotopic studies on magmatism and migmatization. <i>Precambrian Research</i> , 2021 , 362, 106301	3.9	3
75	Building up the first continents: Mesoarchean to Paleoproterozoic crustal evolution in West Troms, Norway, inferred from granitoid petrology, geochemistry and zircon U-Pb/Lu-Hf isotopes. <i>Precambrian Research</i> , 2019 , 321, 303-327	3.9	14
74	Decoding a protracted zircon geochronological record in ultrahigh temperature granulite, and persistence of partial melting in the crust, Rogaland, Norway. <i>Contributions To Mineralogy and Petrology</i> , 2018 , 173, 1	3.5	21
73	The early-Sveconorwegian orogeny in southern Norway: Tectonic model involving delamination of the sub-continental lithospheric mantle. <i>Precambrian Research</i> , 2018 , 313, 170-204	3.9	20
72	Two successive phases of ultrahigh temperature metamorphism in Rogaland, S. Norway: Evidence from Y-in-monzite thermometry. <i>Journal of Metamorphic Geology</i> , 2018 , 36, 1009-1037	4.4	13
71	Granulite-facies metamorphism of the Palaeoproterozoic Early Palaeozoic gneiss domains of NE Mozambique, East African Orogen. <i>Geological Magazine</i> , 2017 , 154, 491-515	2	7
70	Timing, duration, and causes for Late Jurassic Early Cretaceous anoxia in the Barents Sea. <i>Earth and Planetary Science Letters</i> , 2017 , 461, 151-162	5.3	18
69	Palaeocene faulting in SE Sweden from U-Pb dating of slickenfibres calcite. <i>Terra Nova</i> , 2017 , 29, 321-328	3	28
68	Sulphate incorporation in monazite lattice and dating the cycle of sulphur in metamorphic belts. <i>Contributions To Mineralogy and Petrology</i> , 2016 , 171, 1	3.5	19
67	Fluid-mediated alteration of (Y,REE,U,Th)(Nb,Ta,Ti) oxide minerals in granitic pegmatite from the Evje-Iveland district, southern Norway. <i>Mineralogy and Petrology</i> , 2016 , 110, 581-599	1.6	12
66	Localized occurrences of granulite: P-T modeling, U-Pb geochronology and distribution of early-Sveconorwegian high-grade metamorphism in Bamble, South Norway. <i>Lithos</i> , 2016 , 240-243, 84-103	3.9	11
65	Trapping of helium in nano-bubbles in euxenite: Positive identification and implications. <i>Earth and Planetary Science Letters</i> , 2016 , 448, 133-139	5.3	8
64	Mesoproterozoic continental growth: U-Pb Hf zircon record in the Idefjorden Terrane, Sveconorwegian Orogen. <i>Precambrian Research</i> , 2015 , 261, 75-95	3.9	27
63	Formation and evolution of the Høgtuva beryllium deposit, Norway. <i>Contributions To Mineralogy and Petrology</i> , 2015 , 170, 1	3.5	5
62	The Chemistry of Quartz in Granitic Pegmatites of Southern Norway: Petrogenetic and Economic Implications. <i>Economic Geology</i> , 2015 , 110, 1737-1757	4.3	46

61	Nanoscale evidence for uranium mobility in zircon and the discordance of U/Pb chronometers. <i>Earth and Planetary Science Letters</i> , 2015 , 409, 43-48	5.3	26
60	Multiple reactivation and strain localization along a Proterozoic orogen-scale deformation zone: The Kongsberg-Telemark boundary in southern Norway revisited. <i>Precambrian Research</i> , 2015 , 265, 78-103	3.9	14
59	U/Pb geochronology of the syn-orogenic Knaben molybdenum deposits, Sveconorwegian Orogen, Norway. <i>Geological Magazine</i> , 2015 , 152, 537-556	2	4
58	Cadmium-isotopic evidence for increasing primary productivity during the Late Permian anoxic event. <i>Earth and Planetary Science Letters</i> , 2015 , 410, 84-96	5.3	46
57	Cause of Upper Triassic climate crisis revealed by Re/Os geochemistry of Boreal black shales. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014 , 395, 222-232	2.9	45
56	Comment on Bybee et al. (2014): Pyroxene megacrysts in Proterozoic anorthosites: Implications for tectonic setting, magma source and magmatic processes at the Moho. <i>Earth and Planetary Science Letters</i> , 2014 , 401, 378-380	5.3	9
55	Geochronology of Paleoproterozoic Augen Gneisses in the Western Gneiss Region, Norway: Evidence for Sveconorwegian Zircon Neocrystallization and Caledonian Zircon Deformation. <i>Journal of Geology</i> , 2013 , 121, 105-128	2	16
54	Orogen styles in the East African Orogen: A review of the Neoproterozoic to Cambrian tectonic evolution. <i>Journal of African Earth Sciences</i> , 2013 , 86, 65-106	2.2	436
53	A non-collisional, accretionary Sveconorwegian orogen [Comment]. <i>Terra Nova</i> , 2013 , 25, 165-168	3	15
52	Chemical signals for oxidative weathering predict Re/Os isochroneity in black shales, East Greenland. <i>Chemical Geology</i> , 2012 , 324-325, 108-121	4.2	32
51	Digestion methods for trace element measurements in shales: Paleoredox proxies examined. <i>Chemical Geology</i> , 2012 , 324-325, 132-147	4.2	43
50	Low-temperature alteration of monazite: Fluid mediated coupled dissolution/precipitation, irradiation damage, and disturbance of the U/Pb and Th/Pb chronometers. <i>Chemical Geology</i> , 2012 , 330-331, 140-158	4.2	129
49	Hot acidic Late Permian seas stifle life in record time. <i>Earth and Planetary Science Letters</i> , 2011 , 310, 389-400	5.9	62
48	Neoproterozoic palaeogeography in the North Atlantic Region: Inferences from the Akkajaure and Seve Nappes of the Scandinavian Caledonides. <i>Precambrian Research</i> , 2011 , 186, 127-146	3.9	53
47	The Grenvillian Sveconorwegian orogeny in Fennoscandia: Back-thrusting and extensional shearing along the Mylonite Zone [Precambrian Research], 2011 , 189, 368-388	3.9	44
46	Neoproterozoic recycling of the Sveconorwegian orogenic belt: Detrital-zircon data from the Sparagmite basins in the Scandinavian Caledonides. <i>Precambrian Research</i> , 2011 , 189, 347-367	3.9	74
45	Metasomatism of gabbro [mineral replacement and element mobilization during the Sveconorwegian metamorphic event. <i>Journal of Metamorphic Geology</i> , 2011 , 29, 399-423	4.4	41
44	Sveconorwegian massif-type anorthosites and related granitoids result from post-collisional melting of a continental arc root. <i>Earth-Science Reviews</i> , 2011 , 107, 375-397	10.2	74

43	Tracing the 1271–1246 Ma Central Scandinavian Dolerite Group mafic magmatism in Fennoscandia: U–Pb baddeleyite and Hf isotope data on the Mosfellsfjall and Búgefjell dolerites. <i>Geological Magazine</i> , 2011 , 148, 632-643	2	23
42	THE GEOLOGY AND GEOCHEMISTRY OF THE EAST AFRICAN OROGEN IN NORTHEASTERN MOZAMBIQUE. <i>South African Journal of Geology</i> , 2010 , 113, 87-129	1.6	37
41	The Mecubati and Alto Benfica Groups, NE Mozambique: Aids to unravelling ca. 1 and 0.5 Ga events in the East African Orogen. <i>Precambrian Research</i> , 2010 , 178, 72-90	3.9	49
40	Mesoproterozoic geology of the Nampula Block, northern Mozambique: Tracing fragments of Mesoproterozoic crust in the heart of Gondwana. <i>Precambrian Research</i> , 2010 , 182, 124-148	3.9	45
39	The Niassa Gold Belt, northern Mozambique – A segment of a continental-scale Pan-African gold-bearing structure?. <i>Journal of African Earth Sciences</i> , 2009 , 53, 45-58	2.2	27
38	Re–Os geochronology of Arctic black shales to evaluate the Anisian–Adrianian boundary and global faunal correlations. <i>Earth and Planetary Science Letters</i> , 2009 , 288, 581-587	5.3	43
37	Paleomagnetism and geochronology of the Malani Igneous Suite, Northwest India: Implications for the configuration of Rodinia and the assembly of Gondwana. <i>Precambrian Research</i> , 2009 , 170, 13-26	3.9	166
36	Geochronology of the Precambrian crust in the Mozambique belt in NE Mozambique, and implications for Gondwana assembly. <i>Precambrian Research</i> , 2009 , 170, 231-255	3.9	134
35	The East European Craton (Baltica) before and during the assembly of Rodinia. <i>Precambrian Research</i> , 2008 , 160, 23-45	3.9	285
34	Isotope chemostratigraphy of marbles in northeastern Mozambique: Apparent depositional ages and tectonostratigraphic implications. <i>Precambrian Research</i> , 2008 , 162, 540-558	3.9	37
33	Growth and collapse of a deeply eroded orogen: Insights from structural, geophysical, and geochronological constraints on the Pan-African evolution of NE Mozambique. <i>Tectonics</i> , 2008 , 27, n/a-n/a	4.3	60
32	Early Palaeozoic orogenic collapse and voluminous late-tectonic magmatism in Dronning Maud Land and Mozambique: insights into the partially delaminated orogenic root of the East African–Antarctic Orogen?. <i>Geological Society Special Publication</i> , 2008 , 308, 69-90	1.7	33
31	Solid solution between potassic-obertiite and potassic-fluoro-magnesio-arfvedsonite in a silica-rich lamproite from northeastern Mozambique. <i>European Journal of Mineralogy</i> , 2008 , 20, 1011-1018	2.2	5
30	The Mesoproterozoic in the Nordic countries. <i>Episodes</i> , 2008 , 31, 29-34	1.6	114
29	P–Ti evolution and textural evidence for decompression of Pan-African high-pressure granulites, Lurio Belt, north-eastern Mozambique. <i>Journal of Metamorphic Geology</i> , 2007 , 25, 935-952	4.4	28
28	Kimberlites in a Karoo graben of northern Mozambique: Tectonic setting, mineralogy and Rb–Sr geochronology. <i>South African Journal of Geology</i> , 2007 , 110, 111-124	1.6	6
27	Molybdenite Re–Os dating constrains gravitational collapse of the Sveconorwegian orogen, SW Scandinavia. <i>Lithos</i> , 2006 , 87, 328-346	2.9	46
26	Kinematics of the Høybakken detachment zone and the Mjørdalen delag Fault Complex, central Norway. <i>Journal of the Geological Society</i> , 2006 , 163, 303-318	2.7	39

25	Timing of Late Neoproterozoic glaciation on Baltica constrained by detrital zircon geochronology in the Hedmark Group, south-east Norway. <i>Terra Nova</i> , 2005 , 17, 250-258	3	77
24	Trace element signature and U/Pb geochronology of eclogite-facies zircon, Bergen Arcs, Caledonides of W Norway. <i>Contributions To Mineralogy and Petrology</i> , 2004 , 147, 671-683	3.5	148
23	A Permian underplating event in late- to post-orogenic tectonic setting. Evidence from the mafic-ultramafic layered xenoliths from Beaunit (French Massif Central). <i>Chemical Geology</i> , 2003 , 199, 293-315	4.2	51
22	Molybdenite Re/Os dating of biotite dehydration melting in the Rogaland high-temperature granulites, S Norway. <i>Earth and Planetary Science Letters</i> , 2003 , 208, 181-195	5.3	62
21	Relations between 1.19-1.13 Ga continental magmatism, sedimentation and metamorphism, Sveconorwegian province, S Norway. <i>Precambrian Research</i> , 2003 , 124, 215-241	3.9	53
20	1.05-1.01 Ga Sveconorwegian metamorphism and deformation of the supracrustal sequence at SØvatn, South Norway: Re-Os dating of Cu-Mo mineral occurrences. <i>Geological Society Special Publication</i> , 2002 , 204, 319-335	1.7	17
19	Baltica-Laurentia link during the Mesoproterozoic: 1.27 Ga development of continental basins in the Sveconorwegian Orogen, southern Norway. <i>Canadian Journal of Earth Sciences</i> , 2002 , 39, 1425-1440	1.5	44
18	Precise eclogitization ages deduced from Rb/Sr mineral systematics: The Maksyutov complex, Southern Urals, Russia. <i>Geochimica Et Cosmochimica Acta</i> , 2002 , 66, 1221-1235	5.5	82
17	Correlation of supracrustal sequences and origin of terranes in the Sveconorwegian orogen of SW Scandinavia: SIMS data on zircon in clastic metasediments. <i>Precambrian Research</i> , 2001 , 108, 293-318	3.9	81
16	⁴⁰ Ar/ ³⁹ Ar study of plagioclases from the Rogaland anorthosite complex (SW Norway); an attempt to understand argon ages in plutonic plagioclase. <i>Chemical Geology</i> , 2001 , 176, 105-135	4.2	25
15	Ilmenite as a Source for Zirconium during High-grade Metamorphism? Textural Evidence from the Caledonides of Western Norway and Implications for Zircon Geochronology. <i>Journal of Petrology</i> , 2001 , 42, 355-375	3.9	155
14	Zircon U-Pb geochronology in the Bergen arc eclogites and their Proterozoic protoliths, and implications for the pre-Scandian evolution of the Caledonides in western Norway. <i>Bulletin of the Geological Society of America</i> , 2001 , 113, 640	3.9	78
13	Geochemical signature of the Egersund basaltic dyke swarm, SW Norway, in the context of late-Neoproterozoic opening of the Iapetus Ocean. <i>Norwegian Journal of Geology</i> , 1999 , 79, 69-86		20
12	Geochronology and palaeomagnetism of the Hunnedalen dykes, SW Norway: implications for the Sveconorwegian apparent polar wander loop. <i>Earth and Planetary Science Letters</i> , 1999 , 169, 71-83	5.3	51
11	U-Pb monazite ages in amphibolite- to granulite-facies orthogneiss reflect hydrous mineral breakdown reactions: Sveconorwegian Province of SW Norway. <i>Contributions To Mineralogy and Petrology</i> , 1998 , 132, 336-353	3.5	155
10	Hornblende ⁴⁰ Ar/ ³⁹ Ar geochronology across terrane boundaries in the Sveconorwegian Province of S. Norway. <i>Precambrian Research</i> , 1998 , 90, 159-185	3.9	37
9	The 616 Ma Old Egersund Basaltic Dike Swarm, Sw Norway, and Late Neoproterozoic Opening of the Iapetus Ocean. <i>Journal of Geology</i> , 1998 , 106, 565-574	2	141
8	Tectonic regimes and terrane boundaries in the high-grade Sveconorwegian belt of SW Norway, inferred from U/Pb zircon geochronology and geochemical signature of augen gneiss suites. <i>Journal of the Geological Society</i> , 1998 , 155, 143-154	2.7	65

7	Redistribution of rare earth elements, thorium, and uranium over accessory minerals in the course of amphibolite to granulite facies metamorphism: The role of apatite and monazite in orthogneisses from southwestern Norway. <i>Geochimica Et Cosmochimica Acta</i> , 1996 , 60, 1341-1354	5.5	179
6	The 1160 Ma Hidderskog meta-charnockite: implications of this A-type pluton for the Sveconorwegian belt in Vest Agder (SW Norway). <i>Lithos</i> , 1995 , 36, 51-66	2.9	26
5	K-Rich Calc-Alkaline Augen Gneisses of Grenvillian Age in SW Norway: Mingling of Mantle-Derived and Crustal Components. <i>Journal of Geology</i> , 1993 , 101, 763-778	2	27
4	Geochemistry of the Lyngdal hyperites (S.W. Norway): Comparison with the monzonorites associated with the Rogaland anorthosite complex. <i>Lithos</i> , 1990 , 24, 237-250	2.9	14
3	Evolution of feldspars at the amphibolite-granulite-facies transition in augen gneisses (SW Norway): geochemistry and Sr isotopes. <i>Contributions To Mineralogy and Petrology</i> , 1990 , 105, 275-288	3.5	12
2	Aluminous Granulites of the Archean Craton of Kasai (Zaire): Petrology and P-T Conditions. <i>Journal of Petrology</i> , 1988 , 29, 899-919	3.9	14
1	Transmission Electron Microscope Imaging Sharpens Geochronological Interpretation of Zircon and Monazite. <i>Geophysical Monograph Series</i> , 261-275	1.1	2