

Bihe Yuan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4741915/publications.pdf>

Version: 2024-02-01

104
papers

6,477
citations

61945

43
h-index

66879

78
g-index

104
all docs

104
docs citations

104
times ranked

4635
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Enhanced thermal and flame retardant properties of flame-retardant-wrapped graphene/epoxy resin nanocomposites. <i>Journal of Materials Chemistry A</i> , 2015, 3, 8034-8044. | 5.2 | 371 |
| 2 | Preparation of graphene by pressurized oxidation and multiplex reduction and its polymer nanocomposites by masterbatch-based melt blending. <i>Journal of Materials Chemistry</i> , 2012, 22, 6088. | 6.7 | 366 |
| 3 | Preparation of functionalized graphene oxide/polypropylene nanocomposite with significantly improved thermal stability and studies on the crystallization behavior and mechanical properties. <i>Chemical Engineering Journal</i> , 2014, 237, 411-420. | 6.6 | 341 |
| 4 | In Situ Polymerization of Graphene, Graphite Oxide, and Functionalized Graphite Oxide into Epoxy Resin and Comparison Study of On-the-Flame Behavior. <i>Industrial & Engineering Chemistry Research</i> , 2011, 50, 7772-7783. | 1.8 | 290 |
| 5 | Dual modification of graphene by polymeric flame retardant and Ni(OH) ₂ nanosheets for improving flame retardancy of polypropylene. <i>Composites Part A: Applied Science and Manufacturing</i> , 2017, 100, 106-117. | 3.8 | 283 |
| 6 | The effects of graphene on the flammability and fire behavior of intumescent flame retardant polypropylene composites at different flame scenarios. <i>Polymer Degradation and Stability</i> , 2017, 143, 42-56. | 2.7 | 202 |
| 7 | Facile preparation of N-doped activated carbon produced from rice husk for CO ₂ capture. <i>Journal of Colloid and Interface Science</i> , 2021, 582, 90-101. | 5.0 | 183 |
| 8 | Poorly-/well-dispersed graphene: Abnormal influence on flammability and fire behavior of intumescent flame retardant. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018, 109, 345-354. | 3.8 | 172 |
| 9 | A novel strategy to simultaneously electrochemically prepare and functionalize graphene with a multifunctional flame retardant. <i>Chemical Engineering Journal</i> , 2017, 316, 514-524. | 6.6 | 165 |
| 10 | Novel organic-inorganic flame retardants containing exfoliated graphene: preparation and their performance on the flame retardancy of epoxy resins. <i>Journal of Materials Chemistry A</i> , 2013, 1, 6822. | 5.2 | 163 |
| 11 | Effect of heat treatment on hydrophobic silica aerogel. <i>Journal of Hazardous Materials</i> , 2019, 362, 294-302. | 6.5 | 157 |
| 12 | Functionalized graphene oxide for fire safety applications of polymers: a combination of condensed phase flame retardant strategies. <i>Journal of Materials Chemistry</i> , 2012, 22, 23057. | 6.7 | 154 |
| 13 | Mussel-inspired functionalization of electrochemically exfoliated graphene: Based on self-polymerization of dopamine and its suppression effect on the fire hazards and smoke toxicity of thermoplastic polyurethane. <i>Journal of Hazardous Materials</i> , 2018, 352, 57-69. | 6.5 | 142 |
| 14 | Graphite oxide, graphene, and metal-loaded graphene for fire safety applications of polystyrene. <i>Journal of Materials Chemistry</i> , 2012, 22, 16399. | 6.7 | 126 |
| 15 | Facile preparation of layered melamine-phytate flame retardant via supramolecular self-assembly technology. <i>Journal of Colloid and Interface Science</i> , 2019, 553, 364-371. | 5.0 | 116 |
| 16 | Suppression of wood dust explosion by ultrafine magnesium hydroxide. <i>Journal of Hazardous Materials</i> , 2019, 378, 120723. | 6.5 | 109 |
| 17 | Polydopamine-bridged synthesis of ternary h-BN@PDA@SnO ₂ as nanoenhancers for flame retardant and smoke suppression of epoxy composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018, 111, 94-105. | 3.8 | 106 |
| 18 | Surface modification of ammonium polyphosphate by supramolecular assembly for enhancing fire safety properties of polypropylene. <i>Composites Part B: Engineering</i> , 2020, 181, 107588. | 5.9 | 106 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Design of artificial nacre-like hybrid films as shielding to mitigate electromagnetic pollution. Carbon, 2014, 75, 178-189. | 5.4 | 103 |
| 20 | Novel Melamine/ <i>o</i> -Phthalaldehyde Covalent Organic Frameworks Nanosheets: Enhancement Flame Retardant and Mechanical Performances of Thermoplastic Polyurethanes. ACS Applied Materials & Interfaces, 2017, 9, 23017-23026. | 4.0 | 98 |
| 21 | Nacre-like graphene oxide paper bonded with boric acid for fire early-warning sensor. Journal of Hazardous Materials, 2021, 403, 123645. | 6.5 | 86 |
| 22 | Boron/phosphorus doping for retarding the oxidation of reduced graphene oxide. Carbon, 2016, 101, 152-158. | 5.4 | 83 |
| 23 | The effect of doped heteroatoms (nitrogen, boron, phosphorus) on inhibition thermal oxidation of reduced graphene oxide. RSC Advances, 2016, 6, 105021-105029. | 1.7 | 81 |
| 24 | Flame-retardant polyvinyl alcohol/cellulose nanofibers hybrid carbon aerogel by freeze drying with ultra-low phosphorus. Applied Surface Science, 2019, 497, 143775. | 3.1 | 73 |
| 25 | Effect of dust explosion suppression by sodium bicarbonate with different granulometric distribution. Journal of Loss Prevention in the Process Industries, 2017, 49, 905-911. | 1.7 | 71 |
| 26 | Modification of halloysite nanotubes with supramolecular self-assembly aggregates for reducing smoke release and fire hazard of polypropylene. Composites Part B: Engineering, 2019, 177, 107371. | 5.9 | 71 |
| 27 | One-pot synthesis of a novel s-triazine-based hyperbranched charring foaming agent and its enhancement on flame retardancy and water resistance of polypropylene. Polymer Degradation and Stability, 2014, 110, 165-174. | 2.7 | 67 |
| 28 | Suppression of methane/air explosion by kaolinite-based multi-component inhibitor. Powder Technology, 2019, 343, 279-286. | 2.1 | 62 |
| 29 | Facile Construction of Flame-Retardant-Wrapped Molybdenum Disulfide Nanosheets for Properties Enhancement of Thermoplastic Polyurethane. Industrial & Engineering Chemistry Research, 2017, 56, 7229-7238. | 1.8 | 61 |
| 30 | Enhanced flame retardancy of polypropylene by melamine-modified graphene oxide. Journal of Materials Science, 2015, 50, 5389-5401. | 1.7 | 60 |
| 31 | Preparation of Large-Size Reduced Graphene Oxide-Wrapped Ammonium Polyphosphate and Its Enhancement of the Mechanical and Flame Retardant Properties of Thermoplastic Polyurethane. Industrial & Engineering Chemistry Research, 2017, 56, 7468-7477. | 1.8 | 59 |
| 32 | High-Performance Poly(ethylene oxide)/Molybdenum Disulfide Nanocomposite Films: Reinforcement of Properties Based on the Gradient Interface Effect. ACS Applied Materials & Interfaces, 2015, 7, 13164-13173. | 4.0 | 58 |
| 33 | Nacre-biomimetic graphene oxide paper intercalated by phytic acid and its ultrafast fire-alarm application. Journal of Colloid and Interface Science, 2020, 578, 412-421. | 5.0 | 53 |
| 34 | Synthesis of a bio-based flame retardant via a facile strategy and its synergistic effect with ammonium polyphosphate on the flame retardancy of polylactic acid. Polymer Degradation and Stability, 2021, 191, 109684. | 2.7 | 52 |
| 35 | Comparative evaluation of thermal decomposition behavior and thermal stability of powdered ammonium nitrate under different atmosphere conditions. Journal of Hazardous Materials, 2017, 337, 10-19. | 6.5 | 51 |
| 36 | Inhibition of diammonium phosphate on the wheat dust explosion. Powder Technology, 2020, 367, 751-761. | 2.1 | 51 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | The influence of opening shape of obstacles on explosion characteristics of premixed methane-air with concentration gradients. <i>Chemical Engineering Research and Design</i> , 2021, 150, 305-313. | 2.7 | 51 |
| 38 | Preparation and Characterization of Flame-Retardant Aluminum Hypophosphite/Poly(Vinyl Alcohol) Composite. <i>Industrial & Engineering Chemistry Research</i> , 2012, 51, 14065-14075. | 1.8 | 50 |
| 39 | Electrical conductive and graphitizable polymer nanofibers grafted on graphene nanosheets: Improving electrical conductivity and flame retardancy of polypropylene. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016, 84, 76-86. | 3.8 | 49 |
| 40 | Effects of particle size on flame structures through corn starch dust explosions. <i>Journal of Loss Prevention in the Process Industries</i> , 2017, 50, 7-14. | 1.7 | 49 |
| 41 | Inhibited combustion of graphene paper by in situ phosphorus doping and its application for fire early-warning sensor. <i>Sensors and Actuators A: Physical</i> , 2020, 312, 112111. | 2.0 | 47 |
| 42 | Flame retardant and anti-dripping properties of polylactic acid/poly(bis(phenoxy)phosphazene)/expandable graphite composite and its flame retardant mechanism. <i>RSC Advances</i> , 2015, 5, 76068-76078. | 1.7 | 46 |
| 43 | Facile fabrication of organically modified boron nitride nanosheets and its effect on the thermal stability, flame retardant, and mechanical properties of thermoplastic polyurethane. <i>Polymers for Advanced Technologies</i> , 2018, 29, 2545-2552. | 1.6 | 45 |
| 44 | Synergetic Dispersion Effect of Graphene Nanohybrid on the Thermal Stability and Mechanical Properties of Ethylene Vinyl Acetate Copolymer Nanocomposite. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 1143-1149. | 1.8 | 44 |
| 45 | Self S-doping activated carbon derived from lignin-based pitch for removal of gaseous benzene. <i>Chemical Engineering Journal</i> , 2021, 410, 128286. | 6.6 | 44 |
| 46 | Renewable biomass gel reinforced core-shell dry water material as novel fire extinguishing agent. <i>Journal of Loss Prevention in the Process Industries</i> , 2019, 59, 14-22. | 1.7 | 43 |
| 47 | Atherton-Todd reaction assisted synthesis of functionalized multicomponent MoSe ₂ /CNTs nanoarchitecture towards the fire safety enhancement of polymer. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018, 112, 271-282. | 3.8 | 42 |
| 48 | Investigation on thermokinetic suppression of ammonium polyphosphate on sucrose dust deflagration: Based on flame propagation, thermal decomposition and residue analysis. <i>Journal of Hazardous Materials</i> , 2021, 403, 123653. | 6.5 | 42 |
| 49 | A single γ -cobalt hydroxide/sodium alginate bilayer layer-by-layer assembly for conferring flame retardancy to flexible polyurethane foams. <i>Materials Chemistry and Physics</i> , 2017, 191, 52-61. | 2.0 | 41 |
| 50 | Solid acid-reduced graphene oxide nanohybrid for enhancing thermal stability, mechanical property and flame retardancy of polypropylene. <i>RSC Advances</i> , 2015, 5, 41307-41316. | 1.7 | 40 |
| 51 | Inspiration from a thermosensitive biomass gel: A novel method to improving the stability of core-shell "dry water"-fire extinguishing agent. <i>Powder Technology</i> , 2019, 356, 383-390. | 2.1 | 39 |
| 52 | Construction of organic-inorganic hybrid nano-coatings containing γ -zirconium phosphate with high efficiency for reducing fire hazards of flexible polyurethane foam. <i>Materials Chemistry and Physics</i> , 2015, 163, 107-115. | 2.0 | 38 |
| 53 | Insight into suppression performance and mechanisms of ultrafine powders on wood dust deflagration under equivalent concentration. <i>Journal of Hazardous Materials</i> , 2020, 394, 122584. | 6.5 | 35 |
| 54 | Flame-retardant cellulose nanofiber aerogel modified with graphene oxide and sodium montmorillonite and its fire alarm application. <i>Polymers for Advanced Technologies</i> , 2021, 32, 1877-1887. | 1.6 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Effect of Functionalized Graphene Oxide with Organophosphorus Oligomer on the Thermal and Mechanical Properties and Fire Safety of Polystyrene. <i>Industrial & Engineering Chemistry Research</i> , 2015, 54, 3309-3319. | 1.8 | 34 |
| 56 | A facile approach to prepare graphene via solvothermal reduction of graphite oxide. <i>Materials Research Bulletin</i> , 2014, 55, 48-52. | 2.7 | 33 |
| 57 | A novel and efficient strategy to exfoliation of covalent organic frameworks and a significant advantage of covalent organic frameworks nanosheets as polymer nano-enhancer: High interface compatibility. <i>Journal of Colloid and Interface Science</i> , 2019, 539, 609-618. | 5.0 | 33 |
| 58 | Enhanced mechanical properties, water stability and repeatable shape recovery behavior of Ca ²⁺ -crosslinking graphene oxide-based nacre-mimicking hybrid film. <i>Materials and Design</i> , 2017, 115, 46-51. | 3.3 | 32 |
| 59 | MoO ₃ -ZrO ₂ solid acid for enhancement in the efficiency of intumescent flame retardant. <i>Powder Technology</i> , 2019, 344, 581-589. | 2.1 | 32 |
| 60 | Fabrication and Properties of Biobased Layer-by-Layer Coated Ramie Fabric-Reinforced Unsaturated Polyester Resin Composites. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 4758-4767. | 1.8 | 31 |
| 61 | Thermally induced fire early warning aerogel with efficient thermal isolation and flame-retardant properties. <i>Polymers for Advanced Technologies</i> , 2021, 32, 2159-2168. | 1.6 | 31 |
| 62 | Fast preparation of glass fiber/silica aerogel blanket in ethanol & water solvent system. <i>Journal of Non-Crystalline Solids</i> , 2019, 505, 286-291. | 1.5 | 30 |
| 63 | Suppression characteristics of double-layer wire mesh on wheat dust flame. <i>Powder Technology</i> , 2020, 360, 231-240. | 2.1 | 30 |
| 64 | Two-Dimensional Metal Phenylphosphonates as Novel Flame Retardants for Polystyrene. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 7192-7206. | 1.8 | 29 |
| 65 | Inhibition effect of ammonium dihydrogen phosphate on the thermal decomposition characteristics and thermal sensitivity of ammonium nitrate. <i>Journal of Analytical and Applied Pyrolysis</i> , 2018, 134, 195-201. | 2.6 | 29 |
| 66 | Fundamental investigation on the effects of ammonium polyphosphate on flame propagation behaviors of starch dust deflagration. <i>Powder Technology</i> , 2020, 360, 411-420. | 2.1 | 28 |
| 67 | Enhanced fire-retardancy of poly(ethylene vinyl acetate) electrical cable coatings containing microencapsulated ammonium polyphosphate as intumescent flame retardant. <i>RSC Advances</i> , 2016, 6, 85564-85573. | 1.7 | 25 |
| 68 | Functionalized graphene paper with the function of fuse and its flame-triggered self-cutting performance for fire-alarm sensor application. <i>Materials Chemistry and Physics</i> , 2020, 252, 123292. | 2.0 | 24 |
| 69 | Investigation on the flame and explosion suppression of hydrogen/air mixtures by porous copper foams in the pipe with large aspect ratio. <i>Journal of Loss Prevention in the Process Industries</i> , 2022, 76, 104744. | 1.7 | 24 |
| 70 | Effects of reduced oxygen levels on flame propagation behaviors of starch dust deflagration. <i>Journal of Loss Prevention in the Process Industries</i> , 2018, 54, 146-152. | 1.7 | 23 |
| 71 | Supramolecular self-assembly modification of ammonium polyphosphate and its flame retardant application in polypropylene. <i>Polymers for Advanced Technologies</i> , 2020, 31, 1099-1109. | 1.6 | 23 |
| 72 | Facile Synthesis of Poly(vinyl alcohol)/Ti-Titanium Phosphate Nanocomposite with Markedly Enhanced Properties. <i>Industrial & Engineering Chemistry Research</i> , 2011, 50, 11109-11116. | 1.8 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Bismuth subcarbonate nanoplates for thermal stability, fire retardancy and smoke suppression applications in polymers: A new strategy. <i>Polymer Degradation and Stability</i> , 2014, 107, 1-9. | 2.7 | 22 |
| 74 | A facile method to fabricate superoleophilic and hydrophobic polyurethane foam for oil/water separation. <i>Materials Letters</i> , 2015, 159, 345-348. | 1.3 | 22 |
| 75 | Click-chemistry approach for graphene modification: effective reinforcement of UV-curable functionalized graphene/polyurethane acrylate nanocomposites. <i>RSC Advances</i> , 2015, 5, 13502-13506. | 1.7 | 21 |
| 76 | Flammability of polystyrene/aluminum phosphinate composites containing modified ammonium polyphosphate. <i>Journal of Thermal Analysis and Calorimetry</i> , 2018, 131, 1067-1077. | 2.0 | 20 |
| 77 | Effect of metal mesh on the flame propagation characteristics of wheat starch dust. <i>Journal of Loss Prevention in the Process Industries</i> , 2018, 55, 107-112. | 1.7 | 20 |
| 78 | Facile design of transition metal based organophosphorus hybrids towards the flame retardancy reinforcement and toxic effluent elimination of polystyrene. <i>Materials Chemistry and Physics</i> , 2018, 214, 209-220. | 2.0 | 18 |
| 79 | Effectiveness and mechanism of sodium phytate as a green inhibitor for the dust deflagration of lysine sulfate. <i>Chemical Engineering Research and Design</i> , 2021, 147, 772-787. | 2.7 | 18 |
| 80 | Graphene oxide/chitosan nano-coating with ultrafast fire alarm response and flame-retardant property. <i>Polymers for Advanced Technologies</i> , 2022, 33, 795-806. | 1.6 | 18 |
| 81 | Flame-retardant AlOOH/graphene oxide composite coating with temperature-responsive resistance for efficient early-warning fire sensors. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 648, 129326. | 2.3 | 18 |
| 82 | Novel incorporation of mesoporous NiCo ₂ O ₄ into thermoplastic polyurethane for enhancing its fire safety. <i>RSC Advances</i> , 2016, 6, 109620-109632. | 1.7 | 16 |
| 83 | A facile method to prepare reduced graphene oxide with a large pore volume. <i>Materials Letters</i> , 2016, 162, 154-156. | 1.3 | 16 |
| 84 | Serendipity discovery of fire early warning function of chitosan film. <i>Carbohydrate Polymers</i> , 2022, 277, 118884. | 5.1 | 16 |
| 85 | Synergistic effect of layered melamine-phytate and intumescent flame retardant on enhancing fire safety of polypropylene. <i>Journal of Thermal Analysis and Calorimetry</i> , 2022, 147, 285-295. | 2.0 | 14 |
| 86 | Upgrading the pore-size scale of MIL-53 from microporous to macroporous for adsorbing triethyl phosphate and reducing the fire risk of polystyrene. <i>Composites Part A: Applied Science and Manufacturing</i> , 2022, 159, 107003. | 3.8 | 14 |
| 87 | Effects of partial inerting on flame structures of starch dust deflagration in duct. <i>Powder Technology</i> , 2020, 373, 46-57. | 2.1 | 13 |
| 88 | Mechanism for increased thermal instability and fire risk of graphite oxide containing metal salts. <i>Materials Letters</i> , 2016, 167, 197-200. | 1.3 | 11 |
| 89 | Alumina nanoflake-coated graphene nanohybrid as a novel flame retardant filler for polypropylene. <i>Polymers for Advanced Technologies</i> , 2019, 30, 2153-2158. | 1.6 | 11 |
| 90 | Preparation of piperazine cyanurate by hydrogen-bonding self-assembly reaction and its application in intumescent flame-retardant polypropylene composites. <i>Polymers for Advanced Technologies</i> , 2020, 31, 1027-1037. | 1.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | An innovative ternary composite paper of graphene and Fe ₃ O ₄ decorated multi-walled carbon nanotube for ultra-efficient electromagnetic interference shielding and fire-resistant properties. <i>Composites Communications</i> , 2022, 32, 101181. | 3.3 | 11 |
| 92 | Preparation of layered graphitic carbon nitride/montmorillonite nanohybrids for improving thermal stability of sodium alginate nanocomposites. <i>RSC Advances</i> , 2015, 5, 11761-11765. | 1.7 | 10 |
| 93 | The effect of carbon nanotubes/NiFe ₂ O ₄ on the thermal stability, combustion behavior and mechanical properties of unsaturated polyester resin. <i>RSC Advances</i> , 2016, 6, 96974-96983. | 1.7 | 9 |
| 94 | Characteristics of wheat dust flame with the influence of ceramic foam. <i>Advanced Powder Technology</i> , 2020, 31, 3570-3581. | 2.0 | 9 |
| 95 | Radiation Cured Epoxy Acrylate Composites Based on Graphene, Graphite Oxide and Functionalized Graphite Oxide with Enhanced Properties. <i>Journal of Nanoscience and Nanotechnology</i> , 2012, 12, 1776-1791. | 0.9 | 8 |
| 96 | Explosion evolution behavior of methane/air premixed gas in a closed pipe filled with a bio-based porous material. <i>Fuel</i> , 2022, 318, 123716. | 3.4 | 8 |
| 97 | The assembly nanohybrid of graphene with lamellar zirconium phenylphosphonate for improving flame retardancy and mechanical properties of polypropylene. <i>Polymer Composites</i> , 2019, 40, E1757-E1765. | 2.3 | 7 |
| 98 | Facile fabrication of porous fire-resistant graphene macro-assembly with outstanding electromagnetic interference shielding performance. <i>Materials Letters</i> , 2021, 299, 130055. | 1.3 | 7 |
| 99 | The design of lightweight and porous graphene-based composite paper and the study on its electromagnetic interference shielding and fire resistance. <i>Materials Letters</i> , 2021, 304, 130625. | 1.3 | 7 |
| 100 | Carbonization mechanism of polypropylene catalyzed by Co compounds combined with phosphorus-doped graphene to improve its fire safety performance. <i>Materials Today Communications</i> , 2021, 26, 101792. | 0.9 | 5 |
| 101 | Improving the Fire Performance of Structural Insulated Panel Core Materials with Intumescent Flame-Retardant Epoxy Resin Adhesive. <i>Fire Technology</i> , 2023, 59, 29-51. | 1.5 | 5 |
| 102 | Effect of Obstacles on Flame Propagation Characteristics of Corn Starch Dust. <i>Combustion Science and Technology</i> , 2019, 191, 2006-2019. | 1.2 | 3 |
| 103 | Surface modification of ammonium polyphosphate by kaolinite and the study on thermal decomposition behavior and flame-retardant performance. <i>Journal of Thermal Analysis and Calorimetry</i> , 2022, 147, 7311-7321. | 2.0 | 3 |
| 104 | Exploration on the influence mechanism of heteroatom doped graphene on thermal oxidative stability and decomposition of polypropylene. <i>Materials Today Communications</i> , 2020, 25, 101446. | 0.9 | 1 |