Asim Bhaumik

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4745000/publications.pdf

Version: 2024-02-01

444 papers

21,758 citations

79 h-index

7672

22488 117 g-index

476 all docs

476 docs citations

476 times ranked

23568 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | High proton conductivity in a charge carrier-induced Ni(⟨scp⟩ii⟨ scp⟩) metal–organic framework. New Journal of Chemistry, 2022, 46, 1867-1876. | 1.4 | 7 |
| 2 | Soft-templating routes for the synthesis of mesoporous tantalum phosphates and their catalytic activity in glycerol dehydration and carbonylation reactions. Molecular Catalysis, 2022, 518, 112074. | 1.0 | 11 |
| 3 | Green synthesis of C5–C6-unsubstituted 1,4-DHP scaffolds using an efficient Ni–chitosan nanocatalyst under ultrasonic conditions. Beilstein Journal of Organic Chemistry, 2022, 18, 133-142. | 1.3 | 3 |
| 4 | Carboxylation of Alkenes and Alkynes Using CO2 as a Reagent: An Overview. Current Organic Chemistry, 2022, 26, 60-70. | 0.9 | 2 |
| 5 | Ag nanoparticles immobilized over highly porous crystalline organosilica for epoxidation of styrene using CO2 as oxidant. Journal of CO2 Utilization, 2022, 55, 101843. | 3.3 | 3 |
| 6 | The Emerging Roles of Silver Nanoparticles to Target Viral Life Cycle and Detect Viral Pathogens. Chemistry - an Asian Journal, 2022, 17, . | 1.7 | 17 |
| 7 | Mixed-Valence Bimetallic Ce/Zr MOF-Based Nanoarchitecture: A Visible-Light-Active Photocatalyst for Ciprofloxacin Degradation and Hydrogen Evolution. Langmuir, 2022, 38, 1766-1780. | 1.6 | 69 |
| 8 | Fabrication of a hollow sphere N,S co-doped bifunctional carbon catalyst for sustainable fixation of CO ₂ to cyclic carbonates. Green Chemistry, 2022, 24, 1673-1692. | 4.6 | 42 |
| 9 | Porous organic–inorganic hybrid materials for catalysis, energy and environmental applications. Chemical Communications, 2022, 58, 3429-3460. | 2.2 | 35 |
| 10 | Novel Microporous Iron-Embedded Cobalt Phosphonates Feasible for Electrochemical Overall Water Splitting. ACS Applied Energy Materials, 2022, 5, 3558-3567. | 2.5 | 15 |
| 11 | Metalâ€Thiolate Framework for Electrochemical and Photoelectrochemical Hydrogen Generation. ChemSusChem, 2022, , . | 3.6 | 2 |
| 12 | Nanospace Engineering of Triazineâ^'Thiophene-Intertwined Porous-Organic-Polymers <i>via</i> Molecular Expansion in Tweaking CO ₂ Capture. ACS Applied Nano Materials, 2022, 5, 5302-5315. | 2.4 | 22 |
| 13 | Synthesis of cyclic carbonates of different epoxides using CO2 as a C1 building block over Ag/TUD-1 mesoporous silica catalyst: A solvent free approach. Molecular Catalysis, 2022, 522, 112234. | 1.0 | 6 |
| 14 | Novel microporous organic-inorganic hybrid metal phosphonates as electrocatalysts towards water oxidation reaction. Electrochimica Acta, 2022, 416, 140277. | 2.6 | 9 |
| 15 | Highly stable tetradentate phosphonate-based green fluorescent Cu-MOF for anticancer therapy and antibacterial activity. Materials Today Chemistry, 2022, 24, 100882. | 1.7 | 11 |
| 16 | A conjugated 2D covalent organic framework as a drug delivery vehicle towards triple negative breast cancer malignancy. Nanoscale Advances, 2022, 4, 2313-2320. | 2.2 | 18 |
| 17 | A Ni(II) Metal–Organic Framework with Mixed Carboxylate and Bipyridine Ligands for Ultrafast and Selective Sensing of Explosives and Photoelectrochemical Hydrogen Evolution. ACS Applied Materials & Amp; Interfaces, 2022, 14, 20907-20918. | 4.0 | 40 |
| 18 | Dehydrogenase-Functionalized Interfaced Materials in Electroenzymatic and Photoelectroenzymatic CO ₂ Reduction. ACS Sustainable Chemistry and Engineering, 2022, 10, 6141-6156. | 3.2 | 7 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | A new phosphonate based Mn-MOF in recognising arginine over lysine in aqueous medium and other bio-fluids with "Sepsis―disease remediation. Chemical Engineering Journal, 2022, 446, 136916. | 6.6 | 9 |
| 20 | Selective CO2 reduction to methane catalyzed by mesoporous Ru-Fe3O4/CeOx-SiO2 in a fixed bed flow reactor. Molecular Catalysis, 2022, 528, 112486. | 1.0 | 5 |
| 21 | Morphologically controlled cobalt oxide nanoparticles for efficient oxygen evolution reaction. Journal of Colloid and Interface Science, 2021, 582, 322-332. | 5.0 | 51 |
| 22 | Microporous nickel phosphonate derived heteroatom doped nickel oxide and nickel phosphide: Efficient electrocatalysts for oxygen evolution reaction. Chemical Engineering Journal, 2021, 405, 126803. | 6.6 | 112 |
| 23 | Metforminâ€Templated Nanoporous ZnO and Covalent Organic Framework Heterojunction Photoanode for Photoelectrochemical Water Oxidation. ChemSusChem, 2021, 14, 408-416. | 3.6 | 45 |
| 24 | A novel crystalline nanoporous iron phosphonate based metal–organic framework as an efficient anode material for lithium ion batteries. New Journal of Chemistry, 2021, 45, 15458-15468. | 1.4 | 9 |
| 25 | Sulfur-containing nitrogen-rich robust hierarchically porous organic polymer for adsorptive removal of mercury: experimental and theoretical insights. Environmental Science: Nano, 2021, 8, 2641-2649. | 2.2 | 15 |
| 26 | A new 2D lanthanum based microporous MOF for efficient synthesis of cyclic carbonates through CO ₂ fixation. New Journal of Chemistry, 2021, 45, 9189-9196. | 1.4 | 12 |
| 27 | The design and synthesis of heterogeneous catalysts for environmental applications. Dalton Transactions, 2021, 50, 4765-4771. | 1.6 | 12 |
| 28 | Solvent-free benzylic oxidation of aromatics over Cu(II)-containing propylsalicylaldimine anchored on the surface of mesoporous silica catalysts â€. Dalton Transactions, 2021, 50, 15118-15128. | 1.6 | 2 |
| 29 | Catalytic transformation of ethanol to methane and butene over NiO NPs supported over mesoporous SBA-15. Molecular Catalysis, 2021, 502, 111381. | 1.0 | 6 |
| 30 | CO2 hydrogenation over functional nanoporous polymers and metal-organic frameworks. Advances in Colloid and Interface Science, 2021, 290, 102349. | 7.0 | 36 |
| 31 | Novel Tetradentate Phosphonate Ligand Based Bioinspired Co-Metal–Organic Frameworks: Robust Electrocatalyst for the Hydrogen Evolution Reaction in Different Mediums. Crystal Growth and Design, 2021, 21, 2614-2623. | 1.4 | 17 |
| 32 | Mesoporous Porphyrin-Silica Nanocomposite as Solid Acid Catalyst for High Yield Synthesis of HMF in Water. Molecules, 2021, 26, 2519. | 1.7 | 24 |
| 33 | A Tetradentate Phosphonate Ligandâ€based Niâ€MOF as a Support for Designing Highâ€performance Protonâ€conducting Materials. Chemistry - an Asian Journal, 2021, 16, 1562-1569. | 1.7 | 24 |
| 34 | Transformation of Wurtzite ZnO to a New Triclinic Nanoporous ZnO Phase via Hydrothermal Treatment with Metformin for Designing Proton Conducting Material. Chemistry - an Asian Journal, 2021, 16, 2261-2266. | 1.7 | 1 |
| 35 | Nickel Nanoparticles Immobilized over Mesoporous SBA-15 for Efficient Carbonylative Coupling Reactions Utilizing CO ₂ : A Spotlight. ACS Applied Materials & Samp; Interfaces, 2021, 13, 40157-40171. | 4.0 | 20 |
| 36 | Cross-Linked Porous Polymers as Heterogeneous Organocatalysts for Task-Specific Applications in Biomass Transformations, CO ₂ Fixation, and Asymmetric Reactions. ACS Sustainable Chemistry and Engineering, 2021, 9, 12431-12460. | 3.2 | 40 |

3

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | Ultrasoundâ€promoted novel route to triazabenzo[b]cyclopenta[lm]fluorenes: An efficient NiFe ₂ O ₄ @SiO ₂ –SO ₃ H nanocatalystâ€assisted green synthesis. Applied Organometallic Chemistry, 2021, 35, e6426. | 1.7 | 4 |
| 38 | Metalâ€Free Triazineâ€Based 2D Covalent Organic Framework for Efficient H ₂ Evolution by Electrochemical Water Splitting. ChemSusChem, 2021, 14, 5057-5064. | 3.6 | 42 |
| 39 | Bifunctional crystalline microporous organic polymers: Efficient heterogeneous catalysts for the synthesis of 5-hydroxymethylfurfural. Molecular Catalysis, 2021, 515, 111877. | 1.0 | 6 |
| 40 | Cu(II)-grafted 2D-hexagonal mesoporous material as an efficient catalyst for Sonogashira C-C cross-coupling reaction. Materials Today: Proceedings, 2021, 45, 3733-3740. | 0.9 | 1 |
| 41 | Novel Nanoporous Ti-Phosphonate Metal–Organic Framework for Selective Sensing of 2,4,6-Trinitrophenol and a Promising Electrode in an Energy Storage Device. ACS Sustainable Chemistry and Engineering, 2021, 9, 14224-14237. | 3.2 | 42 |
| 42 | Novel Microporous Metal Phosphonates as Electrocatalyst for the Electrochemical Hydrogen Evolution Reaction. ACS Applied Energy Materials, 2021, 4, 12827-12835. | 2.5 | 13 |
| 43 | Lithium embedded hierarchically porous aluminium phosphonate as anode material for lithium-polymer battery. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2021, 274, 115490. | 1.7 | 2 |
| 44 | Selective N-formylation of amines catalysed by Ag NPs festooned over amine functionalized SBA-15 utilizing CO2 as C1 source. Molecular Catalysis, 2021, 516, 111978. | 1.0 | 11 |
| 45 | Metal-Free Pyrene-Based Conjugated Microporous Polymer Catalyst Bearing N- and S-Sites for Photoelectrochemical Oxygen Evolution Reaction. Frontiers in Chemistry, 2021, 9, 803860. | 1.8 | 8 |
| 46 | CuO grafted triazine functionalized covalent organic framework as an efficient catalyst for C-C homo coupling reaction. Molecular Catalysis, 2020, 480, 110650. | 1.0 | 33 |
| 47 | Solvent-Free Environmentally Benign Approach for the Selective Olefin Epoxidation Catalyzed by Mn(III)-Immobilized Mesoporous Nanoarchitectonics. Journal of Nanoscience and Nanotechnology, 2020, 20, 2858-2866. | 0.9 | 12 |
| 48 | A New Porous Niâ€W Mixed Metal Phosphonate Open Framework Material for Efficient Photoelectrochemical OER. ChemCatChem, 2020, 12, 1504-1511. | 1.8 | 22 |
| 49 | Porous organic polymer as an efficient organocatalyst for the synthesis of biofuel ethyl levulinate. Molecular Catalysis, 2020, 494, 111119. | 1.0 | 9 |
| 50 | Electronic Effect in a Ruthenium Catalyst Designed in Nanoporous N-Functionalized Carbon for Efficient Hydrogenation of Heteroarenes. ACS Applied Materials & Samp; Interfaces, 2020, 12, 52668-52677. | 4.0 | 17 |
| 51 | Porous organic polymer bearing triazine and pyrene moieties as an efficient organocatalyst. Molecular Catalysis, 2020, 497, 111198. | 1.0 | 7 |
| 52 | Functionalized porous organic materials as efficient media for the adsorptive removal of Hg(<scp>ii</scp>) ions. Environmental Science: Nano, 2020, 7, 2887-2923. | 2.2 | 44 |
| 53 | Catalytic reduction of CO ₂ into fuels and fine chemicals. Green Chemistry, 2020, 22, 4002-4033. | 4.6 | 162 |
| 54 | General synthesis of hierarchical sheet/plate-like M-BDC (M = Cu, Mn, Ni, and Zr) metal–organic frameworks for electrochemical non-enzymatic glucose sensing. Chemical Science, 2020, 11, 3644-3655. | 3.7 | 205 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 55 | Green oxidation of alkylaromatics using molecular oxygen over mesoporous manganese silicate catalysts. Dalton Transactions, 2020, 49, 9710-9718. | 1.6 | 7 |
| 56 | Thiadiazole containing N- and S-rich highly ordered periodic mesoporous organosilica for efficient removal of Hg(<scp>ii</scp>) from polluted water. Chemical Communications, 2020, 56, 3963-3966. | 2.2 | 40 |
| 57 | Nano-SiO2@[DABCO(CH2CH2CO2H)]+[Br]â^ as an efficient and recyclable SCILL for water mediated facile synthesis of thiol-substituted N-aryl pentasubstituted pyrroles. Catalysis Communications, 2020, 139, 105966. | 1.6 | 6 |
| 58 | Facile Synthesis of Nanoporous Transition Metalâ€Based Phosphates for Oxygen Evolution Reaction. ChemCatChem, 2020, 12, 2091-2096. | 1.8 | 106 |
| 59 | A Thiadiazole-Based Covalent Organic Framework: A Metal-Free Electrocatalyst toward Oxygen Evolution Reaction. ACS Catalysis, 2020, 10, 5623-5630. | 5.5 | 140 |
| 60 | Novel porous metal phosphonates as efficient electrocatalysts for the oxygen evolution reaction. Chemical Engineering Journal, 2020, 396, 125245. | 6.6 | 54 |
| 61 | AgNPs Immobilized over Functionalized 2D Hexagonal SBA-15 for Catalytic C–H Oxidation of Hydrocarbons with Molecular Oxygen under Solvent-Free Conditions. ACS Sustainable Chemistry and Engineering, 2020, 8, 5856-5867. | 3.2 | 40 |
| 62 | Ti(IV)-containing aluminophosphate material TAPO-25 for photoelectrochemical water oxidation. Molecular Catalysis, 2020, 486, 110876. | 1.0 | 1 |
| 63 | Crystalline Porous Organic Polymer Bearing â^'SO ₃ H Functionality for High Proton Conductivity. ACS Sustainable Chemistry and Engineering, 2020, 8, 2423-2432. | 3.2 | 43 |
| 64 | Folic acid-conjugated magnetic mesoporous silica nanoparticles loaded with quercetin: a theranostic approach for cancer management. RSC Advances, 2020, 10, 23148-23164. | 1.7 | 47 |
| 65 | Materials with Nanoscale Porosity: Energy and Environmental Applications. Chemical Record, 2019, 19, 333-346. | 2.9 | 9 |
| 66 | Porous Organic Polymers for CO ₂ Storage and Conversion Reactions. ChemCatChem, 2019, 11, 244-257. | 1.8 | 153 |
| 67 | Pd-chelated 1,3,5-triazine organosilica as an active catalyst for Suzuki and Heck reactions. Molecular Catalysis, 2019, 476, 110521. | 1.0 | 10 |
| 68 | Nanoarchitectured Metal Phosphates and Phosphonates: A New Material Horizon toward Emerging Applications. Chemistry of Materials, 2019, 31, 5343-5362. | 3.2 | 87 |
| 69 | A new triazine-thiophene based porous organic polymer as efficient catalyst for the synthesis of chromenes via multicomponent coupling and catalyst support for facile synthesis of HMF from carbohydrates. Molecular Catalysis, 2019, 475, 110483. | 1.0 | 22 |
| 70 | Chiral Cr(III)-salen complex embedded over sulfonic acid functionalized mesoporous SBA-15 material as an efficient catalyst for the asymmetric Henry reaction. Molecular Catalysis, 2019, 475, 110489. | 1.0 | 8 |
| 71 | Organically Functionalized Mesoporous SBA-15 Type Material Bearing Fluorescent Sites for Selective Detection of Hg ^{II} from Aqueous Medium. ACS Omega, 2019, 4, 17857-17863. | 1.6 | 24 |
| 72 | Ag nanoparticle-decorated, ordered mesoporous silica as an efficient electrocatalyst for alkaline water oxidation reaction. Dalton Transactions, 2019, 48, 2220-2227. | 1.6 | 40 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Mesoporous MCMâ€41 Silica Supported Pyridine Nanoparticle: A Highly Efficient, Recyclable Catalyst for Expeditious Synthesis of Quinoline Derivatives through Domino Approach. ChemistrySelect, 2019, 4, 1776-1784. | 0.7 | 18 |
| 74 | An Efficient Mesoporous Cuâ€Organic Nanorod for Friedläder Synthesis of Quinoline and Click Reactions. ChemCatChem, 2019, 11, 4340-4350. | 1.8 | 40 |
| 75 | Ag NPs decorated on a COF in the presence of DBU as an efficient catalytic system for the synthesis of tetramic acids <i>via</i> CO ₂ fixation into propargylic amines at atmospheric pressure. Dalton Transactions, 2019, 48, 4657-4666. | 1.6 | 67 |
| 76 | Thioether-Functionalized Covalent Triazine Nanospheres: A Robust Adsorbent for Mercury Removal. ACS Sustainable Chemistry and Engineering, 2019, 7, 7353-7361. | 3.2 | 86 |
| 77 | Pt Nanoparticles Supported over Porous Porphyrin Nanospheres for Chemoselective Hydrogenation Reactions. ChemCatChem, 2019, 11, 1977-1985. | 1.8 | 23 |
| 78 | IrO ₂ and Pt Doped Mesoporous SnO ₂ Nanospheres as Efficient Electrocatalysts for the Facile OER and HER. ChemCatChem, 2019, 11, 583-592. | 1.8 | 82 |
| 79 | Efficacious Electrochemical Oxygen Evolution from a Novel Co(II) Porphyrin/Pyrene-Based Conjugated Microporous Polymer. ACS Applied Materials & Samp; Interfaces, 2019, 11, 1520-1528. | 4.0 | 75 |
| 80 | Fabrication of Ionicâ€Liquidâ€Embedded ZnO Nanoparticles: Application of a Synergistic Catalytic Effect to Thiolâ€Induced 2â€Pyridone Synthesis. Asian Journal of Organic Chemistry, 2018, 7, 964-976. | 1.3 | 9 |
| 81 | A new electrochemically responsive 2D π-conjugated covalent organic framework as a high performance supercapacitor. Microporous and Mesoporous Materials, 2018, 266, 109-116. | 2.2 | 84 |
| 82 | <i>N</i> à€rich Porous Organic Polymer as Heterogeneous Organocatalyst for the Oneâ€Pot Synthesis of Polyhydroquinoline Derivatives through the Hantzsch Condensation Reaction. ChemCatChem, 2018, 10, 2488-2495. | 1.8 | 47 |
| 83 | Supported Porous Nanomaterials as Efficient Heterogeneous Catalysts for CO ₂ Fixation Reactions. Chemistry - A European Journal, 2018, 24, 7278-7297. | 1.7 | 107 |
| 84 | N-rich graphitic carbon nitride functionalized graphene oxide nanosheet hybrid as anode for high performance lithium-ion batteries. Materials Research Express, 2018, 5, 016307. | 0.8 | 18 |
| 85 | Use of an efficient polystyreneâ€supported cerium catalyst for oneâ€pot multicomponent synthesis of spiroâ€piperidine derivatives and click reactions in green solvent. Applied Organometallic Chemistry, 2018, 32, e4227. | 1.7 | 14 |
| 86 | Porous Polymer Bearing Polyphenolic Organic Building Units as a Chemotherapeutic Agent for Cancer Treatment. ACS Omega, 2018, 3, 529-535. | 1.6 | 18 |
| 87 | Ordered mesoporous \hat{I}^3 -Al 2 O 3 as highly efficient and recyclable catalyst for the Knoevenagel reaction at room temperature. Molecular Catalysis, 2018, 451, 220-227. | 1.0 | 12 |
| 88 | Serendipitous Observation of Liquidâ€Phase Size Selectivity inside a Mesoporous Silica Nanoreactor in the Reaction of Chromene with Formic Acid. ChemCatChem, 2018, 10, 2260-2270. | 1.8 | 7 |
| 89 | A facile route for the syntheses of Ni(OH)2 and NiO nanostructures as potential candidates for non-enzymatic glucose sensor. Journal of Colloid and Interface Science, 2018, 516, 121-127. | 5.0 | 66 |
| 90 | A New Porous Polymer for Highly Efficient Capacitive Energy Storage. ACS Sustainable Chemistry and Engineering, 2018, 6, 202-209. | 3.2 | 78 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 91 | Porous iron-phosphonate nanomaterial as an efficient catalyst for the CO 2 fixation at atmospheric pressure and esterification of biomass-derived levulinic acid. Catalysis Today, 2018, 309, 253-262. | 2.2 | 41 |
| 92 | A new microporous oxyfluorinated titanium(IV) phosphate as an efficient heterogeneous catalyst for the selective oxidation of cyclohexanone. Journal of Colloid and Interface Science, 2018, 511, 92-100. | 5.0 | 13 |
| 93 | Zeoliteâ€Yâ€Mediated Multicomponent Reaction of Isatins, Cyclic 1,3â€Diketones, and 1,2â€Phenylenediamine: Easy Access to Spirodibenzo[1,4]diazepines. ChemCatChem, 2018, 10, 590-600. | 1.8 | 14 |
| 94 | Ruthenium Nanoparticle-Decorated Porous Organic Network for Direct Hydrodeoxygenation of Long-Chain Fatty Acids to Alkanes. ACS Sustainable Chemistry and Engineering, 2018, 6, 1610-1619. | 3.2 | 48 |
| 95 | MnAPO-5 as an efficient heterogeneous catalyst for selective liquid phase partial oxidation reactions. Dalton Transactions, 2018, 47, 791-798. | 1.6 | 10 |
| 96 | Utility of the Ditopic Nature of Magnetically Recyclable NiFe ₂ O ₄ Nanoâ€Catalyst for the Green Synthesis of Two Different Spiro[indolineâ€pyrrolizine] Scaffolds. ChemistrySelect, 2018, 3, 12755-12763. | 0.7 | 9 |
| 97 | A new triazine based π-conjugated mesoporous 2D covalent organic framework: its <i>iin vitro</i> i>anticancer activities. Chemical Communications, 2018, 54, 11475-11478. | 2.2 | 37 |
| 98 | Role of Surface Phenolic-OH Groups in N-Rich Porous Organic Polymers for Enhancing the CO ₂ Uptake and CO ₂ /N ₂ Selectivity: Experimental and Computational Studies. ACS Applied Materials & Diterraces, 2018, 10, 23813-23824. | 4.0 | 74 |
| 99 | Magnesium oxide as an efficient catalyst for CO 2 fixation and N-formylation reactions under ambient conditions. Molecular Catalysis, 2018, 450, 46-54. | 1.0 | 63 |
| 100 | Plasmonic gold deposited on mesoporous Ti Si1â^'O2 with isolated silica in lattice: An excellent photocatalyst for photocatalytic conversion of CO2 into methanol under visible light irradiation. Journal of CO2 Utilization, 2018, 27, 11-21. | 3.3 | 28 |
| 101 | Microporous Nanotubes and Nanospheres with Ironâ€Catechol Sites: Efficient Lewis Acid Catalyst and Support for Ag Nanoparticles in CO ₂ Fixation Reaction. Chemistry - A European Journal, 2018, 24, 14189-14197. | 1.7 | 34 |
| 102 | Pd NP-Decorated N-Rich Porous Organic Polymer as an Efficient Catalyst for Upgradation of Biofuels. ACS Omega, 2018, 3, 7639-7647. | 1.6 | 19 |
| 103 | Covalent organic framework based microspheres as an anode material for rechargeable sodium batteries. Journal of Materials Chemistry A, 2018, 6, 16655-16663. | 5.2 | 113 |
| 104 | Mesoporous CdS via Network of Self-Assembled Nanocrystals: Synthesis, Characterization and Enhanced Photoconducting Property. Journal of Nanoscience and Nanotechnology, 2018, 18, 256-263. | 0.9 | 3 |
| 105 | Frontispiece: Supported Porous Nanomaterials as Efficient Heterogeneous Catalysts for CO ₂ Fixation Reactions. Chemistry - A European Journal, 2018, 24, . | 1.7 | 0 |
| 106 | Chiral copper-salen complex grafted over functionalized mesoporous silica as an efficient catalyst for asymmetric Henry reactions and synthesis of the potent drug $(\langle i\rangle R\langle i\rangle)$ -isoproterenol. New Journal of Chemistry, 2018, 42, 11896-11904. | 1.4 | 19 |
| 107 | A high performance catalyst of shape-specific ruthenium nanoparticles for production of primary amines by reductive amination of carbonyl compounds. Chemical Science, 2018, 9, 5949-5956. | 3.7 | 92 |
| 108 | Bifunctionalized Mesoporous SBA-15: A New Heterogeneous Catalyst for the Facile Synthesis of 5-Hydroxymethylfurfural. ACS Sustainable Chemistry and Engineering, 2017, 5, 2763-2773. | 3.2 | 92 |

| # | Article | IF | Citations |
|-----|--|--------------|-----------|
| 109 | A New Triazineâ∈Based Covalent Organic Framework for Highâ∈Performance Capacitive Energy Storage. ChemSusChem, 2017, 10, 921-929. | 3.6 | 132 |
| 110 | Cascade synthesis of selective dihydro pyridazino fused acridinone derivatives via MCM-41 catalyzed ring-opening/ring-closure reaction. Tetrahedron Letters, 2017, 58, 622-628. | 0.7 | 10 |
| 111 | Silver nanoparticles supported over mesoporous alumina as an efficient nanocatalyst for N-alkylation of hetero (aromatic) amines and aromatic amines using alcohols as alkylating agent. Journal of Colloid and Interface Science, 2017, 493, 206-217. | 5.0 | 21 |
| 112 | Oneâ€Pot Synthesis of Polyhydroquinoline Derivatives through Organicâ€Solidâ€Acidâ€Catalyzed Hantzsch Condensation Reaction. ChemCatChem, 2017, 9, 1469-1475. | 1.8 | 56 |
| 113 | Pd Nanoparticles Decorated on Hypercrosslinked Microporous Polymer: A Highly Efficient Catalyst for the Formylation of Amines through Carbon Dioxide Fixation. ChemCatChem, 2017, 9, 1939-1946. | 1.8 | 79 |
| 114 | A facile approach for the synthesis of hydroxyl-rich microporous organic networks for efficient CO ₂ capture and H ₂ storage. Chemical Communications, 2017, 53, 2752-2755. | 2.2 | 38 |
| 115 | Functionalized SBA-15 material with grafted CO2H group as an efficient heterogeneous acid catalyst for the fixation of CO2 on epoxides under atmospheric pressure. Molecular Catalysis, 2017, 434, 25-31. | 1.0 | 29 |
| 116 | Catecholase activity of a manganese Schiff base complex functionalized over SBA-15 in aqueous heterogeneous medium. Microporous and Mesoporous Materials, 2017, 249, 78-87. | 2.2 | 11 |
| 117 | Triazine containing N-rich microporous organic polymers for CO 2 capture and unprecedented CO 2 /N 2 selectivity. Journal of Solid State Chemistry, 2017, 247, 113-119. | 1.4 | 29 |
| 118 | Nitrogen Rich Carbon Coated TiO2 Nanoparticles as Anode for High Performance Lithium-ion Battery. Electrochimica Acta, 2017, 255, 417-427. | 2.6 | 56 |
| 119 | Palladium nanoparticles embedded over mesoporous TiO ₂ for chemical fixation of CO ₂ under atmospheric pressure and solvent-free conditions. New Journal of Chemistry, 2017, 41, 12937-12946. | 1.4 | 39 |
| 120 | Palladium nanoparticles embedded on mesoporous TiO2 material (Pd@MTiO2) as an efficient heterogeneous catalyst for Suzuki-Coupling reactions in water medium. Journal of Colloid and Interface Science, 2017, 508, 378-386. | 5.0 | 42 |
| 121 | Covalent Organic Framework Material Bearing Phloroglucinol Building Units as a Potent Anticancer Agent. ACS Applied Materials & Samp; Interfaces, 2017, 9, 31411-31423. | 4.0 | 78 |
| 122 | A new strongly paramagnetic cerium-containing microporous MOF for CO ₂ fixation under ambient conditions. Dalton Transactions, 2017, 46, 13783-13792. | 1.6 | 88 |
| 123 | A Metal-Free Covalent Organic Polymer for Electrocatalytic Hydrogen Evolution. ACS Catalysis, 2017, 7, 6120-6127. | 5 . 5 | 184 |
| 124 | Mesoporous γ-Alumina with Isolated Silica Sites for Direct Liquid Hydrocarbon Production during Fischer–Tropsch Reactions in Microchannel Reactor. ACS Sustainable Chemistry and Engineering, 2017, 5, 7576-7586. | 3.2 | 10 |
| 125 | An ExpeditiousSynthesis of Spiro[chromeno[2,3-c]pyrazole-4,3′-indolin]-2′5-diones Catalysed by RecyclableSpinel ZnFe ₂ O ₄ Nanopowder. ChemistrySelect, 2017, 2, 4857-4865. | 0.7 | 9 |
| 126 | Electrochemical Stimuli-Driven Facile Metal-Free Hydrogen Evolution from Pyrene-Porphyrin-Based Crystalline Covalent Organic Framework. ACS Applied Materials & Samp; Interfaces, 2017, 9, 23843-23851. | 4.0 | 179 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Silver nanoparticles supported over Al 2 O 3 @Fe 2 O 3 core-shell nanoparticles as an efficient catalyst for one-pot synthesis of $1,2,3$ -triazoles and acylation of benzyl alcohol. Molecular Catalysis, $2017,439,31-40$. | 1.0 | 34 |
| 128 | Mesoporous silica nanoparticle based enzyme responsive system for colon specific drug delivery through guar gum capping. Colloids and Surfaces B: Biointerfaces, 2017, 150, 352-361. | 2.5 | 151 |
| 129 | NASICON type ordered mesoporous lithium-aluminum-titanium-phosphate as electrode materials for lithium-ion batteries. Microporous and Mesoporous Materials, 2017, 240, 57-64. | 2.2 | 20 |
| 130 | Magnetic Nanohybrid Decorated Porous Organic Polymer: Synergistic Catalyst for High Performance Levulinic Acid Hydrogenation. ACS Sustainable Chemistry and Engineering, 2017, 5, 1033-1045. | 3.2 | 79 |
| 131 | Activated Alumina Balls under Neat Conditions: A Green Catalyst for the Synthesis of Spiroâ∈Heterocyclic Scaffolds by Ringâ€Opening versus Annulation of the Isatin Moiety. ChemCatChem, 2016, 8, 1185-1198. | 1.8 | 25 |
| 132 | Organic–Inorganic Hybrid Metal Phosphonates as Recyclable Heterogeneous Catalysts. ChemCatChem, 2016, 8, 1607-1616. | 1.8 | 45 |
| 133 | Integrated Experimental and Theoretical Study of Shape-Controlled Catalytic Oxidative Coupling of Aromatic Amines over CuO Nanostructures. ACS Omega, 2016, 1, 1121-1138. | 1.6 | 39 |
| 134 | Strongly coupled Mn ₃ O ₄ â€"porous organic polymer hybrid: a robust, durable and potential nanocatalyst for alcohol oxidation reactions. RSC Advances, 2016, 6, 36728-36735. | 1.7 | 24 |
| 135 | Towards rational design of core–shell catalytic nanoreactor with high performance catalytic hydrogenation of levulinic acid. Catalysis Science and Technology, 2016, 6, 5102-5115. | 2.1 | 50 |
| 136 | A new triazine functionalized luminescent covalent organic framework for nitroaromatic sensing and CO ₂ storage. RSC Advances, 2016, 6, 28047-28054. | 1.7 | 125 |
| 137 | Magnetic memory effect in self-assembled nickel ferrite nanoparticles having mesoscopic void spaces. RSC Advances, 2016, 6, 45701-45707. | 1.7 | 16 |
| 138 | A new benzimidazole based covalent organic polymer having high energy storage capacity. Chemical Communications, 2016, 52, 7592-7595. | 2.2 | 97 |
| 139 | An efficient mesoporous carbon nitride (g-C ₃ N ₄) functionalized Pd catalyst for carbon–carbon bond formation reactions. RSC Advances, 2016, 6, 49376-49386. | 1.7 | 35 |
| 140 | Triazineâ€Based Porous Organic Polymer with Good CO ₂ Gas Adsorption Properties and an Efficient Organocatalyst for the Oneâ€Pot Multicomponent Condensation Reaction. ChemCatChem, 2016, 8, 3089-3098. | 1.8 | 27 |
| 141 | New Hybrid Iron Phosphonate Material as an Efficient Catalyst for the Synthesis of Adipic Acid in Air and Water. ACS Sustainable Chemistry and Engineering, 2016, 4, 7147-7157. | 3.2 | 44 |
| 142 | Surface-exposed Pd nanoparticles supported over nanoporous carbon hollow tubes as an efficient heterogeneous catalyst for the C C bond formation and hydrogenation reactions. Journal of Molecular Catalysis A, 2016, 425, 147-156. | 4.8 | 36 |
| 143 | Porous nanomaterials as green catalyst for the conversion of biomass to bioenergy. Fuel, 2016, 185, 432-441. | 3.4 | 108 |
| 144 | Functionalized graphene oxide as an efficient adsorbent for CO ₂ capture and support for heterogeneous catalysis. RSC Advances, 2016, 6, 72055-72068. | 1.7 | 58 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 145 | High-throughput Acid-Base Tandem Organocatalysis over Hollow Tube-Shaped Porous Polymers and Carbons. ChemistrySelect, 2016, 1, 1192-1200. | 0.7 | 29 |
| 146 | Functionalized Porous Nanomaterials as Efficient Heterogeneous Catalyst for Eco-Friendly Organic Transformations. Journal of Nanoscience and Nanotechnology, 2016, 16, 9050-9062. | 0.9 | 5 |
| 147 | Ruthenium nanoparticles supported over mesoporous TiO ₂ as an efficient bifunctional nanocatalyst for esterification of biomass-derived levulinic acid and transfer-hydrogenation reactions. RSC Advances, 2016, 6, 73440-73449. | 1.7 | 16 |
| 148 | Organic Solid Acid Catalyst for Efficient Conversion of Furfuryl Alcohol to Biofuels. ChemistrySelect, 2016, 1, 6079-6085. | 0.7 | 9 |
| 149 | Copper(ii) incorporated functionalized polystyrene catalyzed N-arylation of amides under solvent free condition with broad substrate scope. RSC Advances, 2016, 6, 109692-109701. | 1.7 | 11 |
| 150 | A Highly Ordered N-Rich Functionalized Mesoporous Material for CO ₂ Storage Application. Journal of Nanoscience and Nanotechnology, 2016, 16, 9223-9230. | 0.9 | 4 |
| 151 | Chiral Co(<scp>iii</scp>)–salen complex supported over highly ordered functionalized mesoporous silica for enantioselective aminolysis of racemic epoxides. RSC Advances, 2016, 6, 109315-109321. | 1.7 | 23 |
| 152 | Silver nanoparticles embedded over porous metal organic frameworks for carbon dioxide fixation via carboxylation of terminal alkynes at ambient pressure. Journal of Colloid and Interface Science, 2016, 477, 220-229. | 5.0 | 83 |
| 153 | Novel Nitrogen and Sulfur Rich Hyper-Cross-Linked Microporous Poly-Triazine-Thiophene Copolymer for Superior CO ₂ Capture. ACS Sustainable Chemistry and Engineering, 2016, 4, 3697-3703. | 3.2 | 86 |
| 154 | A magnetically recoverable nanocatalyst based on functionalized mesoporous silica. Journal of Molecular Catalysis A, 2016, 415, 17-26. | 4.8 | 5 |
| 155 | CO ₂ fixation at atmospheric pressure: porous ZnSnO ₃ nanocrystals as a highly efficient catalyst for the synthesis of cyclic carbonates. RSC Advances, 2016, 6, 31153-31160. | 1.7 | 56 |
| 156 | Mesoporous polyacrylic acid supported silver nanoparticles as an efficient catalyst for reductive coupling of nitrobenzenes and alcohols using glycerol as hydrogen source. Journal of Colloid and Interface Science, 2016, 472, 202-209. | 5.0 | 27 |
| 157 | A new Cu-anchored mesoporous organosilica material for facile C–S coupling reactions under microwave irradiation. Journal of Molecular Catalysis A, 2016, 415, 104-112. | 4.8 | 24 |
| 158 | Functionalized SBA-15 supported nickel (II)–oxime–imine catalysts for liquid phase oxidation of olefins under solvent-free conditions. Journal of Solid State Chemistry, 2016, 237, 105-112. | 1.4 | 19 |
| 159 | Enhanced efficiency in dye-sensitized solar cells based on mesoporous titanium phosphate photoanode. Microporous and Mesoporous Materials, 2016, 225, 255-260. | 2.2 | 11 |
| 160 | Ag@polypyrrole: A highly efficient nanocatalyst for the N-alkylation of amines using alcohols. Journal of Colloid and Interface Science, 2016, 467, 291-299. | 5.0 | 24 |
| 161 | Micelle-templated synthesis of Pt hollow nanospheres for catalytic hydrogen evolution. RSC Advances, 2016, 6, 11370-11377. | 1.7 | 14 |
| 162 | Direct synthesis of dimethyl ether from syngas over Cu-based catalysts: Enhanced selectivity in the presence of MgO. Journal of Catalysis, 2016, 334, 89-101. | 3.1 | 102 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Morphology evolution of single-crystalline hematite nanocrystals: magnetically recoverable nanocatalysts for enhanced facet-driven photoredox activity. Nanoscale, 2016, 8, 365-377. | 2.8 | 99 |
| 164 | A new chiral Fe(<scp>iii</scp>)–salen grafted mesoporous catalyst for enantioselective asymmetric ring opening of racemic epoxides at room temperature under solvent-free conditions. Chemical Communications, 2016, 52, 1871-1874. | 2.2 | 45 |
| 165 | Microwave-assisted synthesis of porous Mn ₂ O ₃ nanoballs as bifunctional electrocatalyst for oxygen reduction and evolution reaction. Catalysis Science and Technology, 2016, 6, 1417-1429. | 2.1 | 72 |
| 166 | Highly efficient Au hollow nanosphere catalyzed chemo-selective oxidation of alcohols. Journal of Molecular Catalysis A, 2016, 411, 87-94. | 4.8 | 16 |
| 167 | Sulfonated porous organic polymer as a highly efficient catalyst for the synthesis of biodiesel at room temperature. Journal of Molecular Catalysis A, 2016, 411, 110-116. | 4.8 | 44 |
| 168 | Fabrication of Ruthenium Nanoparticles in Porous Organic Polymers: Towards Advanced Heterogeneous Catalytic Nanoreactors. Chemistry - A European Journal, 2015, 21, 19016-19027. | 1.7 | 81 |
| 169 | Sulfonated Porous Polymeric Nanofibers as an Efficient Solid Acid Catalyst for the Production of 5â∈Hydroxymethylfurfural from Biomass. ChemCatChem, 2015, 7, 3570-3578. | 1.8 | 96 |
| 170 | Mesoporous Titaniaâ€Iron(III) Oxide with Nanoscale Porosity and High Catalytic Activity for the Synthesis of βâ€Amino Alcohols and Benzimidazole Derivatives. ChemCatChem, 2015, 7, 2689-2697. | 1.8 | 38 |
| 171 | Biomass to Bioenergy over Porous Nanomaterials: A Green Technology. Trends in Green Chemistry, 2015, $1, \dots$ | 0.2 | 1 |
| 172 | Mesoporous ZnAl ₂ O ₄ : an efficient adsorbent for the removal of arsenic from contaminated water. Dalton Transactions, 2015, 44, 11843-11851. | 1.6 | 26 |
| 173 | Ruthenium bipyridyl tethered porous organosilica: a versatile, durable and reusable heterogeneous photocatalyst. Chemical Communications, 2015, 51, 10746-10749. | 2.2 | 42 |
| 174 | A triazine-based porous organic polymer: a novel heterogeneous basic organocatalyst for facile one-pot synthesis of 2-amino-4H-chromenes. RSC Advances, 2015, 5, 32730-32739. | 1.7 | 91 |
| 175 | Facile Growth of Multi-twined Au Nanostructures. Journal of Chemical Sciences, 2015, 127, 2111-2118. | 0.7 | 2 |
| 176 | Tailored Synthesis of Porous TiO ₂ Nanocubes and Nanoparallelepipeds with Exposed {111} Facets and Mesoscopic Void Space: A Superior Candidate for Efficient Dye-Sensitized Solar Cells. ACS Applied Materials & Description (2015), 7, 26022-26035. | 4.0 | 36 |
| 177 | Cubic Ag ₂ O nanoparticle incorporated mesoporous silica with large bottle-neck like mesopores for the aerobic oxidative synthesis of disulfide. RSC Advances, 2015, 5, 6323-6331. | 1.7 | 24 |
| 178 | Mesoporous materials: versatile supports in heterogeneous catalysis for liquid phase catalytic transformations. RSC Advances, 2015, 5, 24363-24391. | 1.7 | 133 |
| 179 | An expeditious and efficient synthesis of spiro-pyrazolo[3,4-b]pyridines catalysed by recyclable mesoporous aluminosilicate nanoparticles in aqueous-ethanol. Tetrahedron Letters, 2015, 56, 1614-1618. | 0.7 | 22 |
| 180 | A new hypercrosslinked supermicroporous polymer, with scope for sulfonation, and its catalytic potential for the efficient synthesis of biodiesel at room temperature. Chemical Communications, 2015, 51, 5020-5023. | 2.2 | 122 |

| # | Article | IF | Citations |
|-----|---|------------|-----------|
| 181 | N-propylaniline functionalized 2D-hexagonal mesoporous silica as a highly selective fluorescence sensor for the detection of Hg(II) in water. Microporous and Mesoporous Materials, 2015, 207, 71-77. | 2.2 | 23 |
| 182 | Controlled Synthesis of a Hexagonalâ€Shaped NiO Nanocatalyst with Highly Reactive Facets {1 1 0} and Catalytic Activity. ChemCatChem, 2015, 7, 791-798. | lts 1.8 | 36 |
| 183 | Cubic Perovskite ZnTiO ₃ Nanopowder as a Recyclable Heterogeneous Catalyst for the Synthesis of 1,6â€Naphthyridines in Water. ChemPlusChem, 2015, 80, 731-739. | 1.3 | 23 |
| 184 | Bismuth supported SBA-15 catalyst for vapour phase Beckmann rearrangement reaction of cyclohexanone oxime to É>-caprolactam. Applied Catalysis A: General, 2015, 497, 51-57. | 2.2 | 20 |
| 185 | A highly efficient non-enzymatic glucose biosensor based on a nanostructured NiTiO ₃ /NiO material. New Journal of Chemistry, 2015, 39, 8035-8043. | 1.4 | 40 |
| 186 | Pyrene-Based Porous Organic Polymers as Efficient Catalytic Support for the Synthesis of Biodiesels at Room Temperature. ACS Sustainable Chemistry and Engineering, 2015, 3, 1715-1723. | 3.2 | 80 |
| 187 | Aerobic Baeyer–Villiger oxidation of cyclic ketones over periodic mesoporous silica Cu/Fe/Ni/Co-HMS-X. Applied Catalysis A: General, 2015, 505, 515-523. | 2.2 | 21 |
| 188 | Functionalized Mesoporous Materials asÂSustainable Catalyst in Liquid Phase Catalytic Transformations. , 2015, , 23-60. | | 0 |
| 189 | Self-assembled sulfated zirconia nanocrystals with mesoscopic void space synthesized via ionic liquid as a porogen and its catalytic activity for the synthesis of biodiesels. Applied Catalysis A: General, 2015, 502, 380-387. | 2.2 | 26 |
| 190 | Heterogeneous silica-supported copper catalyst for the ultrasound-mediated rapid reaction between dimedone, formaldehyde, and amines at room temperature. Monatshefte Für Chemie, 2015, 146, 1881-1890. | 0.9 | 8 |
| 191 | Semiconducting properties of a ferromagnetic nanocomposite: Fe@ZnO. Indian Journal of Physics, 2015, 89, 703-708. | 0.9 | 3 |
| 192 | Green synthesis of Pt-doped TiO ₂ nanocrystals with exposed (001) facets and mesoscopic void space for photo-splitting of water under solar irradiation. Nanoscale, 2015, 7, 10504-10512. | 2.8 | 95 |
| 193 | A triazine-based covalent organic polymer for efficient CO ₂ adsorption. Chemical Communications, 2015, 51, 10050-10053. | 2.2 | 248 |
| 194 | Stable room temperature magnetic ordering and excellent catalytic activity of mechanically activated high surface area nanosized Ni _{0.45} Zn _{0.55} Fe ₂ O ₄ . RSC Advances, 2015, 5, 78508-78518. | 1.7 | 20 |
| 195 | Self-assembled ZnS nanospheres with nanoscale porosity as an efficient carrier for the delivery of doxorubicin. RSC Advances, 2015, 5, 92499-92505. | 1.7 | O |
| 196 | Porous carbon derived via KOH activation of a hypercrosslinked porous organic polymer for efficient CO2, CH4, H2 adsorptions and high CO2/N2 selectivity. Journal of Solid State Chemistry, 2015, 232, 157-162. | 1.4 | 81 |
| 197 | N-rich porous organic polymer with suitable donor–donor–acceptor functionality for the sensing of nucleic acid bases and CO ₂ storage application. RSC Advances, 2015, 5, 74916-74923. | 1.7 | 15 |
| 198 | Piperazinylpyrimidine modified MCM-41 for the ecofriendly synthesis of benzothiazoles by the simple cleavage of disulfide in the presence of molecular O ₂ . RSC Advances, 2015, 5, 72745-72754. | 1.7 | 13 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 199 | Zn(<scp>ii</scp>) assisted synthesis of porous salen as an efficient heterogeneous scaffold for capture and conversion of CO ₂ . Chemical Communications, 2015, 51, 15732-15735. | 2.2 | 116 |
| 200 | Faceted Titania Nanocrystals Doped with Indium Oxide Nanoclusters As a Superior Candidate for Sacrificial Hydrogen Evolution without Any Noble-Metal Cocatalyst under Solar Irradiation. ACS Applied Materials & Diterfaces, 2015, 7, 810-822. | 4.0 | 22 |
| 201 | Highly porous organic polymers bearing tertiary amine group and their exceptionally high CO2 uptake capacities. Journal of Solid State Chemistry, 2015, 222, 7-11. | 1.4 | 54 |
| 202 | Mesoporous BaTiO ₃ @SBA-15 derived via solid state reaction and its excellent adsorption efficiency for the removal of hexavalent chromium from water. Dalton Transactions, 2015, 44, 1924-1932. | 1.6 | 44 |
| 203 | The dual role of micelles as templates and reducing agents for the fabrication of catalytically active hollow silver nanospheres. Chemical Communications, 2015, 51, 733-736. | 2.2 | 17 |
| 204 | High performance dye-sensitized solar cell by using porous polyaniline nanotubes as counter electrode. Chemical Engineering Journal, 2015, 260, 393-398. | 6.6 | 68 |
| 205 | Copper incorporated nanorod like mesoporous silica for one pot aerobic oxidative synthesis of pyridines. Catalysis Communications, 2015, 58, 97-102. | 1.6 | 9 |
| 206 | Synthesis of Hierarchical Mesoporous Mn–MFI Zeolite Nanoparticles: A Unique Architecture of Heterogeneous Catalyst for the Aerobic Oxidation of Thiols to Disulfides. ChemCatChem, 2014, 6, 220-229. | 1.8 | 56 |
| 207 | Structurally Stabilized Organosilaneâ€Templated Thermostable Mesoporous Titania. ChemPhysChem, 2014, 15, 187-194. | 1.0 | 12 |
| 208 | Carboxylic acid-grafted mesoporous material and its high catalytic activity in one-pot three-component coupling reaction. APL Materials, 2014, 2, 113307. | 2.2 | 5 |
| 209 | Porous Polyurea Network Showing Aggregation Induced White Light Emission, Applications as Biosensor and Scaffold for Drug Delivery. ACS Applied Materials & Emission, Applications as Biosensor and Scaffold for Drug Delivery. ACS Applied Materials & Emission, Applications as Biosensor and Scaffold for Drug Delivery. ACS Applied Materials & Emission, Applications as Biosensor and Scaffold for Drug Delivery. ACS Applied Materials & Emission, Applications as Biosensor and Scaffold for Drug Delivery. ACS Applied Materials & Emission, Applications as Biosensor and Scaffold for Drug Delivery. ACS Applied Materials & Emission, Applications as Biosensor and Scaffold for Drug Delivery. ACS Applied Materials & Emission, Applications as Biosensor and Scaffold for Drug Delivery. ACS Applied Materials & Emission & Emi | 4.0 | 49 |
| 210 | Piperidine derivative covalently anchored on uniform spherical mesoporous silica nanoparticle with narrow slit like pores for the synthesis of 2-amino-3, 5-dicarbonitrile-6-arylthio-pyridines. Recyclable Catalysis, 2014, 1 , 1 . | 0.1 | 1 |
| 211 | Cu-Grafted Functionalized Mesoporous SBA-15: A Novel Heterogeneous Catalyst for Facile One-Pot Three-Component C–S Cross-Coupling Reaction of Aryl Halides in Water. Organic Process Research and Development, 2014, 18, 257-265. | 1.3 | 41 |
| 212 | Binary conjugate BrÃ,nsted–Lewis acid supported on mesoporous silica nanoparticles for the domino addition/elimination/addition and addition/elimination/addition/cyclization cascade. Catalysis Communications, 2014, 43, 173-178. | 1.6 | 23 |
| 213 | Cu(II)-anchored functionalized mesoporous SBA-15: An efficient and recyclable catalyst for the one-pot Click reaction in water. Journal of Molecular Catalysis A, 2014, 386, 78-85. | 4.8 | 64 |
| 214 | Self-assembled ultra small ZnO nanocrystals for dye-sensitized solar cell application. Journal of Solid State Chemistry, 2014, 215, 135-142. | 1.4 | 23 |
| 215 | Pd-grafted porous metal–organic framework material as an efficient and reusable heterogeneous catalyst for C–C coupling reactions in water. Applied Catalysis A: General, 2014, 469, 320-327. | 2.2 | 134 |
| 216 | Efficient Solid Acid Catalyst Containing Lewis and BrÃ,nsted Acid Sites for the Production of Furfurals. ChemSusChem, 2014, 7, 2342-2350. | 3.6 | 106 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 217 | Phosphonic Acid Functionalized Ordered Mesoporous Material: A New and Ecofriendly Catalyst for One-Pot Multicomponent Biginelli Reaction under Solvent-Free Conditions. ACS Applied Materials & Amp; Interfaces, 2014, 6, 933-941. | 4.0 | 62 |
| 218 | Synthesis of 5â€Hydroxymethylfurural from Carbohydrates using Largeâ€Pore Mesoporous Tin Phosphate. ChemSusChem, 2014, 7, 925-933. | 3.6 | 123 |
| 219 | Heterogeneous ditopic ZnFe ₂ O ₄ catalyzed synthesis of 4H-pyrans: further conversion to 1,4-DHPs and report of functional group interconversion from amide to ester. Green Chemistry, 2014, 16, 1426-1435. | 4.6 | 107 |
| 220 | Cu(<scp>ii</scp>) anchored nitrogen-rich covalent imine network (Cu ^{II} -CIN-1): an efficient and recyclable heterogeneous catalyst for the synthesis of organoselenides from aryl boronic acids in a green solvent. RSC Advances, 2014, 4, 46075-46083. | 1.7 | 43 |
| 221 | Efficient alkene hydrogenation over a magnetically recoverable and recyclable Fe3O4@GO nanocatalyst using hydrazine hydrate as the hydrogen source. Chemical Communications, 2014, 50, 12095-12097. | 2.2 | 45 |
| 222 | A ruthenium-grafted triazine functionalized mesoporous polymer: a highly efficient and multifunctional catalyst for transfer hydrogenation and the Suzuki–Miyaura cross-coupling reactions. Dalton Transactions, 2014, 43, 7057-7068. | 1.6 | 45 |
| 223 | Ag-grafted covalent imine network material for one-pot three-component coupling and hydration of nitriles to amides in aqueous medium. RSC Advances, 2014, 4, 47593-47604. | 1.7 | 49 |
| 224 | Niobium doped hexagonal mesoporous silica (HMS-X) catalyst for vapor phase Beckmann rearrangement reaction. RSC Advances, 2014, 4, 845-854. | 1.7 | 28 |
| 225 | Designed synthesis of CO ₂ -promoted copper(<scp>ii</scp>) coordination polymers: synthesis, structural and spectroscopic characterization, and studies of versatile functional properties. Dalton Transactions, 2014, 43, 13500-13508. | 1.6 | 40 |
| 226 | Selfâ€Assembled Hybrid Molybdenum Phosphonate Porous Nanomaterials and Their Catalytic Activity for the Synthesis of Benzimidazoles. ChemCatChem, 2014, 6, 2577-2586. | 1.8 | 22 |
| 227 | Synthesis of Cuboid-Shaped Single-Crystalline TiO ₂ Nanocrystals with High-Energy Facets {001} and Its Dye-Sensitized Solar Cell Application. Journal of Physical Chemistry C, 2014, 118, 16703-16709. | 1.5 | 29 |
| 228 | Chromium(vi) grafted mesoporous polyaniline as a reusable heterogeneous catalyst for oxidation reactions in aqueous medium. RSC Advances, 2014, 4, 15431. | 1.7 | 28 |
| 229 | Magnetic Memory Effects in $fm Fe$ /gammahbox{-}{m Fe}_{{2}}{m O}_{{f 3}}\$ Nanostructures. IEEE Transactions on Magnetics, 2014, 50, 11-17. | 1.2 | 76 |
| 230 | Silver nanoparticles embedded over mesoporous organic polymer as highly efficient and reusable nanocatalyst for the reduction of nitroarenes and aerobic oxidative esterification of alcohols. Applied Catalysis A: General, 2014, 477, 184-194. | 2.2 | 79 |
| 231 | Magnetodielectric effect in Ni0â^™5Zn0â^™5Fe2O4–BaTiO3 nanocomposites. Bulletin of Materials Science, 2014, 37, 497-504. | 0.8 | 18 |
| 232 | Covalently anchored carboxylic acid on uniform spherical silica nanoparticles with narrow slit like mesopores for the synthesis of pyrroloacridinones: Cul-catalyzed further C(sp3)â€"H oxyfunctionalization for Cî€O formation. RSC Advances, 2014, 4, 15441. | 1.7 | 16 |
| 233 | Hierarchically porous carbon derived from polymers and biomass: effect of interconnected pores on energy applications. Energy and Environmental Science, 2014, 7, 3574-3592. | 15.6 | 1,204 |
| 234 | Organic–inorganic hybrid supermicroporous chromium oxophenylphosphate with magnetic and catalytic properties. Journal of Magnetism and Magnetic Materials, 2014, 363, 210-216. | 1.0 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Self-assembled ultra-small zinc stannate nanocrystals with mesoscopic voids via a salicylate templating pathway and their photocatalytic properties. RSC Advances, 2014, 4, 13626-13634. | 1.7 | 27 |
| 236 | A triazine functionalized porous organic polymer: excellent CO ₂ storage material and support for designing Pd nanocatalyst for C–C cross-coupling reactions. Journal of Materials Chemistry A, 2014, 2, 11642. | 5.2 | 138 |
| 237 | Highly selective and direct oxidation of cyclohexane to cyclohexanone over vanadium exchanged NaY at room temperature under solvent-free conditions. Journal of Molecular Catalysis A, 2014, 392, 299-307. | 4.8 | 44 |
| 238 | Fabrication of Al-Beta/Silicalite-1 Hydrophilic–Hydrophobic Zeolite Membranes. Journal of Nanoscience and Nanotechnology, 2014, 14, 3062-3067. | 0.9 | 0 |
| 239 | A luminescent nanoporous hybrid material based drug delivery system showing excellent theranostics potential for cancer. Chemical Communications, 2013, 49, 7644. | 2.2 | 37 |
| 240 | Poly[3-(2-hydroxyethyl)-2,5-thienylene] grafted reduced graphene oxide: an efficient alternate material of TiO2 in dye sensitized solar cells. Chemical Communications, 2013, 49, 4646. | 2.2 | 24 |
| 241 | Magnetic properties of mesoporous cobalt–silica–alumina ternary mixed oxides. Journal of Solid State Chemistry, 2013, 198, 114-119. | 1.4 | 8 |
| 242 | Mesoporous Core–Shell Fenton Nanocatalyst: A Mild, Operationally Simple Approach to the Synthesis of Adipic Acid. Chemistry - A European Journal, 2013, 19, 12388-12395. | 1.7 | 43 |
| 243 | Continuous Mesoporous Titania Nanocrystals: Their Growth in Confined Space and Scope for Application. ChemSusChem, 2013, 6, 2039-2041. | 3.6 | 5 |
| 244 | Anthracene-bisphosphonate based novel fluorescent organic nanoparticles explored as apoptosis inducers of cancer cells. Chemical Communications, 2013, 49, 9461. | 2.2 | 27 |
| 245 | Synthesis of mesoporous hollow silica nanospheres using polymeric micelles as template and their application as a drug-delivery carrier. Dalton Transactions, 2013, 42, 13381. | 1.6 | 73 |
| 246 | Self-assembled hybrid tinphosphonate nanoparticles with bimodal porosity: an insight towards the efficient and selective catalytic process for the synthesis of bioactive 1,4-dihydropyridines under solvent-free conditions. Journal of Materials Chemistry A, 2013, 1, 11210. | 5.2 | 37 |
| 247 | Template-Free Synthesis of a Porous Organic–inorganic Hybrid Tin(IV) Phosphonate and Its High Catalytic Activity for Esterification of Free Fatty Acids. ACS Applied Materials & Diterfaces, 2013, 5, 9913-9917. | 4.0 | 33 |
| 248 | Cu-grafted mesoporous organic polymer: a new recyclable nanocatalyst for multi-component, N-arylation and S-arylation reactions. Catalysis Science and Technology, 2013, 3, 3303. | 2.1 | 56 |
| 249 | Porous silica nanoparticles with mesoscopic void spaces for the domino intermolecular aerobic oxidative synthesis of novel \hat{l}^2 , \hat{l}^2 \hat{l}^2 diketoenamines. Catalysis Science and Technology, 2013, 3, 1267. | 2.1 | 7 |
| 250 | Self-assembled titanium phosphonate nanomaterial having a mesoscopic void space and its optoelectronic application. Dalton Transactions, 2013, 42, 5140. | 1.6 | 35 |
| 251 | Selective conversion of nitroalcohols to nitroolefins over sulfonic acid functionalized mesoporous SBA-15 material. Journal of Molecular Catalysis A, 2013, 367, 1-6. | 4.8 | 15 |
| 252 | Site-selective multicomponent synthesis of densely substituted 2-oxo dihydropyrroles catalyzed by clean, reusable, and heterogeneous TiO2 nanopowder. Tetrahedron Letters, 2013, 54, 1371-1379. | 0.7 | 58 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Exchange bias effect in nickel zinc ferrite–mesoporous silica nanocomposites. Journal of Magnetism and Magnetic Materials, 2013, 332, 98-102. | 1.0 | 6 |
| 254 | A new application of rhodanine as a green sulfur transferring agent for a clean functional group interconversion of amide to thioamide using reusable MCM-41 mesoporous silica. Tetrahedron Letters, 2013, 54, 2164-2170. | 0.7 | 29 |
| 255 | Covalently anchored organic carboxylic acid on porous silica nano particle: A novel organometallic catalyst (PSNP-CA) for the chromatography-free highly product selective synthesis of tetrasubstituted imidazoles. Applied Catalysis A: General, 2013, 458, 183-195. | 2.2 | 29 |
| 256 | Soft templating strategies for the synthesis of mesoporous materials: Inorganic, organic–inorganic hybrid and purely organic solids. Advances in Colloid and Interface Science, 2013, 189-190, 21-41. | 7.0 | 232 |
| 257 | Highly Porous Organic Polymer containing Free â€CO ₂ H Groups: A Convenient Carbocatalyst for Indole CH Activation at Room Temperature. ChemCatChem, 2013, 5, 1749-1753. | 1.8 | 47 |
| 258 | Porphyrin based porous organic polymer as bi-functional catalyst for selective oxidation and Knoevenagel condensation reactions. Applied Catalysis A: General, 2013, 459, 41-51. | 2.2 | 108 |
| 259 | Porphyrin-based porous organic polymer-supported iron(III) catalyst for efficient aerobic oxidation of 5-hydroxymethyl-furfural into 2,5-furandicarboxylic acid. Journal of Catalysis, 2013, 299, 316-320. | 3.1 | 179 |
| 260 | Tungstic acid functionalized mesoporous SBA-15: A novel heterogeneous catalyst for facile one-pot synthesis of 2-amino-4H-chromenes in aqueous medium. Dalton Transactions, 2013, 42, 10515. | 1.6 | 100 |
| 261 | Adsorption over polyacrylonitrile based carbon monoliths. , 2013, , . | | 0 |
| 262 | A new MCM-41 supported HPF6 catalyst for the library synthesis of highly substituted 1,4-dihydropyridines and oxidation to pyridines: report of one-dimensional packing towards LMSOMs and studies on their photophysical properties. Green Chemistry, 2013, 15, 1910. | 4.6 | 56 |
| 263 | Novel and Mild Synthetic Strategy for the Sulfonic Acid Functionalization in Periodic Mesoporous Ethenylene-Silica. ACS Applied Materials & Samp; Interfaces, 2013, 5, 2618-2625. | 4.0 | 36 |
| 264 | Organic–Inorganic Hybrid Supermicroporous Iron(III) Phosphonate Nanoparticles as an Efficient Catalyst for the Synthesis of Biofuels. Chemistry - A European Journal, 2013, 19, 8507-8514. | 1.7 | 42 |
| 265 | Fine Dispersion of BiFeO ₃ Nanocrystallites Over Highly Ordered Mesoporous Silica Material and Its Photocatalytic Property. Journal of Nanoscience and Nanotechnology, 2013, 13, 2557-2565. | 0.9 | 14 |
| 266 | Nanopores in Semiconducting Oxides: Optoelectronic and Solar Cell Applications. Journal of Nanoscience and Nanotechnology, 2013, 13, 2471-2482. | 0.9 | 3 |
| 267 | An Efficient Heterogeneous Cu-Grafted Mesoporous Organosilicas Nanocatalyst for Two and Three Component Câ€"S Coupling Reactions. Journal of Nanoscience and Nanotechnology, 2013, 13, 4883-4895. | 0.9 | 8 |
| 268 | Self-Assembled Mesoporous TiO ₂ Nanocrystals as Efficient Photocatalyst for the Degradation of an Organic Dye. Advanced Porous Materials, 2013, 1, 187-193. | 0.3 | 2 |
| 269 | Multifunctional behaviour of mesoporous LiNbO3. Journal of Applied Physics, 2012, 111, . | 1.1 | 11 |
| 270 | Pd-grafted periodic mesoporous organosilica: an efficient heterogeneous catalyst for Hiyama and Sonogashira couplings, and cyanation reactions. Green Chemistry, 2012, 14, 2840. | 4.6 | 123 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Triazine functionalized ordered mesoporous organosilica as a novel organocatalyst for the facile one-pot synthesis of 2-amino-4H-chromenes under solvent-free conditions. RSC Advances, 2012, 2, 11306. | 1.7 | 66 |
| 272 | A Multifunctional Porous Organic Schottky Barrier Diode. Angewandte Chemie - International Edition, 2012, 51, 12534-12537. | 7.2 | 37 |
| 273 | Titanium containing periodic mesoporous organosilica as an efficient catalyst for the epoxidation of alkenes. Catalysis Today, 2012, 198, 45-51. | 2.2 | 34 |
| 274 | Unprecedented CO2 uptake over highly porous N-doped activated carbon monoliths prepared by physical activation. Chemical Communications, 2012, 48, 10283. | 2.2 | 252 |
| 275 | Self-Assembled TiO ₂ Nanospheres By Using a Biopolymer as a Template and Its Optoelectronic Application. ACS Applied Materials & Samp; Interfaces, 2012, 4, 1560-1564. | 4.0 | 73 |
| 276 | Organic–inorganic hybrid tinphosphonate material with mesoscopic void spaces: an excellent catalyst for the radical polymerization of styrene. Catalysis Science and Technology, 2012, 2, 613. | 2.1 | 35 |
| 277 | Hollow spherical mesoporous phosphosilicate nanoparticles as a delivery vehicle for an antibiotic drug. Chemical Communications, 2012, 48, 2891. | 2.2 | 63 |
| 278 | Nitrogen-rich porous covalent imine network (CIN) material as an efficient catalytic support for C–C coupling reactions. Dalton Transactions, 2012, 41, 1304-1311. | 1.6 | 117 |
| 279 | Direct amide bond formation from carboxylic acids and amines using activated alumina balls as a new, convenient, clean, reusable and low cost heterogeneous catalyst. Green Chemistry, 2012, 14, 3220. | 4.6 | 64 |
| 280 | Biopolymer templated porous TiO2: An efficient catalyst for the conversion of unutilized sugars derived from hemicellulose. Applied Catalysis A: General, 2012, 435-436, 197-203. | 2.2 | 48 |
| 281 | Selective adsorption and release of cationic organic dye molecules on mesoporous borosilicates. Materials Science and Engineering C, 2012, 32, 1461-1468. | 3.8 | 28 |
| 282 | Large magnetodielectric effect in nickel zinc ferrite–lithium niobate nanocomposite. Chemical Physics Letters, 2012, 541, 96-100. | 1.2 | 4 |
| 283 | Synthesis and Temperatureâ€Induced Morphological Control in a Hybrid Porous Iron–Phosphonate Nanomaterial and Its Excellent Catalytic Activity in the Synthesis of Benzimidazoles. Chemistry - A European Journal, 2012, 18, 13372-13378. | 1.7 | 54 |
| 284 | Highly efficient base catalysis and sulfide oxidation reactions over new functionalized mesoporous polymers. RSC Advances, 2012, 2, 6464. | 1.7 | 32 |
| 285 | Hybrid porous tin(iv) phosphonate: an efficient catalyst for adipic acid synthesis and a very good adsorbent for CO2 uptake. Chemical Communications, 2012, 48, 6738. | 2.2 | 48 |
| 286 | Functionalized mesoporous materials as efficient organocatalysts for the syntheses of xanthenes. Journal of Molecular Catalysis A, 2012, 363-364, 254-264. | 4.8 | 55 |
| 287 | One-pot thioetherification of aryl halides with thiourea and benzyl bromide in water catalyzed by Cu-grafted furfural imine-functionalized mesoporous SBA-15. Chemical Communications, 2012, 48, 8000. | 2.2 | 104 |
| 288 | Highly Ordered Mesoporous TiO ₂ â€"Fe ₂ O ₃ Mixed Oxide Synthesized by Solâ€"Gel Pathway: An Efficient and Reusable Heterogeneous Catalyst for Dehalogenation Reaction. ACS Applied Materials & Dehalogenation Reaction. | 4.0 | 88 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Magneto-dielectric effect in Pb(ZrO·52TiO·48)O3 filled nanoporous Ni O ·5Zn O ·5Fe 2 O 4 composite. Bulletin of Materials Science, 2012, 35, 919-924. | 0.8 | 1 |
| 290 | Memory effects in superparamagnetic and nanocrystalline Fe50Ni50 alloy. Journal of Applied Physics, 2012, 111, . | 1.1 | 34 |
| 291 | Hierarchically porous titanium phosphate nanoparticles: an efficient solid acid catalyst for microwave assisted conversion of biomass and carbohydrates into 5-hydroxymethylfurfural. Journal of Materials Chemistry, 2012, 22, 14094. | 6.7 | 93 |
| 292 | Self-assembled NiO–ZrO2 nanocrystals with mesoscopic void space: An efficient and green catalyst for C–S cross-coupling reaction in water. Dalton Transactions, 2012, 41, 9161. | 1.6 | 36 |
| 293 | Organic–inorganic hybrid porous sulfonated zinc phosphonate material: efficient catalyst for biodiesel synthesis at room temperature. Green Chemistry, 2012, 14, 2273. | 4.6 | 51 |
| 294 | Porphyrin based porous organic polymers: novel synthetic strategy and exceptionally high CO ₂ adsorption capacity. Chemical Communications, 2012, 48, 248-250. | 2.2 | 244 |
| 295 | 3D Hexagonal Mesoporous Silica and Its Organic Functionalization for High CO ₂ Uptake. ChemPhysChem, 2012, 13, 3218-3222. | 1.0 | 10 |
| 296 | Fe3O4@mesoporous SBA-15: a robust and magnetically recoverable catalyst for one-pot synthesis of 3,4-dihydropyrimidin-2(1H)-ones via the Biginelli reaction. Dalton Transactions, 2012, 41, 6173. | 1.6 | 225 |
| 297 | New mesoporous magnesium–aluminum mixed oxide and its catalytic activity in liquid phase Baeyer–Villiger oxidation reaction. Chemical Engineering Science, 2012, 71, 564-572. | 1.9 | 43 |
| 298 | Fabrication, characterization and catalytic oxidation of propylene over TS-1/Au membranes. Chemical Engineering Science, 2012, 75, 250-255. | 1.9 | 10 |
| 299 | Ordered mesoporous ternary mixed oxide materials as potential adsorbent of biomolecules. Chemical Physics Letters, 2012, 535, 69-74. | 1.2 | 8 |
| 300 | Giant magnetocapacitance effect in nickel zinc ferrite impregnated mesoporous silica. Materials Letters, 2012, 79, 65-68. | 1.3 | 9 |
| 301 | Porous organic–inorganic hybrid nickel phosphonate: Adsorption and catalytic applications. Microporous and Mesoporous Materials, 2012, 155, 208-214. | 2.2 | 59 |
| 302 | Solvothermal synthesis of mesoporous aluminophosphate for polluted water remediation. Microporous and Mesoporous Materials, 2012, 155, 258-264. | 2.2 | 16 |
| 303 | Self-assembled mesoporous \hat{I}^3 -Al2O3 spherical nanoparticles and their efficiency for the removal of arsenic from water. Journal of Hazardous Materials, 2012, 201-202, 170-177. | 6.5 | 132 |
| 304 | Organic–inorganic hybrid porous aerogel: efficient catalyst in transesterification reactions. Journal of Sol-Gel Science and Technology, 2012, 61, 367-373. | 1.1 | 11 |
| 305 | Facile C–S coupling reaction of aryl iodide and thiophenol catalyzed by Cu-grafted furfural functionalized mesoporous organosilica. Dalton Transactions, 2011, 40, 5228. | 1.6 | 50 |
| 306 | CoAPO-5-type molecular sieve membrane: synthesis, characterization and catalytic performance. Catalysis Science and Technology, 2011, 1, 255. | 2.1 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Highly porous Co(ii)-salicylate metal–organic framework: synthesis, characterization and magnetic properties. Dalton Transactions, 2011, 40, 2932. | 1.6 | 60 |
| 308 | Functionalized mesoporous silica supported copper(ii) and nickel(ii) catalysts for liquid phase oxidation of olefins. Dalton Transactions, 2011, 40, 12510. | 1.6 | 84 |
| 309 | A novel mesoporous silica-grafted organocatalyst for the Michael addition reaction, synthesized via the click method. Green Chemistry, 2011, 13, 586. | 4.6 | 41 |
| 310 | Self-assembled mesoporous TiO2 spherical nanoparticles by a new templating pathway and its enhanced photoconductivity in the presence of an organic dye. Journal of Materials Chemistry, 2011, 21, 3925. | 6.7 | 73 |
| 311 | Synthesis, Characterization, and Biofuel Application of Mesoporous Zirconium Oxophosphates. ACS Catalysis, 2011, 1, 493-501. | 5.5 | 104 |
| 312 | Highly ordered acid functionalized SBA-15: a novel organocatalyst for the preparation of xanthenes. Chemical Communications, 2011, 47, 6677. | 2.2 | 124 |
| 313 | Self-assembly of mesoporous TiO2 nanospheres via aspartic acid templating pathway and its catalytic application for 5-hydroxymethyl-furfural synthesis. Journal of Materials Chemistry, 2011, 21, 17505. | 6.7 | 89 |
| 314 | Titanium silicates as efficient catalyst for alkylation and acylation of silyl enol ethers under liquid-phase conditions. Journal of Molecular Catalysis A, 2011, 346, 87-93. | 4.8 | 3 |
| 315 | One-pot efficient Heck coupling in water catalyzed by palladium nanoparticles tethered into mesoporous organic polymer. Journal of Molecular Catalysis A, 2011, 350, 40-48. | 4.8 | 75 |
| 316 | Metal directed structural diversity of two coordination polymers and their optical and magnetic properties. Polyhedron, 2011, 30, 2218-2226. | 1.0 | 23 |
| 317 | A study on the structural and mechanical properties of nanocrystalline CuS thin films grown by chemical bath deposition technique. Materials Research Bulletin, 2011, 46, 6-11. | 2.7 | 67 |
| 318 | Microwave assisted rapid conversion of carbohydrates into 5-hydroxymethylfurfural catalyzed by mesoporous TiO2 nanoparticles. Applied Catalysis A: General, 2011, 409-410, 133-139. | 2.2 | 118 |
| 319 | Triazine functionalized ordered mesoporous polymer: a novel solid support for Pd-mediated C–C cross-coupling reactions in water. Green Chemistry, 2011, 13, 1317. | 4.6 | 167 |
| 320 | Multiferroic behaviour of nanoporous BaTiO3. Journal of Applied Physics, 2011, 110, . | 1.1 | 32 |
| 321 | Designing the synthesis of catalytically active Ti- \hat{l}^2 by using various new templates in the presence of fluoride anion. Physical Chemistry Chemical Physics, 2011, 13, 16282. | 1.3 | 19 |
| 322 | Highly ordered Zn-doped mesoporous silica: An efficient catalyst for transesterification reaction. Journal of Solid State Chemistry, 2011, 184, 1805-1812. | 1.4 | 24 |
| 323 | Fe(III)-containing mesoporous poly-(p-phenylenediamine): Synthesis, characterization and magnetic properties. Microporous and Mesoporous Materials, 2011, 142, 557-563. | 2.2 | 11 |
| 324 | A reusable polymer anchored copper(II) complex catalyst for the efficient oxidation of olefins and aromatic alcohol. Polymers for Advanced Technologies, 2011, 22, 933-941. | 1.6 | 26 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Novel Organicâ€Inorganic Hybrid Mesoporous Silica Supported Oxoâ€Vanadium Schiff Base for Selective Oxidation of Alcohols. Advanced Synthesis and Catalysis, 2011, 353, 1897-1902. | 2.1 | 79 |
| 326 | Highly Efficient Hydroformylation of 1-Hexene over an ortho-Metallated Rhodium(I) Complex Anchored on a 2D-Hexagonal Mesoporous Material. European Journal of Inorganic Chemistry, 2011, 2011, 221-227. | 1.0 | 16 |
| 327 | New mesoporous perovskite ZnTiO3 and its excellent catalytic activity in liquid phase organic transformations. Applied Catalysis A: General, 2011, 393, 153-160. | 2.2 | 99 |
| 328 | Mesoporous lanthanum–manganese oxides with nanoscale periodicity, high surface area and ferromagnetic property. Microporous and Mesoporous Materials, 2011, 143, 392-397. | 2.2 | 10 |
| 329 | Mesoporous MFI zeolite material from silica–alumina/epoxy-resin composite material and its catalytic activity. Microporous and Mesoporous Materials, 2011, 142, 381-388. | 2.2 | 26 |
| 330 | Highly efficient mesoporous base catalyzed Knoevenagel condensation of different aromatic aldehydes with malononitrile and subsequent noncatalytic Diels–Alder reactions. Journal of Molecular Catalysis A, 2011, 335, 236-241. | 4.8 | 105 |
| 331 | Catalytic oxidation of cyclic ethers to lactones over various titanosilicates. Journal of Molecular Catalysis A, 2011, 338, 105-105. | 4.8 | 4 |
| 332 | Synthesis of New Nondisk-Shaped Thermotropic Liquid Crystalline Compounds Showing a Rectangular Columnar Mesophase. Molecular Crystals and Liquid Crystals, 2011, 548, 164-171. | 0.4 | 6 |
| 333 | Synthesis, characterization and enhanced photoconductivity from a mesoporous titania on dye doping. Analytica Chimica Acta, 2010, 674, 96-101. | 2.6 | 15 |
| 334 | Mesoporous Nickel–Aluminum Mixed Oxide: A Promising Catalyst in Hydrideâ€Transfer Reactions. European Journal of Inorganic Chemistry, 2010, 2010, 5129-5134. | 1.0 | 21 |
| 335 | Highly ordered Ti-SBA-15: Efficient H2 adsorbent and photocatalyst for eco-toxic dye degradation. Journal of Solid State Chemistry, 2010, 183, 1326-1333. | 1.4 | 79 |
| 336 | A fluorophore grafted 2D-hexagonal mesoporous organosilica: Excellent ion-exchanger for the removal of heavy metal ions from wastewater. Microporous and Mesoporous Materials, 2010, 128, 34-40. | 2.2 | 82 |
| 337 | Soft-templating approach for the synthesis of high surface area and superparamagnetic mesoporous iron oxide materials. Microporous and Mesoporous Materials, 2010, 131, 373-377. | 2.2 | 43 |
| 338 | Regioselective epoxidation of different types of double bonds over large-pore titanium silicate Ti- \hat{l}^2 . Journal of Molecular Catalysis A, 2010, 328, 60-67. | 4.8 | 18 |
| 339 | New mesoporous silicotitaniumphosphate and its application in acid catalysis and adsorption of As(III/V), $Cd(II)$ and $Hg(II)$. Journal of Molecular Catalysis A, 2010, 330, 49-55. | 4.8 | 17 |
| 340 | Temperature induced proton transfer in a hydrogen bonded supramolecule. Chemical Physics Letters, 2010, 498, 145-150. | 1.2 | 4 |
| 341 | A new functionalized mesoporous matrix supported Pd(ii)-Schiff base complex: an efficient catalyst for the Suzuki–Miyaura coupling reaction. Dalton Transactions, 2010, 39, 6395. | 1.6 | 133 |
| 342 | Click on silica: systematic immobilization of Co(ii) Schiff bases to the mesoporous silica via click reaction and their catalytic activity for aerobic oxidation of alcohols. Dalton Transactions, 2010, 39, 7760. | 1.6 | 41 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 343 | Self-assembled TiO2 nanoparticles: mesoporosity, optical and catalytic properties. Dalton Transactions, 2010, 39, 4382. | 1.6 | 134 |
| 344 | An improved high yielding immobilization of vanadium Schiff base complexes on mesoporous silica via azide–alkyne cycloaddition for the oxidation of sulfides. Green Chemistry, 2010, 12, 374. | 4.6 | 76 |
| 345 | Robust 1D open rack-like architecture in coordination polymers of Anderson POMs [{Na4(H2O)14}{Cu(gly)}2][TeMo6O24] and [{Cu(en)2}3{TeW6O24}]: synthesis, characterization and heterogeneous catalytic epoxidation of olefines. Dalton Transactions, 2010, 39, 11551. | 1.6 | 50 |
| 346 | Cu nanorods and nanospheres and their excellent catalytic activity in chemoselective reduction of nitrobenzenes. Catalysis Communications, 2010, 11, 651-655. | 1.6 | 118 |
| 347 | New organic–inorganic hybrid microporous organosilica having high metal ion adsorption capacity. Physical Chemistry Chemical Physics, 2010, 12, 9389. | 1.3 | 30 |
| 348 | Synthesis and mesophase characterisation of a series of new triazine-based disc-shaped molecules. Liquid Crystals, 2010, 37, 1459-1464. | 0.9 | 28 |
| 349 | A new periodic mesoporous organosilica containing diimine-phloroglucinol, Pd(ii)-grafting and its excellent catalytic activity and trans-selectivity in C–C coupling reactions. Journal of Materials Chemistry, 2010, 20, 8099. | 6.7 | 79 |
| 350 | Hierarchical mesoporous Fe/ZSM-5 with tunable porosity for selective hydroxylation of benzene to phenol. Journal of Materials Chemistry, 2010, 20, 8575. | 6.7 | 38 |
| 351 | Nanorods of all organic porous m-cresol–formaldehyde having photoluminescence at room temperature. Materials Chemistry and Physics, 2009, 114, 785-788. | 2.0 | 4 |
| 352 | Selective Zinc(II)â€Ion Fluorescence Sensing by a Functionalized Mesoporous Material Covalently Grafted with a Fluorescent Chromophore and Consequent Biological Applications. Advanced Functional Materials, 2009, 19, 223-234. | 7.8 | 195 |
| 353 | A New Organic-Inorganic Hybrid Supermicroporous Material Having Luminescence and Ion-Exchange Property. European Journal of Inorganic Chemistry, 2009, 2009, 4062-4068. | 1.0 | 16 |
| 354 | A new mesoporous FeBO3 material having dominant surface magnetism. Microporous and Mesoporous Materials, 2009, $117,362-367.$ | 2.2 | 10 |
| 355 | Incorporation of tin in different types of pores in SBA-15: Synthesis, characterization and catalytic activity. Microporous and Mesoporous Materials, 2009, 126, 234-244. | 2.2 | 50 |
| 356 | Vanadium resin as an efficient catalyst for the liquid phase ammoximation of cyclic ketones. Journal of Molecular Catalysis A, 2009, 301, 114-117. | 4.8 | 6 |
| 357 | Concomitant polymorphism of an antiferromagnetically coupled dicopper(II,II) complex with single strand helical assembly: Synthesis, structure, DSC, magnetic and heterogeneous catalytic studies. Polyhedron, 2009, 28, 665-672. | 1.0 | 16 |
| 358 | Two highly unsymmetrical tetradentate (N3O) Schiff base copper(II) complexes: Template synthesis, structural characterization, magnetic and computational studies. Polyhedron, 2009, 28, 3659-3666. | 1.0 | 3 |
| 359 | A convenient sol–gel route for the synthesis of salicylate–titania nanocomposites having visible absorption and blue luminescence. Journal of Solid State Chemistry, 2009, 182, 1200-1205. | 1.4 | 6 |
| 360 | Facile Suzuki coupling over ortho-metalated palladium(II) complex anchored on 2D-hexagonal mesoporous organosilica. Applied Catalysis A: General, 2009, 352, 81-86. | 2.2 | 72 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 361 | 3-D ordered mesoporous KIT-6 support for effective hydrodesulfurization catalysts. Applied Catalysis B: Environmental, 2009, 90, 55-63. | 10.8 | 199 |
| 362 | Template directed synthesis of mesoporous ZnO having high porosity and enhanced optoelectronic properties. Chemical Communications, 2009, , 2384. | 2.2 | 87 |
| 363 | 3D-Hexagonal Mesoporous Silica Having Exceptional H ₂ Adsorption Capacity. Journal of Physical Chemistry C, 2009, 113, 6839-6844. | 1.5 | 22 |
| 364 | Four $\hat{l}\frac{1}{4}$ 4-oxo-bridged copper(ii) complexes: magnetic properties and catalytic applications in liquid phase partial oxidation reactions. Dalton Transactions, 2009, , 9543. | 1.6 | 57 |
| 365 | A new functionalized mesoporous polymer with high efficiency for the removal of pollutant anions. Journal of Materials Chemistry, 2009, 19, 1901. | 6.7 | 77 |
| 366 | New mesoporous titanium–phosphorus mixed oxides having bifunctional catalytic activity. Catalysis Communications, 2009, 10, 2041-2045. | 1.6 | 30 |
| 367 | Self-Assembled Mesoporous Zirconia and Sulfated Zirconia Nanoparticles Synthesized by Triblock Copolymer as Template. Journal of Physical Chemistry C, 2009, 113, 8918-8923. | 1.5 | 101 |
| 368 | New Extra Large Pore Chromium Oxophenylphosphate: An Efficient Catalyst in Liquid Phase Partial Oxidation Reactions. Open Catalysis Journal, 2009, 2, 156-162. | 0.9 | 1 |
| 369 | Hydrothermal transformation of a layered aluminophosphate into a mesoporous structure. Journal of Porous Materials, 2008, 15, 445-450. | 1.3 | 9 |
| 370 | Synthesis and characterization of mesoporous titanium dioxide using self-assembly of sodium dodecyl sulfate and benzyl alcohol systems as templates. Microporous and Mesoporous Materials, 2008, 109, 66-72. | 2.2 | 41 |
| 371 | Mesoporous hybrid zirconium oxophenylphosphate synthesized in absence of any structure directing agent. Microporous and Mesoporous Materials, 2008, 110, 405-412. | 2.2 | 23 |
| 372 | A porous open-framework titanium oxophenylphosphate. Journal of Solid State Chemistry, 2008, 181, 2065-2072. | 1.4 | 11 |
| 373 | Highly porous organic–inorganic hybrid silica and its titanium silicate analogs as efficient liquid-phase oxidation catalysts. Applied Catalysis A: General, 2008, 342, 29-34. | 2.2 | 14 |
| 374 | A highly enantioselective chiral Schiff-base fluorescent sensor for mandelic acid. Tetrahedron, 2008, 64, 3153-3159. | 1.0 | 30 |
| 375 | Enhancement in microporosity and catalytic activity on grafting silica and organosilica moieties in lamellar titanium phosphate framework. Applied Catalysis A: General, 2008, 343, 55-61. | 2.2 | 15 |
| 376 | Mesoporous polyaniline having high conductivity at room temperature. Microporous and Mesoporous Materials, 2008, 109, 239-247. | 2.2 | 72 |
| 377 | Super-microporous TiO2 synthesized by using new designed chelating structure directing agents. Microporous and Mesoporous Materials, 2008, 112, 533-541. | 2.2 | 25 |
| 378 | A new microporous MOF material based on Zn(II)-polycarboxylate coordination polymer synthesized with the aid of 1,6-diaminohexane as template. Microporous and Mesoporous Materials, 2008, 116, 204-209. | 2.2 | 40 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 379 | Selective epoxidation of olefins catalyzed by oxodiperoxomolybdenum(VI) complexes immobilized over highly ordered 2D-hexagonal mesoporous silica. Journal of Molecular Catalysis A, 2008, 287, 135-141. | 4.8 | 44 |
| 380 | Liquid phase partial oxidation of olefins over mesoporous titanium silicate molecular sieve synthesized by non-ionic templating route. Materials Chemistry and Physics, 2008, 107, 499-504. | 2.0 | 4 |
| 381 | Spin-glass like behaviour in the nanoporous Fe ₂ O ₃ with amorphous structure. Journal of Physics Condensed Matter, 2008, 20, 295228. | 0.7 | 12 |
| 382 | Design and Synthesis of Nanostructured Porous SnO ₂ with High Surface Areas and Their Optical and Dielectric Properties. Journal of Physical Chemistry C, 2008, 112, 8668-8674. | 1.5 | 70 |
| 383 | A novel and simple approach to enhance ultraviolet photosensitivity: activated-carbon-assisted growth of ZnO nanoparticles. Nanotechnology, 2008, 19, 275705. | 1.3 | 18 |
| 384 | Tactile sensing using a novel air cushion sensor: A feasibility study. , 2008, , . | | 9 |
| 385 | MESOSTRUCTURED POLYPYRROLE SYNTHESIZED BY ANIONIC SURFACTANT TEMPLATING ROUTE. , 2008, , . | | 0 |
| 386 | Enhanced Emission from Single Component Organic Core–Shell Nanoparticles. Journal of Nanoscience and Nanotechnology, 2007, 7, 4311-4317. | 0.9 | 1 |
| 387 | In-situ polymerization of grafted aniline in the channels of mesoporous silica SBA-15. Journal of Materials Chemistry, 2007, 17, 278-283. | 6.7 | 81 |
| 388 | New organic–inorganic hybrid mesoporous tantalum oxophosphate and sulfonated tantalum oxophenylphosphate. Journal of Non-Crystalline Solids, 2007, 353, 4116-4120. | 1.5 | 8 |
| 389 | Eco-friendly, Selective Hydroxylation of C-7 Aromatic Compounds Catalyzed by TS-1/H ₂ O ₂ System under Solvent-free Solidâ^'Liquidâ^'Liquid-Type Triphase Conditions. Industrial & Conditions. Industrial & Conditions. Industrial & Conditions & Cond | 1.8 | 25 |
| 390 | Highly Luminescent Organicâ^Inorganic Hybrid Mesoporous Silicas Containing Tunable Chemosensor inside the Pore Wall. Chemistry of Materials, 2007, 19, 5347-5354. | 3.2 | 125 |
| 391 | Functionalized Mesoporous Cross-Linked Polymer As Efficient Host for Loading Gold Nanoparticles and Its Electrocatalytic Behavior for Reduction of H2O2. Chemistry of Materials, 2007, 19, 6290-6296. | 3.2 | 75 |
| 392 | Mesoporous Silicotinphosphate Material with High Anion Exchange Capacity. Studies in Surface Science and Catalysis, 2007, , 341-344. | 1.5 | 0 |
| 393 | Isolation and Characterization of ZnII and HgII Coordination Polymers with a Designed Azo-Aromatic Ligand: Identification of Micrometer- and Nanometer-Sized Particles. European Journal of Inorganic Chemistry, 2007, 2007, 835-845. | 1.0 | 29 |
| 394 | Nickel Complexes with N2O Donor Ligands: Syntheses, Structures, Catalysis and Magnetic Studies. European Journal of Inorganic Chemistry, 2007, 2007, 5033-5044. | 1.0 | 41 |
| 395 | Photoluminescence behavior of new mesoporous titanium-composites synthesized by using bidentate structure directing agents. Microporous and Mesoporous Materials, 2007, 101, 348-354. | 2.2 | 17 |
| 396 | Nanoscale silver cluster embedded in artificial heterogeneous matrix consisting of protein and sodium polyacrylate. Materials Letters, 2007, 61, 659-662. | 1.3 | 21 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 397 | A new extra large pore organic–inorganic hybrid silicoaluminophosphate. Journal of Materials Chemistry, 2006, 16, 2439-2444. | 6.7 | 11 |
| 398 | Highly Active 2D Hexagonal Mesoporous Titanium Silicate Synthesized Using a Cationicâ ² Anionic Mixed-Surfactant Assembly. Industrial & Engineering Chemistry Research, 2006, 45, 4879-4883. | 1.8 | 49 |
| 399 | Syntheses of Mesoporous Hybrid Iron Oxophenyl Phosphate, Iron Oxophosphate, and Sulfonated Oxophenyl Phosphate. Industrial & Engineering Chemistry Research, 2006, 45, 7748-7751. | 1.8 | 36 |
| 400 | Novel polyether–inorganic hybrid mesoporous silica synthesized through in situ incorporation of organic functionality. Journal of Non-Crystalline Solids, 2006, 352, 5408-5412. | 1.5 | 4 |
| 401 | Efficient allylic oxidation of cyclohexene catalyzed by immobilized Schiff base complex using peroxides as oxidants. Applied Catalysis A: General, 2006, 301, 79-88. | 2.2 | 99 |
| 402 | Highly active Ti-rich ordered mesoporous titanium silicate synthesizedunder strong acidic condition. Chemical Engineering Science, 2006, 61, 4373-4380. | 1.9 | 8 |
| 403 | Novel organic–inorganic hybrid and organic-free mesoporous niobium oxophosphate synthesized in the presence of an anionic surfactant. Microporous and Mesoporous Materials, 2006, 93, 40-45. | 2.2 | 22 |
| 404 | Titanium-rich highly ordered mesoporous silica synthesized by using a mixed surfactant system. Journal of Solid State Chemistry, 2006, 179, 1802-1807. | 1.4 | 36 |
| 405 | Novel mesoporous silicotinphosphate molecular sieve with high anion exchange capacity. Journal of Molecular Catalysis A, 2006, 247, 216-221. | 4.8 | 15 |
| 406 | Mechanistic study of cyclohexene oxidation and its use in modification of industrial waste organics. Applied Catalysis B: Environmental, 2006, 68, 12-20. | 10.8 | 42 |
| 407 | Magnetic properties of î±-Fe2O3 nanoparticle synthesized by a new hydrothermal method. Journal of Magnetism and Magnetic Materials, 2005, 285, 296-302. | 1.0 | 144 |
| 408 | Mesoporous Cr-MCM-41: An efficient catalyst for selective oxidation of cycloalkanes. Journal of Molecular Catalysis A, 2005, 236, 7-11. | 4.8 | 74 |
| 409 | Highly dispersed zinc phosphate microdomains in mesoporous silica. Chemical Engineering Science, 2005, 60, 839-843. | 1.9 | 2 |
| 410 | Iron oxide nanoparticles stabilized inside highly ordered mesoporous silica. Pramana - Journal of Physics, 2005, 65, 855-862. | 0.9 | 19 |
| 411 | Hydrothermally synthesized high silica mordenite as an efficient catalyst in alkylation reaction under liquid phase condition. Journal of Molecular Catalysis A, 2004, 215, 169-175. | 4.8 | 25 |
| 412 | Highly active disordered extra large pore titanium silicate. Microporous and Mesoporous Materials, 2004, 68, 29-35. | 2.2 | 43 |
| 413 | Co(III)-containing mesoporous silica as an efficient catalyst in selective dihydroxylation of cyclohexene. Journal of Molecular Catalysis A, 2004, 222, 235-241. | 4.8 | 28 |
| 414 | Mesoporous tin silicate: an efficient liquid phase oxidative dehydrogenation catalyst. Applied Catalysis A: General, 2004, 273, 157-161. | 2.2 | 38 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 415 | Synthesis and Characterization of Nanoporous Silica Using Dendrimer Molecules. Journal of Nanoscience and Nanotechnology, 2004, 4, 1052-1055. | 0.9 | 19 |
| 416 | Synthesis and Characterization of Iron-Rich Highly Ordered Mesoporous Fe-MCM-41. Industrial & Engineering Chemistry Research, 2003, 42, 3012-3018. | 1.8 | 87 |
| 417 | The effect of cobalt and copper substitution in Mn12-ac. Journal of Magnetism and Magnetic Materials, 2003, 267, 7-12. | 1.0 | 0 |
| 418 | Ammoximation of ketones catalyzed by titanium-containing ethane bridged hybrid mesoporous silsesquioxane. Chemical Communications, 2003, , 470-471. | 2.2 | 98 |
| 419 | Microporous niobium phosphates and catalytic properties prepared by a supramolecular templating mechanism. Chemical Communications, 2003, , 872-873. | 2.2 | 23 |
| 420 | Titanium containing inorganic–organic hybrid mesoporous materials with exceptional activity in epoxidation of alkenes using hydrogen peroxide. Journal of Materials Chemistry, 2002, 12, 3078-3083. | 6.7 | 100 |
| 421 | Mesoporous titanium phosphates and related molecular sieves: Synthesis, characterization and applications. Journal of Chemical Sciences, 2002, 114, 451-460. | 0.7 | 17 |
| 422 | Mesoporous Titanium Phosphate Molecular Sieves with Ion-Exchange Capacity. Journal of the American Chemical Society, 2001, 123, 691-696. | 6.6 | 318 |
| 423 | Pure silica NU-1 and Na- and Al-free Ti-NU-1 synthesized by the dry gel conversion method. Microporous and Mesoporous Materials, 2000, 34, 1-7. | 2.2 | 34 |
| 424 | Title is missing!. Catalysis Letters, 2000, 66, 181-184. | 1.4 | 43 |
| 425 | Organically Modified Titanium-Rich Ti-MCM-41, Efficient Catalysts for Epoxidation Reactions. Journal of Catalysis, 2000, 189, 31-39. | 3.1 | 188 |
| 426 | Enhancement in the reaction rates in the hydroxylation of aromatics over TS-1/H2O2 under solvent-free triphase conditions. Catalysis Today, 1999, 49, 185-191. | 2.2 | 47 |
| 427 | Intramolecular Rearrangement of Epoxides Generatedin Situover Titanium Silicate Molecular Sieves. Journal of Catalysis, 1999, 182, 349-356. | 3.1 | 47 |
| 428 | Synthesis of Silicalite-1 in Bicontinuous Microemulsion Containing AOT. Journal of Colloid and Interface Science, 1999, 213, 405-411. | 5.0 | 21 |
| 429 | Selective Dihydroxylation over Titanium Silicate Molecular Sieves. Journal of Catalysis, 1998, 176, 305-309. | 3.1 | 44 |
| 430 | Triphase Catalysis over Titanium–Silicate Molecular Sieves under Solvent-free Conditions. Journal of Catalysis, 1998, 178, 101-107. | 3.1 | 93 |
| 431 | Triphase, solvent-free catalysis over the TS-1/H2O2 system in selective oxidation reactions. Microporous and Mesoporous Materials, 1998, 21, 497-504. | 2.2 | 45 |
| 432 | Role of oxyanions as promoter for enhancing nucleation and crystallization in the synthesis of MFI-type microporous materials. Microporous and Mesoporous Materials, 1998, 22, 23-31. | 2.2 | 52 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 433 | Highly efficient and regioselective cyclization catalyzed by titanium silicate-1. Chemical Communications, 1998, , 463-464. | 2.2 | 31 |
| 434 | Catalyzing the preparation of zeolite catalysts. Studies in Surface Science and Catalysis, 1998, 113, 225-232. | 1.5 | 1 |
| 435 | A new method for enhancing zeolite crystallization by using oxyacids/salts of group VA and VIIA elements as promoters. Studies in Surface Science and Catalysis, 1997, 105, 141-148. | 1.5 | 3 |
| 436 | Baeyer-Villiger rearrangement catalysed by titanium silicate molecular sieve (TS-1)/H2O2 system. Catalysis Letters, 1996, 40, 47-50. | 1.4 | 80 |
| 437 | Promoter-induced enhancement of the crystallization rate of zeolites and related molecular sieves. Nature, 1996, 381, 298-300. | 13.7 | 151 |
| 438 | Synthesis of MTW-type microporous material and its vanadium-silicate analogue using a new diquaternary ammonium cation as a template. Microporous Materials, 1995, 5, 173-178. | 1.6 | 20 |
| 439 | Low temperature, efficient synthesis of new As(V)-silicate molecular sieves with MFI topology and their catalytic properties in oxidation reactions. Catalysis Letters, 1995, 35, 327-334. | 1.4 | 7 |
| 440 | Sn-ZSM-12, a new, large pore MTW type tin-silicate molecular sieve: synthesis, characterization and catalytic properties in oxidation reactions. Catalysis Letters, 1995, 33, 387-394. | 1.4 | 55 |
| 441 | Titanium silicate molecular sieve (TS-1)/H2O2 induced triphase catalysis in the oxidation of hydrophobic organic compounds with significant enhancement of activity and Para-selectivity. Journal of the Chemical Society Chemical Communications, 1995, , 349. | 2.0 | 75 |
| 442 | Synthesis of Al-free Sn-containing molecular sieves of MFI, MEL and MTWtypes and their catalytic activity in oxidation reactions. Studies in Surface Science and Catalysis, 1995, 94, 317-324. | 1.5 | 23 |
| 443 | A new As3+-silicate molecular sieve with MFI structure. Journal of the Chemical Society Chemical Communications, 1995, , 869. | 2.0 | 15 |
| 444 | Chemoselective oxidation of organic compounds having two or more functional groups. Studies in Surface Science and Catalysis, 1994, , 1883-1888. | 1.5 | 30 |