

Ru-Jin Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4745128/publications.pdf>

Version: 2024-02-01

211
papers

13,730
citations

28190

55
h-index

26548

107
g-index

236
all docs

236
docs citations

236
times ranked

10265
citing authors

#	ARTICLE	IF	CITATIONS
1	High secondary aerosol contribution to particulate pollution during haze events in China. <i>Nature</i> , 2014, 514, 218-222.	13.7	3,582
2	Severe haze in northern China: A synergy of anthropogenic emissions and atmospheric processes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 8657-8666.	3.3	609
3	New insights into PM _{2.5} ; chemical composition and sources in two major cities in China during extreme haze events using aerosol mass spectrometry. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 3207-3225.	1.9	300
4	PM _{2.5} -bound oxygenated PAHs, nitro-PAHs and parent-PAHs from the atmosphere of a Chinese megacity: Seasonal variation, sources and cancer risk assessment. <i>Science of the Total Environment</i> , 2014, 473-474, 77-87.	3.9	272
5	Global Survey of Antibiotic Resistance Genes in Air. <i>Environmental Science & Technology</i> , 2018, 52, 10975-10984.	4.6	227
6	Impact of city lockdown on the air quality of COVID-19-hit of Wuhan city. <i>Science of the Total Environment</i> , 2020, 742, 140556.	3.9	226
7	A possible pathway for rapid growth of sulfate during haze days in China. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 3301-3316.	1.9	193
8	Puzzling Haze Events in China During the Coronavirus (COVID-19) Shutdown. <i>Geophysical Research Letters</i> , 2020, 47, e2020GL088533.	1.5	165
9	Fossil vs. non-fossil sources of fine carbonaceous aerosols in four Chinese cities during the extreme winter haze episode of 2013. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 1299-1312.	1.9	163
10	Long-term trend of O ₃ in a mega City (Shanghai), China: Characteristics, causes, and interactions with precursors. <i>Science of the Total Environment</i> , 2017, 603-604, 425-433.	3.9	152
11	Severe Pollution in China Amplified by Atmospheric Moisture. <i>Scientific Reports</i> , 2017, 7, 15760.	1.6	151
12	Occurrence, gas/particle partitioning and carcinogenic risk of polycyclic aromatic hydrocarbons and their oxygen and nitrogen containing derivatives in Xi'an, central China. <i>Science of the Total Environment</i> , 2015, 505, 814-822.	3.9	150
13	Spatial and seasonal variations of PM _{2.5} mass and species during 2010 in Xi'an, China. <i>Science of the Total Environment</i> , 2015, 508, 477-487.	3.9	149
14	Brown Carbon Aerosol in Urban Xi'an, Northwest China: The Composition and Light Absorption Properties. <i>Environmental Science & Technology</i> , 2018, 52, 6825-6833.	4.6	149
15	Gasoline cars produce more carbonaceous particulate matter than modern filter-equipped diesel cars. <i>Scientific Reports</i> , 2017, 7, 4926.	1.6	133
16	Two-stroke scooters are a dominant source of air pollution in many cities. <i>Nature Communications</i> , 2014, 5, 3749.	5.8	126
17	Source-Specific Health Risk Analysis on Particulate Trace Elements: Coal Combustion and Traffic Emission As Major Contributors in Wintertime Beijing. <i>Environmental Science & Technology</i> , 2018, 52, 10967-10974.	4.6	125
18	Mixing State of Black Carbon Aerosol in a Heavily Polluted Urban Area of China: Implications for Light Absorption Enhancement. <i>Aerosol Science and Technology</i> , 2014, 48, 689-697.	1.5	122

#	ARTICLE	IF	CITATIONS
19	Inter-annual variability of wintertime PM 2.5 chemical composition in Xi'an, China: Evidences of changing source emissions. <i>Science of the Total Environment</i> , 2016, 545-546, 546-555.	3.9	118
20	Emission characteristics of carbonaceous particles and trace gases from open burning of crop residues in China. <i>Atmospheric Environment</i> , 2015, 123, 399-406.	1.9	114
21	Characterization and source apportionment of organic aerosol using offline aerosol mass spectrometry. <i>Atmospheric Measurement Techniques</i> , 2016, 9, 23-39.	1.2	110
22	Particulate matters emitted from maize straw burning for winter heating in rural areas in Guanzhong Plain, China: Current emission and future reduction. <i>Atmospheric Research</i> , 2017, 184, 66-76.	1.8	109
23	Chemical profiles of urban fugitive dust PM2.5 samples in Northern Chinese cities. <i>Science of the Total Environment</i> , 2016, 569-570, 619-626.	3.9	104
24	Effect of heavy haze and aerosol pollution on rice and wheat productions in China. <i>Scientific Reports</i> , 2016, 6, 29612.	1.6	103
25	Variations in PM2.5, TSP, BC, and trace gases (NO ₂ , SO ₂ , and O ₃) between haze and non-haze episodes in winter over Xi'an, China. <i>Atmospheric Environment</i> , 2015, 112, 64-71.	1.9	96
26	Optical properties and possible sources of brown carbon in PM 2.5 over Xi'an, China. <i>Atmospheric Environment</i> , 2017, 150, 322-330.	1.9	96
27	Radiocarbon analysis of elemental and organic carbon in Switzerland during winter-smog episodes from 2008 to 2012 – Part 1: Source apportionment and spatial variability. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 13551-13570.	1.9	89
28	Characterization of PM 2.5 in Guangzhou, China: uses of organic markers for supporting source apportionment. <i>Science of the Total Environment</i> , 2016, 550, 961-971.	3.9	89
29	Radiocarbon-Based Source Apportionment of Carbonaceous Aerosols at a Regional Background Site on Hainan Island, South China. <i>Environmental Science & Technology</i> , 2014, 48, 2651-2659.	4.6	87
30	Iodine emissions from the sea ice of the Weddell Sea. <i>Atmospheric Chemistry and Physics</i> , 2012, 12, 11229-11244.	1.9	83
31	Wintertime secondary organic aerosol formation in Beijing–Tianjin–Hebei (BTH): contributions of HONO sources and heterogeneous reactions. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 2343-2359.	1.9	83
32	Typical synoptic situations and their impacts on the wintertime air pollution in the Guanzhong basin, China. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 7373-7387.	1.9	82
33	PM2.5 from the Guanzhong Plain: Chemical composition and implications for emission reductions. <i>Atmospheric Environment</i> , 2016, 147, 458-469.	1.9	77
34	Concentration and sources of atmospheric nitrous acid (HONO) at an urban site in Western China. <i>Science of the Total Environment</i> , 2017, 593-594, 165-172.	3.9	75
35	Primary emissions versus secondary formation of fine particulate matter in the most polluted city (Shijiazhuang) in North China. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 2283-2298.	1.9	74
36	Water-Insoluble Organics Dominate Brown Carbon in Wintertime Urban Aerosol of China: Chemical Characteristics and Optical Properties. <i>Environmental Science & Technology</i> , 2020, 54, 7836-7847.	4.6	72

#	ARTICLE	IF	CITATIONS
37	Chemical composition and bioreactivity of PM _{2.5} during 2013 haze events in China. <i>Atmospheric Environment</i> , 2016, 126, 162-170.	1.9	71
38	Impact of crop field burning and mountains on heavy haze in the North China Plain: a case study. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 9675-9691.	1.9	69
39	Contributions of trans-boundary transport to summertime air quality in Beijing, China. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 2035-2051.	1.9	69
40	Long-term trends in visibility and impacts of aerosol composition on visibility impairment in Baoji, China. <i>Atmospheric Research</i> , 2014, 149, 88-95.	1.8	68
41	A Biomass Combustion Chamber: Design, Evaluation, and a Case Study of Wheat Straw Combustion Emission Tests. <i>Aerosol and Air Quality Research</i> , 2015, 15, 2104-2114.	0.9	68
42	Dicarboxylic acids, ketocarboxylic acids, α -dicarbonyls, fatty acids and benzoic acid in PM _{2.5} ; aerosol collected during CAREBeijing-2007: an effect of traffic restriction on air quality. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 3111-3123.	1.9	67
43	Characteristics of water-soluble organic nitrogen in fine particulate matter in the continental area of China. <i>Atmospheric Environment</i> , 2015, 106, 252-261.	1.9	67
44	In situ Fabrication of α -Bi ₂ O ₃ /(BiO) ₂ CO ₃ Nanoplate Heterojunctions with Tunable Optical Property and Photocatalytic Activity. <i>Scientific Reports</i> , 2016, 6, 23435.	1.6	65
45	Contribution of regional transport to the black carbon aerosol during winter haze period in Beijing. <i>Atmospheric Environment</i> , 2016, 132, 11-18.	1.9	64
46	Summertime ozone formation in Xi'an and surrounding areas, China. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 4323-4342.	1.9	64
47	Atmospheric Analytical Chemistry. <i>Analytical Chemistry</i> , 2011, 83, 4649-4664.	3.2	62
48	Source apportionment of carbonaceous aerosols in Xi'an, China: insights from a full year of measurements of radiocarbon and the stable isotope $\delta^{13}\text{C}$. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 16363-16383.	1.9	62
49	UHPLC-Orbitrap mass spectrometric characterization of organic aerosol from a central European city (Mainz, Germany) and a Chinese megacity (Beijing). <i>Atmospheric Environment</i> , 2018, 189, 22-29.	1.9	62
50	Spectral dependence of aerosol light absorption at an urban and a remote site over the Tibetan Plateau. <i>Science of the Total Environment</i> , 2017, 590-591, 14-21.	3.9	60
51	Chemical composition, sources and secondary processes of aerosols in Baoji city of northwest China. <i>Atmospheric Environment</i> , 2017, 158, 128-137.	1.9	60
52	Contributions of residential coal combustion to the air quality in Beijing-Tianjin-Hebei (BTH), China: a case study. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 10675-10691.	1.9	60
53	Hierarchical porous ZnWO ₄ microspheres synthesized by ultrasonic spray pyrolysis: Characterization, mechanistic and photocatalytic NO removal studies. <i>Applied Catalysis A: General</i> , 2016, 515, 170-178.	2.2	59
54	Extreme air pollution from residential solid fuel burning. <i>Nature Sustainability</i> , 2018, 1, 512-517.	11.5	59

#	ARTICLE	IF	CITATIONS
55	Black carbon aerosol characterization in a remote area of Qinghaiâ€“Tibetan Plateau, western China. <i>Science of the Total Environment</i> , 2014, 479-480, 151-158.	3.9	58
56	Characteristics and major sources of carbonaceous aerosols in PM 2.5 from Sanya, China. <i>Science of the Total Environment</i> , 2015, 530-531, 110-119.	3.9	58
57	Characteristics of carbonaceous particles from residential coal combustion and agricultural biomass burning in China. <i>Atmospheric Pollution Research</i> , 2017, 8, 521-527.	1.8	58
58	Impacts of meteorological uncertainties on the haze formation in Beijingâ€“Tianjinâ€“Hebei (BTH) during wintertime: a case study. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 14579-14591.	1.9	56
59	Seasonal variations of anhydrosugars in PM_{2.5} in the Pearl River Delta Region, China. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 66, 22577.	0.8	55
60	Characterization and seasonal variations of levoglucosan in fine particulate matter in Xiâ€™an, China. <i>Journal of the Air and Waste Management Association</i> , 2014, 64, 1317-1327.	0.9	55
61	Black carbon aerosol in winter northeastern Qinghaiâ€“Tibetan Plateau, China: the source, mixing state and optical property. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 13059-13069.	1.9	55
62	Characteristics of wintertime VOCs in suburban and urban Beijing: concentrations, emission ratios, and festival effects. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 8021-8036.	1.9	55
63	Summertime and wintertime atmospheric processes of secondary aerosol in Beijing. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 3793-3807.	1.9	55
64	Warming Effects on Ecosystem Carbon Fluxes Are Modulated by Plant Functional Types. <i>Ecosystems</i> , 2017, 20, 515-526.	1.6	54
65	Light absorption properties of brown carbon over the southeastern Tibetan Plateau. <i>Science of the Total Environment</i> , 2018, 625, 246-251.	3.9	54
66	Characterization of the light-absorbing properties, chromophore composition and sources of brown carbon aerosol in Xi'an, northwestern China. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 5129-5144.	1.9	54
67	In situ measurements of molecular iodine in the marine boundary layer: the link to macroalgae and the implications for O₃, IO, OIO and NO_x. <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 4823-4833.	1.9	53
68	Size distribution and source of black carbon aerosol in urban Beijing during winter haze episodes. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 7965-7975.	1.9	53
69	Reconstruction of atmospheric soot history in inland regions from lake sediments over the past 150 years. <i>Scientific Reports</i> , 2016, 6, 19151.	1.6	52
70	Differing toxicity of ambient particulate matter (PM) in global cities. <i>Atmospheric Environment</i> , 2019, 212, 305-315.	1.9	51
71	Carbonaceous aerosols in megacity Xi'an, China: Implications of thermal/optical protocols comparison. <i>Atmospheric Environment</i> , 2016, 132, 58-68.	1.9	50
72	PM2.5 emissions and source profiles from open burning of crop residues. <i>Atmospheric Environment</i> , 2017, 169, 229-237.	1.9	50

#	ARTICLE	IF	CITATIONS
73	A new method for long-term source apportionment with time-dependent factor profiles and uncertainty assessment using SoFi Pro: application to 1 year of organic aerosol data. <i>Atmospheric Measurement Techniques</i> , 2021, 14, 923-943.	1.2	50
74	Physicochemical characteristics of black carbon aerosol and its radiative impact in a polluted urban area of China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2016, 121, 12,505.	1.2	49
75	Characterization of parent and oxygenated-polycyclic aromatic hydrocarbons (PAHs) in Xi'an, China during heating period: An investigation of spatial distribution and transformation. <i>Chemosphere</i> , 2016, 159, 367-377.	4.2	49
76	Large contribution of fossil fuel derived secondary organic carbon to water soluble organic aerosols in winter haze in China. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 4005-4017.	1.9	49
77	Simulations of organic aerosol concentrations during springtime in the Guanzhong Basin, China. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 10045-10061.	1.9	48
78	Brown carbon aerosol in two megacities in the Sichuan Basin of southwestern China: Light absorption properties and implications. <i>Science of the Total Environment</i> , 2020, 719, 137483.	3.9	48
79	Impact of Meteorological Parameters and Gaseous Pollutants on PM _{2.5} and PM ₁₀ Mass Concentrations during 2010 in Xi'an, China. <i>Aerosol and Air Quality Research</i> , 2015, 15, 1844-1854.	0.9	47
80	Development of a Coupled Diffusion Denuder System Combined with Gas Chromatography/Mass Spectrometry for the Separation and Quantification of Molecular Iodine and the Activated Iodine Compounds Iodine Monochloride and Hypoiodous Acid in the Marine Atmosphere. <i>Analytical Chemistry</i> , 2009, 81, 1777-1783.	3.2	46
81	Control of PM _{2.5} in Guangzhou during the 16th Asian Games period: Implication for hazy weather prevention. <i>Science of the Total Environment</i> , 2015, 508, 57-66.	3.9	45
82	Radical Formation by Fine Particulate Matter Associated with Highly Oxygenated Molecules. <i>Environmental Science & Technology</i> , 2019, 53, 12506-12518.	4.6	45
83	Characterization of urban amine-containing particles in southwestern China: seasonal variation, source, and processing. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 3245-3255.	1.9	45
84	Effect of hydrolysis of N ₂ O ₅ on nitrate and ammonium formation in Beijing China: WRF-Chem model simulation. <i>Science of the Total Environment</i> , 2017, 579, 221-229.	3.9	44
85	Organosulfates in atmospheric aerosol: synthesis and quantitative analysis of PM _{2.5} from Xi'an, northwestern China. <i>Atmospheric Measurement Techniques</i> , 2018, 11, 3447-3456.	1.2	44
86	Spatiotemporal distribution of carbonyl compounds in China. <i>Environmental Pollution</i> , 2015, 197, 316-324.	3.7	42
87	Distinctions in source regions and formation mechanisms of secondary aerosol in Beijing from summer to winter. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 10319-10334.	1.9	42
88	Seasonal variation, spatial distribution and source apportionment for polycyclic aromatic hydrocarbons (PAHs) at nineteen communities in Xi'an, China: The effects of suburban scattered emissions in winter. <i>Environmental Pollution</i> , 2017, 231, 1330-1343.	3.7	41
89	Impact of the COVID-19 pandemic and control measures on air quality and aerosol light absorption in Southwestern China. <i>Science of the Total Environment</i> , 2020, 749, 141419.	3.9	40
90	Direct analysis of mercury in Traditional Chinese Medicines using thermolysis coupled with on-line atomic absorption spectrometry. <i>Talanta</i> , 2006, 68, 728-734.	2.9	38

#	ARTICLE	IF	CITATIONS
91	Characteristics and sources of hourly elements in PM10 and PM2.5 during wintertime in Beijing. <i>Environmental Pollution</i> , 2021, 278, 116865.	3.7	38
92	Characterization, mixing state, and evolution of urban single particles in Xi'an (China) during wintertime haze days. <i>Science of the Total Environment</i> , 2016, 573, 937-945.	3.9	37
93	Determination of alkylamines in atmospheric aerosol particles: a comparison of gas chromatography-mass spectrometry and ion chromatography approaches. <i>Atmospheric Measurement Techniques</i> , 2014, 7, 2027-2035.	1.2	36
94	Black carbon aerosol and its radiative impact at a high-altitude remote site on the southeastern Tibet Plateau. <i>Journal of Geophysical Research D: Atmospheres</i> , 2017, 122, 5515-5530.	1.2	36
95	Variation in Day-of-Week and Seasonal Concentrations of Atmospheric PM2.5-Bound Metals and Associated Health Risks in Bangkok, Thailand. <i>Archives of Environmental Contamination and Toxicology</i> , 2017, 72, 364-379.	2.1	35
96	Effects of photochemical oxidation on the mixing state and light absorption of black carbon in the urban atmosphere of China. <i>Environmental Research Letters</i> , 2017, 12, 044012.	2.2	35
97	Source characterization of urban particles from meat smoking activities in Chongqing, China using single particle aerosol mass spectrometry. <i>Environmental Pollution</i> , 2017, 228, 92-101.	3.7	35
98	Water adsorption and hygroscopic growth of six anemophilous pollen species: the effect of temperature. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 2247-2258.	1.9	35
99	Molecular Characterization and Source Identification of Atmospheric Particulate Organosulfates Using Ultrahigh Resolution Mass Spectrometry. <i>Environmental Science & Technology</i> , 2019, 53, 6192-6202.	4.6	34
100	Contrasting sources and processes of particulate species in haze days with low and high relative humidity in wintertime Beijing. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 9101-9114.	1.9	34
101	Characterization of anthropogenic organic aerosols by TOF-ACSM with the new capture vaporizer. <i>Atmospheric Measurement Techniques</i> , 2020, 13, 2457-2472.	1.2	33
102	Sea-spray regulates sulfate cloud droplet activation over oceans. <i>Npj Climate and Atmospheric Science</i> , 2020, 3, .	2.6	32
103	Size distribution and mixing state of refractory black carbon aerosol from a coastal city in South China. <i>Atmospheric Research</i> , 2016, 181, 163-171.	1.8	31
104	Characterization of Primary Organic Aerosol from Domestic Wood, Peat, and Coal Burning in Ireland. <i>Environmental Science & Technology</i> , 2017, 51, 10624-10632.	4.6	31
105	Predominance of secondary organic aerosol to particle-bound reactive oxygen species activity in fine ambient aerosol. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 14703-14720.	1.9	31
106	Brown Carbon in Primary and Aged Coal Combustion Emission. <i>Environmental Science & Technology</i> , 2021, 55, 5701-5710.	4.6	31
107	Seasonal variations of monocarbonyl and dicarbonyl in urban and sub-urban sites of Xi'an, China. <i>Environmental Monitoring and Assessment</i> , 2014, 186, 2835-2849.	1.3	30
108	Retrieving historical ambient PM2.5 concentrations using existing visibility measurements in Xi'an, Northwest China. <i>Atmospheric Environment</i> , 2016, 126, 15-20.	1.9	30

#	ARTICLE	IF	CITATIONS
109	Characterization of Gas-Phase Organics Using Proton Transfer Reaction Time-of-Flight Mass Spectrometry: Residential Coal Combustion. <i>Environmental Science & Technology</i> , 2018, 52, 2612-2617.	4.6	30
110	Mercury stable isotope compositions of Chinese urban fine particulates in winter haze days: Implications for Hg sources and transformations. <i>Chemical Geology</i> , 2019, 504, 267-275.	1.4	30
111	Observations of high concentrations of I ₂ and IO in coastal air supporting iodine-oxide driven coastal new particle formation. <i>Geophysical Research Letters</i> , 2010, 37, .	1.5	29
112	A study of elevated pollution layer over the North China Plain using aircraft measurements. <i>Atmospheric Environment</i> , 2018, 190, 188-194.	1.9	29
113	Sea spray as an obscured source for marine cloud nuclei. <i>Nature Geoscience</i> , 2022, 15, 282-286.	5.4	27
114	Indoor secondary organic aerosols formation from ozonolysis of monoterpene: An example of d-limonene with ammonia and potential impacts on pulmonary inflammations. <i>Science of the Total Environment</i> , 2017, 579, 212-220.	3.9	26
115	A 10-year observation of PM _{2.5} -bound nickel in Xi'an, China: Effects of source control on its trend and associated health risks. <i>Scientific Reports</i> , 2017, 7, 41132.	1.6	26
116	Characterization of the chemical components and bioreactivity of fine particulate matter produced during crop-residue burning in China. <i>Environmental Pollution</i> , 2019, 245, 226-234.	3.7	26
117	Chemical nature and sources of fine particles in urban Beijing: Seasonality and formation mechanisms. <i>Environment International</i> , 2020, 140, 105732.	4.8	26
118	Effects of NH ₃ and alkaline metals on the formation of particulate sulfate and nitrate in wintertime Beijing. <i>Science of the Total Environment</i> , 2020, 717, 137190.	3.9	26
119	Chemical composition of PM _{2.5} at a high-altitude regional background site over Northeast of Tibet Plateau. <i>Atmospheric Pollution Research</i> , 2015, 6, 815-823.	1.8	25
120	The rural carbonaceous aerosols in coarse, fine, and ultrafine particles during haze pollution in northwestern China. <i>Environmental Science and Pollution Research</i> , 2016, 23, 4569-4575.	2.7	25
121	Urban organic aerosol composition in eastern China differs from north to south: molecular insight from a liquid chromatography-mass spectrometry (Orbitrap) study. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 9089-9104.	1.9	25
122	Enhanced Nitrite Production from the Aqueous Photolysis of Nitrate in the Presence of Vanillic Acid and Implications for the Roles of Light-Absorbing Organics. <i>Environmental Science & Technology</i> , 2021, 55, 15694-15704.	4.6	25
123	Characteristics of Organic and Elemental Carbon in PM _{2.5} and PM _{0.25} in Indoor and Outdoor Environments of a Middle School: Secondary Formation of Organic Carbon and Sources Identification. <i>Atmosphere</i> , 2015, 6, 361-379.	1.0	24
124	Characteristics and potential exposure risks of environmentally persistent free radicals in PM _{2.5} in the three gorges reservoir area, Southwestern China. <i>Chemosphere</i> , 2020, 252, 126425.	4.2	24
125	Does iodine gas released from seaweed contribute to dietary iodine intake?. <i>Environmental Geochemistry and Health</i> , 2011, 33, 389-397.	1.8	23
126	Indoor air quality at five site museums of Yangtze River civilization. <i>Atmospheric Environment</i> , 2015, 123, 449-454.	1.9	23

#	ARTICLE	IF	CITATIONS
127	Chemical characteristics of airborne particles in Xi'an, inland China during dust storm episodes: Implications for heterogeneous formation of ammonium nitrate and enhancement of N-deposition. <i>Environmental Pollution</i> , 2019, 244, 877-884.	3.7	23
128	The optical properties of urban aerosol in northern China: A case study at Xi'an. <i>Atmospheric Research</i> , 2015, 160, 59-67.	1.8	22
129	Urban dust in the Guanzhong basin of China, part II: A case study of urban dust pollution using the WRF-Dust model. <i>Science of the Total Environment</i> , 2016, 541, 1614-1624.	3.9	22
130	Urban dust in the Guanzhong Basin of China, part I: A regional distribution of dust sources retrieved using satellite data. <i>Science of the Total Environment</i> , 2016, 541, 1603-1613.	3.9	22
131	Characterizing the composition and evolution of urban particles in Chongqing (China) during summertime. <i>Atmospheric Research</i> , 2017, 187, 84-94.	1.8	22
132	Application of mass spectrometric techniques for the trace analysis of short-lived iodine-containing volatiles emitted by seaweed. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 3345-3357.	1.9	21
133	Terpenoid composition and chemotaxonomic aspects of Miocene amber from the Koroglu Mountains, Turkey. <i>Journal of Analytical and Applied Pyrolysis</i> , 2014, 105, 100-107.	2.6	21
134	Variation in black carbon concentration and aerosol optical properties in Beijing: Role of emission control and meteorological transport variability. <i>Chemosphere</i> , 2020, 254, 126849.	4.2	21
135	A study of the morphology and effective density of externally mixed black carbon aerosols in ambient air using a size-resolved single-particle soot photometer (SP2). <i>Atmospheric Measurement Techniques</i> , 2019, 12, 4347-4359.	1.2	20
136	Secondary Organic Aerosol Formation of Fleet Vehicle Emissions in China: Potential Seasonality of Spatial Distributions. <i>Environmental Science & Technology</i> , 2021, 55, 7276-7286.	4.6	20
137	Quantification of solid fuel combustion and aqueous chemistry contributions to secondary organic aerosol during wintertime haze events in Beijing. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 9859-9886.	1.9	20
138	Polycyclic aromatic hydrocarbons from cooking emissions. <i>Science of the Total Environment</i> , 2022, 818, 151700.	3.9	20
139	Chromophoric Fingerprinting of Brown Carbon from Residential Biomass Burning. <i>Environmental Science and Technology Letters</i> , 2022, 9, 102-111.	3.9	20
140	Aerosol hygroscopicity and its link to chemical composition in the coastal atmosphere of Mace Head: marine and continental air masses. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 3777-3791.	1.9	19
141	The formation and evolution of secondary organic aerosol during summer in Xi'an: Aqueous phase processing in fog-rain days. <i>Science of the Total Environment</i> , 2021, 756, 144077.	3.9	19
142	Enhanced formation of secondary organic aerosol from photochemical oxidation during the COVID-19 lockdown in a background site in Northwest China. <i>Science of the Total Environment</i> , 2021, 778, 144947.	3.9	19
143	Highly time-resolved measurements of element concentrations in PM ₁₀ and PM _{2.5} : comparison of Delhi, Beijing, London, and Krakow. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 717-730.	1.9	19
144	The seaweeds <i>Fucus vesiculosus</i> and <i>Ascophyllum nodosum</i> are significant contributors to coastal iodine emissions. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 5255-5264.	1.9	18

#	ARTICLE	IF	CITATIONS
145	Azaarenes in fine particulate matter from the atmosphere of a Chinese megacity. <i>Environmental Science and Pollution Research</i> , 2016, 23, 16025-16036.	2.7	18
146	Impacts of methanesulfonate on the cloud condensation nucleation activity of sea salt aerosol. <i>Atmospheric Environment</i> , 2019, 201, 13-17.	1.9	18
147	Light absorption of brown carbon in PM _{2.5} in the Three Gorges Reservoir region, southwestern China: Implications of biomass burning and secondary formation. <i>Atmospheric Environment</i> , 2020, 229, 117409.	1.9	18
148	Measurement report: PM _{2.5} -bound nitrated aromatic compounds in Xi'an, Northwest China – seasonal variations and contributions to optical properties of brown carbon. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 3685-3697.	1.9	18
149	Effect of source variation on the size and mixing state of black carbon aerosol in urban Beijing from 2013 to 2019: Implication on light absorption. <i>Environmental Pollution</i> , 2021, 270, 116089.	3.7	17
150	Measurement report: dual-carbon isotopic characterization of carbonaceous aerosol reveals different primary and secondary sources in Beijing and Xi'an during severe haze events. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 16041-16053.	1.9	17
151	Extensive Evaluation of a Diffusion Denuder Technique for the Quantification of Atmospheric Stable and Radioactive Molecular Iodine. <i>Environmental Science & Technology</i> , 2010, 44, 5061-5066.	4.6	16
152	Interactions of organosulfates with water vapor under sub- and supersaturated conditions. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 7135-7148.	1.9	16
153	Seasonal variations in the sources of organic aerosol in Xi'an, Northwest China: The importance of biomass burning and secondary formation. <i>Science of the Total Environment</i> , 2020, 737, 139666.	3.9	16
154	Single particle characterization of summertime particles in Xi'an (China). <i>Science of the Total Environment</i> , 2018, 636, 1279-1290.	3.9	15
155	Determination of n-alkanes, polycyclic aromatic hydrocarbons and hopanes in atmospheric aerosol: evaluation and comparison of thermal desorption GC-MS and solvent extraction GC-MS approaches. <i>Atmospheric Measurement Techniques</i> , 2019, 12, 4779-4789.	1.2	15
156	Sources and formation of carbonaceous aerosols in Xi'an, China: primary emissions and secondary formation constrained by radiocarbon. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 15609-15628.	1.9	15
157	An analytical study of bioaccumulation and the binding forms of mercury in rat body using thermolysis coupled with atomic absorption spectrometry. <i>Analytica Chimica Acta</i> , 2005, 538, 313-321.	2.6	14
158	Application of Time-of-Flight Aerosol Mass Spectrometry for the Online Measurement of Gaseous Molecular Iodine. <i>Analytical Chemistry</i> , 2012, 84, 1439-1445.	3.2	14
159	Biomass burning influences determination based on PM 2.5 chemical composition combined with fire counts at southeastern Tibetan Plateau during pre-monsoon period. <i>Atmospheric Research</i> , 2018, 206, 108-116.	1.8	14
160	Identification of secondary aerosol precursors emitted by an aircraft turbofan. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 7379-7391.	1.9	14
161	The roles of aqueous-phase chemistry and photochemical oxidation in oxygenated organic aerosols formation. <i>Atmospheric Environment</i> , 2021, 266, 118738.	1.9	14
162	Measurement report of the change of PM _{2.5} composition during the COVID-19 lockdown in urban Xi'an: Enhanced secondary formation and oxidation. <i>Science of the Total Environment</i> , 2021, 791, 148126.	3.9	14

#	ARTICLE	IF	CITATIONS
163	Wintertime aerosol dominated by solid-fuel-burning emissions across Ireland: insight into the spatial and chemical variation in submicron aerosol. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 14091-14106.	1.9	14
164	Tropospheric aerosol hygroscopicity in China. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 13877-13903.	1.9	14
165	Black Carbon Aerosols at Mt. Muztagh Ata, a High-Altitude Location in the Western Tibetan Plateau. <i>Aerosol and Air Quality Research</i> , 2016, 16, 752-763.	0.9	13
166	Quantifying sources of elemental carbon over the Guanzhong Basin of China: A consistent network of measurements and WRF-Chem modeling. <i>Environmental Pollution</i> , 2016, 214, 86-93.	3.7	13
167	Development of source profiles and their application in source apportionment of PM _{2.5} in Xiamen, China. <i>Frontiers of Environmental Science and Engineering</i> , 2016, 10, 1.	3.3	13
168	Optical Properties of Aerosols and Implications for Radiative Effects in Beijing During the Asia-Pacific Economic Cooperation Summit 2014. <i>Journal of Geophysical Research D: Atmospheres</i> , 2017, 122, 10,119.	1.2	13
169	Exploring the impact of chemical composition on aerosol light extinction during winter in a heavily polluted urban area of China. <i>Journal of Environmental Management</i> , 2019, 247, 766-775.	3.8	13
170	Spectral absorption properties of organic carbon aerosol during a polluted winter in Beijing, China. <i>Science of the Total Environment</i> , 2021, 755, 142600.	3.9	13
171	The maximum carbonyl ratio (MCR) as a new index for the structural classification of secondary organic aerosol components. <i>Rapid Communications in Mass Spectrometry</i> , 2021, 35, e9113.	0.7	13
172	A denuder-impinger system with in situ derivatization followed by gas chromatography-mass spectrometry for the determination of gaseous iodine-containing halogen species. <i>Journal of Chromatography A</i> , 2008, 1210, 135-141.	1.8	12
173	Characteristics of Black Carbon Aerosol during the Chinese Lunar Year and Weekdays in Xi'an, China. <i>Atmosphere</i> , 2015, 6, 195-208.	1.0	12
174	Observations of high level of ozone at Qinghai Lake basin in the northeastern Qinghai-Tibetan Plateau, western China. <i>Journal of Atmospheric Chemistry</i> , 2015, 72, 19-26.	1.4	12
175	Black Carbon and Secondary Brown Carbon, the Dominant Light Absorption and Direct Radiative Forcing Contributors of the Atmospheric Aerosols Over the Tibetan Plateau. <i>Geophysical Research Letters</i> , 2021, 48, e2021GL092524.	1.5	12
176	Spatial patterns, storages and sources of black carbon in soils from the catchment of Qinghai Lake, China. <i>European Journal of Soil Science</i> , 2015, 66, 525-534.	1.8	11
177	Diffusion technique for the generation of gaseous halogen standards. <i>Journal of Chromatography A</i> , 2010, 1217, 2065-2069.	1.8	10
178	Seasonal Variation, Sources and Transport of Aerosols at Lijiang, Southeast Tibetan Plateau. <i>Aerosol and Air Quality Research</i> , 2016, 16, 1579-1590.	0.9	10
179	Alkanes and PAHs in the Southeastern Tibetan Plateau: Characteristics and Correlations With Brown Carbon Light Absorption. <i>Journal of Geophysical Research D: Atmospheres</i> , 2020, 125, e2020JD032666.	1.2	10
180	Concentrations, optical properties and sources of humic-like substances (HULIS) in fine particulate matter in Xi'an, Northwest China. <i>Science of the Total Environment</i> , 2021, 789, 147902.	3.9	10

#	ARTICLE	IF	CITATIONS
181	The impact of traffic on air quality in Ireland: insights from the simultaneous kerbside and suburban monitoring of submicron aerosols. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 10513-10529.	1.9	10
182	Marine and urban influences on summertime PM _{2.5} aerosol in the Po basin using mobile measurements. <i>Atmospheric Environment</i> , 2015, 120, 447-454.	1.9	9
183	Cellular Responses to Exposure to Outdoor Air from the Chinese Spring Festival at the Air-Liquid Interface. <i>Environmental Science & Technology</i> , 2019, 53, 9128-9138.	4.6	9
184	One-year characterization of organic aerosol markers in urban Beijing: Seasonal variation and spatiotemporal comparison. <i>Science of the Total Environment</i> , 2020, 743, 140689.	3.9	9
185	Comprehensive Source Apportionment of Submicron Aerosol in Shijiazhuang, China: Secondary Aerosol Formation and Holiday Effects. <i>ACS Earth and Space Chemistry</i> , 2020, 4, 947-957.	1.2	9
186	Characteristics of wintertime VOCs in urban Beijing: Composition and source apportionment. <i>Atmospheric Environment: X</i> , 2021, 9, 100100.	0.8	9
187	Primary and Secondary Organic Nitrate in Northwest China: A Case Study. <i>Environmental Science and Technology Letters</i> , 2021, 8, 947-953.	3.9	9
188	Concentration, optical characteristics, and emission factors of brown carbon emitted by on-road vehicles. <i>Science of the Total Environment</i> , 2022, 810, 151307.	3.9	9
189	Emission of iodine-containing volatiles by selected microalgae species. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 13327-13335.	1.9	8
190	High contributions of fossil sources to more volatile organic aerosol. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 10405-10422.	1.9	8
191	Metallic elements and Pb isotopes in PM _{2.5} in three Chinese typical megacities: spatial distribution and source apportionment. <i>Environmental Sciences: Processes and Impacts</i> , 2020, 22, 1718-1730.	1.7	8
192	Chemical characteristics and sources of organosulfates, organosulfonates, and carboxylic acids in aerosols in urban Xi'an, Northwest China. <i>Science of the Total Environment</i> , 2022, 810, 151187.	3.9	8
193	¹³ C signatures of aerosol organic and elemental carbon from major combustion sources in China compared to worldwide estimates. <i>Science of the Total Environment</i> , 2022, 810, 151284.	3.9	8
194	Summertime Aerosol over the West of Ireland Dominated by Secondary Aerosol during Long-Range Transport. <i>Atmosphere</i> , 2019, 10, 59.	1.0	7
195	Nonagricultural Emissions Dominate Urban Atmospheric Amines as Revealed by Mobile Measurements. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	7
196	Characterization of Gas-Phase Organics Using Proton Transfer Reaction Time-of-Flight Mass Spectrometry: Aircraft Turbine Engines. <i>Environmental Science & Technology</i> , 2017, 51, 3621-3629.	4.6	6
197	Organic aerosol formation and aging processes in Beijing constrained by size-resolved measurements of radiocarbon and stable isotopic ¹³ C. <i>Environment International</i> , 2022, 158, 106890.	4.8	6
198	Decay Kinetics and Absorption Changes of Methoxyphenols and Nitrophenols during Nitrate-Mediated Aqueous Photochemical Oxidation at 254 and 313 nm. <i>ACS Earth and Space Chemistry</i> , 2022, 6, 1115-1125.	1.2	6

#	ARTICLE	IF	CITATIONS
199	Atmospheric Processing of Loess Particles in a Polluted Urban Area of Northwestern China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2019, 124, 7919-7929.	1.2	5
200	Seasonal Trends of Aerosol Hygroscopicity and Mixing State in Clean Marine and Polluted Continental Air Masses Over the Northeast Atlantic. <i>Journal of Geophysical Research D: Atmospheres</i> , 2021, 126, e2020JD033851.	1.2	5
201	An automated method for thermal-optical separation of aerosol organic/elemental carbon for ^{13}C analysis at the sub- $1/4\mu\text{gC}$ level: A comprehensive assessment. <i>Science of the Total Environment</i> , 2022, 804, 150031.	3.9	5
202	Synthesis and Applications of Nanomaterials With High Photocatalytic Activity on Air Purification. , 2019, , 299-325.		4
203	Multiple-Year Changes (2014–2018) in Particulate Vanadium Linked to Shipping Regulations in the World’s Largest Port Region. <i>ACS Earth and Space Chemistry</i> , 2022, 6, 415-420.	1.2	4
204	The impact of aerosol size-dependent hygroscopicity and mixing state on the cloud condensation nuclei potential over the north-east Atlantic. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 8655-8675.	1.9	3
205	Technical Note: An Automated System for Separate Combustion of Elemental and Organic Carbon for ^{14}C Analysis of Carbonaceous Aerosol. <i>Aerosol and Air Quality Research</i> , 2019, 19, 2604-2611.	0.9	3
206	Evaluation of Policy Influence on Long-Term Indoor Air Quality in Emperor Qin’s Terra-Cotta Museum, China. <i>Atmosphere</i> , 2015, 6, 474-489.	1.0	2
207	Sources and Chemical Composition of Particulate Matter During Haze Pollution Events in China. , 2017, , 49-68.		2
208	Large contribution from worship activities to the atmospheric soot particles in northwest China. <i>Environmental Pollution</i> , 2022, 299, 118907.	3.7	2
209	Chemical signature and fractionation of trace elements in fine particles from anthropogenic and natural sources. <i>Journal of Environmental Sciences</i> , 2022, 114, 365-375.	3.2	1
210	Evidence of a Large Bias in Rooftop Measurements of Atmospheric Ammonia. <i>ACS Earth and Space Chemistry</i> , 2022, 6, 160-164.	1.2	1
211	Real-Time Characterization of Aerosol Particle Composition During Winter High-Pollution Events in China. , 2017, , 221-244.		0