

Mashito Sakai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4745290/publications.pdf>

Version: 2024-02-01

22
papers

1,289
citations

567144

15
h-index

677027

22
g-index

24
all docs

24
docs citations

24
times ranked

2516
citing authors

#	ARTICLE	IF	CITATIONS
1	Niche-Specific Reprogramming of Epigenetic Landscapes Drives Myeloid Cell Diversity in Nonalcoholic Steatohepatitis. <i>Immunity</i> , 2020, 52, 1057-1074.e7.	6.6	248
2	Liver-Derived Signals Sequentially Reprogram Myeloid Enhancers to Initiate and Maintain Kupffer Cell Identity. <i>Immunity</i> , 2019, 51, 655-670.e8.	6.6	234
3	Analysis of Genetically Diverse Macrophages Reveals Local and Domain-wide Mechanisms that Control Transcription Factor Binding and Function. <i>Cell</i> , 2018, 173, 1796-1809.e17.	13.5	165
4	Dok1 mediates high-fat diet-induced adipocyte hypertrophy and obesity through modulation of PPAR- β phosphorylation. <i>Nature Medicine</i> , 2008, 14, 188-193.	15.2	100
5	p38 β Activates Purine Metabolism to Initiate Hematopoietic Stem/Progenitor Cell Cycling in Response to Stress. <i>Cell Stem Cell</i> , 2016, 19, 192-204.	5.2	92
6	CITED2 links hormonal signaling to PGC-1 β acetylation in the regulation of gluconeogenesis. <i>Nature Medicine</i> , 2012, 18, 612-617.	15.2	65
7	Stepwise cell fate decision pathways during osteoclastogenesis at single-cell resolution. <i>Nature Metabolism</i> , 2020, 2, 1382-1390.	5.1	60
8	Identification and characterization of an alternative promoter of the human PGC-1 β gene. <i>Biochemical and Biophysical Research Communications</i> , 2009, 381, 537-543.	1.0	50
9	Diverse motif ensembles specify non-redundant DNA binding activities of AP-1 family members in macrophages. <i>Nature Communications</i> , 2019, 10, 414.	5.8	49
10	Epigenetic Regulation of Kupffer Cell Function in Health and Disease. <i>Frontiers in Immunology</i> , 2020, 11, 609618.	2.2	32
11	Overexpression of KLF15 Transcription Factor in Adipocytes of Mice Results in Down-regulation of SCD1 Protein Expression in Adipocytes and Consequent Enhancement of Glucose-induced Insulin Secretion. <i>Journal of Biological Chemistry</i> , 2011, 286, 37458-37469.	1.6	29
12	The GCN5-CITED2-PKA signalling module controls hepatic glucose metabolism through a cAMP-induced substrate switch. <i>Nature Communications</i> , 2016, 7, 13147.	5.8	28
13	Circadian clock regulates hepatic polyploidy by modulating Mkp1-Erk1/2 signaling pathway. <i>Nature Communications</i> , 2017, 8, 2238.	5.8	28
14	Muscle-Specific Overexpression of Heparin-Binding Epidermal Growth Factor-Like Growth Factor Increases Peripheral Glucose Disposal and Insulin Sensitivity. <i>Endocrinology</i> , 2009, 150, 2683-2691.	1.4	23
15	Overexpression of the transcriptional coregulator Cited2 protects against glucocorticoid-induced atrophy of C2C12 myotubes. <i>Biochemical and Biophysical Research Communications</i> , 2009, 378, 399-403.	1.0	23
16	PHD3 regulates glucose metabolism by suppressing stress-induced signalling and optimising gluconeogenesis and insulin signalling in hepatocytes. <i>Scientific Reports</i> , 2018, 8, 14290.	1.6	15
17	Purification of mouse hepatic non-parenchymal cells or nuclei for use in ChIP-seq and other next-generation sequencing approaches. <i>STAR Protocols</i> , 2021, 2, 100363.	0.5	12
18	An optimized protocol for rapid, sensitive and robust on-bead ChIP-seq from primary cells. <i>STAR Protocols</i> , 2021, 2, 100358.	0.5	11

#	ARTICLE	IF	CITATIONS
19	Crystal structure of GCN5 PCAF N-terminal domain reveals atypical ubiquitin ligase structure. Journal of Biological Chemistry, 2020, 295, 14630-14639.	1.6	8
20	The Lung Microenvironment Instructs Gene Transcription in Neonatal and Adult Alveolar Macrophages. Journal of Immunology, 2022, 208, 1947-1959.	0.4	6
21	Systematic analysis of naturally occurring insertions and deletions that alter transcription factor spacing identifies tolerant and sensitive transcription factor pairs. ELife, 2022, 11, .	2.8	5
22	Glucose Production Assay in Primary Mouse Hepatocytes. Bio-protocol, 2012, 2, .	0.2	3