

Enik Sonkoly

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4745927/eniko-sonkoly-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64
papers

4,913
citations

34
h-index

70
g-index

70
ext. papers

5,632
ext. citations

4
avg, IF

5.2
L-index

#	Paper	IF	Citations
64	Inflammatory bowel disease and psoriasis: modernizing the multidisciplinary approach. <i>Journal of Internal Medicine</i> , 2021 , 290, 257-278	10.8	4
63	Long-term Outcomes and Prognosis in New-Onset Psoriasis. <i>JAMA Dermatology</i> , 2021 ,	5.1	2
62	Cross-talk between IFN- γ and TWEAK through miR-149 amplifies skin inflammation in psoriasis. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 147, 2225-2235	11.5	7
61	miR-19a/b and miR-20a Promote Wound Healing by Regulating the Inflammatory Response of Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 659-671	4.3	19
60	Factors associated with adverse COVID-19 outcomes in patients with psoriasis-insights from a global registry-based study. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 147, 60-71	11.5	77
59	Chromatin interactions in differentiating keratinocytes reveal novel atopic dermatitis- and psoriasis-associated genes. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 147, 1742-1752	11.5	1
58	Inhibition of the Ras/ERK1/2 pathway contributes to the protective effect of ginsenoside Re against intimal hyperplasia. <i>Food and Function</i> , 2021 , 12, 6755-6765	6.1	1
57	MiR-130a Acts as a Tumor Suppressor MicroRNA in Cutaneous Squamous Cell Carcinoma and Regulates the Activity of the BMP/SMAD Pathway by Suppressing ACVR1. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 1922-1931	4.3	5
56	IL-22 Downregulates Peptidylarginine Deiminase-1 in Human Keratinocytes: Adding Another Piece to the IL-22 Puzzle in Epidermal Barrier Formation. <i>Journal of Investigative Dermatology</i> , 2021 ,	4.3	1
55	Looking Back to the Future: ESDR Academy for Future Leaders in Dermatology, 2011. <i>Journal of Investigative Dermatology</i> , 2020 , 140, S185-S186	4.3	
54	A comprehensive analysis of coding and non-coding transcriptomic changes in cutaneous squamous cell carcinoma. <i>Scientific Reports</i> , 2020 , 10, 3637	4.9	35
53	Circulating microRNAs in extracellular vesicles as potential biomarkers for psoriatic arthritis in patients with psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 1248-1256	4.6	17
52	Next-Generation Sequencing Identifies the Keratinocyte-Specific miRNA Signature of Psoriasis. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 2547-2550.e12	4.3	8
51	The Keratinocyte Transcriptome in Psoriasis: Pathways Related to Immune Responses, Cell Cycle and Keratinization. <i>Acta Dermato-Venereologica</i> , 2019 , 99, 196-205	2.2	23
50	Genome-Wide Screen for MicroRNAs Reveals a Role for miR-203 in Melanoma Metastasis. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 882-892	4.3	24
49	Extracellular microvesicle microRNAs as predictive biomarkers for targeted therapy in metastatic cutaneous malignant melanoma. <i>PLoS ONE</i> , 2018 , 13, e0206942	3.7	19
48	Tofacitinib Represses the Janus Kinase-Signal Transducer and Activators of Transcription Signalling Pathway in Keratinocytes. <i>Acta Dermato-Venereologica</i> , 2018 , 98, 772-775	2.2	6

47	Identification of chronological and photoageing-associated microRNAs in human skin. <i>Scientific Reports</i> , 2018 , 8, 12990	4.9	9
46	The expanding microRNA world in psoriasis. <i>Experimental Dermatology</i> , 2017 , 26, 375-376	4	8
45	MicroRNA-132 promotes fibroblast migration via regulating RAS p21 protein activator 1 in skin wound healing. <i>Scientific Reports</i> , 2017 , 7, 7797	4.9	29
44	MicroRNA-132 with Therapeutic Potential in Chronic Wounds. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 2630-2638	4.3	49
43	MicroRNA-146a suppresses IL-17-mediated skin inflammation and is genetically associated with psoriasis. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 550-561	11.5	79
42	MicroRNA-203 Inversely Correlates with Differentiation Grade, Targets c-MYC, and Functions as a Tumor Suppressor in cSCC. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 2485-2494	4.3	32
41	Exosomal microRNAs as putative predictive biomarkers for targeted therapy in stage IV cutaneous malignant melanoma (CMM).. <i>Journal of Clinical Oncology</i> , 2016 , 34, 9579-9579	2.2	
40	MicroRNA-132 enhances transition from inflammation to proliferation during wound healing. <i>Journal of Clinical Investigation</i> , 2015 , 125, 3008-26	15.9	116
39	MicroRNA-31 Promotes Skin Wound Healing by Enhancing Keratinocyte Proliferation and Migration. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 1676-1685	4.3	101
38	Identification of novel non-coding RNA-based negative feedback regulating the expression of the oncogenic transcription factor GLI1. <i>Molecular Oncology</i> , 2014 , 8, 912-26	7.9	23
37	Activation of toll-like receptors alters the microRNA expression profile of keratinocytes. <i>Experimental Dermatology</i> , 2014 , 23, 281-3	4	22
36	miR-193b/365a cluster controls progression of epidermal squamous cell carcinoma. <i>Carcinogenesis</i> , 2014 , 35, 1110-20	4.6	60
35	MiR-146a negatively regulates TLR2-induced inflammatory responses in keratinocytes. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 1931-1940	4.3	75
34	MicroRNA-31 is overexpressed in cutaneous squamous cell carcinoma and regulates cell motility and colony formation ability of tumor cells. <i>PLoS ONE</i> , 2014 , 9, e103206	3.7	48
33	Genetic polymorphisms altering microRNA activity in psoriasis—a key to solve the puzzle of missing heritability?. <i>Experimental Dermatology</i> , 2014 , 23, 620-4	4	26
32	Changes in the level of serum microRNAs in patients with psoriasis after antitumour necrosis factor- α therapy. <i>British Journal of Dermatology</i> , 2013 , 169, 563-70	4	65
31	The chemokine receptor CCR3 participates in tissue remodeling during atopic skin inflammation. <i>Journal of Dermatological Science</i> , 2013 , 71, 12-21	4.3	28
30	MicroRNA-31 is overexpressed in psoriasis and modulates inflammatory cytokine and chemokine production in keratinocytes via targeting serine/threonine kinase 40. <i>Journal of Immunology</i> , 2013 , 190, 678-88	5.3	145

29	Are BIC (miR-155) polymorphisms associated with eczema susceptibility?. <i>Acta Dermato-Venereologica</i> , 2013 , 93, 366-7	2.2	5
28	RNA editing of the GLI1 transcription factor modulates the output of Hedgehog signaling. <i>RNA Biology</i> , 2013 , 10, 321-33	4.8	56
27	MiR-21 is up-regulated in psoriasis and suppresses T cell apoptosis. <i>Experimental Dermatology</i> , 2012 , 21, 312-4	4	116
26	MicroRNA-203 functions as a tumor suppressor in basal cell carcinoma. <i>Oncogenesis</i> , 2012 , 1, e3	6.6	71
25	MicroRNA-125b down-regulates matrix metalloproteinase 13 and inhibits cutaneous squamous cell carcinoma cell proliferation, migration, and invasion. <i>Journal of Biological Chemistry</i> , 2012 , 287, 29899-9084	5.4	141
24	MicroRNAs in inflammation and response to injuries induced by environmental pollution. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2011 , 717, 46-53	3.3	46
23	Comparison of stress-induced PRINS gene expression in normal human keratinocytes and HaCaT cells. <i>Archives of Dermatological Research</i> , 2011 , 303, 745-52	3.3	18
22	MiR-125b, a microRNA downregulated in psoriasis, modulates keratinocyte proliferation by targeting FGFR2. <i>Journal of Investigative Dermatology</i> , 2011 , 131, 1521-9	4.3	158
21	Cyclin B1 expression and p53 status in squamous cell carcinomas of the head and neck. <i>Anticancer Research</i> , 2011 , 31, 3151-7	2.3	15
20	The anti-apoptotic protein G1P3 is overexpressed in psoriasis and regulated by the non-coding RNA, PRINS. <i>Experimental Dermatology</i> , 2010 , 19, 269-78	4	79
19	The expression of microRNA-203 during human skin morphogenesis. <i>Experimental Dermatology</i> , 2010 , 19, 854-6	4	50
18	Protein kinase C-dependent upregulation of miR-203 induces the differentiation of human keratinocytes. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 124-34	4.3	98
17	MiR-155 is overexpressed in patients with atopic dermatitis and modulates T-cell proliferative responses by targeting cytotoxic T lymphocyte-associated antigen 4. <i>Journal of Allergy and Clinical Immunology</i> , 2010 , 126, 581-9.e1-20	11.5	208
16	A novel mechanism for anti-EGFR antibody action involves chemokine-mediated leukocyte infiltration. <i>International Journal of Cancer</i> , 2009 , 124, 2589-96	7.5	42
15	microRNAs in inflammation. <i>International Reviews of Immunology</i> , 2009 , 28, 535-61	4.6	170
14	Advances in microRNAs: implications for immunity and inflammatory diseases. <i>Journal of Cellular and Molecular Medicine</i> , 2009 , 13, 24-38	5.6	127
13	MicroRNAs: novel regulators in skin inflammation. <i>Clinical and Experimental Dermatology</i> , 2008 , 33, 312-5.8		160
12	MicroRNAs and immunity: novel players in the regulation of normal immune function and inflammation. <i>Seminars in Cancer Biology</i> , 2008 , 18, 131-40	12.7	423

11	Alterations in the p53 pathway and their association with radio- and chemosensitivity in head and neck squamous cell carcinoma. <i>Oral Oncology</i> , 2008 , 44, 1100-9	4.4	47
10	Aberrant cytokine expression in serum of patients with adenoid cystic carcinoma and squamous cell carcinoma of the head and neck. <i>Head and Neck</i> , 2007 , 29, 472-8	4.2	35
9	MicroRNAs: novel regulators involved in the pathogenesis of psoriasis?. <i>PLoS ONE</i> , 2007 , 2, e610	3.7	540
8	Tumor immune escape by the loss of homeostatic chemokine expression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 19055-60	11.5	109
7	Chemokine receptors in head and neck cancer: association with metastatic spread and regulation during chemotherapy. <i>International Journal of Cancer</i> , 2006 , 118, 2147-57	7.5	84
6	IL-31: a new link between T cells and pruritus in atopic skin inflammation. <i>Journal of Allergy and Clinical Immunology</i> , 2006 , 117, 411-7	11.5	668
5	Vesicular stomatitis virus induces apoptosis in the Wong-Kilbourne derivative of the Chang conjunctival cell line. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2006 , 244, 717-24	3.8	4
4	Identification and characterization of a novel, psoriasis susceptibility-related noncoding RNA gene, PRINS. <i>Journal of Biological Chemistry</i> , 2005 , 280, 24159-67	5.4	152
3	CC chemokine ligand 18, an atopic dermatitis-associated and dendritic cell-derived chemokine, is regulated by staphylococcal products and allergen exposure. <i>Journal of Immunology</i> , 2004 , 173, 5810-7	5.3	101
2	Avidity of antibodies to human herpesvirus 7 suggests primary infection in young adults with pityriasis rosea. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2004 , 18, 738-40	4.6	18
1	Familiar occurrence of papular-purpuric gloves and socks syndrome with human herpes virus-7 and human parvovirus B19 infection. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2004 , 18, 639-41	4.6	5