Kenya Kusunose

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4746035/kenya-kusunose-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

210
ext. papers

2,682
citations

28
h-index

43
g-index

5.27
ext. citations

28
h-index

4.4
square L-index

#	Paper	IF	Citations
184	Detection and characterization of diastolic dysfunction 2022 , 122-143		
183	Association between cardiovascular risk factors and left ventricular strain distribution in patients without previous cardiovascular disease <i>Journal of Echocardiography</i> , 2022 , 1	1.6	1
182	New Vision, Mission, and Values of the Japanese Circulation Society. <i>Circulation Journal</i> , 2021 , 85, 2248	3-2251	
181	Preload Stress Echocardiography for the Assessment of Heart[Failure With Preserved Ejection Fraction. <i>JACC: Cardiovascular Imaging</i> , 2021 , 15, 375-375	8.4	О
180	Antegrade slow pathway mapping of typical atrioventricular nodal reentrant tachycardia based on direct slow pathway capture. <i>Journal of Arrhythmia</i> , 2021 , 37, 128-139	1.5	
179	"Accelerated aging" of the heart as heart failure with preserved ejection fraction-analysis using leg-positive pressure stress echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 2473-2482	2.5	0
178	Clinical Utility of Overlap Time for Incomplete Relaxation to Predict Cardiac Events in Heart Failure. Journal of Cardiac Failure, 2021 , 27, 1222-1230	3.3	O
177	Acute Hospital Mortality of Venous Thromboembolism in Patients With Cancer From Registry Data. Journal of the American Heart Association, 2021 , 10, e019373	6	2
176	Inhibition of S1P Receptor 2 Attenuates Endothelial Dysfunction and Inhibits Atherogenesis in Apolipoprotein E-Deficient Mice. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021 , 28, 630-642	4	3
175	Review: application of current imaging modalities in the management of left-sided valvular heart disease. <i>Cardiovascular Diagnosis and Therapy</i> , 2021 , 11, 793-803	2.6	
174	Activated Factor X Signaling Pathway via Protease-Activated Receptor 2 Is a Novel Therapeutic Target for Preventing Atrial Fibrillation. <i>Circulation Journal</i> , 2021 , 85, 1383-1391	2.9	O
173	How to standardize the measurement of left ventricular ejection fraction. <i>Journal of Medical Ultrasonics (2001)</i> , 2021 , 1	1.4	1
172	Steps to use artificial intelligence in echocardiography. <i>Journal of Echocardiography</i> , 2021 , 19, 21-27	1.6	13
171	Infective Endocarditis from Furuncle with Meningitis Complication Caused by Methicillin-resistant Staphylococcus aureus. <i>Internal Medicine</i> , 2021 , 60, 3251-3255	1.1	1
170	STING, a cytosolic DNA sensor, plays a critical role in atherogenesis: a link between innate immunity and chronic inflammation caused by lifestyle-related diseases. <i>European Heart Journal</i> , 2021 , 42, 4336-	4348	4
169	Deep Learning Analysis of Echocardiographic Images to Predict Positive Genotype in Patients With Hypertrophic Cardiomyopathy. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 669860	5.4	1
168	Deep Learning for Detection of Elevated Pulmonary Artery Wedge Pressure Using Standard Chest X-Ray. <i>Canadian Journal of Cardiology</i> , 2021 , 37, 1198-1206	3.8	6

(2020-2021)

167	Reply to Higaki-Next Steps in Artificial Intelligence for Cardiovascular Hemodynamics. <i>Canadian Journal of Cardiology</i> , 2021 , 37, 1299	3.8		
166	Pre-clinical medical student cardiac point-of-care ultrasound curriculum based on the American Society of Echocardiography recommendations: a pilot and feasibility study. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 175	1.9	O	
165	Effects of canagliflozin on NT-proBNP stratified by left ventricular diastolic function in patients with type 2 diabetes and chronic heart failure: a sub analysis of the CANDLE trial. <i>Cardiovascular Diabetology</i> , 2021 , 20, 186	8.7	3	
164	Left Atrial Strain Associated with Functional Recovery in Patients Receiving Optimal Treatment for Heart Failure. <i>Journal of the American Society of Echocardiography</i> , 2021 , 34, 966-975.e2	5.8	O	
163	Predictive value of left atrial function for latent paroxysmal atrial fibrillation as the cause of embolic stroke of undetermined source. <i>Journal of Cardiology</i> , 2021 , 78, 355-361	3	3	
162	Clinical application of stress echocardiography for valvular heart disease. <i>Choonpa Igaku</i> , 2021 , 48, 177	7-185		
161	Pemafibrate, A Novel Selective Peroxisome Proliferator-Activated Receptor IModulator, Reduces Plasma Eicosanoid Levels and Ameliorates Endothelial Dysfunction in Diabetic Mice. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021 , 28, 1349-1360	4	1	
160	Association between Vitamin D and Heart Failure Mortality in 10,974 Hospitalized Individuals. <i>Nutrients</i> , 2021 , 13,	6.7	4	
159	Congenital Hypogonadotropic Hypogonadism with Early-Onset Coronary Artery Disease. <i>Journal of Medical Investigation</i> , 2021 , 68, 189-191	1.2		
158	Comparison of Direct Oral Anticoagulants for Acute Hospital Mortality in Venous Thromboembolism <i>American Journal of Cardiovascular Drugs</i> , 2021 , 1	4		
157	Deep learning to predict elevated pulmonary artery pressure in patients with suspected pulmonary hypertension using standard chest X ray. <i>Scientific Reports</i> , 2020 , 10, 19311	4.9	10	
156	Clinically Feasible and Accurate View Classification of Echocardiographic Images Using Deep Learning. <i>Biomolecules</i> , 2020 , 10,	5.9	21	
155	Clinical Application of Stress Echocardiography in Management of Heart Failure. <i>Heart Failure Clinics</i> , 2020 , 16, 347-355	3.3	О	
154	Canagliflozin Prevents Diabetes-Induced Vascular Dysfunction in ApoE-Deficient Mice. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020 , 27, 1141-1151	4	22	
153	Empagliflozin ameliorates endothelial dysfunction and suppresses atherogenesis in diabetic apolipoprotein E-deficient mice. <i>European Journal of Pharmacology</i> , 2020 , 875, 173040	5.3	38	
152	Radiomics in Echocardiography: Deep Learning and Echocardiographic Analysis. <i>Current Cardiology Reports</i> , 2020 , 22, 89	4.2	3	
151	Deep Learning for Assessment of Left Ventricular Ejection Fraction from Echocardiographic Images. <i>Journal of the American Society of Echocardiography</i> , 2020 , 33, 632-635.e1	5.8	16	
150	Association of Local Epicardial Adipose Tissue Depots and Left Ventricular Diastolic Performance in Patients With Preserved Left Ventricular Ejection Fraction. <i>Circulation Journal</i> , 2020 , 84, 203-216	2.9	4	

149	Relationship between regional left ventricular dysfunction and cancer-therapy-related cardiac dysfunction. <i>Heart</i> , 2020 , 106, 1752-1758	5.1	6
148	Atherosclerotic Coronary Plaque Is Associated With Adventitial Vasa Vasorum and Local Inflammation in Adjacent Epicardial Adipose Tissue in Fresh Cadavers. <i>Circulation Journal</i> , 2020 , 84, 769	-7 <i>7</i> 5	5
147	Study protocol for prospect trial to elucidate the utility of echocardiography-based cardiac output in acute heart failure (PREDICT). <i>Journal of Echocardiography</i> , 2020 , 18, 235-239	1.6	1
146	Abstract 13145: Differences of Cancer Types in Hospital Mortality in Patients With Venous Thromboembolism. <i>Circulation</i> , 2020 , 142,	16.7	1
145	Effects of L-/N-Type Calcium Channel Blockers on Angiotensin II-Renin Feedback in Hypertensive Patients. <i>International Journal of Hypertension</i> , 2020 , 2020, 6653851	2.4	2
144	Diastolic Mitral Regurgitation on Color M-Mode Echocardiography in a Patient With Complete Atrioventricular Block. <i>Circulation Reports</i> , 2020 , 2, 207-208	0.7	
143	Association between Sarcopenia/Lower Muscle Mass and Short-Term Regression of Deep Vein Thrombosis Using Direct Oral Anticoagulants. <i>International Heart Journal</i> , 2020 , 61, 787-794	1.8	О
142	Association Between Right Ventricular Contractile Function and Cardiac Events in Isolated Postcapillary and Combined Pre- and Postcapillary Pulmonary Hypertension. <i>Journal of Cardiac Failure</i> , 2020 , 26, 43-51	3.3	2
141	Deterioration of biventricular strain is an early marker of cardiac involvement in confirmed sarcoidosis. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 796-804	4.1	9
140	Prognostic Impact of Ischemic Mitral Regurgitation Severity and Myocardial Infarct Quantification by Cardiovascular Magnetic Resonance. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 1489-1501	8.4	32
139	Thrombin inhibition by dabigatran attenuates endothelial dysfunction in diabetic mice. <i>Vascular Pharmacology</i> , 2020 , 124, 106632	5.9	8
138	Identifying the extent of oral fluid droplets on echocardiographic machine consoles in COVID-19 era. <i>Journal of Echocardiography</i> , 2020 , 18, 268-270	1.6	2
137	Sequential speckle tracking imaging to detect early stage of cancer therapeutics-related cardiac dysfunction in a patient with breast cancer. <i>Journal of Echocardiography</i> , 2020 , 18, 134-135	1.6	1
136	A Deep Learning Approach for Assessment of Regional Wall Motion Abnormality From Echocardiographic Images. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 374-381	8.4	62
135	Clinical application of stress echocardiography for valvular heart disease. <i>Journal of Medical Ultrasonics</i> (2001), 2020 , 47, 81-89	1.4	3
134	Deleterious Effects of Epicardial Adipose Tissue Volume on Global Longitudinal Strain in Patients With Preserved Left Ventricular Ejection Fraction. <i>Frontiers in Cardiovascular Medicine</i> , 2020 , 7, 607825	5.4	4
133	Pulmonary Artery Hypertension-Specific Therapy Improves Exercise Tolerance and Outcomes in Exercise-Induced Pulmonary Hypertension. <i>JACC: Cardiovascular Imaging</i> , 2019 , 12, 2576-2579	8.4	2
132	Lambda-like J wave due to acute myocardial infarction of the diagonal branch. <i>Journal of Medical Investigation</i> , 2019 , 66, 185-187	1.2	O

131	Toll-Like Receptor 9 Plays a Pivotal Role in Angiotensin II-Induced Atherosclerosis. <i>Journal of the American Heart Association</i> , 2019 , 8, e010860	6	25
130	Association of Decreased Docosahexaenoic Acid Level After Statin Therapy and Low Eicosapentaenoic Acid Level with In-Stent Restenosis in Patients with Acute Coronary Syndrome. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019 , 26, 272-281	4	4
129	Updated Left Ventricular Diastolic Function Recommendations and Cardiovascular Events in Patients with Heart Failure Hospitalization. <i>Journal of the American Society of Echocardiography</i> , 2019 , 32, 1286-1297.e2	5.8	15
128	Rivaroxaban, a specific FXa inhibitor, improved endothelium-dependent relaxation of aortic segments in diabetic mice. <i>Scientific Reports</i> , 2019 , 9, 11206	4.9	13
127	Utilization of Artificial Intelligence in Echocardiography. <i>Circulation Journal</i> , 2019 , 83, 1623-1629	2.9	26
126	Association of Echocardiography Before Major Elective Non-Cardiac Surgery With Improved Postoperative Outcomes - Possible Implications for Patient Care. <i>Circulation Journal</i> , 2019 , 83, 2512-251	1 3 .9	5
125	Simultaneous Pulmonary Arterial and Venous Round Structures in Pulmonary Aspergillosis. <i>Circulation Journal</i> , 2019 , 83, 1416	2.9	
124	Noninvasive assessment of left-ventricular diastolic electromechanical coupling in hypertensive heart disease. <i>Journal of Echocardiography</i> , 2019 , 17, 206-212	1.6	О
123	Vildagliptin, a DPP-4 Inhibitor, Attenuates Endothelial Dysfunction and Atherogenesis in Nondiabetic Apolipoprotein E-Deficient Mice. <i>International Heart Journal</i> , 2019 , 60, 1421-1429	1.8	9
122	Improvement of global longitudinal strain following high-dose chemotherapy and autologous peripheral blood stem cell transplantation in patients with amyloid light-chain cardiac amyloidosis: a case report. <i>European Heart Journal - Case Reports</i> , 2019 , 3, 1-6	0.9	5
121	Left atrial functional response after a marathon in healthy amateur volunteers. <i>International Journal of Cardiovascular Imaging</i> , 2019 , 35, 633-643	2.5	1
120	Reduced variability of visual left ventricular ejection fraction assessment with reference images: The Japanese Association of Young Echocardiography Fellows multicenter study. <i>Journal of Cardiology</i> , 2018 , 72, 74-80	3	14
119	Protease-Activated Receptor-2 Plays a Critical Role in Vascular Inflammation and Atherosclerosis in Apolipoprotein E-Deficient Mice. <i>Circulation</i> , 2018 , 138, 1706-1719	16.7	41
118	Novel Echocardiographic Parameters in Patients With Aortic Stenosis and Preserved Left Ventricular Systolic Function Undergoing Surgical Aortic Valve Replacement. <i>American Journal of Cardiology</i> , 2018 , 122, 284-293	3	6
117	Provocation of clinically significant left ventricular outflow tract obstruction by postural change in patients with sigmoid septum. <i>Journal of Echocardiography</i> , 2018 , 16, 173-174	1.6	1
116	Prognostic Value of Frailty and Diastolic Dysfunction in Elderly Patients. <i>Circulation Journal</i> , 2018 , 82, 2103-2110	2.9	8
115	Local Thickness of Epicardial Adipose Tissue Surrounding the Left Anterior Descending Artery Is a Simple Predictor of Coronary Artery Disease - New Prediction Model in Combination With Framingham Risk Score. <i>Circulation Journal</i> , 2018 , 82, 1369-1378	2.9	12
114	Correlation between right ventricular T mapping and right ventricular dysfunction in non-ischemic cardiomyopathy. <i>International Journal of Cardiovascular Imaging</i> , 2018 , 34, 55-65	2.5	12

113	Edoxaban improves acute venous thromboembolism while preserving protein C and protein S levels. <i>Journal of Cardiology</i> , 2018 , 71, 305-309	3	4
112	Development and validation of optimal cut-off value in inter-arm systolic blood pressure difference for prediction of cardiovascular events. <i>Journal of Cardiology</i> , 2018 , 71, 24-30	3	10
111	A clinical application of preload stress echocardiography for predicting future hemodynamic worsening in patients with early-stage heart failure. <i>Echocardiography</i> , 2018 , 35, 1587-1595	1.5	3
110	Noninvasive Assessment of Preload Reserve Enhances Risk Stratification of Patients With Heart Failure With Reduced Ejection Fraction. <i>Circulation: Cardiovascular Imaging</i> , 2018 , 11, e007160	3.9	6
109	Effect of the Epicardial Adipose Tissue Volume on the Prevalence of Paroxysmal and Persistent Atrial Fibrillation. <i>Circulation Journal</i> , 2018 , 82, 1778-1787	2.9	16
108	Right Ventricular Function and Beneficial Effects of Cardiac Rehabilitation in Patients With Systolic Chronic Heart Failure. <i>Canadian Journal of Cardiology</i> , 2018 , 34, 1307-1315	3.8	3
107	Heart Failure With Preserved Ejection Fraction - Time for a Paradigm Shift Beyond Diastolic Function. <i>Circulation Reports</i> , 2018 , 1, 8-16	0.7	1
106	Predictors for the Treatment Effect of Sodium Glucose Co-transporter 2 Inhibitors in Patients with Type 2 Diabetes Mellitus. <i>Advances in Therapy</i> , 2018 , 35, 124-134	4.1	10
105	Age-related changes in morphology of left atrial appendage in patients with atrial fibrillation. <i>International Journal of Cardiovascular Imaging</i> , 2018 , 34, 321-328	2.5	6
104	Impact of abnormal longitudinal rotation on the assessment of right ventricular systolic function in patients with severe pulmonary hypertension. <i>Journal of Thoracic Disease</i> , 2018 , 10, 4694-4704	2.6	3
103	Left Ventricular Mass Influences Relationship Between Filling Pressure and Early-Diastolic Ratio of Inflow Velocity to Mitral Annular Velocity (E/e§. <i>Circulation Journal</i> , 2018 , 82, 732-738	2.9	0
102	Activation of Toll-Like Receptor 9 Impairs Blood Flow Recovery After Hind-Limb Ischemia. <i>Frontiers in Cardiovascular Medicine</i> , 2018 , 5, 144	5.4	5
101	Outcomes in Asymptomatic Severe Aortic Stenosis With Preserved Ejection Fraction Undergoing Rest and Treadmill Stress Echocardiography. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	13
100	Clinical, Electrocardiographic, and Echocardiographic Parameter Combination Predicts the Onset of Atrial Fibrillation. <i>Circulation Journal</i> , 2018 , 82, 2253-2258	2.9	7
99	Echocardiographic Predictors for Worsening of Six-Minute Walk Distances in Patients With Systemic Sclerosis (Scleroderma). <i>American Journal of Cardiology</i> , 2017 , 120, 315-321	3	6
98	Preload Stress Echocardiography Predicts Outcomes in Patients With Preserved Ejection Fraction and Low-Gradient Aortic Stenosis. <i>Circulation: Cardiovascular Imaging</i> , 2017 , 10,	3.9	15
97	Plasma brain natriuretic peptide levels are elevated in patients with cancer. <i>PLoS ONE</i> , 2017 , 12, e0178	69 <i>.7</i> 7	24
96	Canagliflozin reduces epicardial fat in patients with type 2 diabetes mellitus. <i>Diabetology and Metabolic Syndrome</i> , 2017 , 9, 78	5.6	71

95	RV Myocardial Strain During Pre-Load Augmentation Is Associated With Exercise Capacity in Patients With Chronic HF. <i>JACC: Cardiovascular Imaging</i> , 2017 , 10, 1240-1249	8.4	13
94	Predictors of Mortality in Patients With Severe Ischemic Cardiomyopathy Undergoing Surgical Mitral Valve Intervention. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	13
93	Effect of sitagliptin on the echocardiographic parameters of left ventricular diastolic function in patients with type 2 diabetes: a subgroup analysis of the PROLOGUE study. <i>Cardiovascular Diabetology</i> , 2017 , 16, 63	8.7	35
92	Clinical Utility of Longitudinal Strain to Predict Functional Recovery in Patients With Tachyarrhythmia and Reduced LVEF. <i>JACC: Cardiovascular Imaging</i> , 2017 , 10, 118-126	8.4	14
91	Echocardiographic Epicardial Adipose Tissue Thickness Is Associated with Symptomatic Coronary Vasospasm during Provocative Testing. <i>Journal of the American Society of Echocardiography</i> , 2017 , 30, 1021-1027.e1	5.8	8
90	Improved Exercise Capacity After Cardiac Rehabilitation Is Associated with Reduced Visceral Fat in Patients with Chronic Heart Failure. <i>International Heart Journal</i> , 2017 , 58, 746-751	1.8	5
89	Low Serum Levels of Eicosapentaenoic Acid and Docosahexaenoic Acid are Risk Factors for Cardiogenic Syncope in Patients with Brugada Syndrome. <i>International Heart Journal</i> , 2017 , 58, 720-723	1.8	10
88	A Pregnant Woman Complicated by Stroke. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2017 , 106, 2265-2272	Ο	
87	Relation of Echocardiographic Characteristics of the Right-Sided Heart With Incident Heart Failure and Mortality in Patients With Sleep-Disordered Breathing and Preserved Left Ventricular Ejection Fraction. <i>American Journal of Cardiology</i> , 2016 , 118, 1268-1273	3	8
86	Left Ventricular Lipomatous Hamartoma Mimicking a Calcified Amorphous Tumor. <i>Circulation</i> , 2016 , 133, e408-10	16.7	6
85	Effects of the Addition of Eicosapentaenoic Acid to Strong Statin Therapy on Inflammatory Cytokines and Coronary Plaque Components Assessed by Integrated Backscatter Intravascular Ultrasound. <i>Circulation Journal</i> , 2016 , 80, 450-60	2.9	51
84	Prognostic Implications of Non-Invasive Vascular Function Tests in High-Risk Atherosclerosis Patients. <i>Circulation Journal</i> , 2016 , 80, 1034-40	2.9	25
83	Left Ventricular Global Strain for Estimating Relaxation and Filling Pressure - A Multicenter Study. <i>Circulation Journal</i> , 2016 , 80, 1163-70	2.9	21
82	Purulent Pericarditis Accompanying Pericardial Abscess Induced by Nocardia in an Immunocompromised Patient. <i>Circulation Journal</i> , 2016 , 80, 2409-2411	2.9	4
81	Predictors and Prognostic Impact of Progressive Ischemic Mitral Regurgitation in Patients With Advanced Ischemic Cardiomyopathy: A Multimodality Study. <i>Circulation: Cardiovascular Imaging</i> , 2016 , 9,	3.9	19
80	Relationship between local production of microRNA-328 and atrial substrate remodeling in atrial fibrillation. <i>Journal of Cardiology</i> , 2016 , 68, 472-477	3	28
79	Effects of Transthoracic Echocardiographic Simulator Training on Performance and Satisfaction in Medical Students. <i>Journal of the American Society of Echocardiography</i> , 2016 , 29, 375-7	5.8	12
78	Prognostic implication of relative regional strain ratio in cardiac amyloidosis. <i>Heart</i> , 2016 , 102, 748-54	5.1	83

77	Vegetation in the coronary sinus that concealed the presence of a coronary arteriovenous fistula in a patient with infectious endocarditis. <i>International Journal of Cardiology</i> , 2016 , 207, 266-8	3.2	3
76	Synergistic Utility of Brain Natriuretic Peptide and Left Ventricular Strain in Patients With Significant Aortic Stenosis. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	16
75	Noninvasive Quantitative Tissue Characterization of Carotid Plaques Using Color-Coded Mapping Based on Ultrasound Integrated Backscatter. <i>JACC: Cardiovascular Imaging</i> , 2016 , 9, 625-7	8.4	6
74	Rest and exercise echocardiography for early detection of pulmonary hypertension. <i>Journal of Echocardiography</i> , 2016 , 14, 2-12	1.6	9
73	Comparison of Tricuspid Annular Plane Systolic Excursion in Patients With Atrial Fibrillation Versus Sinus Rhythm. <i>American Journal of Cardiology</i> , 2016 , 117, 226-32	3	10
7 2	Left Atrial Size and Function in a Canine Model of Chronic Atrial Fibrillation and Heart Failure. <i>PLoS ONE</i> , 2016 , 11, e0147015	3.7	7
71	Association of Abnormal Postoperative Left Ventricular Global Longitudinal Strain With Outcomes in Severe Aortic Stenosis Following Aortic Valve Replacement. <i>JAMA Cardiology</i> , 2016 , 1, 494-6	16.2	21
70	Predictors and Prognostic Significance of Right Ventricular Ejection Fraction in Patients With Ischemic Cardiomyopathy. <i>Circulation</i> , 2016 , 134, 656-65	16.7	40
69	3D Transthoracic Echocardiography Provides Accurate Cross-Sectional Area of the RV Outflow Tract. <i>JACC: Cardiovascular Imaging</i> , 2015 , 8, 1343-5	8.4	
68	Prediction of Future Overt Pulmonary Hypertension by 6-Min Walk Stress Echocardiography in Patients With Connective Tissue Disease. <i>Journal of the American College of Cardiology</i> , 2015 , 66, 376-8	4 ^{15.1}	46
67	Cardiac MR imaging in constrictive pericarditis: multiparametric assessment in patients with surgically proven constriction. <i>International Journal of Cardiovascular Imaging</i> , 2015 , 31, 859-66	2.5	20
66	Pulmonary embolism due to right atrial free-floating thrombus during echocardiographic examination: a case of a pulmonary saddle thrombus. <i>Journal of Echocardiography</i> , 2015 , 13, 145-7	1.6	
65	Serial imaging changes during treatment of immunoglobulin G4-related disease with multiple pseudotumors. <i>Circulation</i> , 2015 , 131, 1882-3	16.7	10
64	Clinical Utility of Measuring Epicardial Adipose Tissue Thickness with Echocardiography Using a High-Frequency Linear Probe in Patients with Coronary Artery Disease. <i>Journal of the American Society of Echocardiography</i> , 2015 , 28, 1240-1246.e1	5.8	29
63	Plasma microRNA-100 is associated with coronary plaque vulnerability. <i>Circulation Journal</i> , 2015 , 79, 413-8	2.9	22
62	Impact of Indoxyl Sulfate, a Uremic Toxin, on Non-Culprit Coronary Plaque Composition Assessed on Integrated Backscatter Intravascular Ultrasound. <i>Circulation Journal</i> , 2015 , 79, 1773-9	2.9	7
61	Reduced ratio of eicosapentaenoic acid and docosahexaenoic acid to arachidonic acid is associated with early onset of acute coronary syndrome. <i>Nutrition Journal</i> , 2015 , 14, 111	4.3	19
60	Comparison of carotid plaque tissue characteristics in patients with acute coronary syndrome or stable angina pectoris: assessment by iPlaque, transcutaneous carotid ultrasonography with integrated backscatter analysis. <i>Cardiovascular Ultrasound</i> , 2015 , 13, 34	2.4	1

(2014-2015)

59	Assessment of Right Ventricular Longitudinal Strain in Patients with Ischemic Cardiomyopathy: Head-to-Head Comparison between Two-Dimensional Speckle-Based Strain and Velocity Vector Imaging Using Volumetric Assessment by Cardiac Magnetic Resonance as a "Gold Standard".	1.5	18
58	Echocardiography, 2015 , 32, 956-65 Relationship between Right Ventricular Longitudinal Strain, Invasive Hemodynamics, and Functional Assessment in Pulmonary Arterial Hypertension. <i>Korean Circulation Journal</i> , 2015 , 45, 398-4	0 7 .2	19
57	Echocardiographic screening for congenital heart disease in 8819 children: A report from local community events for children's healthcare. <i>Journal of Cardiology</i> , 2015 , 66, 315-9	3	1
56	Characteristics and Outcomes of Patients With Severe Bioprosthetic Aortic Valve Stenosis Undergoing Redo Surgical Aortic Valve Replacement. <i>Circulation</i> , 2015 , 132, 1953-60	16.7	25
55	Right ventricular echocardiographic parameters are associated with mortality after acute pulmonary embolism. <i>Journal of the American Society of Echocardiography</i> , 2015 , 28, 355-62	5.8	59
54	Regurgitant volume informs rate of progressive cardiac dysfunction in asymptomatic patients with chronic aortic or mitral regurgitation. <i>JACC: Cardiovascular Imaging</i> , 2015 , 8, 14-23	8.4	16
53	Relation between echocardiographically estimated and invasively measured filling pressures in constrictive pericarditis. <i>American Journal of Cardiology</i> , 2014 , 113, 1911-6	3	15
52	Prognostic significance of left atrial appendage "sludge" in patients with atrial fibrillation: a new transesophageal echocardiographic thromboembolic risk factor. <i>Journal of the American Society of Echocardiography</i> , 2014 , 27, 1176-83	5.8	41
51	Global left atrial strain in the prediction of sinus rhythm maintenance after catheter ablation for atrial fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2014 , 27, 1184-92	5.8	58
50	Prognostic value of RV function before and after lung transplantation. <i>JACC: Cardiovascular Imaging</i> , 2014 , 7, 1084-94	8.4	16
49	Targeting Sleep Disordered Breathing to Prevent Heart Failure: What is the Evidence?. <i>Current Cardiovascular Risk Reports</i> , 2014 , 8, 403	0.9	1
48	Pre-load stress echocardiography for predicting the prognosis in mild heart failure. <i>JACC:</i> Cardiovascular Imaging, 2014 , 7, 641-9	8.4	23
47	Effect of ghrelin on autonomic activity in healthy volunteers. <i>Peptides</i> , 2014 , 62, 1-5	3.8	18
46	Pentraxin 3 is a local inflammatory marker in atrial fibrillation. <i>Heart and Vessels</i> , 2014 , 29, 653-8	2.1	14
45	Impact of vagal nerve stimulation on left atrial structure and function in a canine high-rate pacing model. <i>Circulation: Heart Failure</i> , 2014 , 7, 320-6	7.6	15
44	Right ventricular global longitudinal strain provides prognostic value incremental to left ventricular ejection fraction in patients with heart failure. <i>Journal of the American Society of Echocardiography</i> , 2014 , 27, 726-32	5.8	63
43	Echocardiographic image tracker with a speckle adaptive noise reduction filter for the automatic measurement of the left atrial volume curve. <i>European Heart Journal Cardiovascular Imaging</i> , 2014 , 15, 509-14	4.1	4
42	Effects of telmisartan on inflammatory cytokines and coronary plaque component as assessed on integrated backscatter intravascular ultrasound in hypertensive patients. <i>Circulation Journal</i> , 2014 , 78, 240-7	2.9	20

41	Report of the American College of Cardiology (ACC) Scientific Sessions 2014, Washington, DC. <i>Circulation Journal</i> , 2014 , 78, 1311-6	2.9	О
40	Left main coronary artery compression syndrome with an incomplete atrioventricular septal defect presenting as angina induced by hyperthyroidism. <i>Internal Medicine</i> , 2014 , 53, 2083-5	1.1	
39	Infarct characterization and quantification by delayed enhancement cardiac magnetic resonance imaging is a powerful independent and incremental predictor of mortality in patients with advanced ischemic cardiomyopathy. <i>Circulation: Cardiovascular Imaging</i> , 2014 , 7, 796-804	3.9	30
38	Incremental prognostic value of left ventricular global longitudinal strain in patients with aortic stenosis and preserved ejection fraction. <i>Circulation: Cardiovascular Imaging</i> , 2014 , 7, 938-45	3.9	126
37	Decision making in asymptomatic aortic regurgitation in the era of guidelines: incremental values of resting and exercise cardiac dysfunction. <i>Circulation: Cardiovascular Imaging</i> , 2014 , 7, 352-62	3.9	56
36	Patent foramen ovale diagnosed by real-time three-dimensional contrast transesophageal echocardiography: A case report. <i>Journal of Cardiology Cases</i> , 2013 , 7, e91-e92	0.6	1
35	Comparison of three-dimensional echocardiographic findings to those of magnetic resonance imaging for determination of left ventricular mass in patients with ischemic and non-ischemic cardiomyopathy. <i>American Journal of Cardiology</i> , 2013 , 112, 604-11	3	18
34	Interval from the onset of transmitral flow to annular velocity is a marker of LV filling pressure. JACC: Cardiovascular Imaging, 2013 , 6, 528-30	8.4	19
33	Left ventricular strain distribution in healthy dogs and in dogs with tachycardia-induced dilated cardiomyopathy. <i>Cardiovascular Ultrasound</i> , 2013 , 11, 43	2.4	10
32	Therapeutic effects of selective atrioventricular node vagal stimulation in atrial fibrillation and heart failure. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 86-91	2.7	7
31	Ghrelin protects the heart against ischemia-induced arrhythmias by preserving connexin-43 protein. Heart and Vessels, 2013 , 28, 795-801	2.1	17
30	Quantitation of the diastolic stress test: filling pressure vs. diastolic reserve. <i>European Heart Journal Cardiovascular Imaging</i> , 2013 , 14, 223-7	4.1	21
29	Prognostic significance of exercise-induced right ventricular dysfunction in asymptomatic degenerative mitral regurgitation. <i>Circulation: Cardiovascular Imaging</i> , 2013 , 6, 167-76	3.9	89
28	Biventricular mechanics in constrictive pericarditis comparison with restrictive cardiomyopathy and impact of pericardiectomy. <i>Circulation: Cardiovascular Imaging</i> , 2013 , 6, 399-406	3.9	79
27	Constrictive pericarditis with intrapericardial abscess. Circulation Journal, 2013, 77, 786-8	2.9	1
26	Index-beat assessment of left ventricular systolic and diastolic function during atrial fibrillation using myocardial strain and strain rate. <i>Journal of the American Society of Echocardiography</i> , 2012 , 25, 953-9	5.8	66
25	Independent association of left atrial function with exercise capacity in patients with preserved ejection fraction. <i>Heart</i> , 2012 , 98, 1311-7	5.1	73
24	Gender disparities in the association between epicardial adipose tissue volume and coronary atherosclerosis: a 3-dimensional cardiac computed tomography imaging study in Japanese subjects. <i>Cardiovascular Diabetology</i> , 2012 , 11, 106	8.7	42

23	Bicuspid aortic valve endocarditis complicated by perivalvular abscess. <i>Journal of Medical Investigation</i> , 2012 , 59, 261-5	1.2	2	
22	Renoprotective and antioxidant effects of cilnidipine in hypertensive patients. <i>Hypertension Research</i> , 2012 , 35, 1058-62	4.7	14	
21	How similar are the mice to men? Between-species comparison of left ventricular mechanics using strain imaging. <i>PLoS ONE</i> , 2012 , 7, e40061	3.7	19	
20	Serial imaging changes during treatment of Takayasu arteritis with pulmonary artery stenosis. <i>International Journal of Cardiology</i> , 2011 , 148, e47-50	3.2	7	
19	Comparison of chronic-stage histopathological findings among 3 coronary stents implanted in the same patient. <i>International Journal of Cardiology</i> , 2011 , 150, e25-7	3.2		
18	Local persistent hypercoagulability after sirolimus-eluting stent implantation in patients with stable angina. <i>International Journal of Cardiology</i> , 2011 , 153, 272-6	3.2	1	
17	Acute hemodynamic effects of adaptive servo ventilation in patients with pulmonary hypertension. <i>International Journal of Cardiology</i> , 2011 , 148, 125-7	3.2	1	
16	A patient who developed toe necrosis due to poor blood circulation after an interdigital tick bite. <i>Journal of Cardiology Cases</i> , 2011 , 4, e106-e109	0.6		
15	Validation of longitudinal peak systolic strain by speckle tracking echocardiography with visual assessment and myocardial perfusion SPECT in patients with regional asynergy. <i>Circulation Journal</i> , 2011 , 75, 141-7	2.9	34	
14	Ventricular tachycardia in cardiac sarcoidosis controlled by radiofrequency catheter ablation. <i>Internal Medicine</i> , 2011 , 50, 1201-6	1.1	5	
13	Elevated concentrations of pentraxin 3 are associated with coronary plaque vulnerability. <i>Journal of Cardiology</i> , 2011 , 58, 151-7	3	39	
12	Effect of low-dose (1 mg/day) pitavastatin on left ventricular diastolic function and albuminuria in patients with hyperlipidemia. <i>American Journal of Cardiology</i> , 2011 , 107, 1644-9	3	9	
11	Observation of short-term atorvastatin-induced changes in coronary arterial plaque properties using integrated backscatter intravascular ultrasound in a patient. <i>Journal of Cardiology Cases</i> , 2011 , 3, e111-e114	0.6		
10	Removal of a pinched off central venous catheter. <i>Heart Asia</i> , 2011 , 3, 32	1.9		
9	Ezetimibe ameliorates metabolic disorders and microalbuminuria in patients with hypercholesterolemia. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010 , 17, 173-80	4	34	
8	Effects of additional administration of low-dose indapamide on patients with hypertension treated with angiotensin II receptor blocker. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2010 , 15, 145-50	2.6	2	
7	Diagnostic utility of cardiac magnetic resonance for detection of cardiac involvement in female carriers of Duchenne muscular dystrophy. <i>Heart Asia</i> , 2010 , 2, 52-5	1.9	4	
6	Bosentan ameliorated exercise-induced pulmonary arterial hypertension complicated with systemic sclerosis. <i>Internal Medicine</i> , 2010 , 49, 2309-12	1.1	8	

5	Images in cardiovascular medicine. Cardiac magnetic resonance imaging and 2-dimensional speckle tracking echocardiography in secondary cardiac amyloidosis. <i>Circulation Journal</i> , 2010 , 74, 1494-6	2.9	8
4	Congenital ventricular aneurysm as an unexpected complication of monomorphic premature ventricular contractions. <i>Internal Medicine</i> , 2010 , 49, 907-12	1.1	4
3	Platypnea-orthodeoxia syndrome associated with patent foramen ovale and aortic ectasia. <i>Echocardiography</i> , 2009 , 26, 114-7	1.5	11
2	Clinical utility of single-beat E/eSobtained by simultaneous recording of flow and tissue Doppler velocities in atrial fibrillation with preserved systolic function. <i>JACC: Cardiovascular Imaging</i> , 2009 , 2, 1147-56	8.4	56
1	A case of neurogenic myocardial stunning presenting transient left ventricular mid-portion ballooning simulating atypical takotsubo cardiomyopathy. <i>Journal of Cardiology</i> , 2008 , 52, 53-8	3	16