

Jiming Bian

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4747491/jiming-bian-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143
papers

2,731
citations

27
h-index

46
g-index

152
ext. papers

3,091
ext. citations

5.3
avg, IF

4.79
L-index

#	Paper	IF	Citations
143	Deposition and electrical properties of Ni codoped p-type ZnO films by ultrasonic spray pyrolysis. <i>Applied Physics Letters</i> , 2004 , 84, 541-543	3.4	282
142	Structural, optical and electrical properties of ZnO films grown by pulsed laser deposition (PLD). <i>Journal of Crystal Growth</i> , 2005 , 276, 507-512	1.6	138
141	Controllable growth of well-aligned ZnO nanorod arrays by low-temperature wet chemical bath deposition method. <i>Applied Surface Science</i> , 2010 , 256, 1698-1702	6.7	116
140	p-type ZnO films by monodoping of nitrogen and ZnO-based p-n homojunctions. <i>Applied Physics Letters</i> , 2004 , 85, 4070-4072	3.4	114
139	Realization of ultraviolet electroluminescence from ZnO homojunction with n-ZnO/p-ZnO:As/GaAs structure. <i>Applied Physics Letters</i> , 2007 , 90, 121128	3.4	111
138	Structural and optical properties of Zn _{1-x} Mg _x O thin films deposited by ultrasonic spray pyrolysis. <i>Thin Solid Films</i> , 2005 , 492, 248-252	2.2	72
137	Synthesis and characterization of two-layer-structured ZnO p-n homojunctions by ultrasonic spray pyrolysis. <i>Applied Physics Letters</i> , 2004 , 84, 3783-3785	3.4	69
136	Efficient stable graphene-based perovskite solar cells with high flexibility in device assembling via modular architecture design. <i>Energy and Environmental Science</i> , 2019 , 12, 3585-3594	35.4	65
135	Electricity generation from a Ni-Al layered double hydroxide-based flexible generator driven by natural water evaporation. <i>Nano Energy</i> , 2019 , 57, 269-278	17.1	64
134	Room temperature defect related electroluminescence from ZnO homojunctions grown by ultrasonic spray pyrolysis. <i>Applied Physics Letters</i> , 2006 , 89, 052113	3.4	61
133	Realization of controllable etching for ZnO film by NH ₄ Cl aqueous solution and its influence on optical and electrical properties. <i>Applied Surface Science</i> , 2007 , 253, 5161-5165	6.7	59
132	Preparation and enhanced photoluminescence property of ordered ZnO/TiO ₂ bottlebrush nanostructures. <i>Chemical Physics Letters</i> , 2009 , 476, 84-88	2.5	52
131	Ultraviolet electroluminescence from n-ZnO:Ga/p-ZnO:N homojunction device on sapphire substrate with p-type ZnO:N layer formed by annealing in N ₂ O plasma ambient. <i>Chemical Physics Letters</i> , 2008 , 460, 548-551	2.5	51
130	Growth of nitrogen-doped p-type ZnO films by spray pyrolysis and their electrical and optical properties. <i>Journal of Crystal Growth</i> , 2005 , 280, 495-501	1.6	47
129	Synthesis and defect-related emission of ZnO based light emitting device with homo- and heterostructure. <i>Journal of Materials Processing Technology</i> , 2007 , 184, 451-454	5.3	44
128	Discontinuous SnO ₂ derived blended-interfacial-layer in mesoscopic perovskite solar cells: Minimizing electron transfer resistance and improving stability. <i>Nano Energy</i> , 2017 , 38, 358-367	17.1	43
127	Effects of hydrogen flux on the properties of Al-doped ZnO films sputtered in Ar+H ₂ ambient at low temperature. <i>Applied Surface Science</i> , 2007 , 253, 2999-3003	6.7	41

126	Room temperature electroluminescence from the n-ZnMgO/ZnO/p-ZnMgO heterojunction device grown by ultrasonic spray pyrolysis. <i>Chemical Physics Letters</i> , 2006 , 430, 183-187	2.5	40
125	Piezo-phototronic effect improved performance of n-ZnO nano-arrays/p-Cu ₂ O film based pressure sensor synthesized on flexible Cu foil. <i>Nano Energy</i> , 2017 , 32, 96-104	17.1	39
124	Electroluminescence from n-ZnO/p-ZnO : Sb homojunction light emitting diode on sapphire substrate with metalorganic precursors doped p-type ZnO layer grown by MOCVD technology. <i>Journal Physics D: Applied Physics</i> , 2008 , 41, 195110	3	39
123	Microstructure and optical properties of Ag-doped ZnO nanostructures prepared by a wet oxidation doping process. <i>Nanotechnology</i> , 2011 , 22, 105706	3.4	38
122	Properties of undoped n-type ZnO film and Ni codoped p-type ZnO film deposited by ultrasonic spray pyrolysis. <i>Chemical Physics Letters</i> , 2004 , 393, 256-259	2.5	38
121	Structural and electrical properties of nitrogen and aluminum codoped p-type ZnO films. <i>Solid State Communications</i> , 2004 , 132, 75-78	1.6	35
120	Electroluminescence from a ZnO homojunction device grown by pulsed laser deposition. <i>Solid State Communications</i> , 2007 , 142, 655-658	1.6	32
119	Tunability in the Optical and Electronic Properties of ZnSe Microspheres via Ag and Mn Doping. <i>ACS Omega</i> , 2019 , 4, 12271-12277	3.9	29
118	Influence of annealing atmosphere on ZnO thin films grown by MOCVD. <i>Applied Surface Science</i> , 2006 , 253, 2066-2070	6.7	28
117	Cu related doublets green band emission in ZnO:Cu thin films. <i>Journal of Applied Physics</i> , 2010 , 108, 113507	5.7	27
116	ZnO NANOPOROUS DISK/TiO ₂ NANOPARTICLE HYBRID FILM ELECTRODE FOR DYE-SENSITIZED SOLAR CELLS. <i>Functional Materials Letters</i> , 2009 , 02, 27-31	1.2	27
115	Annealing effects on electrical and optical properties of ZnO films deposited on GaAs by metal organic chemical vapor deposition. <i>Applied Surface Science</i> , 2008 , 254, 7482-7485	6.7	25
114	A comparative study of one-step and two-step approaches for MAPbI ₃ perovskite layer and its influence on the performance of mesoscopic perovskite solar cell. <i>Chemical Physics Letters</i> , 2018 , 692, 44-49	2.5	25
113	Room temperature electroluminescence from the n-ZnO/p-GaN heterojunction device grown by MOCVD. <i>Materials Research Bulletin</i> , 2008 , 43, 3614-3620	5.1	24
112	Thickness-modulated metalinsulator transition of VO ₂ film grown on sapphire substrate by MBE. <i>Journal of Materials Science</i> , 2016 , 51, 6149-6155	4.3	24
111	High-Performance and Stable Mesoporous Perovskite Solar Cells via Well-Crystallized FAMAPb(I _{Br}). <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 2989-2996	9.5	22
110	Ultraviolet electroluminescence from ZnO-based light-emitting diode with p-ZnO:N/n-GaN:Si heterojunction structure. <i>Journal of Luminescence</i> , 2011 , 131, 825-828	3.8	19
109	Stable and Efficient Methylammonium-, Cesium-, and Bromide-Free Perovskite Solar Cells by In-Situ Interlayer Formation. <i>Advanced Functional Materials</i> , 2021 , 31, 2007520	15.6	19

108	Piezo-phototronic effect enhanced photo-detector based on ZnO nano-arrays/NiO structure. <i>Applied Surface Science</i> , 2018 , 427, 613-619	6.7	18
107	n-VO ₂ /p-GaN based nitride/oxide heterostructure with various thickness of VO ₂ layer grown by MBE. <i>Applied Surface Science</i> , 2016 , 389, 199-204	6.7	18
106	Controlled growth of ZnO nanorods on common paper substrate and their application for flexible piezoelectric nanogenerators. <i>Journal of Materials Science: Materials in Electronics</i> , 2014 , 25, 2649-2656	2.1	17
105	Highly c-axis oriented GaN films grown on free-standing diamond substrates for high-power devices. <i>Materials Research Bulletin</i> , 2011 , 46, 1582-1585	5.1	17
104	Enhanced visible photoluminescence of V(2)O(5) via coupling ZnO/V(2)O(5) composite nanostructures. <i>Optics Letters</i> , 2010 , 35, 1145-7	3	17
103	Room temperature electroluminescence from the ZnO homojunction grown on an n+-Si substrate by metalorganic chemical vapor deposition. <i>Semiconductor Science and Technology</i> , 2008 , 23, 025014	1.8	17
102	Nitrogen and aluminum codoped p-type ZnO films and ZnO p/n homojunctions. <i>Surface and Coatings Technology</i> , 2005 , 198, 253-256	4.4	17
101	Carbon-based HTL-free modular perovskite solar cells with improved contact at perovskite/carbon interfaces. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 9262-9270	7.1	16
100	VO ₂ Thermochromic Films on Quartz Glass Substrate Grown by RF-Plasma-Assisted Oxide Molecular Beam Epitaxy. <i>Materials</i> , 2017 , 10,	3.5	16
99	Carrier Transport Limited by Trap State in CsAgBiBr Double Perovskites. <i>Journal of Physical Chemistry Letters</i> , 2020 , 11, 6956-6963	6.4	16
98	Preparation and Characteristics of GaN Films on Freestanding CVD Thick Diamond Films. <i>Chinese Physics Letters</i> , 2010 , 27, 018102	1.8	15
97	Growth and characterization of VO ₂ /p-GaN/sapphire heterostructure with phase transition properties. <i>Applied Surface Science</i> , 2015 , 357, 282-286	6.7	14
96	Enhanced performance of wearable piezoelectric nanogenerator fabricated by two-step hydrothermal process. <i>Applied Physics Letters</i> , 2014 , 104, 113903	3.4	14
95	Low-temperature growth of highly c-oriented GaN films on Cu coated glass substrates with ECR-PEMOCVD. <i>Journal of Crystal Growth</i> , 2013 , 368, 92-96	1.6	14
94	Ti1/graphene single-atom material for improved energy level alignment in perovskite solar cells. <i>Nature Energy</i> , 2021 , 6, 1154-1163	62.3	14
93	Conductive metallic filaments dominate in hybrid perovskite-based memory devices. <i>Science China Materials</i> , 2019 , 62, 1323-1331	7.1	13
92	Branched ZnO nanotrees on flexible fiber-paper substrates for self-powered energy-harvesting systems. <i>RSC Advances</i> , 2015 , 5, 5941-5945	3.7	13
91	Low-temperature growth of high c-orientated crystalline GaN films on amorphous Ni/glass substrates with ECR-PEMOCVD. <i>Journal of Alloys and Compounds</i> , 2014 , 583, 39-42	5.7	13

90	High optical quality ZnO films grown on graphite substrate for transferable optoelectronics devices by ultrasonic spray pyrolysis. <i>Materials Research Bulletin</i> , 2012 , 47, 2685-2688	5.1	13
89	The grain-boundary-related optical and electrical properties in polycrystalline p-type ZnO films. <i>Chemical Physics Letters</i> , 2006 , 420, 448-452	2.5	13
88	Synergetic Co-Modulation of Crystallization and Co-Passivation of Defects for FAPbI ₃ Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2108567	15.6	13
87	Asymmetric Organic Diammonium Salt Buried in SnO ₂ Layer Enables Fast Carrier Transfer and Interfacial Defects Passivation for Efficient Perovskite Solar Cells. <i>Chemical Engineering Journal</i> , 2022 , 136291	14.7	13
86	Soft interfaces within hybrid perovskite solar cells: real-time dynamic tracking of interfacial electrical property evolution by EIS. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 8294-8302	7.1	12
85	Introducing Ga ₂ O ₃ thin films as novel electron blocking layer to ZnO/p-GaN heterojunction LED. <i>Applied Physics B: Lasers and Optics</i> , 2012 , 109, 605-609	1.9	12
84	Enhanced stability of perovskite solar cells using hydrophobic organic fluoropolymer. <i>Applied Physics Letters</i> , 2018 , 113, 023902	3.4	11
83	Effects of annealing ambience on ZnO:N films grown by MOCVD and the p-type doping mechanism of ZnO:N films investigated by XANES. <i>Applied Surface Science</i> , 2010 , 257, 1634-1637	6.7	11
82	Growth of ultralong ZnO microwire and its application in isolatable and flexible piezoelectric strain sensor. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2010 , 207, 488-492	1.6	11
81	p-Type Sb-Doped ZnO Thin Films Prepared by Metallorganic Chemical Vapor Deposition Using Metallorganic Dopant. <i>Electrochemical and Solid-State Letters</i> , 2008 , 11, H323		11
80	Comparison of structural and photoluminescence properties of ZnO thin films grown by pulsed laser deposition and ultrasonic spray pyrolysis. <i>Thin Solid Films</i> , 2006 , 515, 1763-1766	2.2	11
79	Improvement of crystal quality and UV transparence of dielectric Ga ₂ O ₃ thin films via thermal annealing in N ₂ atmosphere. <i>Journal of Materials Science: Materials in Electronics</i> , 2012 , 23, 542-545	2.1	10
78	Vanadium oxide films deposited on sapphire substrate with in situ AlN stress layer: structural, electric, and optical properties. <i>Journal of Materials Science</i> , 2015 , 50, 5709-5714	4.3	10
77	Influence of Sb doping on optical and structural properties of ZnO by MOCVD. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011 , 208, 825-828	1.6	10
76	Realization of Ultraviolet Electroluminescence from ZnO Homojunction Fabricated on Silicon Substrate with p-Type ZnO:N Layer Formed by Radical N ₂ O Doping. <i>Chinese Physics Letters</i> , 2008 , 25, 4345-4347	1.8	10
75	Electroluminescence from perovskite LEDs with the structure of Ag/Spiro-OMeTAD/CH ₃ NH ₃ PbI ₃ /TiO ₂ /FTO. <i>Chemical Physics Letters</i> , 2016 , 662, 176-181	2.5	9
74	Interfacial negative capacitance in planar perovskite solar cells: An interpretation based on band theory. <i>Materials Research Bulletin</i> , 2018 , 107, 74-79	5.1	9
73	Realization of wide size range 1D ZnO micro/nano rods for versatile micro/nano devices by controlled seed layer thickness. <i>Applied Surface Science</i> , 2013 , 276, 782-786	6.7	9

72	Synthesis and Characterization of Waterborne Fluoropolymers Prepared by the One-Step Semi-Continuous Emulsion Polymerization of Chlorotrifluoroethylene, Vinyl Acetate, Butyl Acrylate, Veova 10 and Acrylic Acid. <i>Molecules</i> , 2017 , 22,	4.8	9
71	Photocatalytic activities of wet oxidation synthesized ZnO and ZnO TiO_2 thick porous films. <i>Applied Nanoscience (Switzerland)</i> , 2011 , 1, 37-44	3.3	9
70	Effect of different annealing temperature on Sb-doped ZnO thin films prepared by pulsed laser deposition on sapphire substrates. <i>Applied Surface Science</i> , 2011 , 257, 5121-5124	6.7	9
69	Enhanced p-Type ZnO Films through Nitrogen and Argentum Codoping Grown by Ultrasonic Spray Pyrolysis. <i>Chinese Physics Letters</i> , 2008 , 25, 3400-3402	1.8	9
68	Photoluminescence investigation of ZnO:P nanoneedle arrays on InP substrate by pulsed laser deposition. <i>Applied Surface Science</i> , 2009 , 255, 4430-4433	6.7	8
67	Deposition and tunable photoluminescence of Zn $_{1-x}$ (Mg,Cd) $_x$ O film system. <i>Journal of Materials Processing Technology</i> , 2007 , 189, 473-476	5.3	8
66	Low-temperature sprayed carbon electrode in modular HTL-free perovskite solar cells: a comparative study on the choice of carbon sources. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 3546-3554	7.1	8
65	Room-temperature metal-insulator transition of MBE grown VO $_2$ film investigated by temperature dependent resistance and transmittance. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 11046-11052	2.1	7
64	Insight into the Interfacial Elastic Contact in Stacking Perovskite Solar Cells. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1900157	4.6	7
63	Low-temperature growth of highly c-oriented InN films on glass substrates with ECR-PEMOCVD. <i>Vacuum</i> , 2012 , 86, 1102-1106	3.7	7
62	A comparative study of ZnO film and nanorods for ZnO/polyfluorene inorganic/organic hybrid junction. <i>Journal of Alloys and Compounds</i> , 2012 , 534, 1-5	5.7	7
61	Photoluminescence study of Sb-doped ZnO films deposited by a closed tube CVT technique. <i>Vacuum</i> , 2011 , 85, 718-720	3.7	7
60	High quality p-type ZnO films grown by low pressure plasma-assisted MOCVD with N $_2$ O rf plasma doping source. <i>Journal of Materials Processing Technology</i> , 2008 , 204, 481-485	5.3	7
59	Effects of Substrate on the Structure, Morphology and Optical Properties of Vertically Aligned ZnO Nanorod Arrays Grown by Low-temperature CBD Method. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , 2010 , 25, 1115-1120	1	7
58	Growth of high c-oriented crystalline GaN films on amorphous Cu/glass substrates with low-temperature ECR-PEMOCVD. <i>Journal of Materials Science: Materials in Electronics</i> , 2014 , 25, 969-973	2.1	6
57	Low-cost electrochemical treatment of indium tin oxide anodes for high-efficiency organic light-emitting diodes. <i>Applied Physics Letters</i> , 2014 , 104, 043306	3.4	6
56	Optoelectronic Characteristics of Zinc Oxide Nanorods/P3HT Hybrid Junctions Investigated Using Surface Photovoltage Method. <i>ECS Solid State Letters</i> , 2012 , 1, P15-P17		6
55	Deposition and properties of highly c-oriented of InN films on sapphire substrates with ECR-plasma-enhanced MOCVD. <i>Rare Metals</i> , 2012 , 31, 150-153	5.5	6

54	Fabrication of a Homojunction Light Emitting Diode with ZnO-Nanorods/ZnO:As-Film Structure. <i>Electrochemical and Solid-State Letters</i> , 2012 , 15, H164		6
53	Influence of high-pressure hydrogen treatment on structural and electrical properties of ZnO thin films. <i>Applied Surface Science</i> , 2010 , 256, 6770-6774	6.7	6
52	Triple-Cation Perovskite Resistive Switching Memory with Enhanced Endurance and Retention. <i>ACS Applied Electronic Materials</i> , 2020 , 2, 3695-3703	4	6
51	Engineered Multifunctional Fluorinated Film Based on Semicontinuous Emulsion Polymerization Using Polymerizable Quaternary Ammonium Emulsifiers. <i>International Journal of Polymer Science</i> , 2018 , 2018, 1-9	2.4	5
50	Low temperature synthesis of GaN films on ITO substrates by ECR-PEMOCVD. <i>Vacuum</i> , 2013 , 92, 77-80	3.7	5
49	Carrier transport mechanisms of n-ZnO/ZnMgO/p-GaN heterojunctions revealed by temperature-dependent current-voltage characteristics. <i>Materials Science in Semiconductor Processing</i> , 2013 , 16, 1684-1687	4.3	5
48	Adjusted surface work function of InN films annealed at vacuum and at high-pressure N ₂ conditions. <i>Materials Letters</i> , 2013 , 95, 135-138	3.3	5
47	Deposition and properties of highly C-oriented GaN films on diamond substrates. <i>Applied Physics A: Materials Science and Processing</i> , 2011 , 102, 353-358	2.6	5
46	ZnO-based graphite-insulator-semiconductor diode for transferable and low thermal resistance high-power devices. <i>Applied Physics Letters</i> , 2012 , 101, 052108	3.4	5
45	Synthesis and temperature dependent photoluminescence of Zn _{1-x} Mg _x O films grown by ultrasonic spray pyrolysis. <i>Journal of Materials Science</i> , 2007 , 42, 8461-8464	4.3	5
44	Degradation mechanism of flexible perovskite solar cells: Investigated by tracking of the heterojunction property. <i>Materials Research Bulletin</i> , 2020 , 123, 110696	5.1	5
43	Controllable end shape modification of ZnO nano-arrays/rods by a simple wet chemical etching technique. <i>Journal Physics D: Applied Physics</i> , 2015 , 48, 365303	3	4
42	Influence of Varied Fluorine Contents on Long-Term Storage Stability of Polyacrylate Nanoparticles and Film Properties. <i>Journal of Nanomaterials</i> , 2019 , 2019, 1-9	3.2	4
41	Surface photovoltage analysis of ZnO nanorods/p-Si heterostructure. <i>Materials Science in Semiconductor Processing</i> , 2013 , 16, 520-524	4.3	4
40	Effect of temperature on GaN films deposited on graphite substrates at low-temperature. <i>Applied Surface Science</i> , 2013 , 280, 909-913	6.7	4
39	Influence of radical power on the electrical and optical properties of ZnO:N films grown by metal-organic chemical vapor deposition with N ₂ O plasma doping source. <i>Thin Solid Films</i> , 2012 , 521, 253-256	2.2	4
38	Rediscovery of the Role of the i-Layer in n-ZnO/SiO ₂ /p-GaN Through Observations from Both the ZnO and GaN Sides. <i>Journal of Electronic Materials</i> , 2012 , 41, 3453-3456	1.9	4
37	Efficient Planar Perovskite Solar Cells with Carbon Quantum Dot-Modified spiro-MeOTAD as a Composite Hole Transport Layer. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 56265-56272	9.5	4

36	Critical Role of Organoamines in the Irreversible Degradation of a Metal Halide Perovskite Precursor Colloid: Mechanism and Inhibiting Strategy. <i>ACS Energy Letters</i> , 2022 , 7, 481-489	20.1	4
35	Head pose-free eye gaze prediction for driver attention study 2017 ,		3
34	Cs _{0.05} (FA _{0.85} MA _{0.15}) _{0.95} Pb(I _{0.85} Br _{0.15}) ₃ based flexible perovskite light-emitting devices with excellent mechanical bending durability. <i>Chemical Physics Letters</i> , 2019 , 723, 33-38	2.5	3
33	Growth and Characteristics of n-VO ₂ /p-GaN based Heterojunctions. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2020 , 35, 342-347	1	3
32	Distinctive electroluminescence characteristics behind efficient mesoscopic perovskite solar cell. <i>Materials Science in Semiconductor Processing</i> , 2018 , 80, 174-178	4.3	3
31	Low-temperature ECR-PEMOCVD deposition of high-quality crystalline gallium nitride films: A comparative study of intermediate layers for growth on amorphous glass substrates. <i>Materials Science in Semiconductor Processing</i> , 2014 , 26, 182-186	4.3	3
30	High-quality ZnO nanorods grown on graphite substrates by chemical solution method. <i>Applied Physics A: Materials Science and Processing</i> , 2013 , 111, 1071-1076	2.6	3
29	Effect of buffer layer on the structural and morphological properties of GaN films grown with ECR-PEMOCVD. <i>Diamond and Related Materials</i> , 2012 , 21, 88-91	3.5	3
28	Effect of Different Substrate Temperature on Phosphorus-Doped ZnO Thin Films Prepared by PLD on Sapphire Substrates. <i>Chinese Physics Letters</i> , 2009 , 26, 057305	1.8	3
27	Realization of nitride/oxide based p/n heterojunctions with the n-VO ₂ /p-GaN/sapphire structure. <i>Materials Research Bulletin</i> , 2016 , 77, 199-204	5.1	3
26	Correlation of ETL in perovskite light-emitting diodes and the ultra-long rise time in time-resolved electroluminescence. <i>Materials Science in Semiconductor Processing</i> , 2018 , 80, 131-136	4.3	2
25	Deposition and characteristics of GaN films on Ni metal substrate by ECR-PEMOCVD. <i>Journal of Materials Science: Materials in Electronics</i> , 2013 , 24, 5069-5074	2.1	2
24	Enhanced surface photovoltage response of ZnO nanorod based inorganic/organic hybrid junctions by constructing embedded bulk composite structures. <i>Applied Physics A: Materials Science and Processing</i> , 2013 , 110, 263-267	2.6	2
23	Stability and heating rate dependent metal/insulator transition properties of VO ₂ film grown by MBE. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 16861-16866	2.1	2
22	Effect of Different Substrate Temperature on Sb-Doped ZnO Thin Films Prepared by Pulsed Laser Deposition on Sapphire Substrates. <i>Chinese Physics Letters</i> , 2010 , 27, 017301	1.8	2
21	Influence of N ₂ flux on the improvement of highly c-oriented GaN films on diamond substrates. <i>Vacuum</i> , 2011 , 85, 725-729	3.7	2
20	PbI ₃ 3D network transporting model for the charge separation mechanism of PbSe detectors.. <i>RSC Advances</i> , 2021 , 11, 36895-36900	3.7	2
19	Electronic Structure and Optical Properties of Vertically Aligned ZnO Nanorod Arrays Grown by Low-temperature Hydrothermal Method. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , 2011 , 26, 332-336	1	2

18	Sunlight-induced resistance changes and their effects on the semiconductor-metal transition behavior of VO ₂ film. <i>Journal of Materials Science</i> , 2016 , 51, 8233-8239	4.3	2
17	Excellent Carrier Transport Property of Hybrid Perovskites Sustained under High Pressures. <i>ACS Energy Letters</i> , 2022 , 7, 154-161	20.1	2
16	ZnO films on transferable and low thermal resistance graphite substrate grown by ultrasonic spray pyrolysis. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2014 , 29, 428-432	1	1
15	Ultra-low threshold optically pumped random laser emission behavior of highly oriented pyrolytic graphite. <i>Materials Letters</i> , 2014 , 115, 261-264	3.3	1
14	Effect of TMGa flux on GaN films deposited on Ti coated on glass substrates at low temperature. <i>Science Bulletin</i> , 2013 , 58, 3617-3623		1
13	Deposition of GaN Films on Freestanding CVD Thick Diamond Films. <i>Materials Science Forum</i> , 2010 , 654-656, 1740-1743	0.4	1
12	Real-Time Dynamic Observation of a Thermal and Electrical Coefficient on the Interfacial Evolution of Hybrid Perovskite Solar Cells by Electrochemical Impedance Spectroscopy. <i>ACS Applied Energy Materials</i> , 2020 , 3, 8017-8025	6.1	1
11	Modular Perovskite Solar Cells with Cs _{0.05} (FA _{0.85} MA _{0.15}) _{0.95} Pb(I _{0.85} Br _{0.15}) ₃ Light-Harvesting Layer and Graphene Electrode. <i>Journal of Electronic Materials</i> , 2022 , 51, 2381-2389	1.9	1
10	Towards High-Performance Semitransparent Organic Photovoltaics: Dual-Functional -Type Soft Interlayer.. <i>ACS Nano</i> , 2021 ,	16.7	1
9	Defective MWCNT Enabled Dual Interface Coupling for Carbon-based Perovskite Solar Cells with Efficiency Exceeding 22%. <i>Advanced Functional Materials</i> , 2020 , 30, 2204831	15.6	1
8	The Effect of Cooling Rate During the Hydrothermal Growth on the Tip Geometry of ZnO Nanorods. <i>Advanced Materials Research</i> , 2012 , 602-604, 144-147	0.5	
7	The inorganic-organic hybrid junction with n-ZnO nanorods/p-polyfluorene structure grown with low-temperature aqueous chemical growth method. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2012 , 27, 296-300	1	
6	Synthesis of SiO ₂ /SiC/graphite hybrid composite by low temperature hot filament chemical vapor deposition. <i>Applied Physics Letters</i> , 2013 , 103, 212105	3.4	
5	Conversion process of ZnO nano-/micro-rods into nano-/micro-tubes and cathodoluminescence characterization. <i>Journal of Nanoscience and Nanotechnology</i> , 2011 , 11, 3711-5	1.3	
4	Comment on Influence of growth mode on the structural, optical, and electrical properties of In-doped ZnO nanorods[Appl. Phys. Lett. 94, 041906 (2009)]. <i>Applied Physics Letters</i> , 2009 , 95, 126101	3.4	
3	Zinc Oxide Thin Films with Reduced Native Compensative Defects Grown by Ultrasonic Spray Pyrolysis at Atmosphere. <i>Key Engineering Materials</i> , 2007 , 336-338, 589-592	0.4	
2	Growth and Characterization of Zinc Oxide Films by Pulsed Laser Deposition for Ultraviolet Detection. <i>Key Engineering Materials</i> , 2007 , 336-338, 577-580	0.4	
1	Growth of Low-dimensional ZnO Materials on Graphite Substrate. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , 2014 , 29, 103-107	1	

