Maria Cristina Tanzi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4747948/maria-cristina-tanzi-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,803 113 35 57 h-index g-index citations papers 126 4,158 5.22 4.9 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
113	In vitro cell delivery by gelatin microspheres prepared in water-in-oil emulsion. <i>Journal of Materials Science: Materials in Medicine</i> , 2020 , 31, 26	4.5	7
112	Manufacturing Technologies 2019 , 137-196		9
111	Techniques of Analysis 2019 , 393-469		2
110	Advanced Applications 2019 , 471-545		
109	Chemically crosslinked gelatin hydrogels as scaffolding materials for adipose tissue engineering. Journal of Applied Polymer Science, 2019, 136, 47104	2.9	18
108	Polyurethane foam/nano hydroxyapatite composite as a suitable scaffold for bone tissue regeneration. <i>Materials Science and Engineering C</i> , 2018 , 82, 130-140	8.3	59
107	Polysaccharide-based hydrogels with tunable composition as 3D cell culture systems. <i>International Journal of Artificial Organs</i> , 2018 , 41, 213-222	1.9	10
106	Electrospun silk fibroin-gelatin composite tubular matrices as scaffolds for small diameter blood vessel regeneration. <i>Journal of Materials Science: Materials in Medicine</i> , 2017 , 28, 80	4.5	34
105	Polyurethane foam scaffold as in vitro model for breast cancer bone metastasis. <i>Acta Biomaterialia</i> , 2017 , 63, 306-316	10.8	44
104	Characterization of thermal properties and crystallinity of polymer biomaterials 2017, 123-146		4
103	Characterization of 2D polymeric biomaterial structures or surfaces 2017 , 3-19		
102	Ibuprofen-loaded PCL meshes manufactured using rapid tooling for ocular orbital repair. <i>Polymer Testing</i> , 2017 , 62, 33-40	4.5	2
101	Structure and properties of polycaprolactone/ibuprofen rods prepared by melt extrusion for implantable drug delivery. <i>Polymer Bulletin</i> , 2017 , 74, 4973-4987	2.4	17
100	Novel class of collector in electrospinning device for the fabrication of 3D nanofibrous structure for large defect load-bearing tissue engineering application. <i>Journal of Biomedical Materials Research - Part A</i> , 2017 , 105, 1535-1548	5.4	28
99	Bio-Instructive Scaffolds for Muscle Regeneration: NonCrosslinked Polymers 2017 , 161-186		1
98	Poly-paper: a sustainable material for packaging, based on recycled paper and recyclable with paper. <i>Journal of Applied Biomaterials and Functional Materials</i> , 2016 , 14, e490-e495	1.8	5
97	Exploiting novel sterilization techniques for porous polyurethane scaffolds. <i>Journal of Materials Science: Materials in Medicine</i> , 2015 , 26, 182	4.5	18

(2012-2015)

96	Programmed cell delivery from biodegradable microcapsules for tissue repair. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2015 , 26, 1002-12	3.5	14
95	Micro- and nano-hydroxyapatite as active reinforcement for soft biocomposites. <i>International Journal of Biological Macromolecules</i> , 2015 , 72, 199-209	7.9	34
94	Nano/micro hybrid scaffold of PCL or P3HB nanofibers combined with silk fibroin for tendon and ligament tissue engineering. <i>Journal of Applied Biomaterials and Functional Materials</i> , 2015 , 13, e156-68	1.8	42
93	Small diameter electrospun silk fibroin vascular grafts: Mechanical properties, in vitro biodegradability, and in vivo biocompatibility. <i>Materials Science and Engineering C</i> , 2015 , 54, 101-11	8.3	107
92	Biomimetic hybrid scaffolds for osteo-chondral tissue repair: Design and osteogenic differentiation of human placenta-derived cells (hPDC). Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International	0.9	3
91	Conference, 2015, 2015, 1753-6 Reactive hydroxyapatite fillers for pectin biocomposites. <i>Materials Science and Engineering C</i> , 2014, 45, 154-61	8.3	20
90	Vascular Tissue Engineering: Recent Advances in Small Diameter Blood Vessel Regeneration. <i>ISRN Vascular Medicine</i> , 2014 , 2014, 1-27		79
89	Pectins from Aloe Vera: Extraction and production of gels for regenerative medicine. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	20
88	Injectable pectin hydrogels produced by internal gelation: pH dependence of gelling and rheological properties. <i>Carbohydrate Polymers</i> , 2014 , 103, 339-47	10.3	93
87	Adipose-derived stem cells could sense the nano-scale cues as myogenic-differentiating factors. Journal of Materials Science: Materials in Medicine, 2013 , 24, 2439-47	4.5	17
86	In vitro study on silk fibroin textile structure for anterior cruciate ligament regeneration. <i>Materials Science and Engineering C</i> , 2013 , 33, 3601-8	8.3	31
85	Polysaccharides derived from tragacanth as biocompatible polymers and Gels. <i>Journal of Applied Polymer Science</i> , 2013 , 129, 2092-2102	2.9	43
84	Sterilization treatments on polysaccharides: Effects and side effects on pectin. <i>Food Hydrocolloids</i> , 2013 , 31, 74-84	10.6	32
83	In vivo regeneration of elastic lamina on fibroin biodegradable vascular scaffold. <i>International Journal of Artificial Organs</i> , 2013 , 36, 166-74	1.9	30
82	Development of bioabsorbable PCL/ibuprofen mesh for maxillofacial repair using prototype injection mold 2013 , 355-359		
81	Collagen-reinforced electrospun silk fibroin tubular construct as small calibre vascular graft. <i>Macromolecular Bioscience</i> , 2012 , 12, 1566-74	5.5	57
8o	Biofunctional chemically modified pectin for cell delivery. <i>Soft Matter</i> , 2012 , 8, 4731	3.6	63
79	Advances in biomedical applications of pectin gels. <i>International Journal of Biological Macromolecules</i> , 2012 , 51, 681-9	7.9	334

78	Effects of the magnetic resonance field on breast tissue expanders. <i>Aesthetic Plastic Surgery</i> , 2012 , 36, 901-7	2	14
77	New perspectives in cell delivery systems for tissue regeneration: natural-derived injectable hydrogels. <i>Journal of Applied Biomaterials and Functional Materials</i> , 2012 , 10, 67-81	1.8	29
76	Preparation and characterization of shape memory polymer scaffolds via solvent casting/particulate leaching. <i>Journal of Applied Biomaterials and Functional Materials</i> , 2012 , 10, 119-26	1.8	21
75	Pectin-based injectable biomaterials for bone tissue engineering. <i>Biomacromolecules</i> , 2011 , 12, 568-77	6.9	174
74	Poly(ethylene glycol) and hydroxy functionalized alkane phosphate self-assembled monolayers reduce bacterial adhesion and support osteoblast proliferation. <i>International Journal of Artificial Organs</i> , 2011 , 34, 898-907	1.9	5
73	Enzymatic cross-linking of human recombinant elastin (HELP) as biomimetic approach in vascular tissue engineering. <i>Journal of Materials Science: Materials in Medicine</i> , 2011 , 22, 2641-50	4.5	27
72	Trends in biomedical engineering: focus on Smart Bio-Materials and Drug Delivery. <i>Journal of Applied Biomaterials and Biomechanics</i> , 2011 , 9, 87-97		8
71	Shape memory polymer cellular solid design for medical applications. <i>Smart Materials and Structures</i> , 2011 , 20, 035004	3.4	35
70	Assessment of scaffold porosity: the new route of micro-CT. <i>Journal of Applied Biomaterials and Biomechanics</i> , 2011 , 9, 165-75		13
69	Microcontact printing of fibronectin on a biodegradable polymeric surface for skeletal muscle cell orientation. <i>International Journal of Artificial Organs</i> , 2010 , 33, 535-43	1.9	41
68	Poly(ethylene glycol) and hydroxy functionalized alkane phosphate mixed self-assembled monolayers to control nonspecific adsorption of proteins on titanium oxide surfaces. <i>Langmuir</i> , 2010 , 26, 6529-34	4	29
67	Structural properties of polysaccharide-based microcapsules for soft tissue regeneration. <i>Journal of Materials Science: Materials in Medicine</i> , 2010 , 21, 365-75	4.5	39
66	Ability of polyurethane foams to support placenta-derived cell adhesion and osteogenic differentiation: preliminary results. <i>Journal of Materials Science: Materials in Medicine</i> , 2010 , 21, 1005-1	1 ^{4.5}	26
65	Chemico-physical modifications induced by plasma and ozone sterilizations on shape memory polyurethane foams. <i>Journal of Materials Science: Materials in Medicine</i> , 2010 , 21, 2067-78	4.5	27
64	Mineral phase deposition on pectin microspheres. <i>Materials Science and Engineering C</i> , 2010 , 30, 491-49	6 8.3	20
63	Biodegradable microgrooved polymeric surfaces obtained by photolithography for skeletal muscle cell orientation and myotube development. <i>Acta Biomaterialia</i> , 2010 , 6, 1948-57	10.8	83
62	Compliant electrospun silk fibroin tubes for small vessel bypass grafting. <i>Acta Biomaterialia</i> , 2010 , 6, 4019-26	10.8	135
61	Shape memory polymer foams for cerebral aneurysm reparation: effects of plasma sterilization on physical properties and cytocompatibility. <i>Acta Biomaterialia</i> , 2009 , 5, 1508-18	10.8	54

(2002-2009)

60	Ability of polyurethane foams to support cell proliferation and the differentiation of MSCs into osteoblasts. <i>Acta Biomaterialia</i> , 2009 , 5, 1126-36	10.8	51
59	Adipose tissue engineering: state of the art, recent advances and innovative approaches. <i>Expert Review of Medical Devices</i> , 2009 , 6, 533-51	3.5	74
58	Electrospun silk fibroin tubular matrixes for small vessel bypass grafting. <i>Materials Technology</i> , 2009 , 24, 52-57	2.1	12
57	Fabrication of chemically cross-linked porous gelatin matrices. <i>Journal of Applied Biomaterials and Biomechanics</i> , 2009 , 7, 194-9		
56	Electrospun Silk Fibroin Mats for Tissue Engineering. Engineering in Life Sciences, 2008, 8, 219-225	3.4	59
55	Skin-derived stem cells transplanted into resorbable guides provide functional nerve regeneration after sciatic nerve resection. <i>Glia</i> , 2007 , 55, 425-38	9	73
54	New heparinizable modified poly(carbonate urethane) surfaces diminishing bacterial colonization. Journal of Materials Science: Materials in Medicine, 2007, 18, 2109-15	4.5	10
53	Different Processing Methods to Obtain Porous Structure in Shape Memory Polymers. <i>Materials Science Forum</i> , 2007 , 539-543, 663-668	0.4	6
52	Bioabsorbable scaffold for in situ bone regeneration. Biomedicine and Pharmacotherapy, 2006, 60, 386-	97 .5	12
51	Antibacterial activity of zinc modified titanium oxide surface. <i>International Journal of Artificial Organs</i> , 2006 , 29, 434-42	1.9	91
50	Bioactive technologies for hemocompatibility. Expert Review of Medical Devices, 2005, 2, 473-92	3.5	78
49	In vitro interaction of human fibroblasts and platelets with a shape-memory polyurethane. <i>Journal of Biomedical Materials Research - Part A</i> , 2005 , 73, 1-11	5.4	41
48	Microspheres leaching for scaffold porosity control. <i>Journal of Materials Science: Materials in Medicine</i> , 2005 , 16, 1093-7	4.5	103
47	Calcified matrix production by SAOS-2 cells inside a polyurethane porous scaffold, using a perfusion bioreactor. <i>Tissue Engineering</i> , 2005 , 11, 685-700		51
46	Advanced Polyurethanes for Blood Contacting Applications Containing Pime as Bmart Heparin-Adsorbing Moieties 2004 , 51-66		1
45	Design, synthesis and properties of polyurethane hydrogels for tissue engineering. <i>Journal of Materials Science: Materials in Medicine</i> , 2003 , 14, 683-6	4.5	55
44	Cytocompatibility of polyurethane foams as biointegrable matrices for the preparation of scaffolds for bone reconstruction. <i>Journal of Applied Biomaterials and Biomechanics</i> , 2003 , 1, 58-66		6
43	In vitro interactions of biomedical polyurethanes with macrophages and bacterial cells. <i>Journal of Biomaterials Applications</i> , 2002 , 16, 191-214	2.9	14

Protein Immobilization onto Newly Developed Polyurethane-Maleamides for Endothelial Cell Growth ${\bf 2001}, 235-242$

41	Silk fibroin-polyurethane scaffolds for tissue engineering. <i>Journal of Materials Science: Materials in Medicine</i> , 2001 , 12, 849-53	4.5	53
40	Enhanced wear performance of highly crosslinked UHMWPE for artificial joints. <i>Journal of Biomedical Materials Research Part B</i> , 2000 , 50, 381-7		49
39	Novel poly(urethane-aminoamides): an in vitro study of the interaction with heparin. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2000 , 11, 353-65	3.5	8
38	In vitro stability of polyether and polycarbonate urethanes. <i>Journal of Biomaterials Applications</i> , 2000 , 14, 325-48	2.9	47
37	In vitro Stability of Polyether and Polycarbonate Urethanes. <i>Journal of Biomaterials Applications</i> , 2000 , 14, 325-348	2.9	28
36	Linear poly(ethylene oxide)-based polyurethane hydrogels: polyurethane-ureas and polyurethane-amides. <i>Journal of Materials Science: Materials in Medicine</i> , 1999 , 10, 635-9	4.5	19
35	Polyurethane-maleamides for cardiovascular applications: synthesis and properties. <i>Journal of Materials Science: Materials in Medicine</i> , 1999 , 10, 711-4	4.5	4
34	In vivo study of polyurethane-coated Gianturco-Rosch biliary Z-stents. <i>CardioVascular and Interventional Radiology</i> , 1999 , 22, 510-4	2.7	8
33	Synergistic effects of oxidative environments and mechanical stress on in vitro stability of polyetherurethanes and polycarbonateurethanes. <i>Journal of Biomedical Materials Research Part B</i> , 1999 , 45, 62-74		48
32	Chemical stability of polyether urethanes versus polycarbonate urethanes. <i>Journal of Biomedical Materials Research Part B</i> , 1997 , 36, 550-9		123
31	Polyurethane-coated, self-expandable biliary stent: an experimental study. <i>Academic Radiology</i> , 1995 , 2, 1078-81	4.3	10
30	Copolymerization and activation of peroxide decomposition with acrylic derivatives of tertiary aromatic amines. <i>Polymer</i> , 1994 , 35, 3285-3289	3.9	5
29	Cytotoxicity of some catalysts commonly used in the synthesis of copolymers for biomedical use. <i>Journal of Materials Science: Materials in Medicine</i> , 1994 , 5, 393-396	4.5	158
28	Cytocompatibility of two segmented biomedical polyurethanes. <i>Journal of Materials Science: Materials in Medicine</i> , 1994 , 5, 705-710	4.5	2
27	Comparative biological tests on segmented polyurethanes for cardio-vascular applications. <i>Clinical Materials</i> , 1993 , 12, 17-23		11
26	Grafting reactions and heparin adsorption of poly(amidoamine)-grafted poly(urethane amide)s. <i>Biomaterials</i> , 1992 , 13, 425-31	15.6	19
25	Genotoxicity of N-acryloyl-N'-phenylpiperazine, a redox activator for acrylic resin polymerization. Mutation Research-Fundamental and Molecular Mechanisms of Mutagenesis, 1992, 282, 99-105		3

24	Comparative physical tests on segmented polyurethanes for cardiovascular applications. <i>Clinical Materials</i> , 1991 , 8, 57-64		17
23	Physical characterization of acrylic bone cement cured with new accelerator systems. <i>Clinical Materials</i> , 1991 , 8, 131-6		21
22	N-acryloyl N ?-phenylpiperazine as curing activator of unsaturated resins. <i>Journal of Applied Polymer Science</i> , 1991 , 42, 1371-1376	2.9	3
21	Polymers and copolymers of N-acryloyl-N?-phenyl-piperazine. <i>Polymer</i> , 1990 , 31, 1577-1580	3.9	10
20	Amides from N-phenylpiperazine as low-toxicity activators in radical polymerizations. <i>Polymer</i> , 1990 , 31, 1735-1738	3.9	13
19	Heparinizable segmented polyurethanes containing poly-amidoamine blocks. <i>Journal of Biomedical Materials Research Part B</i> , 1989 , 23, 863-81		12
18	N-phenyl piprazine-polyester derivative as curing activator of unsaturated resins. <i>Journal of Applied Polymer Science</i> , 1986 , 31, 1083-1091	2.9	2
17	Heparinizable Segmented Polyurethanes for Cardio-Vascular Applications 1986, 91-99		2
16	Heparinizable graft copolymers from chlorosulphonated polyethylene with poly(amido-amine) segments. <i>Biomaterials</i> , 1985 , 6, 273-6	15.6	12
15	Synthesis and characterization of poly(amido-amine)s belonging to two different homologous series. <i>Biomaterials</i> , 1984 , 5, 357-61	15.6	12
14	Synthesis and characterization of piperazine-derived poly(amido-amine)s with different distributions of amido- and amino-groups along the macromolecular chain. <i>Polymer</i> , 1984 , 25, 863-868	3.9	12
13	Fractionation techniques in a hydro-organic environment. II. Acryloyl-morpholine polymers as a matrix for electrophoresis in hydro-organic solvents. <i>Analytical Biochemistry</i> , 1984 , 137, 420-8	3.1	37
12	Heparin adsorbing capacities at physiological pH of three poly(amido-amine) resins, and of poly(amido-amine)-surface-grafted glass microspheres. <i>Biomaterials</i> , 1983 , 4, 218-21	15.6	27
11	New Polymeric and Oligomeric Matrices as Drug Carriers 1983 , 77-95		3
10	Activated derivatives of succinic and glutaric half-esters of polypropylene glycols, and their exchange reactions with hydroxy- and amino-compounds. <i>Polymer</i> , 1982 , 23, 1689-1692	3.9	9
9	Synthesis of tertiary poly(amido-amine)s with amido- and amino-groups randomly arranged along the macromolecular chain. <i>Polymer</i> , 1982 , 23, 1233-1236	3.9	6
8	Synthesis and pharmacological evaluation of poly(oxyethylene) derivatives of 4-isobutylphenyl-2-propionic acid (ibuprofen). <i>Journal of Medicinal Chemistry</i> , 1981 , 24, 622-5	8.3	62
7	Succinic half-esters of poly(ethylene glycol)s and their benzotriazole and imidazole derivatives as oligomeric drug-binding matrices. <i>Die Makromolekulare Chemie</i> , 1981 , 182, 2183-2192		42

6	Macro inorganics V. Basicity and complexing ability of a new class of poly(amido-amines) with tertiary amino groups present both in the main chain and as side substituent. <i>Inorganica Chimica Acta</i> , 1980 , 41, 25-29	2.7	12
5	Macroinorganics IV: Thermodynamic functions relative to the protonation of a poly(amido-amine) with repeating unit containing 3 amino groups. <i>Polymer</i> , 1979 , 20, 1298-1300	3.9	15
4	Polymeric hydrazides by reaction of hydrazine with polymeric benzotriazolides. <i>Journal of Polymer Science: Polymer Chemistry Edition</i> , 1979 , 17, 277-279		3
3	Synthesis and exchange reactions of biodegradable drug-binding matrices. <i>Die Makromolekulare Chemie</i> , 1979 , 180, 375-382		32
2	Synthesis and exchange reactions of some polymeric benzotriazolides. <i>Journal of Polymer Science: Polymer Chemistry Edition</i> , 1978 , 16, 1435-1441		11
1	Macromolecular drugs I: long-lasting antilipolytic activity of nicotinic acid bound to a polymer. <i>Pharmacological Research Communications</i> , 1976 , 8, 379-86		25