

# Ramiro Jover

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4748419/ramiro-jover-publications-by-year.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89 papers	4,429 citations	40 h-index	65 g-index
93 ext. papers	4,928 ext. citations	4.6 avg, IF	5.13 L-index

#	Paper	IF	Citations
89	PTEN Deletion in Adult Mice Induces Hypoinsulinemia With Concomitant Low Glucose Levels.. <i>Frontiers in Endocrinology</i> , <b>2022</b> , 13, 850214	5.7	0
88	Methionine Cycle Rewiring by Targeting miR-873-5p Modulates Ammonia Metabolism to Protect the Liver from Acetaminophen. <i>Antioxidants</i> , <b>2022</b> , 11, 897	7.1	1
87	The Synbiotic Combination of and Quercetin Ameliorates Early Obesity and NAFLD through Gut Microbiota Reshaping and Bile Acid Metabolism Modulation.. <i>Antioxidants</i> , <b>2021</b> , 10,	7.1	6
86	Molecular mechanisms of hepatotoxic cholestasis by clavulanic acid: Role of NRF2 and FXR pathways. <i>Food and Chemical Toxicology</i> , <b>2021</b> , 158, 112664	4.7	3
85	Safer chemicals using less animals: kick-off of the European ONTOX project. <i>Toxicology</i> , <b>2021</b> , 458, 152846	4.6	10
84	A Novel MicroRNA Signature for Cholestatic Drugs in Human Hepatocytes and Its Translation into Novel Circulating Biomarkers for Drug-Induced Liver Injury Patients. <i>Toxicological Sciences</i> , <b>2020</b> , 173, 229-243	4.4	3
83	The Vitamin D Receptor Regulates Glycerolipid and Phospholipid Metabolism in Human Hepatocytes. <i>Biomolecules</i> , <b>2020</b> , 10,	5.9	6
82	Epistane, an anabolic steroid used for recreational purposes, causes cholestasis with elevated levels of cholic acid conjugates, by upregulating bile acid synthesis (CYP8B1) and cross-talking with nuclear receptors in human hepatocytes. <i>Archives of Toxicology</i> , <b>2020</b> , 94, 589-607	5.8	10
81	Toward Rapid Screening of Liver Grafts at the Operating Room Using Mid-infrared Spectroscopy. <i>Analytical Chemistry</i> , <b>2020</b> , 92, 14542-14549	7.8	2
80	Functional Interactions between Gut Microbiota Transplantation, Quercetin, and High-Fat Diet Determine Non-Alcoholic Fatty Liver Disease Development in Germ-Free Mice. <i>Molecular Nutrition and Food Research</i> , <b>2019</b> , 63, e1800930	5.9	41
79	A Network Involving Gut Microbiota, Circulating Bile Acids, and Hepatic Metabolism Genes That Protects Against Non-Alcoholic Fatty Liver Disease. <i>Molecular Nutrition and Food Research</i> , <b>2019</b> , 63, e1900487	5.9	21
78	Advances in drug-induced cholestasis: Clinical perspectives, potential mechanisms and in vitro systems. <i>Food and Chemical Toxicology</i> , <b>2018</b> , 120, 196-212	4.7	9
77	Non-invasive prediction of NAFLD severity: a comprehensive, independent validation of previously postulated serum microRNA biomarkers. <i>Scientific Reports</i> , <b>2018</b> , 8, 10606	4.9	41
76	Predicting drug-induced cholestasis: preclinical models. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , <b>2018</b> , 14, 721-738	5.5	9
75	Angiopietin-Like Protein 8 Is a Novel Vitamin D Receptor Target Gene Involved in Nonalcoholic Fatty Liver Pathogenesis. <i>American Journal of Pathology</i> , <b>2018</b> , 188, 2800-2810	5.8	17
74	Protective effect of quercetin on high-fat diet-induced non-alcoholic fatty liver disease in mice is mediated by modulating intestinal microbiota imbalance and related gut-liver axis activation. <i>Free Radical Biology and Medicine</i> , <b>2017</b> , 102, 188-202	7.8	239
73	Hnf4 $\alpha$ is a key gene that can generate columnar metaplasia in oesophageal epithelium. <i>Differentiation</i> , <b>2017</b> , 93, 39-49	3.5	14

72	New microRNA Biomarkers for Drug-Induced Steatosis and Their Potential to Predict the Contribution of Drugs to Non-alcoholic Fatty Liver Disease. <i>Frontiers in Pharmacology</i> , <b>2017</b> , 8, 3	5.6	27
71	Both cholestatic and steatotic drugs trigger extensive alterations in the mRNA level of biliary transporters in rat hepatocytes: Application to develop new predictive biomarkers for early drug development. <i>Toxicology Letters</i> , <b>2016</b> , 263, 58-67	4.4	5
70	Advantageous use of HepaRG cells for the screening and mechanistic study of drug-induced steatosis. <i>Toxicology and Applied Pharmacology</i> , <b>2016</b> , 302, 1-9	4.6	40
69	Hepatocyte vitamin D receptor regulates lipid metabolism and mediates experimental diet-induced steatosis. <i>Journal of Hepatology</i> , <b>2016</b> , 65, 748-757	13.4	47
68	Human Upcyte Hepatocytes: Characterization of the Hepatic Phenotype and Evaluation for Acute and Long-Term Hepatotoxicity Routine Testing. <i>Toxicological Sciences</i> , <b>2016</b> , 152, 214-29	4.4	37
67	Quercetin ameliorates dysregulation of lipid metabolism genes via the PI3K/AKT pathway in a diet-induced mouse model of nonalcoholic fatty liver disease. <i>Molecular Nutrition and Food Research</i> , <b>2015</b> , 59, 879-93	5.9	80
66	In vitro reprogramming of pancreatic alpha cells towards a beta cell phenotype following ectopic HNF4 $\alpha$ expression. <i>Molecular and Cellular Endocrinology</i> , <b>2015</b> , 399, 50-9	4.4	19
65	The histone deacetylase sirtuin2 is a new player in the regulation of platelet function. <i>Journal of Thrombosis and Haemostasis</i> , <b>2015</b> , 13, 1335-44	15.4	12
64	Repression of the nuclear receptor small heterodimer partner by steatotic drugs and in advanced nonalcoholic fatty liver disease. <i>Molecular Pharmacology</i> , <b>2015</b> , 87, 582-94	4.3	18
63	Transfection of Primary Hepatocytes with Liver-Enriched Transcription Factors Using Adenoviral Vectors. <i>Methods in Molecular Biology</i> , <b>2015</b> , 1250, 213-21	1.4	1
62	A simple transcriptomic signature able to predict drug-induced hepatic steatosis. <i>Archives of Toxicology</i> , <b>2014</b> , 88, 967-82	5.8	25
61	Modulation of PI3K-LXR-dependent lipogenesis mediated by oxidative/nitrosative stress contributes to inhibition of HCV replication by quercetin. <i>Laboratory Investigation</i> , <b>2014</b> , 94, 262-74	5.9	40
60	Glucocorticoid receptor regulates organic cation transporter 1 (OCT1, SLC22A1) expression via HNF4 $\alpha$ upregulation in primary human hepatocytes. <i>Pharmacological Reports</i> , <b>2013</b> , 65, 1322-35	3.9	20
59	The human liver fatty acid binding protein (FABP1) gene is activated by FOXA1 and PPAR $\alpha$ and repressed by C/EBP $\beta$ implications in FABP1 down-regulation in nonalcoholic fatty liver disease. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , <b>2013</b> , 1831, 803-18	5	60
58	Inhibition of VEGF expression through blockade of Hif1 $\alpha$ and STAT3 signalling mediates the anti-angiogenic effect of melatonin in HepG2 liver cancer cells. <i>British Journal of Cancer</i> , <b>2013</b> , 109, 83-91	8.7	165
57	Hepatic cell lines for drug hepatotoxicity testing: limitations and strategies to upgrade their metabolic competence by gene engineering. <i>Current Drug Metabolism</i> , <b>2013</b> , 14, 946-68	3.5	55
56	Foxa1 reduces lipid accumulation in human hepatocytes and is down-regulated in nonalcoholic fatty liver. <i>PLoS ONE</i> , <b>2012</b> , 7, e30014	3.7	52
55	CCAAT/enhancer-binding protein alpha (C/EBP $\alpha$ ) and hepatocyte nuclear factor 4alpha (HNF4 $\alpha$ ) synergistically cooperate with constitutive androstane receptor to transactivate the human cytochrome P450 2B6 (CYP2B6) gene: application to the development of a metabolically competent human hepatic cell model. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 28457-71	5.4	27

54	Enhanced steatosis by nuclear receptor ligands: a study in cultured human hepatocytes and hepatoma cells with a characterized nuclear receptor expression profile. <i>Chemico-Biological Interactions</i> , <b>2010</b> , 184, 376-87	5	65
53	Sequential hepatogenic transdifferentiation of adipose tissue-derived stem cells: relevance of different extracellular signaling molecules, transcription factors involved, and expression of new key marker genes. <i>Cell Transplantation</i> , <b>2009</b> , 18, 1319-40	4	39
52	Cytochrome p450 and steatosis. <i>Current Drug Metabolism</i> , <b>2009</b> , 10, 692-9	3.5	27
51	Transcriptional regulation of cytochrome p450 genes by the nuclear receptor hepatocyte nuclear factor 4-alpha. <i>Current Drug Metabolism</i> , <b>2009</b> , 10, 508-19	3.5	68
50	Role of K <sup>+</sup> and Ca <sup>2+</sup> fluxes in the cerebroarterial vasoactive effects of sildenafil. <i>European Journal of Pharmacology</i> , <b>2008</b> , 581, 138-47	5.3	2
49	ATF5 is a highly abundant liver-enriched transcription factor that cooperates with constitutive androstane receptor in the transactivation of CYP2B6: implications in hepatic stress responses. <i>Drug Metabolism and Disposition</i> , <b>2008</b> , 36, 1063-72	4	45
48	Human mesenchymal stem cells from adipose tissue: Differentiation into hepatic lineage. <i>Toxicology in Vitro</i> , <b>2007</b> , 21, 324-9	3.6	82
47	Transcriptional regulation and expression of CYP3A4 in hepatocytes. <i>Current Drug Metabolism</i> , <b>2007</b> , 8, 185-94	3.5	106
46	Transcription factors involved in the expression of SLC28 genes in human liver parenchymal cells. <i>Biochemical and Biophysical Research Communications</i> , <b>2007</b> , 353, 381-8	3.4	20
45	Underexpressed coactivators PGC1alpha and SRC1 impair hepatocyte nuclear factor 4 alpha function and promote dedifferentiation in human hepatoma cells. <i>Journal of Biological Chemistry</i> , <b>2006</b> , 281, 29840-9	5.4	48
44	Transcriptional activation of CYP2C9, CYP1A1, and CYP1A2 by hepatocyte nuclear factor 4alpha requires coactivators peroxisomal proliferator activated receptor-gamma coactivator 1alpha and steroid receptor coactivator 1. <i>Molecular Pharmacology</i> , <b>2006</b> , 70, 1681-92	4.3	59
43	Acquired resistance to the anticancer drug paclitaxel is associated with induction of cytochrome P450 2C8. <i>Pharmacogenomics</i> , <b>2006</b> , 7, 575-85	2.6	40
42	Hepatocyte cell lines: their use, scope and limitations in drug metabolism studies. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , <b>2006</b> , 2, 183-212	5.5	153
41	Hepatogenic differentiation of human mesenchymal stem cells from adipose tissue in comparison with bone marrow mesenchymal stem cells. <i>World Journal of Gastroenterology</i> , <b>2006</b> , 12, 5834-45	5.6	208
40	Species-specific mechanisms for cholesterol 7alpha-hydroxylase (CYP7A1) regulation by drugs and bile acids. <i>Archives of Biochemistry and Biophysics</i> , <b>2005</b> , 434, 75-85	4.1	8
39	Transcriptional regulation of the human hepatic CYP3A4: identification of a new distal enhancer region responsive to CCAAT/enhancer-binding protein beta isoforms (liver activating protein and liver inhibitory protein). <i>Molecular Pharmacology</i> , <b>2005</b> , 67, 2088-101	4.3	55
38	Can hepatoma cell lines be redifferentiated to be used in drug metabolism studies?. <i>ATLA Alternatives To Laboratory Animals</i> , <b>2004</b> , 32 Suppl 1A, 65-74	2.1	3
37	Human hepatocytes in primary culture: the choice to investigate drug metabolism in man. <i>Current Drug Metabolism</i> , <b>2004</b> , 5, 443-62	3.5	202

36	Role of glutathione in the induction of apoptosis and c-fos and c-jun mRNAs by oxidative stress in tumor cells. <i>Cancer Letters</i> , <b>2004</b> , 208, 103-13	9.9	31
35	Role of hepatocyte nuclear factor 3 gamma in the expression of human CYP2C genes. <i>Archives of Biochemistry and Biophysics</i> , <b>2004</b> , 426, 63-72	4.1	48
34	Transcriptional regulation of human CYP3A4 basal expression by CCAAT enhancer-binding protein alpha and hepatocyte nuclear factor-3 gamma. <i>Molecular Pharmacology</i> , <b>2003</b> , 63, 1180-9	4.3	89
33	Human hepatocytes as a tool for studying toxicity and drug metabolism. <i>Current Drug Metabolism</i> , <b>2003</b> , 4, 292-312	3.5	187
32	Diclofenac induces apoptosis in hepatocytes by alteration of mitochondrial function and generation of ROS. <i>Biochemical Pharmacology</i> , <b>2003</b> , 66, 2155-67	6	132
31	Diclofenac induces apoptosis in hepatocytes. <i>Toxicology in Vitro</i> , <b>2003</b> , 17, 675-80	3.6	51
30	Semi-automatic quantitative RT-PCR to measure CYP induction by drugs in human hepatocytes. <i>Toxicology in Vitro</i> , <b>2003</b> , 17, 643-9	3.6	38
29	Down-regulation of human CYP3A4 by the inflammatory signal interleukin-6: molecular mechanism and transcription factors involved. <i>FASEB Journal</i> , <b>2002</b> , 16, 1799-801	0.9	158
28	Sensitive markers used to identify compounds that trigger apoptosis in cultured hepatocytes. <i>Toxicological Sciences</i> , <b>2002</b> , 65, 299-308	4.4	76
27	Expression and induction of a large set of drug-metabolizing enzymes by the highly differentiated human hepatoma cell line BC2. <i>FEBS Journal</i> , <b>2001</b> , 268, 1448-59		57
26	Cytochrome P450 regulation by hepatocyte nuclear factor 4 in human hepatocytes: a study using adenovirus-mediated antisense targeting. <i>Hepatology</i> , <b>2001</b> , 33, 668-75	11.2	158
25	Limited heme synthesis in porphobilinogen deaminase-deficient mice impairs transcriptional activation of specific cytochrome P450 genes by phenobarbital. <i>FEBS Journal</i> , <b>2000</b> , 267, 7128-37		44
24	Hepatic cytochrome P450 down-regulation during aseptic inflammation in the mouse is interleukin 6 dependent. <i>Hepatology</i> , <b>2000</b> , 32, 49-55	11.2	140
23	Quantitative RT-PCR measurement of human cytochrome P-450s: application to drug induction studies. <i>Archives of Biochemistry and Biophysics</i> , <b>2000</b> , 376, 109-16	4.1	89
22	Expression of liver specific-genes in hepatocytes cultured in collagen gel matrix. <i>Progress in Molecular and Subcellular Biology</i> , <b>2000</b> , 25, 89-104	3	2
21	Increased toxicity of cocaine on human hepatocytes induced by ethanol: role of GSH. <i>Biochemical Pharmacology</i> , <b>1999</b> , 58, 1579-85	6	32
20	Long-term expression of differentiated functions in hepatocytes cultured in three-dimensional collagen matrix. <i>Journal of Cellular Physiology</i> , <b>1998</b> , 177, 553-62	7	105
19	Re-expression of C/EBP alpha induces CYP2B6, CYP2C9 and CYP2D6 genes in HepG2 cells. <i>FEBS Letters</i> , <b>1998</b> , 431, 227-30	3.8	98

18	Induction of 5-aminolevulinate synthase by drugs is independent of increased apocytochrome P450 synthesis. <i>Biochemical and Biophysical Research Communications</i> , <b>1996</b> , 226, 152-7	3.4	30
17	Molecular mechanism of diclofenac hepatotoxicity: Association of cell injury with oxidative metabolism and decrease in ATP levels. <i>Toxicology in Vitro</i> , <b>1995</b> , 9, 439-44	3.6	34
16	Evaluation of the cytotoxicity of 10 chemicals in human and rat hepatocytes and in cell lines: Correlation between in vitro data and human lethal concentration. <i>Toxicology in Vitro</i> , <b>1995</b> , 9, 959-66	3.6	35
15	Acute cytotoxicity of ten chemicals in human and rat cultured hepatocytes and in cell lines: Correlation between in vitro data and human lethal concentrations. <i>Toxicology in Vitro</i> , <b>1994</b> , 8, 47-54	3.6	26
14	Cocaine hepatotoxicity: two different toxicity mechanisms for phenobarbital-induced and non-induced rat hepatocytes. <i>Biochemical Pharmacology</i> , <b>1993</b> , 46, 1967-74	6	25
13	Potentiation of heroin and methadone hepatotoxicity by ethanol: an in vitro study using cultured human hepatocytes. <i>Xenobiotica</i> , <b>1992</b> , 22, 471-8	2	19
12	S-Adenosyl-L-Methionine Prevents Intracellular Glutathione Depletion by GSH-Depleting Drugs in Rat and Human Hepatocytes. <i>Drug Investigation</i> , <b>1992</b> , 4, 46-53		8
11	Potentiation of cocaine hepatotoxicity in human hepatocytes by ethanol. <i>Toxicology in Vitro</i> , <b>1992</b> , 6, 155-8	3.6	7
10	Evaluation of the cytotoxicity of ten chemicals on human cultured hepatocytes: Predictability of human toxicity and comparison with rodent cell culture systems. <i>Toxicology in Vitro</i> , <b>1992</b> , 6, 47-52	3.6	69
9	Intracellular glutathione in human hepatocytes incubated with S-adenosyl-L-methionine and GSH-depleting drugs. <i>Toxicology</i> , <b>1991</b> , 70, 293-302	4.4	40
8	Potentiation of cocaine hepatotoxicity by ethanol in human hepatocytes. <i>Toxicology and Applied Pharmacology</i> , <b>1991</b> , 107, 526-34	4.6	27
7	Measurement of intracellular LDH activity in 96-well cultures: A rapid and automated assay for cytotoxicity studies. <i>Cytotechnology</i> , <b>1991</b> , 13, 21-24		41
6	The effects of buprenorphine on the metabolism of human hepatocytes. <i>Toxicology in Vitro</i> , <b>1991</b> , 5, 219-24	3.6	6
5	Hepatotoxicity of Opiates and Cocaine on Different Hepatic Cellular Systems. <i>ATLA Alternatives To Laboratory Animals</i> , <b>1990</b> , 17, 240-245	2.1	0
4	Preliminary results from the Scandinavian multicentre evaluation of in vitro cytotoxicity (MEIC). <i>Toxicology in Vitro</i> , <b>1990</b> , 4, 688-91	3.6	16
3	In Vitro Toxicity to Two Cellular Systems of the First Ten Chemicals on the MEIC List. <i>ATLA Alternatives To Laboratory Animals</i> , <b>1990</b> , 17, 218-223	2.1	11
2	Multivariate Validation of Cell Toxicity Data: The First Ten MEIC Chemicals. <i>ATLA Alternatives To Laboratory Animals</i> , <b>1990</b> , 17, 237-239	2.1	9
1	Cytotoxicity Evaluation of the First Ten MEIC Chemicals: Acute Lethal Toxicity in Man Predicted by Cytotoxicity in Five Cellular Assays and by Oral LD50 Tests in Rodents. <i>ATLA Alternatives To Laboratory Animals</i> , <b>1989</b> , 17, 83-100	2.1	99

