

Hiroshi Sugimoto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/474878/publications.pdf>

Version: 2024-02-01

54
papers

1,797
citations

430754

18
h-index

265120

42
g-index

55
all docs

55
docs citations

55
times ranked

1181
citing authors

#	ARTICLE	IF	CITATIONS
1	Alternating terpolymerization of carbon dioxide, propylene oxide, and various epoxides with bulky side groups for the tuning of thermal properties. <i>Polymer Journal</i> , 2021, 53, 121-127.	1.3	3
2	Copolymerization of carbon dioxide and oxetane catalyzed by aluminum porphyrin complex system. <i>Journal of Polymer Science</i> , 2021, 59, 3122-3130.	2.0	5
3	Synthesis of CO ₂ -derived polycarbonates with high glass transition temperatures. <i>Polymer Journal</i> , 2018, 50, 301-307.	1.3	11
4	Alternative Copolymerization of Carbon Dioxide and Epichlorohydrin, and Successive Quaternization of Obtained Aliphatic Polycarbonate. <i>Kobunshi Ronbunshu</i> , 2017, 74, 534-541.	0.2	0
5	Synthesis of four- and six-armed star-shaped polycarbonates by immortal alternating copolymerization of CO ₂ and propylene oxide. <i>Polymer Chemistry</i> , 2016, 7, 3906-3912.	1.9	15
6	Polymer cyclization inhibits thermal decomposition of carbon-dioxide-derived poly(propylene) Tj ETQq0 0 0 rgBT /Oyerglock 10 Tf 50 542	2.5	9
7	Carbon Dioxide-Derived <i>Immortal</i> Brush Macromolecules with Poly(propylene carbonate) Side Chains. <i>Macromolecules</i> , 2016, 49, 6810-6816.	2.2	7
8	Direct Copolymerization of CO ₂ and Diols. <i>Scientific Reports</i> , 2016, 6, 24038.	1.6	98
9	Synthesis of H-shaped carbon-dioxide-derived poly(propylene carbonate) for topology-based reduction of the glass transition temperature. <i>Polymer Chemistry</i> , 2014, 5, 1883-1890.	1.9	23
10	Carbon-dioxide-derived unsaturated alicyclic polycarbonate: Synthesis, characterization, and post-polymerization modification. <i>Polymer</i> , 2014, 55, 4832-4836.	1.8	22
11	Alternating Copolymerization of Carbon Dioxide and Epoxide by a Nickel Thiaporphyrin Complex. <i>Kobunshi Ronbunshu</i> , 2013, 70, 544-549.	0.2	1
12	Dual Catalyst System for Asymmetric Alternating Copolymerization of Carbon Dioxide and Cyclohexene Oxide with Chiral Aluminum Complexes: Lewis Base as Catalyst Activator and Lewis Acid as Monomer Activator. <i>Macromolecules</i> , 2012, 45, 8172-8192.	2.2	85
13	Isocyanurates with Planar Chirality: Design, Optical Resolution, and Isomerization. <i>Chirality</i> , 2012, 24, 867-878.	1.3	4
14	Planar-Chiral Metal Complexes Comprised of Square-Planar Metal and Achiral Tetradentate Ligands: Design, Optical Resolution, and Thermodynamics. <i>Inorganic Chemistry</i> , 2012, 51, 4134-4142.	1.9	19
15	Carbon Dioxide/Epoxide Alternating Copolymer. <i>Seikei-Kakou</i> , 2011, 23, 532-536.	0.0	0
16	The Cobalt Porphyrin~Lewis Base System:~ A Highly Selective Catalyst for Alternating Copolymerization of CO ₂ and Epoxide under Mild Conditions. <i>Macromolecules</i> , 2008, 41, 312-317.	2.2	160
17	Polymer Synthesis via Catalytic Fixation of Carbon Dioxide. <i>Oleoscience</i> , 2008, 8, 217-224.	0.0	0
18	Alternating Copolymerization of Carbon Dioxide and Epoxide by Zinc N-Substituted Porphyrins. <i>Kobunshi Ronbunshu</i> , 2007, 64, 676-682.	0.2	3

#	ARTICLE	IF	CITATIONS
19	Alternating copolymerization of carbon dioxide and epoxide by dinuclear zinc Schiff base complex. <i>Reactive and Functional Polymers</i> , 2007, 67, 1277-1283.	2.0	19
20	Recent progress in the synthesis of polymers based on carbon dioxide. <i>Pure and Applied Chemistry</i> , 2006, 78, 1823-1834.	0.9	68
21	Alternating Copolymerization of Carbon Dioxide and Epoxide-Recent Advances. <i>Kobunshi Ronbunshu</i> , 2005, 62, 131-146.	0.2	8
22	Alternating copolymerization of carbon dioxide and epoxide catalyzed by an aluminum Schiff base-ammonium salt system. <i>Journal of Polymer Science Part A</i> , 2005, 43, 4172-4186.	2.5	156
23	Alternating Copolymerization of Carbon Dioxide and Epoxide [2]. The First Example of Polycarbonate Synthesis from 1-atm Carbon Dioxide by Manganese Porphyrin.. <i>Studies in Surface Science and Catalysis</i> , 2004, 153, 247-250.	1.5	1
24	Copolymerization of carbon dioxide and epoxide. <i>Journal of Polymer Science Part A</i> , 2004, 42, 5561-5573.	2.5	350
25	Irreversible Photoisomerization Behavior of 2-Stilbazole Covalently Bound to Porphyrin.. <i>ChemInform</i> , 2003, 34, no.	0.1	0
26	Alternating copolymerization of carbon dioxide and epoxide by manganese porphyrin: The first example of polycarbonate synthesis from 1-atm carbon dioxide. <i>Journal of Polymer Science Part A</i> , 2003, 41, 3549-3555.	2.5	107
27	Irreversible photoisomerization behavior of 2-stilbazoleThe IUPAC name for 2-stilbazole is 2-styrylpyridine. covalently bound to porphyrin. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2002, , 1826-1830.	1.3	8
28	Enantiomeric discrimination by novel optically active isocyanurates having peripheral amino acid units. <i>Tetrahedron: Asymmetry</i> , 2000, 11, 2067-2075.	1.8	17
29	Photoresponsive Molecular Switch to Control Chemical Fixation of CO ₂ . <i>Journal of the American Chemical Society</i> , 1999, 121, 2325-2326.	6.6	82
30	Polymerization by Metalloporphyrin and Related Complexes. <i>Advances in Polymer Science</i> , 1999, , 39-119.	0.4	36
31	Lanthanoid alkoxide as a novel initiator for the synthesis of polyester via polymerization of ketenes. <i>Macromolecular Chemistry and Physics</i> , 1998, 199, 1651-1655.	1.1	6
32	Carbon dioxide fixation with lanthanoid complex. <i>Studies in Surface Science and Catalysis</i> , 1998, 114, 503-504.	1.5	0
33	Design of Novel Initiator by Transformation of the Growing Species in Anionic Polymerization of Heterocumulene. <i>Kobunshi</i> , 1998, 47, 84-84.	0.0	0
34	Controlled macromolecular synthesis by the nucleophile/lewis acid binary systems. <i>Macromolecular Symposia</i> , 1997, 118, 169-175.	0.4	1
35	Polymerization of Isocyanate at Room Temperature, Lanthanoid Alkoxide as Novel Initiator. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 1997, 34, 1907-1920.	1.2	9
36	Lewis Acid-Driven Accelerated Living Polymerization of Lactones Initiated with Aluminum Porphyrins. Chemoselective Activation of Ester Groups by Lewis Acid. <i>Macromolecules</i> , 1997, 30, 57-62.	2.2	35

#	ARTICLE	IF	CITATIONS
37	Stepped-up reactivity of a simple lanthanoid initiator. Polymerization of methyl methacrylate initiated with a lanthanoid alkoxide Ln^{III} -ketene system. <i>Macromolecular Chemistry and Physics</i> , 1997, 198, 1605-1610.	1.1	13
38	Accelerated Living Polymerization of Methacrylonitrile with Aluminum Porphyrin Initiators by Activation of Monomer or Growing Species. <i>Controlled Synthesis and Properties of Poly(methyl Methacrylate)</i> 10 50 6	2.0	16
39	Metalloporphyrin catalysts for living and immortal polymerizations. <i>Macromolecular Symposia</i> , 1996, 101, 11-18.	0.4	6
40	Lanthanoid isopropoxide as a novel initiator for anionic polymerization of isocyanates. <i>Macromolecular Rapid Communications</i> , 1996, 17, 1-7.	2.0	31
41	The Control of Living Anionic Polymerization by Metalloporphyrins. <i>Bulletin of the Chemical Society of Japan</i> , 1995, 68, 1239-1246.	2.0	7
42	Living polymerization of methacrylic esters with aluminium porphyrin initiators. Axial ligand exchange activities of alkyl- and enolate-aluminium porphyrins in relation to the polymerization Mechanism. <i>Journal of Physical Organic Chemistry</i> , 1995, 8, 249-257.	0.9	13
43	Unusual conformational stability of a sterically crowded atropisomer of methyl[1,4,5,10,15,20-tetrakis(2-phenylphenyl)porphyrinato]aluminium: a possibility of $\text{CH}\cdots\text{N}$ bonding interactions in organometallic porphyrin systems. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, 1411-1412.	2.0	11
44	Lewis Acid-Assisted Anionic Ring-Opening Polymerization of Epoxide by the Aluminum Complexes of Porphyrin, Phthalocyanine, Tetraazaannulene, and Schiff Base as Initiators. <i>Macromolecules</i> , 1994, 27, 2013-2018.	2.2	84
45	Lewis acid-promoted living anionic polymerization of alkyl methacrylates initiated with aluminum porphyrins. Importance of steric balance between a nucleophile and a Lewis acid. <i>Macromolecules</i> , 1994, 27, 3672-3674.	2.2	9
46	Novel catalyst system for the synthesis of poly(alkylene oxide) with controlled molecular weight. <i>Macromolecular Symposia</i> , 1994, 88, 117-122.	0.4	1
47	Organoboron compounds as Lewis acid accelerators for the aluminum porphyrin-mediated living anionic polymerization of methyl methacrylate. <i>Macromolecules</i> , 1993, 26, 4751-4755.	2.2	18
48	High-speed living anionic polymerization of methacrylic esters with aluminum porphyrin initiators. Organoaluminum compounds as Lewis acid accelerators. <i>Macromolecules</i> , 1993, 26, 3403-3410.	2.2	42
49	Aluminum thiolate complexes of porphyrin as excellent initiators for Lewis acid-assisted high-speed living polymerization of methyl methacrylate. <i>Macromolecules</i> , 1993, 26, 1238-1243.	2.2	51
50	Lewis acid-assisted high speed living anionic polymerization by the aluminum porphyrin-Lewis acid systems. <i>Makromolekulare Chemie Macromolecular Symposia</i> , 1993, 67, 125-135.	0.6	9
51	High-speed living polymerization with a new catalyst system based on metalloporphyrin. <i>Makromolekulare Chemie Macromolecular Symposia</i> , 1992, 64, 151-158.	0.6	6
52	Controlled synthesis of high molecular weight poly(methyl methacrylate) based on Lewis acid-assisted high-speed living polymerization initiated with aluminum porphyrin. <i>Macromolecules</i> , 1992, 25, 2280-2281.	2.2	47
53	Ring-opening polymerizations of lactone and epoxide initiated with aluminum complexes of substituted tetraphenylporphyrins. Molecular design of highly active initiators. <i>Macromolecules</i> , 1990, 23, 2869-2875.	2.2	49
54	Cyclophane porphyrin - I. <i>Tetrahedron Letters</i> , 1976, 17, 4477-4480.	0.7	12