

Jacqueline K. Phillips

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4749877/publications.pdf>

Version: 2024-02-01

100
papers

2,689
citations

201385

27
h-index

205818

48
g-index

101
all docs

101
docs citations

101
times ranked

3106
citing authors

#	ARTICLE	IF	CITATIONS
1	The subfornical organ drives hypertension in polycystic kidney disease via the hypothalamic paraventricular nucleus. <i>Cardiovascular Research</i> , 2022, 118, 1138-1149.	1.8	0
2	Patient Selection for Renal Denervation in Hypertensive Patients: What Makes a Good Candidate?. <i>Vascular Health and Risk Management</i> , 2022, Volume 18, 375-386.	1.0	6
3	Upregulated Angiotensin Ia Receptors in the Hypothalamic Paraventricular Nucleus Sensitize Neuroendocrine Vasopressin Release and Blood Pressure in a Rodent Model of Polycystic Kidney Disease. <i>Neuroendocrinology</i> , 2022, 112, 1200-1213.	1.2	3
4	Augmented Respiratory Sympathetic Coupling and Hemodynamic Response to Acute Mild Hypoxia in Female Rodents With Chronic Kidney Disease. <i>Frontiers in Physiology</i> , 2021, 12, 623599.	1.3	1
5	Relationship between sex and cardiovascular mortality in chronic kidney disease: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2021, 16, e0254554.	1.1	13
6	Renal denervation does not affect hypertension or the renin-angiotensin system in a rodent model of juvenile-onset polycystic kidney disease: clinical implications. <i>Scientific Reports</i> , 2021, 11, 14286.	1.6	6
7	Nephronophthisis-Pathobiology and Molecular Pathogenesis of a Rare Kidney Genetic Disease. <i>Genes</i> , 2021, 12, 1762.	1.0	9
8	Expression of the noradrenaline transporter in the peripheral nervous system. <i>Journal of Chemical Neuroanatomy</i> , 2020, 104, 101742.	1.0	3
9	Decreased neural expression of the noradrenaline transporter in the papillary dermis after partial sciatic nerve lesion. <i>Journal of Chemical Neuroanatomy</i> , 2020, 107, 101806.	1.0	0
10	Amlodipine Improves Vessel Function and Remodeling in the Lewis Polycystic Kidney Rat Mesenteric Artery. <i>American Journal of Hypertension</i> , 2020, 33, 634-643.	1.0	3
11	Neurons in the Intermediate Reticular Nucleus Coordinate Postinspiratory Activity, Swallowing, and Respiratory-Sympathetic Coupling in the Rat. <i>Journal of Neuroscience</i> , 2019, 39, 9757-9766.	1.7	46
12	SAT-331 RENAL DENERVATION DOES NOT REDUCE BLOOD PRESSURE IN A RODENT MODEL OF POLYCYSTIC KIDNEY DISEASE. <i>Kidney International Reports</i> , 2019, 4, S146.	0.4	0
13	Respiratory sympathetic modulation is augmented in chronic kidney disease. <i>Respiratory Physiology and Neurobiology</i> , 2019, 262, 57-66.	0.7	5
14	Untargeted gas chromatography-mass spectrometry-based metabolomics analysis of kidney and liver tissue from the Lewis Polycystic Kidney rat. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1118-1119, 25-32.	1.2	10
15	Increased excitatory regulation of the hypothalamic paraventricular nucleus and circulating vasopressin results in the hypertension observed in polycystic kidney disease. <i>Journal of Hypertension</i> , 2019, 37, 109-115.	0.3	3
16	Impact of prenatal and postnatal maternal environment on nephron endowment, renal function and blood pressure in the Lewis polycystic kidney rat. <i>Journal of Developmental Origins of Health and Disease</i> , 2019, 10, 154-163.	0.7	5
17	AT1 Receptor Antagonism Improves Structural, Functional, and Biomechanical Properties in Resistance Arteries in a Rodent Chronic Kidney Disease Model. <i>American Journal of Hypertension</i> , 2018, 31, 696-705.	1.0	6
18	Identity centrality moderates the relationship between acceptance of group-based stressors and well-being. <i>European Journal of Social Psychology</i> , 2018, 48, 866-882.	1.5	10

#	ARTICLE	IF	CITATIONS
19	Effect of anaesthetic and choice of neuromuscular blocker on vagal control of heart rate under laboratory animal experimental conditions. <i>Laboratory Animals</i> , 2018, 52, 280-291.	0.5	4
20	Cortistatinâ€™ can it or can it not prevent vascular calcification by modulation of Wnt signalling?. <i>Acta Physiologica</i> , 2018, 223, e13089.	1.8	1
21	Osmoregulation in Polycystic Kidney Disease: Relationship with Cystogenesis and Hypertension. <i>Annals of Nutrition and Metabolism</i> , 2018, 72, 33-38.	1.0	5
22	Uraemia: an unrecognized driver of central neurohumoral dysfunction in chronic kidney disease?. <i>Acta Physiologica</i> , 2017, 219, 305-323.	1.8	23
23	Role of renal nerves in normal and pathophysiological conditions. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2017, 204, 1-3.	1.4	1
24	Chronic kidney disease impairs renal nerve and haemodynamic reflex responses to vagal afferent input through a central mechanism. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2017, 204, 65-73.	1.4	4
25	Increased arterial stiffness does not respond to renal denervation in an animal model of secondary hypertension. , 2017, 2017, 258-261.		1
26	Long-Term Angiotensin II Receptor Blockade Limits Hypertension, Aortic Dysfunction, and Structural Remodeling in a Rat Model of Chronic Kidney Disease. <i>Journal of Vascular Research</i> , 2016, 53, 216-229.	0.6	10
27	Progressive vascular remodelling, endothelial dysfunction and stiffness in mesenteric resistance arteries in a rodent model of chronic kidney disease. <i>Vascular Pharmacology</i> , 2016, 81, 42-52.	1.0	9
28	Effects of TORC1 Inhibition during the Early and Established Phases of Polycystic Kidney Disease. <i>PLoS ONE</i> , 2016, 11, e0164193.	1.1	15
29	The effect of losartan on differential reflex control of sympathetic nerve activity in chronic kidney disease. <i>Journal of Hypertension</i> , 2015, 33, 1249-1260.	0.3	23
30	Abnormal central control underlies impaired baroreflex control of heart rate and sympathetic nerve activity in female Lewis polycystic kidney rats. <i>Journal of Hypertension</i> , 2015, 33, 1418-1428.	0.3	20
31	Progression of anemia and its relationship with renal function, blood pressure, and erythropoietin in rats with chronic kidney disease. <i>Veterinary Clinical Pathology</i> , 2015, 44, 342-354.	0.3	9
32	Trait perfectionism strengthens the negative effects of moral stressors occurring in veterinary practice. <i>Australian Veterinary Journal</i> , 2015, 93, 354-360.	0.5	72
33	Abnormalities associated with progressive aortic vascular dysfunction in chronic kidney disease. <i>Frontiers in Physiology</i> , 2015, 6, 150.	1.3	9
34	Direct conscious telemetry recordings demonstrate increased renal sympathetic nerve activity in rats with chronic kidney disease. <i>Frontiers in Physiology</i> , 2015, 6, 218.	1.3	20
35	What Underlies the Prolonged Hypotensive Effect of Catheter-Based Renal Denervation in Humans?. <i>Hypertension</i> , 2015, 65, 276-277.	1.3	1
36	Protective cardiorenal effects of spironolactone in a rodent model of polycystic kidney disease. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2015, 42, 353-360.	0.9	8

#	ARTICLE	IF	CITATIONS
37	Effects of meloxicam and phenylbutazone on renal responses to furosemide, dobutamine, and exercise in horses. <i>American Journal of Veterinary Research</i> , 2014, 75, 668-679.	0.3	11
38	Opposing changes in thoracic and abdominal aortic biomechanical properties in rodent models of vascular calcification and hypertension. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014, 307, H143-H151.	1.5	15
39	Determinants of renal tissue hypoxia in a rat model of polycystic kidney disease. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2014, 307, R1207-R1215.	0.9	31
40	Differential Contribution of Afferent and Central Pathways to the Development of Baroreflex Dysfunction in Chronic Kidney Disease. <i>Hypertension</i> , 2014, 63, 804-810.	1.3	45
41	Up-Regulation of Cutaneous $\hat{1}$ -Adrenoceptors in Complex Regional Pain Syndrome Type I. <i>Pain Medicine</i> , 2014, 15, 1945-1956.	0.9	40
42	Upregulation of $\hat{1}$ -adrenoceptors on cutaneous nerve fibres after partial sciatic nerve ligation and in complex regional pain syndrome type II. <i>Pain</i> , 2014, 155, 606-616.	2.0	50
43	Establishing a clinic for young people in a rural setting: a community initiative to meet the needs of rural adolescents. <i>Australian Journal of Primary Health</i> , 2014, 20, 128.	0.4	6
44	The distinct role of performing euthanasia on depression and suicide in veterinarians.. <i>Journal of Occupational Health Psychology</i> , 2014, 19, 123-132.	2.3	61
45	Sympathetic overactivity prevails over the vascular amplifier phenomena in a chronic kidney disease rat model of hypertension. <i>Physiological Reports</i> , 2014, 2, e12205.	0.7	14
46	Insight into Autonomic Nervous System Control of Heart Rate in the Rat Using Analysis of Heart Rate Variability and Baroreflex Sensitivity. <i>NeuroMethods</i> , 2013, , 203-223.	0.2	7
47	Temporal development of baroreceptor dysfunction in a rodent model of chronic kidney disease. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2013, 40, 458-465.	0.9	18
48	Autonomic Dysfunction in Heart Failure and Renal Disease. <i>Frontiers in Physiology</i> , 2012, 3, 219.	1.3	9
49	271 CARDIAC AUTONOMIC DYSFUNCTION IN CHRONIC KIDNEY DISEASE. <i>Journal of Hypertension</i> , 2012, 30, e82.	0.3	1
50	Functional effects of genetic polymorphism in inflammatory genes in subjective memory complainers. <i>Neurobiology of Aging</i> , 2012, 33, 1054-1056.	1.5	11
51	Usefulness of [18F]-DA and [18F]-DOPA for PET imaging in a mouse model of pheochromocytoma. <i>Nuclear Medicine and Biology</i> , 2012, 39, 215-226.	0.3	13
52	A novel mutation causing nephronophthisis in the Lewis polycystic kidney rat localises to a conserved RCC1 domain in Nek8. <i>BMC Genomics</i> , 2012, 13, 393.	1.2	58
53	Chronic treatment with tempol does not significantly ameliorate renal tissue hypoxia or disease progression in a rodent model of polycystic kidney disease. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2012, 39, 917-929.	0.9	18
54	The influence of spasmolytic agents on heart rate variability and gastrointestinal motility in normal horses. <i>Research in Veterinary Science</i> , 2012, 93, 1426-1433.	0.9	13

#	ARTICLE	IF	CITATIONS
55	Development of a non-targeted metabolomics method to investigate urine in a rat model of polycystic kidney disease. <i>Nephrology</i> , 2012, 17, 104-110.	0.7	19
56	Hand-held Dynamometry Correlation With the Gold Standard Isokinetic Dynamometry: A Systematic Review. <i>PM and R</i> , 2011, 3, 472-479.	0.9	494
57	Changes in cutaneous innervation in patients with chronic pain after burns. <i>Burns</i> , 2011, 37, 631-637.	1.1	44
58	A preliminary investigation of the reinnervation and return of sensory function in burn patients treated with INTEGRA®. <i>Burns</i> , 2011, 37, 1101-1108.	1.1	28
59	Expression of α 1-adrenoceptors on peripheral nociceptive neurons. <i>Neuroscience</i> , 2011, 175, 300-314.	1.1	58
60	Early Cyst Growth Is Associated with the Increased Nuclear Expression of Cyclin D1/Rb Protein in an Autosomal-Recessive Polycystic Kidney Disease Rat Model. <i>Nephron Experimental Nephrology</i> , 2011, 117, e93-e103.	2.4	13
61	Aortic stiffness is associated with vascular calcification and remodeling in a chronic kidney disease rat model. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, F1431-F1436.	1.3	61
62	Angiotensin-converting enzyme inhibitor limits pulse-wave velocity and aortic calcification in a rat model of cystic renal disease. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 301, F959-F966.	1.3	30
63	Control of blood pressure in the absence of sympathetic nerves: Is it all about increased variability?. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010, 37, 8-9.	0.9	3
64	Functional expression of muscarinic and purinoceptors in the urinary bladder of male and female rats and guinea pigs. <i>Journal of Smooth Muscle Research</i> , 2010, 46, 201-215.	0.7	12
65	Systemic Decreases in Cutaneous Innervation after Burn Injury. <i>Journal of Investigative Dermatology</i> , 2010, 130, 1948-1951.	0.3	35
66	Cardiovascular autonomic dysfunction in a novel rodent model of polycystic kidney disease. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2010, 152, 60-66.	1.4	20
67	Alternating frequency to increase the response to stimulation from medium voltage electrical stimulation and the effect on objective meat quality. <i>Meat Science</i> , 2009, 81, 188-195.	2.7	27
68	Immunohistochemical assessment of cyclic guanosine monophosphate (cGMP) and soluble guanylate cyclase (sGC) within the rostral ventrolateral medulla. <i>Journal of Biomedical Science</i> , 2008, 15, 801-812.	2.6	4
69	UNRAVELLING THE PATHOPHYSIOLOGY OF COMPLEX REGIONAL PAIN SYNDROME: FOCUS ON SYMPATHETICALLY MAINTAINED PAIN. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008, 35, 717-724.	0.9	88
70	Heterogeneous distribution of basal cyclic guanosine monophosphate within distinct neuronal populations in the hypothalamic paraventricular nucleus. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008, 295, R1341-R1350.	0.9	5
71	Chromogranin A Expression in Pheochromocytomas Associated with von Hippel-Lindau Syndrome and Multiple Endocrine Neoplasia Type 2. <i>Hormone and Metabolic Research</i> , 2007, 39, 876-883.	0.7	16
72	Neuropeptide Y expression in pheochromocytomas: relative absence in tumours from patients with von Hippel-Lindau syndrome. <i>Journal of Endocrinology</i> , 2007, 193, 225-233.	1.2	14

#	ARTICLE	IF	CITATIONS
73	Temporal Relationship between Renal Cyst Development, Hypertension and Cardiac Hypertrophy in a New Rat Model of Autosomal Recessive Polycystic Kidney Disease. <i>Kidney and Blood Pressure Research</i> , 2007, 30, 129-144.	0.9	77
74	Lack of functional expression of NMDA receptors in PC12 cells. <i>NeuroToxicology</i> , 2007, 28, 876-885.	1.4	40
75	Intrathecal cGMP elicits pressor responses and maintains mean blood pressure during haemorrhage in anaesthetized rats. <i>Journal of Physiology</i> , 2007, 581, 543-552.	1.3	11
76	Differential expression of the NMDA NR2B receptor subunit in motoneuron populations susceptible and resistant to amyotrophic lateral sclerosis. <i>Neuroscience Letters</i> , 2006, 399, 157-161.	1.0	13
77	UPREGULATION OF ANGIOTENSIN AT ₁ RECEPTOR AND INTRACELLULAR KINASE GENE EXPRESSION IN HYPERTENSIVE RATS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2006, 33, 690-695.	0.9	69
78	The nuclear oncoprotein TLX1/HOX11 associates with pericentromeric satellite 2 DNA in leukemic T-cells. <i>Leukemia</i> , 2006, 20, 304-312.	3.3	11
79	The Norepinephrine Transporter and Pheochromocytoma. <i>Annals of the New York Academy of Sciences</i> , 2006, 1073, 263-269.	1.8	12
80	Distinct subpopulations of cyclic guanosine monophosphate (cGMP) and neuronal nitric oxide synthase (nNOS) containing sympathetic preganglionic neurons in spontaneously hypertensive and Wistar-Kyoto rats. <i>Journal of Comparative Neurology</i> , 2006, 497, 566-574.	0.9	10
81	PATHOGENESIS OF HYPERTENSION IN RENAL FAILURE: ROLE OF THE SYMPATHETIC NERVOUS SYSTEM and RENAL AFFERENTS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2005, 32, 415-418.	0.9	40
82	Expression of the noradrenaline transporter and phenylethanolamine N-methyltransferase in normal human adrenal gland and pheochromocytoma. <i>Cell and Tissue Research</i> , 2005, 322, 443-453.	1.5	22
83	Phosphorylated extracellular signal-regulated kinase 1/2 immunoreactivity identifies a novel subpopulation of sympathetic preganglionic neurons. <i>Neuroscience</i> , 2005, 133, 583-590.	1.1	14
84	COMPARATIVE STUDIES OF PC12 AND MOUSE PHEOCHROMOCYTOMA-DERIVED RODENT CELL LINES AS MODELS FOR THE STUDY OF NEUROENDOCRINE SYSTEMS. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2005, 41, 197.	0.7	21
85	Unique levels of expression of N-methyl-d-aspartate receptor subunits and neuronal nitric oxide synthase in the rostral ventrolateral medulla of the spontaneously hypertensive rat. <i>Molecular Brain Research</i> , 2004, 129, 33-43.	2.5	32
86	BK channels, baroreflex sensitivity and genetic markers. <i>Journal of Hypertension</i> , 2002, 20, 825-827.	0.3	0
87	Tyrosine hydroxylase gene expression in ventrolateral medulla oblongata of WKY and SHR: a quantitative real-time polymerase chain reaction study. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2002, 98, 79-84.	1.4	39
88	Effects of vasopressin on isolated rat adrenal chromaffin cells. <i>Regulatory Peptides</i> , 2002, 106, 55-65.	1.9	15
89	Modulation of ACh-induced currents in rat adrenal chromaffin cells by ligands of α_2 adrenergic and imidazoline receptors. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2001, 88, 151-159.	1.4	12
90	Differential expression of the noradrenaline transporter in adrenergic chromaffin cells, ganglion cells and nerve fibres of the rat adrenal medulla. <i>Journal of Chemical Neuroanatomy</i> , 2001, 21, 95-104.	1.0	27

#	ARTICLE	IF	CITATIONS
91	Differential expression of catecholamine biosynthetic enzymes in the rat ventrolateral medulla. <i>Journal of Comparative Neurology</i> , 2001, 432, 20-34.	0.9	83
92	Differential expression of catecholamine synthetic enzymes in the caudal ventral pons. <i>Journal of Comparative Neurology</i> , 2001, 438, 457-467.	0.9	14
93	Heterogeneous control of blood flow amongst different vascular beds. <i>Medicinal Research Reviews</i> , 2001, 21, 1-60.	5.0	159
94	Heterogeneity in mechanisms underlying vasodilatory responses in small arteries of the rat hepatic mesentery. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2000, 83, 159-170.	1.4	16
95	Single-cell RT-PCR as a tool to study gene expression in central and peripheral autonomic neurones. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2000, 86, 1-12.	1.4	41
96	DEVELOPMENT OF PERIPHERAL AUTONOMIC SYNAPSES: NEUROTRANSMITTER RECEPTORS, NEUROEFFECTOR ASSOCIATIONS AND NEURAL INFLUENCES. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1999, 26, 581-590.	0.9	12
97	NEURORECEPTOR mRNA EXPRESSION IN THE RAT MESENTERIC ARTERY DEVELOPS INDEPENDENTLY OF INNERVATION. <i>International Journal of Developmental Neuroscience</i> , 1999, 17, 377-386.	0.7	19
98	Receptors involved in nerve-mediated vasoconstriction in small arteries of the rat hepatic mesentery. <i>British Journal of Pharmacology</i> , 1998, 124, 1403-1412.	2.7	56
99	Variation in mRNA expression of alpha-adrenergic, neurokinin and muscarinic receptors amongst four arteries of the rat. <i>Journal of the Autonomic Nervous System</i> , 1997, 62, 85-93.	1.9	58
100	α-adrenergic, neurokinin and muscarinic receptors in rat mesenteric artery; an mRNA study during postnatal development. <i>Mechanisms of Ageing and Development</i> , 1996, 92, 235-246.	2.2	10