

Hendrik Faber

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4750112/hendrik-faber-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59 papers	3,645 citations	32 h-index	60 g-index
65 ext. papers	4,360 ext. citations	14.4 avg, IF	5.35 L-index

#	Paper	IF	Citations
59	17% Efficient Organic Solar Cells Based on Liquid Exfoliated WS as a Replacement for PEDOT:PSS. <i>Advanced Materials</i> , 2019 , 31, e1902965	24	384
58	Metal oxide semiconductor thin-film transistors for flexible electronics. <i>Applied Physics Reviews</i> , 2016 , 3, 021303	17.3	380
57	Self-Assembled Monolayer Enables Hole Transport Layer-Free Organic Solar Cells with 18% Efficiency and Improved Operational Stability. <i>ACS Energy Letters</i> , 2020 , 5, 2935-2944	20.1	244
56	A Simple n-Dopant Derived from Diquat Boosts the Efficiency of Organic Solar Cells to 18.3%. <i>ACS Energy Letters</i> , 2020 , 5, 3663-3671	20.1	175
55	Copper(I) Thiocyanate (CuSCN) Hole-Transport Layers Processed from Aqueous Precursor Solutions and Their Application in Thin-Film Transistors and Highly Efficient Organic and Organometal Halide Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2017 , 27, 1701818	15.6	159
54	High-efficiency, solution-processed, multilayer phosphorescent organic light-emitting diodes with a copper thiocyanate hole-injection/hole-transport layer. <i>Advanced Materials</i> , 2015 , 27, 93-100	24	146
53	Small Molecule/Polymer Blend Organic Transistors with Hole Mobility Exceeding 13 cm ² V ⁻¹ s ⁻¹ . <i>Advanced Materials</i> , 2016 , 28, 7791-8	24	141
52	High-performance ZnO transistors processed via an aqueous carbon-free metal oxide precursor route at temperatures between 80-180 °C. <i>Advanced Materials</i> , 2013 , 25, 4340-6	24	137
51	High-Efficiency Organic Photovoltaic Cells Based on the Solution-Processable Hole Transporting Interlayer Copper Thiocyanate (CuSCN) as a Replacement for PEDOT:PSS. <i>Advanced Energy Materials</i> , 2015 , 5, 1401529	21.8	115
50	17.1% Efficient Single-Junction Organic Solar Cells Enabled by n-Type Doping of the Bulk-Heterojunction. <i>Advanced Science</i> , 2020 , 7, 1903419	13.6	110
49	High Electron Mobility Thin-Film Transistors Based on Solution-Processed Semiconducting Metal Oxide Heterojunctions and Quasi-Superlattices. <i>Advanced Science</i> , 2015 , 2, 1500058	13.6	107
48	Heterojunction oxide thin-film transistors with unprecedented electron mobility grown from solution. <i>Science Advances</i> , 2017 , 3, e1602640	14.3	101
47	Low-Temperature Solution-Processed Memory Transistors Based on Zinc Oxide Nanoparticles. <i>Advanced Materials</i> , 2009 , 21, 3099-3104	24	101
46	A Novel Alkylated Indacenodithieno[3,2-b]thiophene-Based Polymer for High-Performance Field-Effect Transistors. <i>Advanced Materials</i> , 2016 , 28, 3922-7	24	100
45	Indium oxide thin-film transistors processed at low temperature via ultrasonic spray pyrolysis. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 782-90	9.5	69
44	Modulation-Doped In O /ZnO Heterojunction Transistors Processed from Solution. <i>Advanced Materials</i> , 2017 , 29, 1605837	24	67
43	Impact of oxygen plasma treatment on the device performance of zinc oxide nanoparticle-based thin-film transistors. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 1693-6	9.5	57

42	18.4 % Organic Solar Cells Using a High Ionization Energy Self-Assembled Monolayer as Hole-Extraction Interlayer. <i>ChemSusChem</i> , 2021 , 14, 3569-3578	8.3	54
41	Water stable molecular n-doping produces organic electrochemical transistors with high transconductance and record stability. <i>Nature Communications</i> , 2020 , 11, 3004	17.4	51
40	Addition of the Lewis Acid Zn(C F) Enables Organic Transistors with a Maximum Hole Mobility in Excess of 20 cm V s. <i>Advanced Materials</i> , 2019 , 31, e1900871	24	48
39	Copper thiocyanate: An attractive hole transport/extraction layer for use in organic photovoltaic cells. <i>Applied Physics Letters</i> , 2015 , 107, 013301	3.4	48
38	Liquid phase exfoliation of MoS2 and WS2 in aqueous ammonia and their application in highly efficient organic solar cells. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 5259-5264	7.1	46
37	Stretchable and Transparent Conductive PEDOT:PSS-Based Electrodes for Organic Photovoltaics and Strain Sensors Applications. <i>Advanced Functional Materials</i> , 2020 , 30, 2001251	15.6	46
36	Fully Patterned Low-Voltage Transparent Metal Oxide Transistors Deposited Solely by Chemical Spray Pyrolysis. <i>Advanced Functional Materials</i> , 2013 , 23, 2828-2834	15.6	40
35	Morphological impact of zinc oxide layers on the device performance in thin-film transistors. <i>Nanoscale</i> , 2011 , 3, 897-9	7.7	40
34	High electron mobility thin-film transistors based on Ga2O3 grown by atmospheric ultrasonic spray pyrolysis at low temperatures. <i>Applied Physics Letters</i> , 2014 , 105, 092105	3.4	39
33	Low-temperature spray-deposited indium oxide for flexible thin-film transistors and integrated circuits. <i>Applied Physics Letters</i> , 2015 , 106, 092105	3.4	38
32	Al-Doped ZnO Transistors Processed from Solution at 120 °C. <i>Advanced Electronic Materials</i> , 2016 , 2, 1600070	6.4	37
31	Exploring the Leidenfrost Effect for the Deposition of High-Quality In2O3 Layers via Spray Pyrolysis at Low Temperatures and Their Application in High Electron Mobility Transistors. <i>Advanced Functional Materials</i> , 2017 , 27, 1606407	15.6	35
30	Recent Progress in Photonic Processing of Metal-Oxide Transistors. <i>Advanced Functional Materials</i> , 2020 , 30, 1906022	15.6	33
29	Solution-processed ZnO nanoparticle-based transistors via a room-temperature photochemical conversion process. <i>Applied Physics Letters</i> , 2013 , 102, 193516	3.4	32
28	Influence of self-assembled monolayer dielectrics on the morphology and performance of 6,6'-dihexylquaterthiophene in thin film transistors. <i>Applied Physics Letters</i> , 2011 , 98, 093302	3.4	32
27	Air-Stable n-channel Diketopyrrolopyrrole-Diketopyrrolopyrrole Oligomers for High Performance Ambipolar Organic Transistors. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 25415-27	9.5	32
26	Impact of the Gate Dielectric on Contact Resistance in High-Mobility Organic Transistors. <i>Advanced Electronic Materials</i> , 2019 , 5, 1800723	6.4	31
25	On the Role of Contact Resistance and Electrode Modification in Organic Electrochemical Transistors. <i>Advanced Materials</i> , 2019 , 31, e1902291	24	31

24	Use of the Phen-NaDPO:Sn(SCN) ₂ Blend as Electron Transport Layer Results to Consistent Efficiency Improvements in Organic and Hybrid Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2019 , 29, 1905810	15.6	30
23	Exploring and controlling intrinsic defect formation in SnO ₂ thin films. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 758-765	7.1	30
22	Hybrid organic-metal oxide multilayer channel transistors with high operational stability. <i>Nature Electronics</i> , 2019 , 2, 587-595	28.4	30
21	4H-1,2,6-Thiadiazin-4-one-containing small molecule donors and additive effects on their performance in solution-processed organic solar cells. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 2358-2365	7.1	26
20	A universal solution processed interfacial bilayer enabling ohmic contact in organic and hybrid optoelectronic devices. <i>Energy and Environmental Science</i> , 2020 , 13, 268-276	35.4	26
19	Concept of a thin film memory transistor based on ZnO nanoparticles insulated by a ligand shell. <i>Nanoscale</i> , 2012 , 4, 444-7	7.7	24
18	100 GHz zinc oxide Schottky diodes processed from solution on a wafer scale. <i>Nature Electronics</i> , 2020 , 3, 718-725	28.4	18
17	Ruddlesden-Popper-Phase Hybrid Halide Perovskite/Small-Molecule Organic Blend Memory Transistors. <i>Advanced Materials</i> , 2021 , 33, e2003137	24	17
16	Impact of p-type doping on charge transport in blade-coated small-molecule:polymer blend transistors. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 15368-15376	7.1	14
15	Hybrid Modulation-Doping of Solution-Processed Ultrathin Layers of ZnO Using Molecular Dopants. <i>Advanced Materials</i> , 2016 , 28, 3952-9	24	13
14	Low-Voltage Heterojunction Metal Oxide Transistors via Rapid Photonic Processing. <i>Advanced Electronic Materials</i> , 2020 , 6, 2000028	6.4	12
13	Preparation and soft lithographic printing of nano-sized ITO-dispersions for the manufacture of electrodes for TFTs. <i>Journal of Materials Science</i> , 2009 , 44, 6011-6019	4.3	12
12	Conjugated polymer-porphyrin complexes for organic electronics. <i>ChemPhysChem</i> , 2015 , 16, 1223-30	3.2	10
11	Rapid Photonic Processing of High-Electron-Mobility PbS Colloidal Quantum Dot Transistors. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 31591-31600	9.5	9
10	Colossal Tunneling Electroresistance in Co-Planar Polymer Ferroelectric Tunnel Junctions. <i>Advanced Electronic Materials</i> , 2020 , 6, 1901091	6.4	9
9	A Multilayered Electron Extracting System for Efficient Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2020 , 30, 2004273	15.6	8
8	Electron mobility enhancement in solution-processed low-voltage In ₂ O ₃ transistors via channel interface planarization. <i>AIP Advances</i> , 2018 , 8, 065015	1.5	7
7	A Tri-Channel Oxide Transistor Concept for the Rapid Detection of Biomolecules Including the SARS-CoV-2 Spike Protein. <i>Advanced Materials</i> , 2021 , e2104608	24	6

6	Oligoethylene Glycol Side Chains Increase Charge Generation in Organic Semiconductor Nanoparticles for Enhanced Photocatalytic Hydrogen Evolution. <i>Advanced Materials</i> , 2021 , e2105007	24	6
5	Quantum Confinement and Thickness-Dependent Electron Transport in Solution-Processed In ₂ O ₃ Transistors. <i>Advanced Electronic Materials</i> , 2020 , 6, 2000682	6.4	6
4	Low-Temperature Cross-Linking Benzocyclobutene Based Polymer Dielectric for Organic Thin Film Transistors on Plastic Substrates. <i>Journal of Organic Chemistry</i> , 2020 , 85, 277-283	4.2	5
3	N-Doping improves charge transport and morphology in the organic non-fullerene acceptor O-IDTBR. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 4486-4495	7.1	5
2	A Low-Power CuSCN Hydrogen Sensor Operating Reversibly at Room Temperature. <i>Advanced Functional Materials</i> , 2102635	15.6	4
1	14 GHz Schottky Diodes using a p-Doped Organic Polymer.. <i>Advanced Materials</i> , 2022 , e2108524	24	1