

# Mark M Kabue

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4750257/publications.pdf>

Version: 2024-02-01

35  
papers

649  
citations

687363  
13  
h-index

610901  
24  
g-index

36  
all docs

36  
docs citations

36  
times ranked

900  
citing authors

#	ARTICLE	IF	CITATIONS
1	A qualitative exploration of contraceptive use and discontinuation among women with an unmet need for modern contraception in Kenya. <i>Reproductive Health</i> , 2021, 18, 33.	3.1	24
2	An implementation model for scaling up oral pre-exposure prophylaxis in Kenya: Jilinde project. <i>Gates Open Research</i> , 2021, 5, 113.	1.1	9
3	Assessing quality of family planning counseling and its determinants in Kenya: Analysis of health facility exit interviews. <i>PLoS ONE</i> , 2021, 16, e0256295.	2.5	6
4	Unmet Need for Contraception Among Female Sex Workers Initiating Oral Pre-Exposure Prophylaxis for HIV Prevention During Kenya's National Scale-Up: Results From a Programmatic Surveillance Study. <i>Frontiers in Global Women S Health</i> , 2021, 2, 747784.	2.3	1
5	Simulation-based low-dose, high-frequency plus mobile mentoring versus traditional group-based trainings among health workers on day of birth care in Nigeria; a cluster randomized controlled trial. <i>BMC Health Services Research</i> , 2020, 20, 586.	2.2	10
6	Effect of group versus individual antenatal care on uptake of intermittent prophylactic treatment of malaria in pregnancy and related malaria outcomes in Nigeria and Kenya: analysis of data from a pragmatic cluster randomized trial. <i>Malaria Journal</i> , 2020, 19, 51.	2.3	8
7	Study protocol for Post Pregnancy Family Planning Choices, an operations research study examining the effectiveness of interventions in the public and private sectors in Indonesia and Kenya. <i>Gates Open Research</i> , 2020, 4, 89.	1.1	1
8	Study protocol for Post Pregnancy Family Planning Choices, an operations research study examining the effectiveness of interventions in the public and private sectors in Indonesia and Kenya. <i>Gates Open Research</i> , 2020, 4, 89.	1.1	0
9	Patterns and determinants of modern contraceptive discontinuation among women of reproductive age: Analysis of Kenya Demographic Health Surveys, 2003â€“2014. <i>PLoS ONE</i> , 2020, 15, e0241605.	2.5	22
10	Quality of labour and uncomplicated delivery care: a formative assessment of selected health facilities in Ebonyi and Kogi States, Nigeria. <i>African Journal of Reproductive Health</i> , 2020, 24, 69-81.	1.1	0
11	Protocol for a prospective mixed-methods longitudinal study to evaluate the dynamics of contraceptive use, discontinuation, and switching in Kenya. <i>Reproductive Health</i> , 2019, 16, 134.	3.1	4
12	Impact of group antenatal care (G-ANC) versus individual antenatal care (ANC) on quality of care, ANC attendance and facility-based delivery: A pragmatic cluster-randomized controlled trial in Kenya and Nigeria. <i>PLoS ONE</i> , 2019, 14, e0222177.	2.5	35
13	Strengthening integration of family planning with HIV/AIDS and other services: experience from three Kenyan cities. <i>Reproductive Health</i> , 2019, 16, 62.	3.1	18
14	Long-Acting Reversible Contraception Uptake and Associated Factors among Women of Reproductive Age in Rural Kenya. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1543.	2.6	30
15	Evaluating the effectiveness of a combined approach to improve utilization of adolescent sexual reproductive health services in Kenya: a quasi-experimental design study protocol. <i>Reproductive Health</i> , 2019, 16, 153.	3.1	4
16	Simulation-based low-dose, high-frequency plus mobile mentoring versus traditional group-based training approaches on day of birth care among maternal and newborn healthcare providers in Ebonyi and Kogi States, Nigeria; a randomized controlled trial. <i>BMC Health Services Research</i> , 2018, 18, 630.	2.2	3
17	Group versus individual antenatal and first year postpartum care: Study protocol for a multi-country cluster randomized controlled trial in Kenya and Nigeria. <i>Gates Open Research</i> , 2018, 2, 56.	1.1	11
18	Coaching Community Health Volunteers in Integrated Community Case Management Improves the Care of Sick Children Under-5: Experience from Bondo, Kenya. <i>International Journal of Integrated Care</i> , 2018, 18, 5.	0.2	8

#	ARTICLE	IF	CITATIONS
19	Contraceptive implant removal: service availability and readiness assessments in Uganda and Kenya. <i>Contraception</i> , 2017, 96, 295.	1.5	2
20	Changing Face of Family Planning Funding in Kenya: A Cross-Sectional Survey of Two Urban Counties. <i>African Journal of Reproductive Health</i> , 2017, 21, 24-32.	1.1	3
21	The Tupange Project in Kenya: A Multifaceted Approach to Increasing Use of Long-Acting Reversible Contraceptives. <i>Global Health, Science and Practice</i> , 2016, 4, S44-S59.	1.7	15
22	Feasibility and effectiveness of the baby friendly community initiative in rural Kenya: study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 431.	1.6	15
23	RED for PMTCT: An adaptation of immunization's Reaching Every District approach increases coverage, access, and utilization of PMTCT care in Bondo District, Kenya. <i>International Journal of Gynecology and Obstetrics</i> , 2015, 130, S68-73.	2.3	7
24	Use of laboratory test results in patient management by clinicians in Malawi. <i>African Journal of Laboratory Medicine</i> , 2015, 4, .	0.6	16
25	Risk factors for mortality in Malawian children with human immunodeficiency virus and tuberculosis co-infection. <i>International Journal of Tuberculosis and Lung Disease</i> , 2013, 17, 1389-1395.	1.2	33
26	Clinical characteristics and outcomes of HIV-infected children diagnosed with kaposi sarcoma in malawi and botswana. <i>Pediatric Blood and Cancer</i> , 2013, 60, 1274-1280.	1.5	44
27	Mortality and Clinical Outcomes in HIV-Infected Children on Antiretroviral Therapy in Malawi, Lesotho, and Swaziland. <i>Pediatrics</i> , 2012, 130, e591-e599.	2.1	65
28	Prompt Initiation of ART With Therapeutic Food Is Associated With Improved Outcomes in HIV-Infected Malawian Children With Malnutrition. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 59, 173-176.	2.1	30
29	Inadequate Coordination of Maternal and Infant HIV Services Detrimentially Affects Early Infant Diagnosis Outcomes in Lilongwe, Malawi. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 56, e122-e128.	2.1	83
30	Discontinuation of standard first-line antiretroviral therapy in a cohort of 1434 Malawian children. <i>Journal of the International AIDS Society</i> , 2010, 13, 31-31.	3.0	14
31	Task Shifting Routine Inpatient Pediatric HIV Testing Improves Program Outcomes in Urban Malawi: A Retrospective Observational Study. <i>PLoS ONE</i> , 2010, 5, e9626.	2.5	60
32	Growth in HIV-Infected Children Receiving Antiretroviral Therapy at a Pediatric Infectious Diseases Clinic in Uganda. <i>AIDS Patient Care and STDs</i> , 2008, 22, 245-251.	2.5	56
33	A Paediatric HIV Care and Treatment Programme in Malawi. <i>Malawi Medical Journal</i> , 2008, 20, 19-22.	0.6	5
34	Group versus individual antenatal and first year postpartum care: Study protocol for a multi-country cluster randomized controlled trial in Kenya and Nigeria. <i>Gates Open Research</i> , 0, 2, 56.	1.1	7
35	Using developmental evaluation to implement an oral pre-exposure prophylaxis (PrEP) project in Kenya. <i>Gates Open Research</i> , 0, 4, 158.	1.1	0