Brendan Carvalho

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/4750700/publications.pdf

Version: 2024-02-01

227 papers	8,138 citations	50244 46 h-index	71651 76 g-index
232 all docs	232 docs citations	232 times ranked	4598 citing authors

#	Article	IF	Citations
1	Ampicillin Pharmacokinetics in Peripartum and Laboring Women. American Journal of Perinatology, 2024, 41, 127-133.	0.6	0
2	A randomized trial to investigate needle redirections/re-insertions using a handheld ultrasound device versus traditional palpation for spinal anesthesia in obese women undergoing cesarean delivery. International Journal of Obstetric Anesthesia, 2022, 49, 103229.	0.2	2
3	Proposed domains for assessing postpartum recovery: a concept elicitation study. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 9-20.	1.1	18
4	Limitations of Gravimetric Quantitative Blood Loss during Cesarean Delivery. AJP Reports, 2022, 12, e36-e40.	0.4	2
5	In-Hospital Opioid Consumption After the Previous Cesarean Delivery Weakly Predicts Opioid Consumption After Index Delivery: A Retrospective Cohort Study. Anesthesia and Analgesia, 2022, Publish Ahead of Print, .	1.1	0
6	Patient Preferences for Outcomes Associated With Labor Epidural Analgesia. Cureus, 2022, 14, e22599.	0.2	2
7	Cardiac ultrasonography in obstetrics: a necessary skill for the present and future anesthesiologist. International Journal of Obstetric Anesthesia, 2022, 50, 103545.	0.2	3
8	Accuracy of visual estimation of blood loss in obstetrics using clinical reconstructions: an observational simulation cohort study. International Journal of Obstetric Anesthesia, 2022, 50, 103539.	0.2	2
9	Development and validation of a Portuguese version of Obstetric Quality of Recovery-10 (ObsQoR-10-Portuguese). Anaesthesia, Critical Care & Pain Medicine, 2022, 41, 101085.	0.6	7
10	Assessment of Patient-Reported Outcome Measures for Maternal Postpartum Depression Using the Consensus-Based Standards for the Selection of Health Measurement Instruments Guideline. JAMA Network Open, 2022, 5, e2214885.	2.8	15
11	Quadratus lumborum block vs. transversus abdominis plane block for caesarean delivery: a systematic review and network metaâ€analysis‹sup›*‹/sup›. Anaesthesia, 2021, 76, 393-403.	1.8	57
12	Spinal prilocaine for caesarean section: walking a fine line. Anaesthesia, 2021, 76, 740-742.	1.8	5
13	Comment on the editorial relating to: Transversus abdominis plane block compared with wound infiltration for postoperative analgesia following Cesarean delivery: a systematic review and network meta-analysis. Canadian Journal of Anaesthesia, 2021, 68, 581-582.	0.7	1
14	Superficial Cervical Plexus Block for Awake Large-Bore Central Line Placement in Parturients: A Case Series. A&A Practice, 2021, 15, e01429.	0.2	2
15	Society for Obstetric Anesthesia and Perinatology: Consensus Statement and Recommendations for Enhanced Recovery After Cesarean. Anesthesia and Analgesia, 2021, 132, 1362-1377.	1.1	133
16	Use of Patient-Reported Outcome Measures to Assess Outpatient Postpartum Recovery. JAMA Network Open, 2021, 4, e2111600.	2.8	30
17	Integrated trajectories of the maternal metabolome, proteome, and immunome predict labor onset. Science Translational Medicine, 2021, 13, .	5.8	82
18	Pain after vaginal delivery and during breastfeeding: underexplored and underappreciated. International Journal of Obstetric Anesthesia, 2021, 46, 102969.	0.2	0

#	Article	IF	Citations
19	Acute Pain Burden and Opioid Dose Requirements after Cesarean Delivery in Parturients with Preexisting Chronic Back Pain and Migraine. Anesthesiology Research and Practice, 2021, 2021, 1-6.	0.2	0
20	A systematic review of patient-reported outcome measures to assess postpartum pain using Consensus Based Standards for the Selection of Health Measurement Instruments (COSMIN) guidelines. British Journal of Anaesthesia, 2021, 127, 264-274.	1.5	23
21	An observational pilot study of a novel loss of resistance syringe for locating the epidural space. International Journal of Obstetric Anesthesia, 2021, 47, 102984.	0.2	3
22	Estimating Obstetric Anaesthesia Workload: Number of Deliveries Compared to Time-Based Workload. Turkish Journal of Anaesthesiology and Reanimation, 2021, 49, 292-297.	0.2	2
23	A Peripheral Immune Signature of Labor Induction. Frontiers in Immunology, 2021, 12, 725989.	2.2	9
24	Intravenous oxytocin dosing regimens for postpartum hemorrhage prevention following cesarean delivery: a systematic review and meta-analysis. American Journal of Obstetrics and Gynecology, 2021, 225, 250.e1-250.e38.	0.7	16
25	Impact of enhanced recovery after cesarean delivery on maternal outcomes: A systematic review and meta-analysis. Anaesthesia, Critical Care & Pain Medicine, 2021, 40, 100935.	0.6	22
26	Evidence-based guidance for use of intrathecal morphine as an alternative to diamorphine for Caesarean delivery analgesia. British Journal of Anaesthesia, 2021, 127, 501-505.	1.5	7
27	Regional anaesthesia for labour, operative vaginal delivery and caesarean delivery: a narrative review. Anaesthesia, 2021, 76, 136-147.	1.8	19
28	Regional Anesthesia for Labor, Operative Vaginal Delivery and Cesarean Delivery: A Narrative Review. Obstetric Anesthesia Digest, 2021, 41, 164-165.	0.0	0
29	The Generalizability of Patientsâ€™ Preferences and Concerns regarding Anesthesia Care for Cesarean Delivery: A Prospective Survey. Anesthesiology Research and Practice, 2021, 2021, 1-10.	0.2	1
30	Impact of intra-operative dexamethasone after scheduled cesarean delivery: a retrospective study. International Journal of Obstetric Anesthesia, 2020, 41, 39-46.	0.2	3
31	Ocular sonography in pre-eclampsia: a simple technique to detect raised intracranial pressure?. International Journal of Obstetric Anesthesia, 2020, 41, 1-6.	0.2	4
32	Evaluation of the impact of enhanced recovery after surgery protocol implementation on maternal outcomes following elective cesarean delivery. International Journal of Obstetric Anesthesia, 2020, 43, 39-46.	0.2	44
33	Electrical stimulation test for epidural catheter placement after receiving intrathecal local anesthetic during a combined spinal-epidural technique for Cesarean delivery: confirmation of the spinal nerve root as epidural site of action. Canadian Journal of Anaesthesia, 2020, 67, 498-499.	0.7	1
34	Prevention of hypotension after spinal anaesthesia for caesarean section: a systematic review and network metaâ€analysis of randomised controlled trials. Anaesthesia, 2020, 75, 109-121.	1.8	74
35	Virtual reality successfully provides anxiolysis to laboring women undergoing epidural placement. Journal of Clinical Anesthesia, 2020, 61, 109635.	0.7	3
36	Prospective observational investigation of body habitus measurements and relationship to epidural depth in term pregnant women. Acta Anaesthesiologica Scandinavica, 2020, 64, 677-684.	0.7	1

#	Article	IF	Citations
37	Conversion of labour epidural analgesia to surgical anaesthesia for emergency intrapartum Caesarean section. BJA Education, 2020, 20, 26-31.	0.6	8
38	Obstetric Anaesthetistsâ€™ Association/National Perinatal Epidemiology Unit collaborative project to develop key indicators for quality of care in obstetric anaesthesia: first steps in the right direction. Anaesthesia, 2020, 75, 573-575.	1.8	2
39	Transversus abdominis plane block compared with wound infiltration for postoperative analgesia following Cesarean delivery: a systematic review and network meta-analysis. Canadian Journal of Anaesthesia, 2020, 67, 1710-1727.	0.7	28
40	Re: Association between opioid use after intrapartum cesarean delivery and repeat cesarean delivery: a retrospective cohort study. International Journal of Obstetric Anesthesia, 2020, 43, 30.	0.2	0
41	Reply to: Re: enhanced recovery for cesarean section: beyond pain control. International Journal of Obstetric Anesthesia, 2020, 44, 52.	0.2	0
42	Transversus Abdominis Plane Block With Liposomal Bupivacaine for Pain After Cesarean Delivery in a Multicenter, Randomized, Double-Blind, Controlled Trial. Anesthesia and Analgesia, 2020, 131, 1830-1839.	1.1	48
43	Evaluation of inpatient postpartum recovery using the Obstetric Quality of Recovery-10 patient-reported outcome measure: a single-center observational study. American Journal of Obstetrics & Gynecology MFM, 2020, 2, 100202.	1.3	35
44	Evaluation of Domains of Patient-Reported Outcome Measures for Recovery After Childbirth. JAMA Network Open, 2020, 3, e205540.	2.8	35
45	Pain management during labor and vaginal birth. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2020, 67, 100-112.	1.4	57
46	Enhanced recovery after surgery for cesarean delivery. Current Opinion in Obstetrics and Gynecology, 2020, 32, 113-120.	0.9	18
47	Enhanced recovery after caesarean delivery versus standard care studies: a systematic review of interventions and outcomes. International Journal of Obstetric Anesthesia, 2020, 43, 72-86.	0.2	39
48	Comparison of spontaneous versus operative vaginal delivery using Obstetric Quality of Recovery-10 (ObsQoR-10): An observational cohort study. Journal of Clinical Anesthesia, 2020, 63, 109781.	0.7	38
49	Hemodynamic profiles with and without left uterine displacement: A randomized study in term pregnancies receiving subarachnoid blockade for cesarean delivery. Journal of Clinical Anesthesia, 2020, 64, 109796.	0.7	4
50	Confounders Not General Anesthesia Likely Explain Greater Postpartum Depression. Anesthesia and Analgesia, 2020, 131, e248-e250.	1.1	3
51	Antibiotic Prophylaxis for Cesarean Delivery: A Survey of Anesthesiologists. Anesthesiology Research and Practice, 2020, 2020, 1-5.	0.2	1
52	Administration of Neuraxial Anesthesia in Adults with Pre-Existing Bleeding Disorders and Tendencies: Methodology for Delphi Consensus Recommendations. Blood, 2020, 136, 29-29.	0.6	0
53	Assessing the Association Between Blood Loss and Postoperative Hemoglobin After Cesarean Delivery. Anesthesia and Analgesia, 2019, 128, 926-932.	1.1	19
54	Development and evaluation of an obstetric quality-of-recovery score (ObsQoR-11) after elective Caesarean delivery. British Journal of Anaesthesia, 2019, 122, 69-78.	1.5	79

#	Article	IF	Citations
55	Evaluation of patientâ€reported outcome measures of functional recovery following caesarean section: a systematic review using the consensusâ€based standards for the selection of health measurement instruments (COSMIN) checklist. Anaesthesia, 2019, 74, 1439-1455.	1.8	40
56	Labor Epidural Analgesia to Cesarean Section Anesthetic Conversion Failure: A National Survey. Anesthesiology Research and Practice, 2019, 2019, 1-7.	0.2	11
57	International consensus statement on the use of uterotonic agents during caesarean section. Anaesthesia, 2019, 74, 1305-1319.	1.8	87
58	Pain relief during labour. Lancet, The, 2019, 394, e12.	6.3	0
59	Determinants of women's dissatisfaction with anaesthesia care in labour and delivery. Anaesthesia, 2019, 74, 1112-1120.	1.8	27
60	The comparative accuracy of a handheld and console ultrasound device for neuraxial depth and landmark assessment. International Journal of Obstetric Anesthesia, 2019, 39, 68-73.	0.2	14
61	Differential Dynamics of the Maternal Immune System in Healthy Pregnancy and Preeclampsia. Frontiers in Immunology, 2019, 10, 1305.	2.2	65
62	Alternative Magnesium Sulfate Dosing Regimens for Women With Preeclampsia: A Population Pharmacokinetic Exposureâ€Response Modeling and Simulation Study. Journal of Clinical Pharmacology, 2019, 59, 1519-1526.	1.0	7
63	Personalized analgesic management for cesarean delivery. International Journal of Obstetric Anesthesia, 2019, 40, 91-100.	0.2	10
64	Impact of patient choice for different postcesarean delivery analgesic protocols on opioid consumption: a randomized prospective clinical trial. Regional Anesthesia and Pain Medicine, 2019, 44, 578-585.	1.1	17
65	Prospective Observational Investigation of Capnography and Pulse Oximetry Monitoring After Cesarean Delivery With Intrathecal Morphine. Anesthesia and Analgesia, 2019, 128, 513-522.	1.1	12
66	Evaluation of the Obstetric Quality-of-Recovery score (ObsQoR-11) following non-elective caesarean delivery. International Journal of Obstetric Anesthesia, 2019, 39, 51-59.	0.2	40
67	In vitro intravenous fluid co-load rates with and without an intravenous fluid warming device. International Journal of Obstetric Anesthesia, 2019, 38, 149-150.	0.2	0
68	Evaluation of Opioid Use With Split Doses of Oral Opioids in a Postcesarean Delivery Analgesia Order Set. Obstetrics and Gynecology, 2019, 134, 120-127.	1.2	14
69	Centers of Excellence for Anesthesia Care of Obstetric Patients. Anesthesia and Analgesia, 2019, 128, 844-846.	1.1	26
70	Society for Obstetric Anesthesia and Perinatology Consensus Statement: Monitoring Recommendations for Prevention and Detection of Respiratory Depression Associated With Administration of Neuraxial Morphine for Cesarean Delivery Analgesia. Anesthesia and Analgesia, 2019, 129, 458-474.	1.1	69
71	Population Pharmacokinetic Modeling to Evaluate Standard Magnesium Sulfate Treatments and Alternative Dosing Regimens for Women With Preeclampsia. Journal of Clinical Pharmacology, 2019, 59, 374-385.	1.0	11
72	Supraglottic Airway Rescue After Failed Fiberoptic Intubation in a Patient With Osteogenesis Imperfecta: A Case Report. A&A Practice, 2019, 13, 7-9.	0.2	4

#	Article	IF	Citations
73	Transnasal Humidified Rapid-Insufflation Ventilatory Exchange for Elective Laryngeal Surgery During Pregnancy: A Case Report. A&A Practice, 2019, 13, 426-429.	0.2	1
74	Intra-aortic balloon pump for cesarean hysterectomy and massive hemorrhage in a parturient with placenta accreta and pulmonary embolus. Journal of Medical Ultrasound, 2019, 27, 104.	0.2	1
75	The Crystalloid Co-Load: Clinically as Effective as Colloid Preload for Preventing Hypotension from Spinal Anaesthesia for Caesarean Delivery. Turkish Journal of Anaesthesiology and Reanimation, 2019, 47, 35-40.	0.8	2
76	Preoperative Fasting Times for Patients Undergoing Caesarean Delivery: Before and After a Patient Educational Initiative. Turkish Journal of Anaesthesiology and Reanimation, 2019, 47, 282-286.	0.2	4
77	Observational Study Using Ultrasound to Assess Midline Labor Epidural Analgesia Placement and Analgesic Efficacy. Journal of Ultrasound in Medicine, 2018, 37, 1693-1699.	0.8	2
78	Does the addition of active body warming to in-line intravenous fluid warming prevent maternal hypothermia during elective caesarean section? A randomised controlled trial. International Journal of Obstetric Anesthesia, 2018, 35, 115-116.	0.2	1
79	High-dose versus low-dose local anaesthetic for transversus abdominis plane block post-Caesarean delivery analgesia: a meta-analysis. British Journal of Anaesthesia, 2018, 120, 252-263.	1.5	49
80	Left Uterine Tilt for Cesarean Delivery Significantly Improves Maternal Hemodynamics and Should Not Be Considered Outdated Dogma. Anesthesiology, 2018, 128, 858-859.	1.3	5
81	The Effect of Glycopyrrolate on the Incidence of Hypotension and Vasopressor Requirement During Spinal Anesthesia for Cesarean Delivery: A Meta-analysis. Anesthesia and Analgesia, 2018, 126, 552-558.	1.1	11
82	International consensus statement on the management of hypotension with vasopressors during caesarean section under spinal anaesthesia. Anaesthesia, 2018, 73, 71-92.	1.8	335
83	The Accuracy of a Handheld Ultrasound Device for Neuraxial Depth and Landmark Assessment: A Prospective Cohort Trial. Anesthesia and Analgesia, 2018, 126, 1995-1998.	1.1	28
84	Preoperative anterior thigh temperature does not correlate with perioperative temporal hypothermia during cesarean delivery with spinal anesthesia: Secondary analysis of a randomized control trial. International Journal of Obstetric Anesthesia, 2018, 33, 40-45.	0.2	4
85	The Society for Obstetric Anesthesia and Perinatology Consensus Statement on the Anesthetic Management of Pregnant and Postpartum Women Receiving Thromboprophylaxis or Higher Dose Anticoagulants. Anesthesia and Analgesia, 2018, 126, 928-944.	1.1	162
86	International Consensus Statement on the Management of Hypotension With Vasopressors During Caesarean Section Under Spinal Anaesthesia. Obstetric Anesthesia Digest, 2018, 38, 171-172.	0.0	8
87	A Systematic Review Evaluating Neuraxial Morphine and Diamorphine-Associated Respiratory Depression After Cesarean Delivery. Anesthesia and Analgesia, 2018, 127, 1385-1395.	1.1	39
88	Correlation of changes in hemodynamic response as measured by cerebral optical spectrometry with subjective pain ratings in volunteers and patients: a prospective cohort study. Journal of Pain Research, 2018, Volume 11, 1991-1998.	0.8	2
89	A Systematic Review of Postoperative Pain Outcome Measurements Utilised in Regional Anesthesia Randomized Controlled Trials. Anesthesiology Research and Practice, 2018, 2018, 1-13.	0.2	7
90	Prediction of outliers in pain, analgesia requirement, and recovery of function after childbirth: a prospective observational cohort study. British Journal of Anaesthesia, 2018, 121, 417-426.	1.5	22

#	Article	IF	Citations
91	Modern techniques to optimize neuraxial labor analgesia. Anesthesia and Pain Medicine, 2018, 13, 233-240.	0.5	4
92	In reply. International Journal of Obstetric Anesthesia, 2017, 30, 76.	0.2	0
93	Postcesarean delivery analgesia. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2017, 31, 69-79.	1.7	102
94	Effect of a High-Rate Versus a Low-Rate Oxytocin Infusion for Maintaining Uterine Contractility During Elective Cesarean Delivery. Anesthesia and Analgesia, 2017, 124, 857-862.	1.1	28
95	Essentials of Our Current Understanding. Regional Anesthesia and Pain Medicine, 2017, 42, 133-183.	1.1	298
96	Nitrous oxide for labor analgesia: Utilization and predictors of conversion to neuraxial analgesia. Journal of Clinical Anesthesia, 2017, 40, 40-45.	0.7	24
97	Patient choice compared with no choice of intrathecal morphine dose for caesarean analgesia: a randomized clinical trial. British Journal of Anaesthesia, 2017, 118, 762-771.	1.5	22
98	A Perspective on Hypercapnia Events After Cesarean Delivery in Women Receiving Intrathecal Morphine. Anesthesia and Analgesia, 2017, 125, 355-356.	1.1	0
99	Neuraxial Anesthesia in Obstetric Patients Receiving Thromboprophylaxis With Unfractionated or Low-Molecular-Weight Heparin: A Systematic Review of Spinal Epidural Hematoma. Anesthesia and Analgesia, 2017, 125, 223-231.	1.1	42
100	Optimization of Maternal Magnesium Sulfate Administration for Fetal Neuroprotection: Application of a Prospectively Constructed Pharmacokinetic Model to the BEAM Cohort. Journal of Clinical Pharmacology, 2017, 57, 1419-1424.	1.0	14
101	Analysis of Physiological Respiratory Variable Alarm Alerts Among Laboring Women Receiving Remifentanil. Anesthesia and Analgesia, 2017, 124, 1211-1218.	1.1	26
102	Whatâ€™s trending now? An analysis of trends in internet searches for labor epidurals. International Journal of Obstetric Anesthesia, 2017, 30, 52-57.	0.2	12
103	Optimal administration of cefazolin prophylaxis for cesarean delivery. Journal of Perinatology, 2017, 37, 16-20.	0.9	5
104	Optimal Pain Management After Cesarean Delivery. Anesthesiology Clinics, 2017, 35, 107-124.	0.6	121
105	Postpartum hemorrhage following vaginal delivery: risk factors and maternal outcomes. Journal of Perinatology, 2017, 37, 243-248.	0.9	10
106	Recovery after Nulliparous Birth. Anesthesiology, 2017, 127, 684-694.	1.3	47
107	Rectus Muscle Reapproximation at Cesarean Delivery and Postoperative Pain: A Randomized Controlled Trial. The Surgery Journal, 2017, 03, e128-e133.	0.3	9
108	Comparative Effectiveness of Lower Leg Compression Devices Versus Sequential Compression Devices to Prevent Postspinal Hypotension During Cesarean Delivery. Anesthesia and Analgesia, 2017, 124, 696-697.	1.1	6

#	Article	IF	Citations
109	Correspondence. International Journal of Obstetric Anesthesia, 2017, 32, 93-94.	0.2	0
110	General anaesthesia for caesarean section: is the end in sight for thiopental?. British Journal of Hospital Medicine (London, England: 2005), 2017, 78, 358-358.	0.2	1
111	Intrathecal Migration of an Epidural Catheter While Using a Programmed Intermittent Epidural Bolus Technique for Labor Analgesia Maintenance. A & A Case Reports, 2017, 9, 357-359.	0.7	5
112	Optimising triggers for patient-assisted remifentanil analgesia during labour. Anaesthesia, 2017, 72, 1155-1156.	1.8	4
113	Not Too Little, Not Too Much. Anesthesiology, 2017, 127, 596-598.	1.3	1
114	Comparative Echogenicity of an Epidural Catheter and 2 New Catheters Designed for Ultrasoundâ€Guided Continuous Peripheral Nerve Blocks. Journal of Ultrasound in Medicine, 2017, 36, 2571-2576.	0.8	1
115	Clinical and microbiological features of maternal sepsis: a retrospective study. International Journal of Obstetric Anesthesia, 2017, 29, 26-33.	0.2	12
116	Ambient operating room temperature: mother, baby or surgeon?. British Journal of Anaesthesia, 2017, 119, 839.	1.5	7
117	Programmed Intermittent Epidural Boluses (PIEB) for Maintenance of Labor Analgesia: An Incremental Step Before the Next Paradigm Shift?. Turkish Journal of Anaesthesiology and Reanimation, 2017, 45, 73-75.	0.8	2
118	Programmed Intermittent Epidural Boluses (PIEB) for Maintenance of Labor Analgesia: A Superior Technique to Continuous Epidural Infusion?. Turkish Journal of Anaesthesiology and Reanimation, 2017, 45, 65-66.	0.8	9
119	Postpartum tubal ligation: A retrospective review of anesthetic management at a single institution and a practice survey of academic institutions. Journal of Clinical Anesthesia, 2017, 43, 39-46.	0.7	4
120	A Prospective Cohort Study Evaluating the Ability of Anticipated Pain, Perceived Analgesic Needs, and Psychological Traits to Predict Pain and Analgesic Usage following Cesarean Delivery. Anesthesiology Research and Practice, 2016, 2016, 1-8.	0.2	18
121	Pharmacokinetics and Pharmacodynamics of Drugs Commonly Used in Pregnancy and Parturition. Anesthesia and Analgesia, 2016, 122, 786-804.	1.1	59
122	The Effect of Intrathecal Morphine Dose on Outcomes After Elective Cesarean Delivery: A Meta-Analysis. Anesthesia and Analgesia, 2016, 123, 154-164.	1.1	119
123	Active Warming Utilizing Combined IV Fluid and Forced-Air Warming Decreases Hypothermia and Improves Maternal Comfort During Cesarean Delivery: A Randomized Control Trial. Anesthesia and Analgesia, 2016, 122, 1490-1497.	1.1	81
124	Implementation of Programmed Intermittent Epidural Bolus for the Maintenance of Labor Analgesia. Anesthesia and Analgesia, 2016, 123, 965-971.	1.1	72
125	In reply. International Journal of Obstetric Anesthesia, 2016, 27, 90.	0.2	1
126	Challenging the 4- to 5-minute rule: from perimortem cesareanÂto resuscitative hysterotomy. American Journal of Obstetrics and Gynecology, 2016, 215, 129-131.	0.7	31

#	Article	IF	Citations
127	The impact of postpartum hemoglobin levels on maternal quality of life after delivery: a prospective exploratory study. Annals of Hematology, 2016, 95, 2049-2055.	0.8	17
128	In reply. International Journal of Obstetric Anesthesia, 2016, 28, 96.	0.2	0
129	Survey of external cephalic version for breech presentation and neuraxial blockade use. Journal of Clinical Anesthesia, 2016, 34, 616-622.	0.7	3
130	In reply. International Journal of Obstetric Anesthesia, 2016, 27, 92-93.	0.2	0
131	Mapping the Fetomaternal Peripheral Immune System at Term Pregnancy. Journal of Immunology, 2016, 197, 4482-4492.	0.4	34
132	Moving Beyond the 0â€"10 Scale for Labor Pain Measurement. Anesthesia and Analgesia, 2016, 123, 1351-1353.	1.1	13
133	Amniotic fluid embolism. Current Opinion in Anaesthesiology, 2016, 29, 288-296.	0.9	52
134	Programmed intermittent epidural boluses for maintenance of labor analgesia: an impact study. International Journal of Obstetric Anesthesia, 2016, 26, 32-38.	0.2	52
135	Pharmacokinetics and placental transfer of magnesium sulfate in pregnant women. American Journal of Obstetrics and Gynecology, 2016, 214, 737.e1-737.e9.	0.7	34
136	Remifentanil for labor analgesia: an evidence-based narrative review. International Journal of Obstetric Anesthesia, 2016, 25, 66-74.	0.2	69
137	Checklists and multidisciplinary team performance during simulated obstetric hemorrhage. International Journal of Obstetric Anesthesia, 2016, 25, 9-16.	0.2	31
138	Norepinephrine for Spinal Hypotension during Cesarean Delivery. Anesthesiology, 2015, 122, 728-730.	1.3	43
139	Survey of Accepted Practice following Failed Intubation for Emergency Caesarean Delivery. Anesthesiology Research and Practice, 2015, 2015, 1-7.	0.2	2
140	Second-line uterotonics and the risk of hemorrhage-related morbidity. American Journal of Obstetrics and Gynecology, 2015, 212, 642.e1-642.e7.	0.7	38
141	The impact of breastfeeding on postpartum pain after vaginal and cesarean delivery. Journal of Clinical Anesthesia, 2015, 27, 33-38.	0.7	18
142	Methylnaltrexone to prevent intrathecal morphine-induced pruritus after Caesarean delivery: a multicentre, randomized clinical trial. British Journal of Anaesthesia, 2015, 114, 469-476.	1.5	15
143	Scheduled acetaminophen with as-needed opioids compared to as-needed acetaminophen plus opioids for post-cesarean pain management. International Journal of Obstetric Anesthesia, 2015, 24, 210-216.	0.2	85
144	Cardiac Arrest in Pregnancy. Circulation, 2015, 132, 1747-1773.	1.6	290

#	Article	IF	Citations
145	The Effect of patient warming during Caesarean delivery on maternal and neonatal outcomes: a meta-analysis. British Journal of Anaesthesia, 2015, 115, 500-510.	1.5	84
146	Utilization of spinal anesthesia for external cephalic version: a clinical practice cohort analysis. International Journal of Obstetric Anesthesia, 2015, 24, 389-390.	0.2	0
147	Preventing spinal hypotension during Caesarean delivery: what is the latest?. British Journal of Anaesthesia, 2015, 114, 183-186.	1.5	48
148	Drug labeling in the practice of obstetric anesthesia. American Journal of Obstetrics and Gynecology, 2015, 212, 24-27.	0.7	12
149	Magnesium sulfate exposure and neonatal intensive care unit admission at term. Journal of Perinatology, 2015, 35, 181-185.	0.9	8
150	Prospective longitudinal cohort questionnaire assessment of labouring women's preference both pre- and post-delivery for either reduced pain intensity for a longer duration or greater pain intensity for a shorter duration. British Journal of Anaesthesia, 2014, 113, 468-473.	1.5	16
151	Strategies to Optimize Pain Control Following Cesarean Delivery. Refresher Courses in Anesthesiology, 2014, 42, 23-30.	0.1	0
152	â€œPseudoâ€•Shearing of a Peripheral Nerve Catheter After Interscalene Block. Regional Anesthesia and Pain Medicine, 2014, 39, 556-557.	1.1	1
153	A Prospective Observational Study Evaluating the Ability of Prelabor Psychological Tests to Predict Labor Pain, Epidural Analgesic Consumption, and Maternal Satisfaction. Anesthesia and Analgesia, 2014, 119, 632-640.	1.1	29
154	Preferred spoken language mediates differences in neuraxial labor analgesia utilization among racial and ethnic groups. International Journal of Obstetric Anesthesia, 2014, 23, 161-167.	0.2	17
155	In Reply:. Journal of Hand Surgery, 2014, 39, 1888-1889.	0.7	0
156	Risk factors for obstetric morbidity in patients with uterine atony undergoing Caesarean delivery â€. British Journal of Anaesthesia, 2014, 113, 661-668.	1.5	34
157	Pharmacokinetics of Prophylactic Cefazolin in Parturients Undergoing Cesarean Delivery. Antimicrobial Agents and Chemotherapy, 2014, 58, 3504-3513.	1.4	37
158	The dilemma of vaginal breech delivery worldwide. Lancet, The, 2014, 384, 1183.	6.3	1
159	Incidence of Failure of Continuous Peripheral Nerve Catheters for Postoperative Analgesia inÂUpper Extremity Surgery. Journal of Hand Surgery, 2014, 39, 324-329.	0.7	54
160	Evaluation of a prospectively administered written questionnaire to reduce the incidence of suspected latex anaphylaxis during elective cesarean delivery. International Journal of Obstetric Anesthesia, 2014, 23, 335-340.	0.2	5
161	In Response. Anesthesia and Analgesia, 2014, 118, 884-885.	1.1	0
162	The Society for Obstetric Anesthesia and Perinatology Consensus Statement on the Management of Cardiac Arrest in Pregnancy. Anesthesia and Analgesia, 2014, 118, 1003-1016.	1.1	150

#	Article	IF	Citations
163	Transversus abdominis plane blocks for rescue analgesia following Cesarean delivery: a case series. Canadian Journal of Anaesthesia, 2013, 60, 299-303.	0.7	29
164	The effect of low concentrations versus high concentrations of local anesthetics for labour analgesia on obstetric and anesthetic outcomes: a meta-analysis. Canadian Journal of Anaesthesia, 2013, 60, 840-854.	0.7	107
165	Postoperative Subcutaneous Instillation of Low-Dose Ketorolac But Not Hydromorphone Reduces Wound Exudate Concentrations of Interleukin-6 and Interleukin-10 and Improves Analgesia Following Cesarean Delivery. Journal of Pain, 2013, 14, 48-56.	0.7	25
166	Intrathecal morphine 100 and 200Î¼g for post-cesarean delivery analgesia: a trade-off between analgesic efficacy and side effects. International Journal of Obstetric Anesthesia, 2013, 22, 36-41.	0.2	46
167	Measuring the labor pain experience: delivery still far off. International Journal of Obstetric Anesthesia, 2013, 22, 6-9.	0.2	24
168	Peripartum outcomes and anaesthetic management of parturients with moderate to complex congenital heart disease or pulmonary hypertension*. Anaesthesia, 2013, 68, 52-59.	1.8	25
169	Evaluation of experimental pain tests to predict labour pain and epidural analgesic consumption. British Journal of Anaesthesia, 2013, 110, 600-606.	1.5	15
170	Response times for emergency cesarean delivery: use of simulation drills to assess and improve obstetric team performance. Journal of Perinatology, 2013, 33, 259-263.	0.9	38
171	Transport Decreases the Quality of Cardiopulmonary Resuscitation During Simulated Maternal Cardiac Arrest. Anesthesia and Analgesia, 2013, 116, 162-167.	1.1	44
172	A Cost Analysis of Neuraxial Anesthesia to Facilitate External Cephalic Version for Breech Fetal Presentation. Anesthesia and Analgesia, 2013, 117, 155-159.	1.1	18
173	The Effect of OPRM1 and COMT Genotypes on the Analgesic Response to Intravenous Fentanyl Labor Analgesia. Anesthesia and Analgesia, 2013, 116, 386-391.	1.1	35
174	Non-invasive haemoglobin measurement in patients undergoing elective Caesarean section. British Journal of Anaesthesia, 2012, 108, 271-277.	1.5	74
175	Collecting And Measuring Wound Exudate Biochemical Mediators In Surgical Wounds. Journal of Visualized Experiments, 2012, , .	0.2	5
176	Prior Epidural Lidocaine Alters the Pharmacokinetics and Drug Effects of Extended-Release Epidural Morphine (DepoDurâ„¢) After Cesarean Delivery. Survey of Anesthesiology, 2012, 56, 298-299.	0.1	0
177	Failed epidural top-up for cesarean delivery for failure to progress in labor: the case against single-shot spinal anesthesia. International Journal of Obstetric Anesthesia, 2012, 21, 357-359.	0.2	22
178	Intrathecal fentanyl added to bupivacaine and morphine for cesarean delivery may induce a subtle acute opioid tolerance. International Journal of Obstetric Anesthesia, 2012, 21, 29-34.	0.2	25
179	Can We Predict Postoperative Pain Prior to Patientsâ€™ Undergoing Surgery?. Journal of Pain & Relief, 2012, 01, .	0.1	6
180	Does intrathecal analgesia reduce the subsequent minimum local analgesic concentration of epidural bupivacaine?. Anaesthesia, 2012, 67, 1054-1055.	1.8	0

#	Article	IF	Citations
181	Neuraxial Morphine and Respiratory Depression. Drugs, 2011, 71, 1807-1819.	4.9	116
182	Neuraxial blockade for external cephalic version: a systematic review. International Journal of Obstetric Anesthesia, 2011, 20, 299-306.	0.2	197
183	ED50and ED95of Intrathecal Bupivacaine in Morbidly Obese Patients Undergoing Cesarean Delivery. Anesthesiology, 2011, 114, 529-535.	1.3	86
184	Labor Room Setting Compared With the Operating Room for Simulated Perimortem Cesarean Delivery. Obstetrics and Gynecology, 2011, 118, 1090-1094.	1.2	39
185	Prior Epidural Lidocaine Alters the Pharmacokinetics and Drug Effects of Extended-Release Epidural Morphine (DepoDurÂ®) After Cesarean Delivery. Anesthesia and Analgesia, 2011, 113, 251-258.	1.1	10
186	A sensitive assay for the quantification of morphine and its active metabolites in human plasma and dried blood spots using high-performance liquid chromatographyâ€"tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2011, 400, 715-728.	1.9	70
187	The Role of Interleukin-1 in Wound Biology. Part II. Anesthesia and Analgesia, 2010, 111, 1534-1542.	1.1	81
188	The Role of Interleukin-1 in Wound Biology. Part I. Anesthesia and Analgesia, 2010, 111, 1525-1533.	1.1	32
189	Effect of a Preemptive Femoral Nerve Block on Cytokine Release and Hyperalgesia in Experimentally Inflamed Skin of Human Volunteers. Regional Anesthesia and Pain Medicine, 2010, 35, 514-519.	1.1	13
190	Cost-effectiveness of external cephalic version for term breech presentation. BMC Pregnancy and Childbirth, 2010, 10, 3.	0.9	59
191	Deficits in the provision of cardiopulmonary resuscitation during simulated obstetric crises. American Journal of Obstetrics and Gynecology, 2010, 203, 179.e1-179.e5.	0.7	82
192	Minimum effective bolus dose of oxytocin during elective Caesarean delivery. British Journal of Anaesthesia, 2010, 104, 338-343.	1.5	124
193	Survey of the Factors Associated with a Woman's Choice to Have an Epidural for Labor Analgesia. Anesthesiology Research and Practice, 2010, 2010, 1-8.	0.2	37
194	Continuous Subcutaneous Instillation of Bupivacaine Compared to Saline Reduces Interleukin 10 and Increases Substance P in Surgical Wounds After Cesarean Delivery. Anesthesia and Analgesia, 2010, 111, 1452-1459.	1.1	60
195	Analgesic requirements and postoperative recovery after scheduled compared to unplanned cesarean delivery: a retrospective chart review. International Journal of Obstetric Anesthesia, 2010, 19, 10-15.	0.2	21
196	Neuraxial anesthesia in obstetric patients receiving anticoagulant and antithrombotic drugs. International Journal of Obstetric Anesthesia, 2010, 19, 193-201.	0.2	34
197	Retrospective analysis of anesthetic interventions for obese patients undergoing elective cesarean delivery. Journal of Clinical Anesthesia, 2010, 22, 519-526.	0.7	33
198	A Survey of Perioperative and Postoperative Anesthetic Practices for Cesarean Delivery. Anesthesiology Research and Practice, 2009, 2009, 1-7.	0.2	43

#	Article	IF	Citations
199	Hetastarch co-loading is as effective as pre-loading for the prevention of hypotension following spinal anesthesia for cesarean delivery. International Journal of Obstetric Anesthesia, 2009, 18, 150-155.	0.2	46
200	A Randomized Trial of Maximum Cephalad Sensory Blockade with Single-Shot Spinal Compared with Combined Spinal-Epidural Techniques for Cesarean Delivery. Anesthesia and Analgesia, 2009, 108, 240-245.	1.1	22
201	Patient-Controlled Epidural Analgesia for Labor. Anesthesia and Analgesia, 2009, 108, 921-928.	1.1	303
202	Postoperative Analgesia: Epidural and Spinal Techniques. , 2009, , 593-630.		2
203	Vaginal twin delivery: a survey and review of location, anesthesia coverage and interventions. International Journal of Obstetric Anesthesia, 2008, 17, 212-216.	0.2	13
204	Assessment of knowledge regarding cardiopulmonary resuscitation of pregnant women. International Journal of Obstetric Anesthesia, 2008, 17, 20-25.	0.2	83
205	Cytokine profile in human skin in response to experimental inflammation, noxious stimulation, and administration of a COX-inhibitor: A microdialysis study. Pain, 2008, 139, 15-27.	2.0	91
206	Local and Systemic Release of Cytokines, Nerve Growth Factor, Prostaglandin E2, and Substance P in Incisional Wounds and Serum Following Cesarean Delivery. Journal of Pain, 2008, 9, 650-657.	0.7	52
207	Collecting and Measuring Nociceptive and Inflammatory Mediators in Surgical Wounds. Journal of Visualized Experiments, 2008, , .	0.2	3
208	Respiratory Depression After Neuraxial Opioids in the Obstetric Setting. Anesthesia and Analgesia, 2008, 107, 956-961.	1.1	287
209	Structural heart disease in pregnant women. , 2008, , 1-28.		0
210	Intraoperative Forced Air-Warming During Cesarean Delivery Under Spinal Anesthesia Does Not Prevent Maternal Hypothermia. Anesthesia and Analgesia, 2007, 105, 1413-1419.	1.1	97
211	Extended Release Epidural Morphine, Far from Ideal for Postcesarean Delivery Pain Control. Anesthesia and Analgesia, 2007, 105, 1864-1865.	1.1	0
212	The Episureâ„¢ Syringe: A Novel Loss of Resistance Syringe for Locating the Epidural Space. Anesthesia and Analgesia, 2007, 105, 1164-1166.	1.1	31
213	Fetal oxygen saturation after combined spinal-epidural labor analgesia: a case series. Journal of Clinical Anesthesia, 2007, 19, 476-478.	0.7	10
214	Local infiltration of epinephrine-containing lidocaine with bicarbonate reduces superficial bleeding and pain during labor epidural catheter insertion: a randomized trial. International Journal of Obstetric Anesthesia, 2007, 16, 116-121.	0.2	20
215	Single-Dose, Extended-Release Epidural Morphine (DepoDurâ„¢) Compared to Conventional Epidural Morphine for Post-Cesarean Pain. Anesthesia and Analgesia, 2007, 105, 176-183.	1.1	85
216	The effect of colloid and crystalloid preloading on thromboelastography prior to Cesarean delivery. Canadian Journal of Anaesthesia, 2007, 54, 190-195.	0.7	46

#	Article	IF	Citations
217	A survey of labor patient-controlled epidural anesthesia practice in California hospitals. International Journal of Obstetric Anesthesia, 2006, 15, 217-222.	0.2	30
218	Epidural Anesthesia for Elective Cesarean Delivery with Intraoperative Arterial Occlusion Balloon Catheter Placement. Anesthesia and Analgesia, 2006, 102, 585-587.	1.1	30
219	Experimental Heat Pain for Detecting Pregnancy-Induced Analgesia in Humans. Anesthesia and Analgesia, 2006, 103, 1283-1287.	1.1	39
220	Valdecoxib for Postoperative Pain Management After Cesarean Delivery: A Randomized, Double-Blind, Placebo-Controlled Study. Anesthesia and Analgesia, 2006, 103, 664-670.	1.1	37
221	Single-Dose, Sustained-Release Epidural Morphine in the Management of Postoperative Pain After Elective Cesarean Delivery: Results of a Multicenter Randomized Controlled Study. Anesthesia and Analgesia, 2005, 100, 1150-1158.	1.1	112
222	Patient Preferences for Anesthesia Outcomes Associated with Cesarean Delivery. Anesthesia and Analgesia, 2005, 101, 1182-1187.	1.1	153
223	The ED50and ED95of Intrathecal Isobaric Bupivacaine with Opioids for Cesarean Delivery. Anesthesiology, 2005, 103, 606-612.	1.3	79
224	The demise of general anesthesia in obstetrics revisited: prescription for a cure. International Journal of Obstetric Anesthesia, 2005, 14, 2-4.	0.2	47
225	â€œUltra-lightâ€•patient-controlled epidural analgesia during labor: effects of varying regimens on analgesia and physician workload. International Journal of Obstetric Anesthesia, 2005, 14, 223-229.	0.2	38
226	Neonatal chest wall rigidity following the use of remifentanil for cesarean delivery in a patient with autoimmune hepatitis and thrombocytopenia. International Journal of Obstetric Anesthesia, 2004, 13, 53-56.	0.2	43
227	â€˜Near-missâ€™ hyperkalaemic cardiac arrest associated with rapid blood transfusion. Anaesthesia, 1999, 54, 1094-1096.	1.8	22