Cristina Gervasoni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4752180/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Self-reported Olfactory and Taste Disorders in Patients With Severe Acute Respiratory Coronavirus 2 Infection: A Cross-sectional Study. Clinical Infectious Diseases, 2020, 71, 889-890.	2.9	1,057
2	Redistribution of body fat in HIV-infected women undergoing combined antiretroviral therapy. Aids, 1999, 13, 465-471.	1.0	279
3	Clinical Features and Outcomes of Patients With Human Immunodeficiency Virus With COVID-19. Clinical Infectious Diseases, 2020, 71, 2276-2278.	2.9	182
4	Immune deficiency is a risk factor for severe COVIDâ€19 in people living with HIV. HIV Medicine, 2021, 22, 372-378.	1.0	123
5	Thrombotic Microangiopathy in Patients with Acquired Immunodeficiency Syndrome Before and During the Era of Introduction of Highly Active Antiretroviral Therapy. Clinical Infectious Diseases, 2002, 35, 1534-1540.	2.9	77
6	Inter- and intra-patient variability of raltegravir pharmacokinetics in HIV-1-infected subjects. Journal of Antimicrobial Chemotherapy, 2012, 67, 460-464.	1.3	55
7	Darunavir does not prevent SARS-CoV-2 infection in HIV patients. Pharmacological Research, 2020, 157, 104826.	3.1	49
8	Therapeutic drug management of linezolid: a missed opportunity for clinicians?. International Journal of Antimicrobial Agents, 2016, 48, 728-731.	1.1	48
9	Immunoendocrinologic Abnormalities in Human Immunodeficiency Virus Infection. Annals of the New York Academy of Sciences, 2000, 917, 956-961.	1.8	39
10	Systemic lupus erythematosus and HIV infection: a whimsical relationship. Reports of two cases and review of the literature. Clinical Rheumatology, 2013, 32, 1399-1405.	1.0	38
11	Low Body Weight in Females Is a Risk Factor for Increased Tenofovir Exposure and Drug-Related Adverse Events. PLoS ONE, 2013, 8, e80242.	1.1	34
12	Comparison of the <i>In Vivo</i> Pharmacokinetics and <i>In Vitro</i> Dissolution of Raltegravir in HIV Patients Receiving the Drug by Swallowing or by Chewing. Antimicrobial Agents and Chemotherapy, 2012, 56, 6132-6136.	1.4	30
13	Pharmacokinetics and Pharmacodynamics of Cabotegravir, a Long-Acting HIV Integrase Strand Transfer Inhibitor. European Journal of Drug Metabolism and Pharmacokinetics, 2019, 44, 319-327.	0.6	30
14	Lopinavir/ritonavir in COVID-19 patients: maybe yes, but at what dose?. Journal of Antimicrobial Chemotherapy, 2020, 75, 2704-2706.	1.3	30
15	Does lopinavir really inhibit SARS-CoV-2?. Pharmacological Research, 2020, 158, 104898.	3.1	29
16	Metabolic and Kidney Disorders Correlate with High Atazanavir Concentrations in HIV-Infected Patients: Is It Time to Revise Atazanavir Dosages?. PLoS ONE, 2015, 10, e0123670.	1.1	26
17	Effect of Cobicistat on Tenofovir Disoproxil Fumarate (TDF): What Is True for TAF May Also Be True for TDF. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 77, 86-92.	0.9	25
18	Long-term efficacy of the surgical treatment of buffalo hump in patients continuing antiretroviral therapy. Aids, 2004, 18, 574-576.	1.0	24

#	Article	IF	CITATIONS
19	Burden of Exposure to Potential Interactions Between Antiretroviral and Non-Antiretroviral Medications in a Population of HIV-Positive Patients Aged 50 Years or Older. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 78, 193-201.	0.9	24
20	Early administration of lopinavir/ritonavir plus hydroxychloroquine does not alter the clinical course of SARS oVâ€2 infection: A retrospective cohort study. Journal of Medical Virology, 2021, 93, 1421-1427.	2.5	24
21	Drug–Drug Interactions and Prescription Appropriateness in Patients with COVID-19: A Retrospective Analysis from a Reference Hospital in Northern Italy. Drugs and Aging, 2020, 37, 925-933.	1.3	23
22	Abacavir Hypersensitivity Reaction after Switching from the Twice-Daily to the Once-Daily Formulation. AIDS Patient Care and STDs, 2007, 21, 1-3.	1.1	20
23	Co-administration of raltegravir reduces daily darunavir exposure in HIV-1 infected patients. Pharmacological Research, 2012, 65, 198-203.	3.1	19
24	How Relevant is the Interaction Between Dolutegravir and Metformin in Real Life?. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 75, e24-e26.	0.9	18
25	Effects of ritonavir and cobicistat on dolutegravir exposure: when the booster can make the difference. Journal of Antimicrobial Chemotherapy, 2017, 72, 1842-1844.	1.3	18
26	Levofloxacin-induced seizures in a patient without predisposing risk factors: the impact of pharmacogenetics. European Journal of Clinical Pharmacology, 2013, 69, 1611-1613.	0.8	17
27	Switching to unboosted atazanavir reduces bilirubin and triglycerides without compromising treatment efficacy in UGT1A1*28 polymorphism carriers. Journal of Antimicrobial Chemotherapy, 2012, 67, 2236-2242.	1.3	16
28	Management of Polypharmacy and Drug-Drug Interactions in HIV Patients: A 2-year Experience of a Multidisciplinary Outpatient Clinic. AIDS Reviews, 2019, 21, 40-49.	0.5	15
29	Limited Sampling Strategies for the Estimation of Raltegravir Daily Exposure in HIVâ€Infected Patients. Journal of Clinical Pharmacology, 2012, 52, 440-445.	1.0	14
30	Dolutegravir Plasma Concentrations According to Companion Antiretroviral Drug: Unwanted Drug Interaction or Desirable Boosting Effect?. Antiviral Therapy, 2017, 22, 353-356.	0.6	14
31	The management of anti-infective agents in intensive care units: the potential role of a â€~fast' pharmacology. Expert Review of Clinical Pharmacology, 2020, 13, 355-366.	1.3	14
32	ls it time to revise linezolid doses in peritoneal dialysis patients? A case series. Journal of Antimicrobial Chemotherapy, 2015, 70, 2918-2920.	1.3	13
33	Maintenance of Breast Size Reduction After Mastoplasty and Switch to a Protease Inhibitor-Sparing Regimen in an HIV-Positive Woman with Highly Active Antiretroviral Therapy-Associated Massive Breast Enlargement. AIDS Patient Care and STDs, 2002, 16, 307-311.	1.1	12
34	Fat Redistribution in HIV-Infected Patients: A New Hormonal-Immune Disorder?. Annals of the New York Academy of Sciences, 2006, 917, 951-955.	1.8	12
35	Is it time to revise linezolid dose in elderly patients?. European Journal of Clinical Pharmacology, 2017, 73, 1335-1336.	0.8	12
36	Older Age is Associated with Higher Dolutegravir Exposure in Plasma and Cerebrospinal Fluid of People Living with HIV. Clinical Pharmacokinetics, 2021, 60, 103-109.	1.6	12

#	Article	IF	CITATIONS
37	Supra-therapeutic Linezolid Trough Concentrations in Elderly Patients: A Call for Action?. Clinical Pharmacokinetics, 2021, 60, 603-609.	1.6	12
38	Abacavir-induced liver toxicity. Brazilian Journal of Infectious Diseases, 2016, 20, 502-504.	0.3	11
39	Relapse of Kaposi's Sarcoma and HHV-8 viremia in an HIV-infected patient switching from protease inhibitor to integrase inhibitor-based antiretroviral therapy. Journal of Clinical Virology, 2016, 74, 75-77.	1.6	11
40	Intolerance of dolutegravir-containing combination antiretroviral therapy. Aids, 2017, 31, 867-868.	1.0	11
41	Prolonged inductive effect of rifampicin on linezolid exposure. European Journal of Clinical Pharmacology, 2015, 71, 643-644.	0.8	10
42	Viro-Immunological Response of Drug-Naive HIV-1-Infected Patients Starting a First-Line Regimen with Viraemia >500,000 Copies/ml in Clinical Practice. Antiviral Therapy, 2018, 23, 249-257.	0.6	10
43	Dolutegravir and metformin. Aids, 2018, 32, 532-533.	1.0	10
44	Drug-induced liver steatosis in patients with HIV infection. Pharmacological Research, 2019, 145, 104267.	3.1	10
45	Body Habitus Alterations in HIV-Infected Women Treated with Combined Antiretroviral Therapy. AIDS Patient Care and STDs, 2000, 14, 595-601.	1.1	9
46	Recurrence of another hepatitis B virus escape mutant comes back in a patient infected with HIV and low CD4+ count. Journal of Medical Virology, 2014, 86, 97-101.	2.5	9
47	Impact of Therapeutic Drug Monitoring of Antiretroviral Drugs in Routine Clinical Management of People Living With HIV: A Narrative Review. Therapeutic Drug Monitoring, 2020, 42, 64-74.	1.0	9
48	Correlates of Risk of Adipose Tissue Alterations and Their Modifications over Time in HIV-1-Infected Women Treated with Antiretroviral Therapy. Antiviral Therapy, 2003, 8, 347-354.	0.6	9
49	Orlistat: weight lost at cost of HIV rebound. Journal of Antimicrobial Chemotherapy, 2016, 71, 1739-1741.	1.3	8
50	Renal function in <scp>HIV</scp> / <scp>HBV</scp> coâ€infected and <scp>HBV</scp> monoâ€infected patients on a longâ€term treatment with tenofovir in real life setting. Clinical and Experimental Pharmacology and Physiology, 2017, 44, 191-196.	0.9	8
51	Loss of Control of HIV Viremia With OTC Weight‣oss Drugs: A Call for Caution?. Obesity, 2018, 26, 1251-1252.	1.5	8
52	Evaluation of the concentrations of psychotropic drugs in HIV-infected versus HIV-negative patients: Potential implications for clinical practice. World Journal of Biological Psychiatry, 2020, 21, 651-657.	1.3	8
53	Drug–Drug Interactions and Prescription Appropriateness at Hospital Discharge: Experience with COVID-19 Patients. Drugs and Aging, 2021, 38, 341-346.	1.3	8
54	ABCC4 single-nucleotide polymorphisms as markers of tenofovir disoproxil fumarate-induced kidney impairment. Pharmacogenomics Journal, 2021, 21, 586-593.	0.9	8

#	Article	IF	CITATIONS
55	HIV education and counselling using Facebook: a possible new approach. Journal of Telemedicine and Telecare, 2012, 18, 239-240.	1.4	7
56	Simeprevir-induced severe withdrawal syndrome in an HIV/HCV coinfected patient on long-term maintenance methadone therapy. European Journal of Clinical Pharmacology, 2015, 71, 1027-1028.	0.8	7
57	Darunavir-based Antiretroviral Therapy may Affect the Efficacy of Ombitasvir/Paritaprevir/Ritonavir and Dasabuvir in HCV/HIV-1 Coinfected Patients: Table 1 Clinical Infectious Diseases, 2016, 63, 285-286.	2.9	7
58	When food can make the difference: The case of elvitegravir-based co-formulation. International Journal of Pharmaceutics, 2016, 512, 301-304.	2.6	7
59	How relevant are the drug–drug interactions between antiretroviral boosted-based regimens and calcium channel blockers in real life?. Journal of Antimicrobial Chemotherapy, 2018, 73, 2271-2273.	1.3	7
60	Drug-Drug Interactions Between Antiretrovirals and Carbamazepine/Oxcarbazepine: A Real-Life Investigation. Therapeutic Drug Monitoring, 2020, 42, 330-334.	1.0	7
61	Comparability of Echographic and Tomographic Assessments of Body Fat Changes Related to the HIV Associated Adipose Redistribution Syndrome (HARS) in Antiretroviral Treated Patients. Ultrasound in Medicine and Biology, 2008, 34, 1043-1048.	0.7	6
62	Tenofovir plasma concentrations in post-menopausal versus pre-menopausal HIV-infected women. Journal of Antimicrobial Chemotherapy, 2013, 68, 1206-1207.	1.3	6
63	Use of Direct Oral Anticoagulants in People Living with HIV: A Single-Center Experience. Seminars in Thrombosis and Hemostasis, 2020, 46, 999-1001.	1.5	6
64	Is Chewed Raltegravir an Option to Care for HIV-Infected Patients With Active Tuberculosis?. Clinical Infectious Diseases, 2013, 57, 480-481.	2.9	5
65	Telaprevir therapy, renal impairment, and their effects on the pharmacokinetics of tenofovir in HIV/hepatitis C virus coinfected patients. Aids, 2014, 28, 285-287.	1.0	5
66	Pharmacokinetic interactions between telaprevir and antiretroviral drugs in HIV/HCV-coinfected patients with advanced liver fibrosis and prior HCV non-responders. International Journal of Antimicrobial Agents, 2015, 45, 545-549.	1.1	5
67	Linezolid-related haematological toxicity in a peritoneal dialysis patient: the role of therapeutic drug monitoring. European Journal of Clinical Pharmacology, 2015, 71, 383-385.	0.8	5
68	Reduced raltegravir clearance in HIV-infected liver transplant recipients: an unexpected interaction with immunosuppressive therapy?. Journal of Antimicrobial Chemotherapy, 2016, 71, 1341-1345.	1.3	5
69	Novel Antiretroviral Drugs in Patients with Renal Impairment: Clinical and Pharmacokinetic Considerations. European Journal of Drug Metabolism and Pharmacokinetics, 2017, 42, 559-572.	0.6	5
70	The Relevance of Drug–drug Interactions in Clinical Practice: The Case of Concomitant Boosted Protease Inhibitors plus Alpha-1 Blocker Administration. Antiviral Therapy, 2018, 23, 467-469.	0.6	5
71	Remitting infections due to community-acquired Panton–Valentine leukocidin-producing Staphylococcus aureus in the Milan area. Journal of Infection and Public Health, 2018, 11, 255-259. 	1.9	5
72	Darunavir Population Pharmacokinetic Model Based on HIV Outpatient Data. Therapeutic Drug Monitoring, 2019, 41, 59-65.	1.0	5

#	Article	IF	CITATIONS
73	COVID-19 trials in Italy: A call for simplicity, top standards and global pooling. International Journal of Cardiology, 2020, 318, 160-164.	0.8	5
74	Trials and tribulations of coronavirus disease-2019 research: with a few bright lights in the fog. Journal of Cardiovascular Medicine, 2020, 21, 841-844.	0.6	5
75	Tubercular Gluteus Abscesses: A Return to The Early 20th Century or a Consequence of New, Unprecedented Behaviors?. Clinical Infectious Diseases, 2011, 52, 1082-1083.	2.9	4
76	Pharmacokinetic concerns related to the AIDS Clinical Trial Group (ACTG) A5262 trial. Aids, 2012, 26, 398-400.	1.0	4
77	ACE inhibitors and ribavirin-associated cough: a common undefined predisposing factor?. European Journal of Clinical Pharmacology, 2013, 69, 743-745.	0.8	4
78	Seizures in Patients with Chronic Hepatitis C Treated with NS3/4A Protease Inhibitors: Does Pharmacological Interaction Play a Role?. Pharmacology, 2013, 92, 235-237.	0.9	4
79	Potential association between rosuvastatin use and high atazanavir trough concentrations in ritonavir-treated HIV-infected patients. Antiviral Therapy, 2014, 20, 449-451.	0.6	4
80	Elvitegravir/Cobicistat-Associated Toxic Optical Neuropathy in an HIV-Infected Patient: A Call for Caution?. Antiviral Therapy, 2017, 22, 453-455.	0.6	4
81	Effects of guggulsterones-containing thermogenic complex on elvitegravir plasma concentrations: a case report. European Journal of Clinical Pharmacology, 2019, 75, 1177-1178.	0.8	4
82	Proven Intra and Interobserver Reliability in the Echographic Assessments of Body Fat Changes Related to HIV Associated Adipose Redistribution Syndrome (HARS). Current HIV Research, 2008, 6, 276-278.	0.2	3
83	Severe Hyperbilirubinemia in an HIV-HCV–Coinfected Patient Starting the 3D Regimen That Resolved After TDM-Guided Atazanavir Dose Reduction. Therapeutic Drug Monitoring, 2016, 38, 285-287.	1.0	3
84	Is there still room for therapeutic drug monitoring of linezolid in patients with tuberculosis?. European Respiratory Journal, 2016, 47, 1287-1288.	3.1	3
85	Pregnancy-Related Changes of Antiretroviral Pharmacokinetics: An Argument for Therapeutic Drug Monitoring. Antiviral Therapy, 2017, 22, 361-363.	0.6	3
86	Suspected pharmacokinetic interaction between raltegravir and the 3D regimen of ombitasvir, dasabuvir and paritaprevir/ritonavir in an HIV-HCV liver transplant recipient. European Journal of Clinical Pharmacology, 2016, 72, 365-367.	0.8	3
87	The impact of gastrectomy on the pharmacokinetics of atazanavir and tenofovir. European Journal of Clinical Pharmacology, 2017, 73, 789-790.	0.8	3
88	No effects of Hypericum-containing complex on dolutegravir plasma trough concentrations: a case report. European Journal of Clinical Pharmacology, 2019, 75, 1467-1468.	0.8	3
89	Different effects of glucocorticoids on darunavir plasma concentrations. European Journal of Clinical Pharmacology, 2019, 75, 733-735.	0.8	3
90	Association of HIV Infection with Epilepsy and Other Comorbid Conditions. AIDS and Behavior, 2020, 24, 1051-1055.	1.4	3

#	Article	IF	CITATIONS
91	Bictegravir/emtricitabine/tenofovir alafenamide-induced acute pancreatitis: a case report. International Journal of STD and AIDS, 2020, 31, 1008-1010.	0.5	3
92	Ritonavir/Cobicistat-Induced Cushing Syndrome in HIV Patients Treated With Non-Oral Corticosteroids: A Call for Action?. American Journal of the Medical Sciences, 2021, 361, 137-139.	0.4	3
93	Tenofovir plasma trough concentrations in people with HIV treated with doravirine versus other antiretroviral regimens. Aids, 2021, 35, 2551-2553.	1.0	3
94	Reply to â€~Pharmacokinetics of etravirine, raltegravir and darunavir/ritonavir in treatment experienced patients'. Aids, 2011, 25, 1012-1013.	1.0	2
95	Comparison of the Pharmacokinetics of Raltegravir Given at 2 Doses of 400 mg by Swallowing Versus One Dose of 800 mg by Chewing in Healthy Volunteers. Therapeutic Drug Monitoring, 2015, 37, 119-125.	1.0	2
96	Comparison of the In Vivo Pharmacokinetics and In Vitro Dissolution of Branded Versus Generic Efavirenz Formulation in HIV-Infected Patients. Therapeutic Drug Monitoring, 2016, 38, 420-422.	1.0	2
97	Liver Injury After Occasional Energy Drink Use in a Patient Living With HIV and Diabetes. Annals of Pharmacotherapy, 2020, 54, 292-293.	0.9	2
98	The prescribing cascade 3.0: a case for recreational drugs in HIV. Aids, 2020, 34, 1253-1255.	1.0	2
99	Low Tenofovir Plasma Exposure in HIV Oral Pre-exposure Prophylaxis Recipients with Gastrointestinal Disorders. Antimicrobial Agents and Chemotherapy, 2020, 65, .	1.4	2
100	A Comparison of Tenofovir Predose Concentrations in Generic Pre-exposure Prophylaxis Formulations: A Short Communication. Therapeutic Drug Monitoring, 2020, 42, 643-647.	1.0	2
101	Dolutegravir-Based Antiretroviral Regimens for HIV Liver Transplant Patients in Real-Life Settings. Drugs in R and D, 2020, 20, 155-160.	1.1	2
102	Methodological education in response to the quality of COVID-19 publications. Pharmacological Research, 2021, 164, 105381.	3.1	2
103	Liver Injury After Dietary Supplements in Patients Living With HIV: A Call to Action. Clinical Gastroenterology and Hepatology, 2022, 20, 243-244.	2.4	2
104	When the absence of an interaction can become clinically relevant. Aids, 2021, 35, 1327-1328.	1.0	2
105	Preventing COVID-19 in assisted living facilities: An impossible task pending vaccination roll out. Preventive Medicine Reports, 2021, 23, 101471.	0.8	2
106	Doravirine/tenofovir disoproxyl fumarate/lamivudine-induced alopecia: A case report. International Journal of STD and AIDS, 2022, , 095646242210962.	0.5	2
107	Fatal septic shock due to Gemella morbillorum in two HIV-positive patients. Clinical Microbiology and Infection, 1996, 2, 65-66.	2.8	1
108	Effect of hepatitis B and C clearance on atazanavir exposure. European Journal of Clinical Pharmacology, 2015, 71, 1409-1411.	0.8	1

#	Article	IF	CITATIONS
109	Determinants of bone diseases in tenofovir-treated HIV patients. Aids, 2016, 30, 1686-1687.	1.0	1
110	Assessment of Antiepileptic Drug Concentrations in HIV-Infected versus HIV-Negative Patients: A Retrospective Analysis. Clinical Pharmacokinetics, 2019, 58, 1345-1350.	1.6	1
111	Effects of ursodeoxycholic acid on rilpivirine plasma trough concentrations: a case report. European Journal of Clinical Pharmacology, 2020, 76, 605-606.	0.8	1
112	Prediction of lopinavir/ritonavir effectiveness in COVID-19 patients: a recall of basic pharmacology concepts. European Journal of Clinical Pharmacology, 2021, 77, 791-792.	0.8	1
113	Differences in tenofovir trough concentrations between branded and generic formulations in people taking PrEP. Aids, 2021, 35, 522-524.	1.0	1
114	Comment on "Comparative Population Pharmacokinetics of Darunavir in SARS-CoV-2 Patients vs. HIV Patients: The Role of Interleukin-6― Clinical Pharmacokinetics, 2021, 60, 829-831.	1.6	1
115	Pharmacogenetics-based optimisation of atazanavir treatment: potential role of new genetic predictors. Drug Metabolism and Personalized Therapy, 2017, 32, 115-117.	0.3	0
116	Psychoactive drugs and HIV. Aids, 2018, 32, 127-128.	1.0	0
117	Pneumocystis carinii pneumonia after the discontinuation of long-term antiretroviral therapy in an HIV-1-infected pregnant woman. Aids, 2003, 17, 940-941.	1.0	0
118	Enfuvirtide administration in HIV-positive transgender patient with soft tissue augmentation: US evaluation. New Microbiologica, 2010, 33, 263-5.	0.1	0
119	Genomic Characterization of an ST1153 PVL-producing Methicillin Resistant Staphylococcus aureus Clinical Isolate in Italy. New Microbiologica, 2019, 42, 129-131.	0.1	Ο