

Ben Wielockx

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4752466/publications.pdf>

Version: 2024-02-01

85
papers

4,394
citations

136885

32
h-index

114418

63
g-index

95
all docs

95
docs citations

95
times ranked

6868
citing authors

#	ARTICLE	IF	CITATIONS
1	Reprogramming of glucocorticoid receptor function by hypoxia. <i>EMBO Reports</i> , 2022, 23, e53083.	2.0	7
2	Inflammatory Modulation of Hematopoiesis: Linking Trained Immunity and Clonal Hematopoiesis with Chronic Disorders. <i>Annual Review of Physiology</i> , 2022, 84, 183-207.	5.6	21
3	Iron- and erythropoietin-resistant anemia in a spontaneous breast cancer mouse model. <i>Haematologica</i> , 2022, 107, 2454-2465.	1.7	3
4	Liquid chromatography-tandem mass spectrometry based quantification of arginine metabolites including polyamines in different sample matrices. <i>Journal of Chromatography A</i> , 2022, 1671, 463021.	1.8	5
5	Myeloid PHD2 deficiency accelerates neointima formation via Hif-1 β . <i>Molecular Immunology</i> , 2022, 149, 48-58.	1.0	5
6	Characterization of Adrenal miRNA-Based Dysregulations in Cushing's Syndrome. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7676.	1.8	7
7	HIF-Prolyl Hydroxylase Domain Proteins (PHDs) in Cancer—Potential Targets for Anti-Tumor Therapy?. <i>Cancers</i> , 2021, 13, 988.	1.7	16
8	Hypoxia-Inducible Factors Regulate Osteoclasts in Health and Disease. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 658893.	1.8	14
9	Adrenal Hormone Interactions and Metabolism: A Single Sample Multi-Omics Approach. <i>Hormone and Metabolic Research</i> , 2021, 53, 326-334.	0.7	8
10	HIF2 β is a direct regulator of neutrophil motility. <i>Blood</i> , 2021, 137, 3416-3427.	0.6	13
11	Hypoxia Pathway Proteins and Their Impact on the Blood Vasculature. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9191.	1.8	24
12	HIF1 β regulates the synthesis and release of epinephrine in the adrenal medulla. <i>Journal of Molecular Medicine</i> , 2021, 99, 1655-1666.	1.7	9
13	Epo/EpoR signaling in osteoprogenitor cells is essential for bone homeostasis and Epo-induced bone loss. <i>Bone Research</i> , 2021, 9, 42.	5.4	14
14	Diminished PLK2 Induces Cardiac Fibrosis and Promotes Atrial Fibrillation. <i>Circulation Research</i> , 2021, 129, 804-820.	2.0	18
15	HIF1 β is a direct regulator of steroidogenesis in the adrenal gland. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 3577-3590.	2.4	15
16	Erythropoietin receptor in B cells plays a role in bone remodeling in mice. <i>Theranostics</i> , 2020, 10, 8744-8756.	4.6	18
17	Innate Immune Training of Granulopoiesis Promotes Anti-tumor Activity. <i>Cell</i> , 2020, 183, 771-785.e12.	13.5	277
18	Hypoxia Pathway Proteins are Master Regulators of Erythropoiesis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8131.	1.8	27

#	ARTICLE	IF	CITATIONS
19	The ACE-2 in COVID-19: Foe or Friend?. <i>Hormone and Metabolic Research</i> , 2020, 52, 257-263.	0.7	130
20	Erythropoietin Mediated Bone Loss in Mice Is Dose-Dependent and Mostly Irreversible. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3817.	1.8	8
21	Cancer Stem Cells in Pheochromocytoma and Paraganglioma. <i>Frontiers in Endocrinology</i> , 2020, 11, 79.	1.5	20
22	HIF2 α supports pro-metastatic behavior in pheochromocytomas/paragangliomas. <i>Endocrine-Related Cancer</i> , 2020, 27, 625-640.	1.6	33
23	Hematopoietic stem cell response to acute thrombocytopenia requires signaling through distinct receptor tyrosine kinases. <i>Blood</i> , 2019, 134, 1046-1058.	0.6	18
24	Exercise-Induced Activated Platelets Increase Adult Hippocampal Precursor Proliferation and Promote Neuronal Differentiation. <i>Stem Cell Reports</i> , 2019, 12, 667-679.	2.3	68
25	Hypoxia Pathway Proteins in Normal and Malignant Hematopoiesis. <i>Cells</i> , 2019, 8, 155.	1.8	34
26	Hematopoietic hypoxia-inducible factor 2 α deficiency ameliorates pathological retinal neovascularization via modulation of endothelial cell apoptosis. <i>FASEB Journal</i> , 2019, 33, 1758-1770.	0.2	15
27	DEL-1 promotes macrophage efferocytosis and clearance of inflammation. <i>Nature Immunology</i> , 2019, 20, 40-49.	7.0	182
28	B Cell Specific Knockdown of the Erythropoietin (EPO) Receptor Attenuates EPO-Induced Bone Loss in Mice. <i>Blood</i> , 2019, 134, 939-939.	0.6	0
29	Endothelial Cell-Specific Overexpression of Del-1 Drives Expansion of Haematopoietic Progenitor Cells in the Bone Marrow. <i>Thrombosis and Haemostasis</i> , 2018, 118, 613-616.	1.8	16
30	Modulation of Myelopoiesis Progenitors Is an Integral Component of Trained Immunity. <i>Cell</i> , 2018, 172, 147-161.e12.	13.5	702
31	PHD3 Acts as Tumor Suppressor in Mouse Osteosarcoma and Influences Tumor Vascularization via PDGF-C Signaling. <i>Cancers</i> , 2018, 10, 496.	1.7	5
32	Hematopoietic Stem Cells but Not Multipotent Progenitors Drive Erythropoiesis during Chronic Erythroid Stress in EPO Transgenic Mice. <i>Stem Cell Reports</i> , 2018, 10, 1908-1919.	2.3	28
33	Hematopoietic stem cells can differentiate into restricted myeloid progenitors before cell division in mice. <i>Nature Communications</i> , 2018, 9, 1898.	5.8	61
34	Hypoxia Pathway Proteins As Central Mediators of Metabolism in the Tumor Cells and Their Microenvironment. <i>Frontiers in Immunology</i> , 2018, 9, 40.	2.2	110
35	Short-Term Hypoxia Dampens Inflammation in vivo via Enhanced Adenosine Release and Adenosine 2B Receptor Stimulation. <i>EBioMedicine</i> , 2018, 33, 144-156.	2.7	47
36	Autophagy orchestrates the regulatory program of tumor-associated myeloid-derived suppressor cells. <i>Journal of Clinical Investigation</i> , 2018, 128, 3840-3852.	3.9	79

#	ARTICLE	IF	CITATIONS
37	Erythropoietin (EPO) Regulates Bone Mass Via EPO Receptors on Myeloid and Lymphocytic Cells. <i>Blood</i> , 2018, 132, 846-846.	0.6	0
38	Interaction of endothelial cells with macrophagesâ€”linking molecular and metabolic signaling. <i>Pflugers Archiv European Journal of Physiology</i> , 2017, 469, 473-483.	1.3	39
39	Haematopoietic prolyl hydroxylaseâ€”1 deficiency promotes M2 macrophage polarization and is both necessary and sufficient to protect against experimental colitis. <i>Journal of Pathology</i> , 2017, 241, 547-558.	2.1	32
40	Acute thrombocytopenia induces activation of long-term hematopoietic stem cells and leads to multipotent progenitorâ€™s exhaustion. <i>Experimental Hematology</i> , 2017, 53, S70.	0.2	0
41	Chronic exposure to high erythropoietin levels differentially modulates the hematopoietic stem cell compartment in mice. <i>Experimental Hematology</i> , 2017, 53, S76.	0.2	0
42	Cell cycle progression and fate decisions in hematopoietic stem cells. <i>Experimental Hematology</i> , 2017, 53, S102.	0.2	0
43	Regulation of endothelial migration and proliferation by ephrin-A1. <i>Cellular Signalling</i> , 2017, 29, 84-95.	1.7	23
44	PHD2 Is a Regulator for Glycolytic Reprogramming in Macrophages. <i>Molecular and Cellular Biology</i> , 2017, 37, .	1.1	25
45	Secreted protein Del-1 regulates myelopoiesis in the hematopoietic stem cell niche. <i>Journal of Clinical Investigation</i> , 2017, 127, 3624-3639.	3.9	78
46	PHD2: from hypoxia regulation to disease progression. <i>Hypoxia (Auckland, N Z)</i> , 2016, 4, 53.	1.9	60
47	Increased EPO Levels Are Associated With Bone Loss in Mice Lacking PHD2 in EPO-Producing Cells. <i>Journal of Bone and Mineral Research</i> , 2016, 31, 1877-1887.	3.1	56
48	HIF-1Î± Promotes Glutamine-Mediated Redox Homeostasis and Glycogen-Dependent Bioenergetics to Support Postimplantation Bone Cell Survival. <i>Cell Metabolism</i> , 2016, 23, 265-279.	7.2	142
49	HIF-pathway proteins: central regulators of tumor immunology. <i>Translational Cancer Research</i> , 2016, 5, S1503-S1508.	0.4	3
50	Ferritin-Mediated Iron Sequestration Stabilizes Hypoxia-Inducible Factor-1Î± upon LPS Activation in the Presence of Ample Oxygen. <i>Cell Reports</i> , 2015, 13, 2048-2055.	2.9	106
51	Erythropoietin directly stimulates osteoclast precursors and induces bone loss. <i>FASEB Journal</i> , 2015, 29, 1890-1900.	0.2	95
52	Loss of prolyl hydroxylaseâ€”2 in myeloid cells and Tâ€™lymphocytes impairs tumor development. <i>International Journal of Cancer</i> , 2014, 134, 849-858.	2.3	30
53	Erythropoietin Stimulates Bone Resorption Via Direct Activation of the Monocytic Lineage and Via Increased RANKL Production By B Cells and Osteoblasts. <i>Blood</i> , 2014, 124, 247-247.	0.6	0
54	Hypoxiaâ€”inducible factors as key regulators of tumor inflammation. <i>International Journal of Cancer</i> , 2013, 132, 2721-2729.	2.3	60

#	ARTICLE	IF	CITATIONS
55	PHD2 KNOCKOUT PROMOTES PLAQUE PROGRESSION VIA HIF1 α AND INCREASES THE EXPRESSION OF MAC1, PSGL1 AND VLA4 ON MONOCYTES AND GRANULOCYTES IN MICE. <i>Journal of the American College of Cardiology</i> , 2013, 61, E1829.	1.2	2
56	PHD4 Stimulates Tumor Angiogenesis in Osteosarcoma Cells via TGF β . <i>Molecular Cancer Research</i> , 2013, 11, 1337-1348.	1.5	20
57	HIF-1 α is a protective factor in conditional PHD2-deficient mice suffering from severe HIF-2 α -induced excessive erythropoiesis. <i>Blood</i> , 2013, 121, 1436-1445.	0.6	67
58	HIF prolyl hydroxylase 2 (PHD2) is a critical regulator of hematopoietic stem cell maintenance during steady-state and stress. <i>Blood</i> , 2013, 121, 5158-5166.	0.6	41
59	Loss of Epithelial Hypoxia-Inducible Factor Prolyl Hydroxylase 2 Accelerates Skin Wound Healing in Mice. <i>Molecular and Cellular Biology</i> , 2013, 33, 3426-3438.	1.1	61
60	Erythrocytosis: the HIF pathway in control. <i>Blood</i> , 2013, 122, 1122-1128.	0.6	91
61	HIF prolyl hydroxylase-2 inhibition diminishes tumor growth through matrix metalloproteinase-induced TGF β 2 activation. <i>Cancer Biology and Therapy</i> , 2012, 13, 216-223.	1.5	21
62	Neuron-Specific Prolyl-4-Hydroxylase Domain 2 Knockout Reduces Brain Injury After Transient Cerebral Ischemia. <i>Stroke</i> , 2012, 43, 2748-2756.	1.0	65
63	Interplay between neural-cadherin and vascular endothelial-cadherin in breast cancer progression. <i>Breast Cancer Research</i> , 2012, 14, R154.	2.2	33
64	Hypoxia-Mediated Regulation of Stem Cell Fate. <i>High Altitude Medicine and Biology</i> , 2012, 13, 162-168.	0.5	17
65	Overexpression of factor inhibiting HIF1 enhances vessel maturation and tumor growth via platelet-derived growth factor β . <i>International Journal of Cancer</i> , 2012, 131, E603-13.	2.3	30
66	Inhibition of HIF Prolyl Hydroxylase-2 Blocks Tumor Growth in Mice through the Antiproliferative Activity of TGF β 2. <i>Cancer Research</i> , 2011, 71, 3306-3316.	0.4	66
67	Cardiomyocyte-specific Prolyl-4-hydroxylase Domain 2 Knock Out Protects from Acute Myocardial Ischemic Injury. <i>Journal of Biological Chemistry</i> , 2011, 286, 11185-11194.	1.6	74
68	Description and Mapping of the Resistance of DBA/2 Mice to TNF-Induced Lethal Shock. <i>Journal of Immunology</i> , 2007, 178, 5069-5075.	0.4	2
69	Involvement of specific matrix metalloproteinases during tumor necrosis factor/IFN γ -based cancer therapy in mice. <i>Molecular Cancer Therapeutics</i> , 2007, 6, 2563-2571.	1.9	11
70	HIF in Vascular Development and Tumour Angiogenesis. <i>Novartis Foundation Symposium</i> , 2007, 283, 126-138.	1.2	6
71	The use of tissue inhibitors of matrix metalloproteinases to increase the efficacy of a tumor necrosis factor/interferon γ antitumor therapy. <i>Cancer Gene Therapy</i> , 2007, 14, 372-379.	2.2	10
72	Adenoviral gene transfer of ABIN-1 protects mice from TNF/galactosamine-induced acute liver failure and lethality. <i>Hepatology</i> , 2005, 42, 381-389.	3.6	45

#	ARTICLE	IF	CITATIONS
73	Resistance of Collagenase-2 (Matrix Metalloproteinase-8)-Deficient Mice to TNF-Induced Lethal Hepatitis. <i>Journal of Immunology</i> , 2005, 175, 7642-7649.	0.4	97
74	Contribution of host MMPâ€² and MMPâ€³ to promote tumor vascularization and invasion of malignant keratinocytes. <i>FASEB Journal</i> , 2005, 19, 1-17.	0.2	159
75	Matrilysin (matrix metalloproteinase-7): a new promising drug target in cancer and inflammation?. <i>Cytokine and Growth Factor Reviews</i> , 2004, 15, 111-115.	3.2	61
76	Serine proteases of the fibrinolysis pathway are not involved in lethal hepatitis and fibrinogen breakdown induced by tumor necrosis factor. <i>Cytokine</i> , 2003, 21, 281-285.	1.4	2
77	MMPâ€² and MMPâ€³ synergize in promoting choroidal neovascularization. <i>FASEB Journal</i> , 2003, 17, 2290-2292.	0.2	159
78	Hyporesponsiveness of SPRET/Ei mice to lethal shock induced by tumor necrosis factor and implications for a TNF-based antitumor therapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 9340-9345.	3.3	32
79	HSP70 Protects against TNF-Induced Lethal Inflammatory Shock. <i>Immunity</i> , 2002, 16, 685-695.	6.6	178
80	Involvement of a serine protease, but not of neutrophil elastase, in tumor necrosis factor-induced lethal hepatitis and induction of platelet-activating factor. <i>Journal of Hepatology</i> , 2001, 35, 490-497.	1.8	7
81	DETECTION, CHARACTERISATION AND PURIFICATION OF A MURINE LIVER FACTOR CAPABLE OF DESENSITISING TOWARDS THE LETHAL ACTIVITY OF TUMOUR NECROSIS FACTOR. <i>Cytokine</i> , 2001, 15, 59-65.	1.4	3
82	Inhibition of matrix metalloproteinases blocks lethal hepatitis and apoptosis induced by tumor necrosis factor and allows safe antitumor therapy. <i>Nature Medicine</i> , 2001, 7, 1202-1208.	15.2	169
83	Identification of a Locus on Distal Mouse Chromosome 12 That Controls Resistance to Tumor Necrosis Factor-Induced Lethal Shock. <i>Genomics</i> , 1999, 55, 284-289.	1.3	27
84	THE ROLE OF COMPLEMENT ACTIVATION IN TUMOUR NECROSIS FACTOR-INDUCED LETHAL HEPATITIS. <i>Cytokine</i> , 1999, 11, 617-625.	1.4	12
85	HIF prolyl hydroxylase 2 (PHD2) controls bone homeostasis through HIF2[alpha] - a novel player in osteohematology. <i>Bone Abstracts</i> , 0, , .	0.0	0