

Shi-Zhao Kang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4753258/publications.pdf>

Version: 2024-02-01

86
papers

1,483
citations

304602

22
h-index

395590

33
g-index

87
all docs

87
docs citations

87
times ranked

2181
citing authors

#	ARTICLE	IF	CITATIONS
1	Aluminum sheet induced flower-like carbon nitride anchored with silver nanowires for highly efficient SERS detection of trace malachite green. <i>Environmental Research</i> , 2022, 204, 112289.	3.7	7
2	Aluminum sheet-induced porous zinc oxide nanosheets decorated with silver nanoparticles for ultrasensitive SERS sensing of crystal violet. <i>Materials Advances</i> , 2022, 3, 2583-2590.	2.6	4
3	An efficient catalyst for rapid restoration of highly concentrated 4-nitrophenol effluent at room temperature: ZnWO ₄ nanoplates loaded with CuO nanoparticles. <i>Journal of Physics and Chemistry of Solids</i> , 2022, 163, 110595.	1.9	2
4	Two dimensional porphyrin-based metal-organic framework constructed on K ₄ Nb ₆ O ₁₇ microflowers for highly efficient charge transfer and photocatalytic hydrogen generation. <i>Applied Surface Science</i> , 2022, 599, 153922.	3.1	5
5	Cu nanoclusters incorporated mesoporous TiO ₂ nanoparticles: An efficient and stable noble metal-free photocatalyst for light driven H ₂ generation. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 6461-6473.	3.8	24
6	CuWO _{4-x} nanoparticles incorporated brookite TiO ₂ porous nanospheres: Preparation and dramatic photocatalytic activity for light driven H ₂ generation. <i>Materials Research Bulletin</i> , 2021, 136, 111171.	2.7	13
7	C ₃ N ₄ nanosheets loaded with the CuWO ₄ activated NiS co-catalyst: A stable noble metal-free photocatalyst with dramatic photocatalytic activity for H ₂ generation and high salinity tolerant. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2021, 405, 112919.	2.0	11
8	Facile assembly and improved photocatalytic activity of a special cuprous oxide/copper fluoride heterojunction induced by graphene oxide. <i>Materials Advances</i> , 2021, 2, 2000-2008.	2.6	4
9	Boosting charge separation and nitrogen vacancies in graphitic carbon nitride by implanted strontium vanadate for highly efficient photocatalytic reduction of hexavalent chromium. <i>RSC Advances</i> , 2021, 11, 16034-16039.	1.7	4
10	A renewable photocatalytic system with dramatic photocatalytic activity for H ₂ evolution and constant light energy utilization: eosin Y sensitized ZnWO ₄ nanoplates loaded with CuO nanoparticles. <i>New Journal of Chemistry</i> , 2021, 45, 17266-17277.	1.4	3
11	Facile construction of carbon nitride/cobalt ion/eosin Y nanohybrids for enhanced interaction and photocatalytic hydrogen production. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 614, 126123.	2.3	4
12	Hydroxylporphyrin/NiO nanosheet nanocomposite with strong interfacial interaction for highly efficient hydrogen generation. <i>Journal of Solid State Chemistry</i> , 2021, 298, 122103.	1.4	2
13	A stable and plug-and-play aluminium/titanium dioxide/metal-organic framework/silver composite sheet for sensitive Raman detection and photocatalytic removal of 4-aminothiophenol. <i>Chemosphere</i> , 2021, 282, 131000.	4.2	17
14	Boosting the photocatalytic H ₂ production performance and stability of C ₃ N ₄ nanosheets via the synergistic effect between SnO ₂ nanoparticles and Pt nanoclusters. <i>Inorganic Chemistry Communication</i> , 2021, 133, 108976.	1.8	1
15	Ag nanoparticles decorated mesh-like MoS ₂ hierarchical nanostructure fabricated on Ti foil: A highly sensitive SERS substrate for detection of trace malachite green in flowing water. <i>Applied Surface Science</i> , 2020, 509, 145331.	3.1	20
16	A novel copper-bridged graphitic carbon nitride/porphyrin nanocomposite with dramatically enhanced photocatalytic hydrogen generation. <i>Applied Catalysis B: Environmental</i> , 2020, 268, 118434.	10.8	71
17	Dramatically Enhanced Photocatalytic Activity of TiO ₂ Composite Microspheres by Loading Special Copper Nanocrystalline. <i>Catalysis Letters</i> , 2020, 150, 1368-1372.	1.4	2
18	Ti mesh loaded with multibranch Ag "bushes" Preparation and high sensitivity to 5-nitroguaiacol. <i>Materials Letters</i> , 2020, 276, 128201.	1.3	0

#	ARTICLE	IF	CITATIONS
19	Preparation of worm-like SnS ₂ nanoparticles and their photocatalytic activity. <i>Journal of Experimental Nanoscience</i> , 2020, 15, 100-108.	1.3	2
20	Photocatalytic activity and the electron transport mechanism of titanium dioxide microsphere/porphyrin implanted with small size copper. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 13528-13535.	1.3	7
21	Enhanced electron transfer and photocatalytic hydrogen production over the carbon nitride/porphyrin nanohybrid finely bridged by special copper. <i>Catalysis Science and Technology</i> , 2020, 10, 1640-1649.	2.1	23
22	Fabrication of antennae-like nanoheterostructure attached by porphyrin for increased photocatalytic hydrogen generation and electron transfer mechanism. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 6508-6518.	3.8	9
23	A novel pathway toward efficient and stable C ₃ N ₄ -based photocatalyst for light driven H ₂ evolution: The synergistic effect between Pt and CoWO ₄ . <i>International Journal of Hydrogen Energy</i> , 2019, 44, 28113-28122.	3.8	15
24	Cubic Cuprous Oxide-Based Nanocomposites for Photocatalytic Hydrogen Generation. <i>ACS Applied Nano Materials</i> , 2019, 2, 7409-7420.	2.4	11
25	Preparation of an Ni ₅ P ₄ /Ni porous composite using a Ni foam as the skeleton and its application in the treatment of large-volume effluent with a high concentration of 4-nitrophenol at room temperature. <i>New Journal of Chemistry</i> , 2019, 43, 9673-9679.	1.4	5
26	Dramatically enhanced photocatalytic hydrogen production over pompoms-like cadmium molybdate nano-micro hybrids modulated by copper ions. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 8273-8278.	3.8	4
27	Graphene/Pyridylporphyrin Hybrids Interfacially Linked with Rare Earth Ions for Enhanced Photocatalytic Hydrogen Evolution. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 8358-8366.	3.2	12
28	Facile preparation of Ti ³⁺ self-doped TiO ₂ nanoparticles and their dramatic visible photocatalytic activity for the fast treatment of highly concentrated Cr(VI) effluent. <i>Catalysis Science and Technology</i> , 2019, 9, 2523-2531.	2.1	16
29	A novel AuNPs-based nanosensors for smart detection of NO with low concentration. <i>Talanta</i> , 2019, 191, 457-460.	2.9	6
30	Ti mesh loaded with Ag nanobosk: A highly sensitive Raman sensing platform for trace norfloxacin in water. <i>Sensors and Actuators B: Chemical</i> , 2019, 283, 163-171.	4.0	18
31	A highly active nano-micro hybrid derived from Cu-bridged TiO ₂ /porphyrin for enhanced photocatalytic hydrogen production. <i>Applied Catalysis B: Environmental</i> , 2019, 243, 1-9.	10.8	64
32	A novel three-dimensional pyridine-pillared graphene assembly for enhanced electron transfer and photocatalytic hydrogen evolution. <i>Catalysis Science and Technology</i> , 2018, 8, 2818-2824.	2.1	7
33	Fabrication mechanism and photocatalytic activity for a novel graphene oxide hybrid functionalized with tetrakis-(4-hydroxyphenyl)porphyrin and 1-pyrenesulfonic acid. <i>Applied Surface Science</i> , 2018, 427, 15-23.	3.1	31
34	CoO/CoP composite hollow polyhedron: A superior catalyst with dramatic efficiency and stability for the room temperature reduction of 4-nitrophenol. <i>Applied Surface Science</i> , 2018, 434, 967-974.	3.1	22
35	An Efficient Catalyst for Restoration of Large Volume Effluent Containing 4-Nitrophenol at Room Temperature. <i>Nano</i> , 2018, 13, 1850101.	0.5	1
36	The study of a novel cobalt-implanted pyridylporphyrin/graphene oxide nanohybrid for enhanced photocatalytic hydrogen evolution and its electron transfer mechanism. <i>Nanoscale</i> , 2018, 10, 18635-18641.	2.8	17

#	ARTICLE	IF	CITATIONS
37	An Ultrasensitive, Disposable, and "Plug and Play" Surface-Enhanced Raman Scattering Substrate for the In Situ Detection of Trace Thiram in Water. <i>ACS Applied Nano Materials</i> , 2018, 1, 4955-4963.	2.4	18
38	Novel and Highly Active Potassium Niobate-Based Photocatalyst for Dramatically Enhanced Hydrogen Production. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 8591-8598.	3.2	14
39	A novel cobalt ion implanted pyridylporphyrin/graphene oxide assembly for enhanced photocatalytic hydrogen production. <i>Journal of Porphyrins and Phthalocyanines</i> , 2018, 22, 877-885.	0.4	5
40	Remarkable enhancement of the photocatalytic activity of ZnO nanorod array by utilizing energy transfer between Eosin Y and Rose Bengal for visible light-driven hydrogen evolution. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 15255-15261.	3.8	19
41	Facile fabrication of a novel pyridinylethyne/titanium dioxide nanotube hybrid with high photoelectronic performance. <i>Materials Letters</i> , 2018, 231, 98-100.	1.3	0
42	Facile Preparation of Ag ₂ ZnGeO ₄ Flower-like Hierarchical Nanostructure and Its Photocatalytic Activity. <i>Journal of Materials Science and Technology</i> , 2017, 33, 47-51.	5.6	13
43	Preparation of 4,4-bipyridine covalently-linked graphene monolith and its photocatalytic behavior in light-driven H ₂ evolution from water. <i>Catalysis Communications</i> , 2017, 97, 151-154.	1.6	3
44	Assembly mechanism and photoproduced electron transfer for a novel cubic Cu ₂ O/tetrakis(4-hydroxyphenyl)porphyrin hybrid with visible photocatalytic activity for hydrogen evolution. <i>Applied Catalysis B: Environmental</i> , 2017, 211, 296-304.	10.8	37
45	Dramatic enhancement of the photocatalytic activity of Cd _{0.5} Zn _{0.5} S nanosheets via phosphorization calcination for visible-light-driven H ₂ evolution. <i>Journal of Materials Chemistry A</i> , 2017, 5, 14682-14688.	5.2	32
46	An efficient photocatalytic system containing Eosin Y, 3D mesoporous graphene assembly and CuO for visible-light-driven H ₂ evolution from water. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 15540-15550.	3.8	21
47	Noble-Metal-Free Copper Nanoparticles/Reduced Graphene Oxide Composite: A New and Highly Efficient Catalyst for Transformation of 4-Nitrophenol. <i>Catalysis Letters</i> , 2017, 147, 1315-1321.	1.4	15
48	The strong dependence of the bi-functionalities of core-shell-like gold-based nanocomposites on the size of gold nanoparticles. <i>Journal of Materials Chemistry C</i> , 2017, 5, 11411-11415.	2.7	5
49	Graphene quantum dots supported by graphene oxide as a sensitive fluorescence nanosensor for cytochrome c detection and intracellular imaging. <i>Journal of Materials Chemistry B</i> , 2017, 5, 6300-6306.	2.9	20
50	An Efficient Noble-Metal-Free Photocatalyst for Visible-Light-Driven H ₂ Evolution: Cu/Ni-Codoped Cd _{0.5} Zn _{0.5} S Nanoplates. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 1165-1172.	3.2	46
51	Multi-layered mesh-like MoS ₂ hierarchical nanostructure fabricated on Ti foil: An efficient noble metal-free photocatalyst for visible-light-driven H ₂ evolution from water. <i>Catalysis Communications</i> , 2016, 82, 7-10.	1.6	15
52	Preparation of per-hydroxylated pillar[5]arene decorated graphene and its electrochemical behavior. <i>Electrochimica Acta</i> , 2016, 210, 720-728.	2.6	21
53	Rapid and efficient photocatalytic reduction of hexavalent chromium by using "water dispersible" TiO ₂ nanoparticles. <i>Materials Chemistry and Physics</i> , 2016, 178, 190-195.	2.0	6
54	Highly efficient graphene oxide/porphyrin photocatalysts for hydrogen evolution and the interfacial electron transfer. <i>Applied Catalysis B: Environmental</i> , 2016, 187, 67-74.	10.8	53

#	ARTICLE	IF	CITATIONS
55	Facile Preparation of Fe ₃ O ₄ /Carbon Nanocomposite With High Lithium Storage Capacity. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2016, 46, 647-652.	0.6	3
56	Synergistic effect between eosin Y and rhodamine B on a photoelectrode coated with Pt nanoparticle-decorated graphene. <i>RSC Advances</i> , 2015, 5, 105969-105979.	1.7	5
57	Fabrication of an efficient noble metal-free TiO ₂ -based photocatalytic system using Cu-Ni bimetallic deposit as an active center of H ₂ evolution from water. <i>Solar Energy Materials and Solar Cells</i> , 2015, 134, 309-317.	3.0	60
58	A facile preparation of crystalline GeS ₂ nanoplates and their photocatalytic activity. <i>Journal of Alloys and Compounds</i> , 2015, 631, 21-25.	2.8	27
59	The influence of combination mode on the structure and properties of porphyrin-graphene oxide composites. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015, 483, 45-52.	2.3	30
60	Nickel(II)-ethylenediamine tetraacetic acid sensitized silicon nanowire array: an efficient cocatalyst-free photocatalyst for photocatalytic hydrogen generation under simulated sunlight irradiation. <i>RSC Advances</i> , 2015, 5, 65660-65667.	1.7	1
61	Eosin Y Sensitized ZnO Nanograss for Visible-Light-Driven H ₂ Evolution from Water. <i>Catalysis Letters</i> , 2015, 145, 1307-1311.	1.4	2
62	Modifications of morphology and hydrogen evolution activity for the potassium niobate nanoscrolls by introducing reduced graphene oxide. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 14297-14304.	3.8	11
63	The assembly and photoelectronic property of reduced graphene oxide/porphyrin/phthalocyanine composite films. <i>RSC Advances</i> , 2015, 5, 42063-42068.	1.7	4
64	AgGaS ₂ nanoplates loaded with CuS: An efficient visible photocatalyst for rapid H ₂ evolution. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 4119-4128.	3.8	15
65	Self-directedly assembled porphyrin thin films with high photoactivity. <i>RSC Advances</i> , 2015, 5, 94046-94052.	1.7	3
66	Synergetic effect of Cu-Pt bimetallic cocatalyst on SrTiO ₃ for efficient photocatalytic hydrogen production from water. <i>RSC Advances</i> , 2015, 5, 102593-102598.	1.7	19
67	An efficient photocatalyst used in a continuous flow system for hydrogen evolution from water: TiO ₂ nanotube arrays fabricated on Ti meshes. <i>RSC Advances</i> , 2015, 5, 6954-6961.	1.7	12
68	Preparation of water-dispersible TiO ₂ nanoparticles. <i>Micro and Nano Letters</i> , 2014, 9, 940-943.	0.6	3
69	Redox heme-proteins mediated fluorescence of CdSe/ZnS quantum dots. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2014, 133, 65-72.	1.7	3
70	TiO ₂ nanosheets loaded with Cu: A low-cost efficient photocatalytic system for hydrogen evolution from water. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 15403-15410.	3.8	43
71	Facile assembly of a polystyrene microsphere/graphene oxide/porphyrin composite with core-shell structure. <i>RSC Advances</i> , 2014, 4, 37854-37858.	1.7	4
72	Electrochemical behavior of eugenol on TiO ₂ nanotubes improved with Cu ₂ O clusters. <i>RSC Advances</i> , 2014, 4, 538-543.	1.7	25

#	ARTICLE	IF	CITATIONS
73	Facile assembly of silica gel/reduced graphene oxide/Ag nanoparticle composite with a core-shell structure and its excellent catalytic properties. <i>Journal of Materials Chemistry A</i> , 2014, 2, 2952.	5.2	34
74	Preparation and surface enhanced Raman scattering behavior of Ag-coated C60 nanoclusters. <i>Applied Surface Science</i> , 2013, 286, 275-279.	3.1	5
75	Composite photocatalyst containing Eosin Y and multiwalled carbon nanotubes loaded with CuO/NiO: Mixed metal oxide as an active center of H ₂ evolution from water. <i>Applied Surface Science</i> , 2012, 258, 6029-6033.	3.1	32
76	Titanate nanotubes co-sensitized with cadmium sulfide nanoparticles and porphyrin zinc: Preparation and enhanced photocatalytic activity under visible light. <i>Catalysis Communications</i> , 2012, 17, 136-139.	1.6	27
77	Electrodes modified with multiwalled carbon nanotubes carrying Fe ₃ O ₄ beads: High sensitivity to H ₂ O ₂ . <i>Solid State Sciences</i> , 2011, 13, 142-145.	1.5	9
78	A facile preparation of multiwalled carbon nanotubes modified with hydroxyl groups and their high dispersibility in ethanol. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2011, 384, 363-367.	2.3	27
79	Differences between Zn-porphyrin-coupled titanate nanotubes with various anchoring modes: Thermostability, spectroscopic, photocatalytic and photoelectronic properties. <i>Applied Surface Science</i> , 2011, 257, 5950-5956.	3.1	27
80	Low temperature biomimetic synthesis of the Li ₂ ZrO ₃ nanoparticles containing Li ₆ Zr ₂ O ₇ and high temperature CO ₂ capture. <i>Materials Letters</i> , 2010, 64, 1404-1406.	1.3	26
81	Preparation of l-alanine ethyl ester modified multiwalled carbon nanotubes and their chiral discrimination between d- and l-tryptophan. <i>Diamond and Related Materials</i> , 2010, 19, 1221-1224.	1.8	21
82	TiO ₂ nanoparticles incorporated with CuInS ₂ clusters: preparation and photocatalytic activity for degradation of 4-nitrophenol. <i>Journal of Solid State Chemistry</i> , 2009, 182, 2972-2976.	1.4	43
83	Effect of C ₆₀ on the Photocatalytic Activity of TiO ₂ Nanorods. <i>Journal of Physical Chemistry C</i> , 2009, 113, 13899-13905.	1.5	93
84	Solvothermal synthesis of SnO ₂ nanoparticles via oxidation of Sn ²⁺ ions at the water-oil interface. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2007, 298, 280-283.	2.3	18
85	Preparation of high quality Ag film from Ag nanoparticles. <i>Applied Surface Science</i> , 2007, 253, 4677-4679.	3.1	25
86	High sensitivity to Cu ²⁺ ions of electrodes coated with ethylenediamine-modified multi-walled carbon nanotubes. <i>Nanotechnology</i> , 2006, 17, 4825-4829.	1.3	19