Ugo Lafont

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4753629/publications.pdf

Version: 2024-02-01

| | | 136950 | 1 | .10387 |
|----------|----------------|--------------|---|----------------|
| 75 | 4,323 | 32 | | 64 |
| papers | citations | h-index | | g-index |
| | | | | |
| | | | | |
| | | | | |
| 80 | 80 | 80 | | 6768 |
| all docs | docs citations | times ranked | | citing authors |
| | | | | |

| # | Article | IF | CITATIONS |
|----|--|-------------|-----------|
| 1 | Towards out of earth manufacturing: overview of the ESA materials and processes activities on manufacturing in space. CEAS Space Journal, 2023, 15, 69-75. | 2.3 | 15 |
| 2 | High Glass Transition Materials from Sustainable Epoxy Resins with Potential Applications in the Aerospace and Space Sectors. ACS Applied Polymer Materials, 2022, 4, 3636-3646. | 4.4 | 16 |
| 3 | Surface-enhanced Raman scattering sensors for biomedical and molecular detection applications in space. CEAS Space Journal, 2021, 13, 509-520. | 2.3 | 13 |
| 4 | Effect of low vacuum environment on the fused filament fabrication process. CEAS Space Journal, 2021, 13, 369-376. | 2.3 | 9 |
| 5 | Self-healing materials for space applications: overview of present development and major limitations. CEAS Space Journal, 2021, 13, 341-352. | 2.3 | 17 |
| 6 | Materials' physics and chemistry for space application. CEAS Space Journal, 2021, 13, 323-324. | 2.3 | 0 |
| 7 | Optimisation of Through-Thickness Embedding Location of Fibre Bragg Grating Sensor in CFRP for Impact Damage Detection. Polymers, 2021, 13, 3078. | 4. 5 | 4 |
| 8 | Fused Filament Fabrication of PEEK: A Review of Process-Structure-Property Relationships. Polymers, 2020, 12, 1665. | 4.5 | 118 |
| 9 | Strong graphene oxide nanocomposites from aqueous hybrid liquid crystals. Nature Communications, 2020, 11, 830. | 12.8 | 30 |
| 10 | Environmental testing and characterization of fibre reinforced silica aerogel materials for Mars exploration. Acta Astronautica, 2019, 165, 9-16. | 3.2 | 19 |
| 11 | Mitigating the effect of space small debris on COPV in space with fiber sensors monitoring and selfâ€repairing materials., 2019,,. | | 2 |
| 12 | Additive manufacturing — A review of 4D printing and future applications. Additive Manufacturing, 2018, 24, 606-626. | 3.0 | 258 |
| 13 | Electrically Conductive Polyetheretherketone Nanocomposite Filaments: From Production to Fused Deposition Modeling. Polymers, 2018, 10, 925. | 4.5 | 71 |
| 14 | Graphene-Based Systems for Enhanced Energy Storage. E3S Web of Conferences, 2017, 16, 09006. | 0.5 | 0 |
| 15 | Lowâ€Temperature Thermal CVD of Superblack Carbon Nanotube Coatings. Advanced Materials Interfaces, 2017, 4, 1700238. | 3.7 | 15 |
| 16 | Innovative CNT-based composite coatings for the stray light reduction. , 2017, , . | | 7 |
| 17 | Study of ageing effects in polymer-in-salt electrolytes based on poly(acrylonitrile-co-butyl acrylate) and lithium salts. Electrochimica Acta, 2015, 169, 61-72. | 5. 2 | 46 |
| 18 | Towards more sustainable negative electrodes in Na-ion batteries via nanostructured iron oxide. Journal of Power Sources, 2014, 245, 967-978. | 7.8 | 168 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Self-healing thermally conductive adhesives. Journal of Intelligent Material Systems and Structures, 2014, 25, 67-74. | 2.5 | 35 |
| 20 | Small-molecule azomethines: organic photovoltaics <i>via</i> Schiff base condensation chemistry. Journal of Materials Chemistry A, 2014, 2, 9474-9477. | 10.3 | 83 |
| 21 | Piezoelectric and mechanical properties of fatigue resistant, self-healing PZT–ionomer composites. Smart Materials and Structures, 2014, 23, 055001. | 3.5 | 36 |
| 22 | The impact of size effects on the electrochemical behaviour of Cu2O-coated Cu nanopillars for advanced Li-ion microbatteries. Journal of Materials Chemistry A, 2014, 2, 9574. | 10.3 | 52 |
| 23 | Connectivity enhancement of highly porous WO ₃ nanostructured thin films by in situ growth of K _{0.33} WO ₃ nanowires. CrystEngComm, 2014, 16, 1228-1231. | 2.6 | 5 |
| 24 | SWCNT induced crystallization in amorphous and semi-crystalline poly(etherimide)s: Morphology and thermo-mechanical properties. Polymer, 2014, 55, 3746-3757. | 3.8 | 25 |
| 25 | Double-doped zeolites for corrosion protection of aluminium alloys. Microporous and Mesoporous Materials, 2014, 188, 8-15. | 4.4 | 71 |
| 26 | SWCNT Induced Crystallization in an Amorphous All-Aromatic Poly(ether imide). Macromolecules, 2013, 46, 1492-1503. | 4.8 | 34 |
| 27 | Reduced Enthalpy of Metal Hydride Formation for Mg–Ti Nanocomposites Produced by Spark Discharge Generation. Journal of the American Chemical Society, 2013, 135, 7891-7900. | 13.7 | 74 |
| 28 | Conjugated poly(azomethine)s via simple one-step polycondensation chemistry: synthesis, thermal and optoelectronic properties. Polymer Chemistry, 2013, 4, 4182. | 3.9 | 41 |
| 29 | Piezoelectric and mechanical properties of structured PZT–epoxy composites. Journal of Materials Research, 2013, 28, 635-641. | 2.6 | 28 |
| 30 | Thin Layers of Cu2o On Three-Dimensional Copper Current Collectors for Li-lon Microbatteries. ECS Meeting Abstracts, $2013, , .$ | 0.0 | 0 |
| 31 | Microscopic Study of TiF ₃ as Hydrogen Storage Catalyst for MgH ₂ . Journal of Physical Chemistry C, 2012, 116, 26027-26035. | 3.1 | 53 |
| 32 | Influence of Cross-linkers on the Cohesive and Adhesive Self-Healing Ability of Polysulfide-Based Thermosets. ACS Applied Materials & Samp; Interfaces, 2012, 4, 6280-6288. | 8.0 | 223 |
| 33 | Uniform metal nanoparticles produced at high yield in dense microemulsions. Journal of Colloid and Interface Science, 2012, 372, 16-23. | 9.4 | 30 |
| 34 | Increasing the reliability of solid state lighting systems via self-healing approaches: A review. Microelectronics Reliability, 2012, 52, 71-89. | 1.7 | 104 |
| 35 | Electrostatic spray pyrolysis of LiNi0.5Mn1.5O4 films for 3D Li-ion microbatteries. Thin Solid Films, 2012, 520, 3464-3471. | 1.8 | 16 |
| 36 | Sol–gel one-pot synthesis in soft conditions of mesoporous silica materials ready for drug delivery system. Journal of Sol-Gel Science and Technology, 2012, 61, 455-462. | 2.4 | 37 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 37 | Synthesis of Magnetic Noble Metal (Nano)Particles. Langmuir, 2011, 27, 7783-7787. | 3.5 | 32 |
| 38 | Direct synthesis and coating of advanced nanocomposite negative electrodes for Li-ion batteries via electrospraying. Journal of Power Sources, 2011, 196, 10191-10200. | 7.8 | 21 |
| 39 | Dynamic Solubility Limits in Nanosized Olivine LiFePO ₄ . Journal of the American Chemical Society, 2011, 133, 10222-10228. | 13.7 | 142 |
| 40 | Nanostructured Fe2O3 and CuO composite electrodes for Li ion batteries synthesized and deposited in one step. Journal of Power Sources, 2011, 196, 6425-6432. | 7.8 | 47 |
| 41 | Sol–Gel and Hard Template Assisted Synthesis of 3D Nanostructured SnO ₂ Electrodes. Journal of Nanoscience and Nanotechnology, 2010, 10, 4273-4278. | 0.9 | 9 |
| 42 | An Aerosol-Based Route to Nanostructured Powders Synthesis in Liquids. Journal of Nanoscience and Nanotechnology, 2010, 10, 5800-5809. | 0.9 | 2 |
| 43 | In Situ Structural Changes upon Electrochemical Lithium Insertion in Nanosized Anatase TiO ₂ . Journal of Physical Chemistry C, 2010, 114, 1372-1378. | 3.1 | 131 |
| 44 | Building MOF bottles around phosphotungstic acid ships: One-pot synthesis of bi-functional polyoxometalate-MIL-101 catalysts. Journal of Catalysis, 2010, 269, 229-241. | 6.2 | 311 |
| 45 | Assembly of Colloidal Semiconductor Nanorods in Solution by Depletion Attraction. Nano Letters, 2010, 10, 743-749. | 9.1 | 250 |
| 46 | Synthesis of Anisotropic Gold Nanoparticles by Electrospraying into a Reductive-Surfactant Solution. Chemistry of Materials, 2010, 22, 1656-1663. | 6.7 | 19 |
| 47 | Lithium Storage in Amorphous TiO[sub 2] Nanoparticles. Journal of the Electrochemical Society, 2010, 157, A582. | 2.9 | 153 |
| 48 | Effects of inorganic nanofillers and combinations of them on the complex permittivity of epoxy-based composites, , 2010 , , . | | 5 |
| 49 | Synthesis of Nanoparticles of Cu, Sb, Sn, SnSb and Cu ₂ Sb by Densification and Atomization Process. Journal of Nanoscience and Nanotechnology, 2009, 9, 2546-2552. | 0.9 | 6 |
| 50 | Atmospheric Pressure Process for Coating Particles Using Atomic Layer Deposition. Chemical Vapor Deposition, 2009, 15, 227-233. | 1.3 | 77 |
| 51 | Generation of nanoparticles by spark discharge. Journal of Nanoparticle Research, 2009, 11, 315-332. | 1.9 | 233 |
| 52 | Synthesis of mixed metallic nanoparticles by spark discharge. Journal of Nanoparticle Research, 2009, 11, 1209-1218. | 1.9 | 80 |
| 53 | Electrospraying-assisted synthesis of tin nanoparticles for Li-ion battery electrodes. Journal of Power Sources, 2009, 189, 297-302. | 7.8 | 34 |
| 54 | Nanosized high voltage cathode material LiMg0.05Ni0.45Mn1.5O4: Structural, electrochemical and in situ investigation. Journal of Power Sources, 2009, 189, 179-184. | 7.8 | 52 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 55 | Interaction between carbon dioxide and ionic liquids: Novel electrolyte candidates for safer Li-ion batteries. Journal of Power Sources, 2009, 189, 454-457. | 7.8 | 7 |
| 56 | Physical and electrochemical properties of LiFe0.5Mn1.5O4 spinel synthesized by different methods. Russian Journal of Electrochemistry, 2009, 45, 602-605. | 0.9 | 8 |
| 57 | Size Effects in the Li _{4+<i>x</i>} Ti ₅ O ₁₂ Spinel. Journal of the American Chemical Society, 2009, 131, 17786-17792. | 13.7 | 387 |
| 58 | Preparation and dielectric properties of epoxy - BN and epoxy - AlN nanocomposites., 2009,,. | | 17 |
| 59 | Synthesis and dielectric properties of epoxy based nanocomposites. , 2009, , . | | 17 |
| 60 | Thermal conductivity of nano-filled epoxy systems. , 2009, , . | | 31 |
| 61 | Thermal behaviour of epoxy resin filled with high thermal conductivity nanopowders. , 2009, , . | | 30 |
| 62 | SnSb micron-sized particles for Li-ion batteries. Journal of Power Sources, 2008, 180, 859-863. | 7.8 | 40 |
| 63 | Mesoporous silica films as catalyst support for microstructured reactors: Preparation and characterization. Chemical Engineering Journal, 2008, 135, S99-S103. | 12.7 | 32 |
| 64 | Physical and electrochemical properties of iron-doped lithium–manganese-spinels prepared by different methods. Solid State Ionics, 2008, 179, 192-196. | 2.7 | 11 |
| 65 | Impact of Nanosizing on Lithiated Rutile TiO ₂ . Chemistry of Materials, 2008, 20, 2949-2955. | 6.7 | 138 |
| 66 | Effects of alumina phases and process parameters on the multiwalled carbon nanotubes growth. Diamond and Related Materials, 2007, 16, 1144-1149. | 3.9 | 21 |
| 67 | Sn–Co compound for Li-ion battery made via advanced electrospraying. Journal of Power Sources, 2007, 174, 428-434. | 7.8 | 34 |
| 68 | Sb/O nano-composites produced via Spark Discharge Generation for Li-ion battery anodes. Journal of Power Sources, 2007, 174, 805-809. | 7.8 | 30 |
| 69 | Carbon coating via an alkyl phosphonic acid grafting route: Application on TiO2. Journal of Power Sources, 2007, 174, 1104-1108. | 7.8 | 26 |
| 70 | Mg-doped LiNi0.5Mn1.5O4 spinel for cathode materials. Journal of Power Sources, 2007, 174, 847-851. | 7.8 | 62 |
| 71 | Preparation and characterization of bimetallic catalysts supported on mesoporous silica films. Studies in Surface Science and Catalysis, 2006, , 167-174. | 1.5 | 8 |
| 72 | Nanopowders of spinel-type electrode materials for Li-ion batteries. Solid State Ionics, 2006, 177, 3023-3029. | 2.7 | 27 |

UGO LAFONT

| # | Article | IF | CITATION |
|----|--|--------------|----------|
| 73 | Templated and non-templated routes to mesoporous TiO2. Studies in Surface Science and Catalysis, 2005, , 355-366. | 1.5 | 3 |
| 74 | Anomalous physical properties of cerium–lanthanum filled skutterudites. Journal of Alloys and Compounds, 2001, 323-324, 389-391. | 5 . 5 | 27 |
| 75 | 3D honeycomb for advanced manufacturing for space application. CEAS Space Journal, 0, , . | 2.3 | 2 |