Jonathan W Goldman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4753679/publications.pdf

Version: 2024-02-01

46 papers

3,916 citations

279487 23 h-index 288905 40 g-index

46 all docs

46 docs citations

46 times ranked

5986 citing authors

#	Article	IF	CITATIONS
1	Durvalumab plus platinum–etoposide versus platinum–etoposide in first-line treatment of extensive-stage small-cell lung cancer (CASPIAN): a randomised, controlled, open-label, phase 3 trial. Lancet, The, 2019, 394, 1929-1939.	6.3	1,274
2	Circulating tumour DNA profiling reveals heterogeneity of EGFR inhibitor resistance mechanisms in lung cancer patients. Nature Communications, 2016, 7, 11815.	5.8	520
3	Efficacy of Selpercatinib in <i>RET</i> -Altered Thyroid Cancers. New England Journal of Medicine, 2020, 383, 825-835.	13.9	454
4	Adenosine 2A Receptor Blockade as an Immunotherapy for Treatment-Refractory Renal Cell Cancer. Cancer Discovery, 2020, 10, 40-53.	7.7	219
5	Phase I Trial of Intratumoral Injection of <i>CCL21</i> Gene–Modified Dendritic Cells in Lung Cancer Elicits Tumor-Specific Immune Responses and CD8+ T-cell Infiltration. Clinical Cancer Research, 2017, 23, 4556-4568.	3.2	149
6	Nivolumab Plus Erlotinib in Patients With EGFR-Mutant Advanced NSCLC. Journal of Thoracic Oncology, 2018, 13, 1363-1372.	0.5	140
7	A first in human, safety, pharmacokinetics, and clinical activity phase I study of once weekly administration of the Hsp90 inhibitor ganetespib (STA-9090) in patients with solid malignancies. BMC Cancer, 2013, 13, 152.	1.1	99
8	Activity and safety of AZD3759 in EGFR-mutant non-small-cell lung cancer with CNS metastases (BLOOM): a phase 1, open-label, dose-escalation and dose-expansion study. Lancet Respiratory Medicine, the, 2017, 5, 891-902.	5.2	92
9	Evaluation of PD-L1 expression on vortex-isolated circulating tumor cells in metastatic lung cancer. Scientific Reports, 2018, 8, 2592.	1.6	81
10	Phase 1 doseâ€escalation trial evaluating the combination of the selective MET (mesenchymalâ€epithelial) Tj ETo	Qq <u>Q</u> ,80 rg	gBT_/Overlock 74
11	Poziotinib in Non–Small-Cell Lung Cancer Harboring ⟨i>HER2⟨ i> Exon 20 Insertion Mutations After Prior Therapies: ZENITH20-2 Trial. Journal of Clinical Oncology, 2022, 40, 710-718.	0.8	72
12	Treatment-Related Adverse Events Predict Improved Clinical Outcome in NSCLC Patients on KEYNOTE-001 at a Single Center. Cancer Immunology Research, 2018, 6, 288-294.	1.6	70
13	A First-in-Human Phase I Study of a Bivalent MET Antibody, Emibetuzumab (LY2875358), as Monotherapy and in Combination with Erlotinib in Advanced Cancer. Clinical Cancer Research, 2017, 23, 1910-1919.	3.2	66
14	A first-in-human phase I study to evaluate the MEK1/2 inhibitor, cobimetinib, administered daily in patients with advanced solid tumors. Investigational New Drugs, 2016, 34, 604-613.	1.2	65
15	High efficiency vortex trapping of circulating tumor cells. Biomicrofluidics, 2015, 9, 064116.	1.2	60
16	MET-Mutated NSCLC with Major Response to Crizotinib. Journal of Thoracic Oncology, 2015, 10, e33-e34.	0.5	53
17	Hyperglycemia Associated With Targeted Oncologic Treatment: Mechanisms and Management. Oncologist, 2016, 21, 1326-1336.	1.9	49
18	Treatment Rationale and Study Design for the JUNIPER Study: A Randomized Phase III Study of Abemaciclib With Best Supportive Care Versus Erlotinib With Best Supportive Care in Patients With Stage IV Non–Small-Cell Lung Cancer With a Detectable KRAS Mutation Whose Disease Has Progressed After Platinum-Based Chemotherapy. Clinical Lung Cancer, 2016, 17, 80-84.	1.1	45

#	Article	IF	CITATIONS
19	Telisotuzumab vedotin (Teliso-V) monotherapy in patients (pts) with previously treated c-Met–overexpressing (OE) advanced non-small cell lung cancer (NSCLC) Journal of Clinical Oncology, 2022, 40, 9016-9016.	0.8	33
20	A Longitudinal Investigation of Internalized Stigma, Constrained Disclosure, and Quality of Life Across 12 Weeks in Lung Cancer Patients on Active Oncologic Treatment. Journal of Thoracic Oncology, 2018, 13, 1284-1293.	0.5	30
21	Phase I Study of 2- or 3-Week Dosing of Telisotuzumab Vedotin, an Antibody–Drug Conjugate Targeting c-Met, Monotherapy in Patients with Advanced Non–Small Cell Lung Carcinoma. Clinical Cancer Research, 2021, 27, 5781-5792.	3.2	30
22	Diverse cutaneous adverse eruptions caused by anti-programmed cell death-1 (PD-1) and anti-programmed cell death ligand-1 (PD-L1) immunotherapies: clinical features and management. Therapeutic Advances in Medical Oncology, 2018, 10, 175883401775163.	1.4	29
23	Patient-reported outcomes with first-line durvalumab plus platinum-etoposide versus platinum-etoposide in extensive-stage small-cell lung cancer (CASPIAN): a randomized, controlled, open-label, phase III study. Lung Cancer, 2020, 149, 46-52.	0.9	28
24	The evolution of cyclin dependent kinase inhibitors in the treatment of cancer. Expert Review of Anticancer Therapy, 2021, 21, 1105-1124.	1.1	26
25	Amivantamab in patients with NSCLC with MET exon 14 skipping mutation: Updated results from the CHRYSALIS study Journal of Clinical Oncology, 2022, 40, 9008-9008.	0.8	24
26	Clinical Implications of the T790M Mutation in Disease Characteristics and Treatment Response in Patients With Epidermal Growth Factor Receptor (EGFR)-Mutated Non–Small-Cell Lung CancerÂ(NSCLC). Clinical Lung Cancer, 2018, 19, e19-e28.	1.1	17
27	Health-Related Quality of Life Outcomes in Patients with Resected Epidermal Growth Factor Receptor–Mutated Non–Small Cell Lung Cancer Who Received Adjuvant Osimertinib in the Phase III ADAURA Trial. Clinical Cancer Research, 2022, 28, 2286-2296.	3.2	14
28	ARRY-382 in Combination with Pembrolizumab in Patients with Advanced Solid Tumors: Results from a Phase 1b/2 Study. Clinical Cancer Research, 2022, 28, 2517-2526.	3.2	14
29	Phase 1/1b study of telisotuzumab vedotin (Teliso-V) + osimertinib (Osi), after failure on prior Osi, in patients with advanced, c-Met overexpressing, <i>EGFR</i> -mutated non-small cell lung cancer (NSCLC) Journal of Clinical Oncology, 2022, 40, 9013-9013.	0.8	14
30	A Randomized, Open-Label Phase II Study Evaluating Emibetuzumab Plus Erlotinib and Emibetuzumab Monotherapy in MET Immunohistochemistry Positive NSCLC Patients with Acquired Resistance to Erlotinib. Clinical Lung Cancer, 2022, 23, 300-310.	1.1	12
31	Targeted Therapy for Non-Small Cell Lung Cancer. Seminars in Respiratory and Critical Care Medicine, 2020, 41, 409-434.	0.8	11
32	A Phase Ib/II Study of Pepinemab in Combination with Avelumab in Advanced Non–Small Cell Lung Cancer. Clinical Cancer Research, 2021, 27, 3630-3640.	3.2	11
33	Targeting MEK for the Treatment of Non–Small-Cell Lung Cancer. Journal of Thoracic Oncology, 2012, 7, S377-S378.	0.5	10
34	nab-Paclitaxel-Based Therapy in Underserved Patient Populations: The ABOUND.70+ Study in Elderly Patients With Advanced NSCLC. Frontiers in Oncology, 2018, 8, 262.	1.3	9
35	A Phase 1b Study of Telisotuzumab Vedotin in Combination With Nivolumab in Patients With NSCLC. JTO Clinical and Research Reports, 2022, 3, 100262.	0.6	7
36	KEYNOTE-021 cohorts D and H suggest modest benefit in combining ipilimumab with pembrolizumab in second-line or later advanced non-small cell lung cancer treatment. Translational Lung Cancer Research, 2019, 8, 706-709.	1.3	5

#	Article	IF	CITATIONS
37	Impact of a Palliative Care Nurse Practitioner in an Oncology Clinic: A Quality Improvement Effort. JCO Oncology Practice, 2022, 18, e484-e494.	1.4	3
38	Facets of stigma, self-compassion, and health-related adjustment to lung cancer: A longitudinal study Health Psychology, 2022, 41, 301-310.	1.3	3
39	Effects of Rovalpituzumab Tesirine on Ventricular Repolarization in Patients With Small ell Lung Cancer. Clinical and Translational Science, 2021, 14, 664-670.	1.5	2
40	A phase 2 study of an off-the-shelf, multi-neoantigen vector (ADXS-503) in patients with metastatic non–small cell lung cancer either progressing on prior pembrolizumab or in the first-line setting Journal of Clinical Oncology, 2022, 40, 9038-9038.	0.8	1
41	Immunogenicity and disease control induced by a multineoantigen vaccine (ADXS-503) in patients with metastatic non–small cell lung cancer who have progressed on pembrolizumab Journal of Clinical Oncology, 2022, 40, 9042-9042.	0.8	1
42	Nivolumab in Previously Treated SCLC: Encouraging, but Still Awaiting the Complete Story. Journal of Thoracic Oncology, 2019, 14, 160-162.	0.5	0
43	Circulating tumor DNA (ctDNA) mutations associate with response in patients (pts) with extensive-stage small cell lung cancer (ES-SCLC) treated with talazoparib (TALA) and temozolomide (TMZ) Journal of Clinical Oncology, 2022, 40, 8582-8582.	0.8	O
44	Adverse events self-reported by patients (pts) with extensive-stage small cell lung cancer (ES-SCLC) treated with durvalumab (D) plus platinum-etoposide (EP) or EP in the CASPIAN study Journal of Clinical Oncology, 2022, 40, 8571-8571.	0.8	0
45	Inter-reader reliability of immune-specific response criteria (irRECIST & amp; iRECIST) Journal of Clinical Oncology, 2022, 40, e21108-e21108.	0.8	O
46	Phase I trial of in situ vaccination with autologous CCL21-modified dendritic cells (CCL21-DC) combined with pembrolizumab for advanced NSCLC Journal of Clinical Oncology, 2022, 40, TPS9154-TPS9154.	0.8	0