
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/475611/publications.pdf Version: 2024-02-01



ALMID SDINFLLL

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Electrochemical paper-based analytical devices containing magnetite nanoparticles for the determination of vitamins B2 and B6. Microchemical Journal, 2022, 179, 107588. | 4.5 | 21 |
| 2 | New relations between modification degree, swelling and impedance in anticorrosion chitosan-derivative coatings on magnesium alloy AZ31. Carbohydrate Polymers, 2022, 292, 119617. | 10.2 | 7 |
| 3 | A non-mercury electrode for the voltammetric determination of butralin in foods. Food Chemistry, 2021, 343, 128419. | 8.2 | 24 |
| 4 | Electrode modified with nitrogen-doped graphene quantum dots supported in chitosan for triclocarban monitoring. Microchemical Journal, 2021, 167, 106297. | 4.5 | 20 |
| 5 | Syzygium cumini leaf extract as an eco-friendly corrosion inhibitor for carbon steel in acidic medium. Journal of the Taiwan Institute of Chemical Engineers, 2021, 129, 342-349. | 5.3 | 38 |
| 6 | Molybdenum trioxide incorporated in a carbon paste as a sensitive device for bisphenol A monitoring. Microchemical Journal, 2020, 159, 105528. | 4.5 | 19 |
| 7 | Application of Hymenaea stigonocarpa fruit shell extract as eco-friendly corrosion inhibitor for steel in sulfuric acid. Journal of the Taiwan Institute of Chemical Engineers, 2020, 116, 215-222. | 5.3 | 65 |
| 8 | A carbon paste electrode improved with poly(ethylene glycol) for tannic acid surveillance in beer samples. Food Chemistry, 2020, 326, 127055. | 8.2 | 31 |
| 9 | Electrode modified with graphene quantum dots supported in chitosan for electrochemical methods and non-linear deconvolution of spectra for spectrometric methods: approaches for simultaneous determination of triclosan and methylparaben. Mikrochimica Acta, 2020, 187, 250. | 5.0 | 31 |
| 10 | Ionic liquid-supported magnetite nanoparticles as electrode modifier materials for estrogens sensing. Scientific Reports, 2020, 10, 1955. | 3.3 | 25 |
| 11 | A novel electrochemical strategy for determination of vitamin B12 by Co(I/II) redox pair monitoring with boron-doped diamond electrode. Diamond and Related Materials, 2020, 105, 107793. | 3.9 | 26 |
| 12 | The influence of the crosslinking degree on the corrosion protection properties of chitosan coatings in simulated body fluid. Progress in Organic Coatings, 2019, 137, 105328. | 3.9 | 15 |
| 13 | Ag-Au core-partial shell bimetallic nanoparticles applied in electrochemical determination of the potential endocrine disruptor oryzalin. Journal of Electroanalytical Chemistry, 2019, 855, 113484. | 3.8 | 9 |
| 14 | Reduced graphene oxide/gold nanoparticles nanocomposite-modified glassy carbon electrode for determination of endocrine disruptor methylparaben. Journal of Electroanalytical Chemistry, 2018, 813, 163-170. | 3.8 | 45 |
| 15 | Voltammetric determination of 17β-estradiol in human urine and buttermilk samples using a simple copper(II) oxide-modified carbon paste electrode. Journal of Solid State Electrochemistry, 2018, 22, 1373-1383. | 2.5 | 21 |
| 16 | Carbon paste electrode modified with Fe3O4 nanoparticles and BMI.PF6 ionic liquid for determination of estrone by square-wave voltammetry. Journal of Solid State Electrochemistry, 2018, 22, 1303-1313. | 2.5 | 10 |
| 17 | Chitosan coatings crosslinked with genipin for corrosion protection of AZ31 magnesium alloy sheets. Carbohydrate Polymers, 2018, 181, 71-77. | 10.2 | 72 |
| 18 | Epoxy coating based on montmorillonite-polypyrrole: Electrical properties and prospective application on corrosion protection of steel. Progress in Organic Coatings, 2018, 114, 201-207. | 3.9 | 51 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Conversion coating on magnesium alloy sheet (AZ31) by vanillic acid treatment: Preparation, characterization and corrosion behavior. Journal of Alloys and Compounds, 2018, 738, 224-232. | 5.5 | 40 |
| 20 | On the increase of the chemical reactivity of cp titanium and Ti6Al4V at low electrical current in a protein-rich medium. Biomedical Physics and Engineering Express, 2018, 5, 015014. | 1.2 | 1 |
| 21 | Magnetite nanoparticles/chitosan-modified glassy carbon electrode for non-enzymatic detection of the endocrine disruptor parathion by cathodic square-wave voltammetry. Journal of Electroanalytical Chemistry, 2018, 823, 617-623. | 3.8 | 13 |
| 22 | Simultaneous Electrochemical Determination of Hydroquinone and Bisphenol A using a Carbon Paste Electrode Modified with Silver Nanoparticles. Electroanalysis, 2018, 30, 1946-1955. | 2.9 | 23 |
| 23 | Magnetite-platinum nanoparticles-modified glassy carbon electrode as electrochemical detector for nitrophenol isomers. Journal of Hazardous Materials, 2017, 330, 105-115. | 12.4 | 82 |
| 24 | Carbon paste electrode modified with ferrimagnetic nanoparticles for voltammetric detection of the hormone estriol. Microchemical Journal, 2017, 133, 22-30. | 4.5 | 23 |
| 25 | An original ferroferric oxide and gold nanoparticles-modified glassy carbon electrode for the determination of bisphenol A. Sensors and Actuators B: Chemical, 2017, 240, 487-496. | 7.8 | 80 |
| 26 | Voltammetric determination of condensed tannins with a glassy carbon electrode chemically modified with gold nanoparticles stabilized in carboxymethylcellulose. Sensors and Actuators B: Chemical, 2017, 240, 838-847. | 7.8 | 19 |
| 27 | Environmentally-friendly in situ plated bismuth-film electrode for the quantification of the endocrine disruptor parathion in skimmed milk. Journal of Hazardous Materials, 2016, 308, 157-163. | 12.4 | 22 |
| 28 | Silver nanoparticle-modified electrode for the determination of nitro compound-containing pesticides. Analytical and Bioanalytical Chemistry, 2016, 408, 2595-2606. | 3.7 | 28 |
| 29 | Electroanalytical determination of total phenolic compounds by square-wave voltammetry using a poly(vinylpyrrolidone)-modified carbon-paste electrode. Sensors and Actuators B: Chemical, 2015, 216, 192-197. | 7.8 | 20 |
| 30 | Nonenzymatic Amperometric Sensors for Hydrogen Peroxide Based on Melanin-Capped Fe ³⁺ -, Cu ²⁺ -, or Ni ²⁺ -Modified Prussian Blue Nanoparticles. IEEE Sensors Journal, 2015, 15, 4749-4757. | 4.7 | 6 |
| 31 | In situ bismuth-film electrode for square-wave cathodic voltammetric detection of pendimethalin at nanomolar level. Electrochimica Acta, 2015, 168, 379-385. | 5.2 | 15 |
| 32 | A novel organic-inorganic PMMA/polysilazane hybrid polymer for corrosion protection. Progress in Organic Coatings, 2015, 89, 220-230. | 3.9 | 51 |
| 33 | Electrochemical sensor based on bismuth-film electrode for voltammetric studies on vitamin B2 (riboflavin). Sensors and Actuators B: Chemical, 2015, 209, 423-430. | 7.8 | 94 |
| 34 | Low-Range Detection of the Phosphate Group by a Molecularly Imprinted Polymer-Modified Carbon Paste Electrode. IEEE Sensors Journal, 2015, 15, 1012-1019. | 4.7 | 7 |
| 35 | Determination of Quercetin in a Pharmaceutical Sample by Square-Wave Voltammetry Using a Poly(vinylpyrrolidone)-Modified Carbon-Paste Electrode. Journal of the Brazilian Chemical Society, 2014, , . | 0.6 | 11 |
| 36 | A label-free electrochemical immunosensor based on an ionic organic molecule and chitosan-stabilized gold nanoparticles for the detection of cardiac troponin T. Analyst, The, 2014, 139, 5200-5208. | 3.5 | 36 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Gold nanoparticles hosted in a water-soluble silsesquioxane polymer applied as a catalytic material onto an electrochemical sensor for detection of nitrophenol isomers. Journal of Hazardous Materials, 2014, 273, 70-77. | 12.4 | 61 |
| 38 | Chitosan-stabilized silver nanoparticles for voltammetric detection of nitrocompounds. Sensors and Actuators B: Chemical, 2014, 196, 39-45. | 7.8 | 67 |
| 39 | Troponin T Immunosensor Based on Liquid Crystal and Silsesquioxane-Supported Gold Nanoparticles. Bioconjugate Chemistry, 2014, 25, 1638-1643. | 3.6 | 29 |
| 40 | Electrochemical behavior of progesterone at an ex situ bismuth film electrode. Electrochimica Acta, 2013, 107, 542-548. | 5.2 | 52 |
| 41 | Assessment of Caffeine Adsorption onto Mild Steel Surface as an Eco-Friendly Corrosion Inhibitor. Journal of the Brazilian Chemical Society, 2013, , . | 0.6 | 7 |
| 42 | Electrochemical Behavior of Hydroquinone and Catechol at a Silsesquioxane-Modified Carbon Paste Electrode. Journal of the Brazilian Chemical Society, 2013, , . | 0.6 | 7 |
| 43 | Nanomechanical and electrochemical properties of ZrN coated NiTi shape memory alloy. Surface and Coatings Technology, 2012, 206, 4645-4650. | 4.8 | 17 |
| 44 | Analytical electrochemistry of vitamin B12 on a bismuth-film electrode surface. Electrochimica Acta, 2012, 83, 125-132. | 5.2 | 43 |
| 45 | Adsorption behavior of caffeine as a green corrosion inhibitor for copper. Materials Science and Engineering C, 2012, 32, 2436-2444. | 7.3 | 85 |
| 46 | Electrodeposition of Zn and Zn–Mn alloy coatings from an electrolytic bath prepared by recovery of exhausted zinc–carbon batteries. Journal of Power Sources, 2012, 210, 116-121. | 7.8 | 21 |
| 47 | Corrosion and nanomechanical properties of vanadium carbide thin film coatings of tool steel. Surface and Coatings Technology, 2012, 206, 2725-2731. | 4.8 | 34 |
| 48 | Effect of deposition temperature on microstructure and corrosion resistance of ZrN thin films deposited by DC reactive magnetron sputtering. Materials Chemistry and Physics, 2011, 130, 147-153. | 4.0 | 68 |
| 49 | Sensor-containing microspheres of chitosan crosslinked with 8-hydroxyquinoline-5-sulphonic acid for determination of Cu(II) in instant coffee. Food Chemistry, 2011, 126, 807-814. | 8.2 | 13 |
| 50 | In situ bismuth-film electrode for square-wave anodic stripping voltammetric determination of tin in biodiesel. Electrochimica Acta, 2011, 56, 4678-4684. | 5.2 | 34 |
| 51 | Desenvolvimento de metodologia analÃtica baseada em eletrodo de carbono vÃtreo modificado com filme de bismuto: aplicação em águas de chuva de regiões de Santa Catarina. Ecletica Quimica, 2011, 36, 158-181. | 0.5 | 3 |
| 52 | Application of bismuth-film electrode for cathodic electroanalytical determination of sulfadiazine. Electrochimica Acta, 2010, 55, 4970-4975. | 5.2 | 65 |
| 53 | Sulfadiazine determination in pharmaceuticals by electrochemical reduction on a glassy carbon electrode. Journal of the Brazilian Chemical Society, 2010, 21, 813-820. | 0.6 | 49 |
| 54 | Microstructure and corrosion behaviour of pulsed plasma-nitrided AISI H13 tool steel. Corrosion Science, 2010, 52, 3133-3139. | 6.6 | 44 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Electroanalytical determination of estriol hormone using a boron-doped diamond electrode. Talanta, 2010, 80, 1999-2006. | 5.5 | 55 |
| 56 | <i>In vivo</i> human electrochemical properties of a NiTiâ€based alloy (Nitinol) used for minimally invasive implants. Journal of Biomedical Materials Research - Part A, 2009, 89A, 1072-1078. | 4.0 | 16 |
| 57 | Development of biosensor based on ionic liquid and corn peroxidase immobilized on chemically crosslinked chitin. Sensors and Actuators B: Chemical, 2009, 138, 236-243. | 7.8 | 29 |
| 58 | Isomerâ€dependent properties of poly(vinyl pyridine)â€based films grown on copper surfaces. Journal of Polymer Science, Part B: Polymer Physics, 2009, 47, 215-225. | 2.1 | 5 |
| 59 | Poly(vinylpyrrolidone)â€based films grown on copper surfaces. Journal of Polymer Science, Part B: Polymer Physics, 2009, 47, 2206-2214. | 2.1 | 4 |
| 60 | Caffeic acid as a green corrosion inhibitor for mild steel. Corrosion Science, 2009, 51, 642-649. | 6.6 | 521 |
| 61 | Biosensor based on laccase and an ionic liquid for determination of rosmarinic acid in plant extracts. Talanta, 2009, 77, 1322-1327. | 5.5 | 74 |
| 62 | Electroanalytical determination of sulfadiazine and sulfamethoxazole in pharmaceuticals using a boron-doped diamond electrode. Sensors and Actuators B: Chemical, 2008, 135, 66-73. | 7.8 | 114 |
| 63 | Biosensor based on laccase immobilized on microspheres of chitosan crosslinked with tripolyphosphate. Sensors and Actuators B: Chemical, 2008, 133, 202-207. | 7.8 | 75 |
| 64 | Rutin determination in pharmaceutical formulations using a carbon paste electrode modified with poly(vinylpyrrolidone). Journal of Pharmaceutical and Biomedical Analysis, 2008, 47, 973-977. | 2.8 | 57 |
| 65 | Biosensors based on bean sprout homogenate immobilized in chitosan microspheres and silica for determination of chlorogenic acid. Enzyme and Microbial Technology, 2008, 43, 381-387. | 3.2 | 35 |
| 66 | Electro-oxidation of rutin in the presence of p-toluenesulfinic acid. Journal of Applied Electrochemistry, 2007, 37, 617-624. | 2.9 | 28 |
| 67 | Electrochemical oxidation of quercetin in hydro-alcoholic solution. Journal of the Brazilian Chemical Society, 2006, 17, 139-148. | 0.6 | 118 |
| 68 | Properties of potentiostatic passive films grown on iron electrodes immersed in weakâ€alkaline phosphate solutions. Anti-Corrosion Methods and Materials, 2006, 53, 232-239. | 1.5 | 11 |
| 69 | Electrochemical stability of magnetron-sputtered Ti films on sintered and sintered/plasma nitrided Fe–1.5% Mo alloy. Surface and Coatings Technology, 2005, 191, 206-211. | 4.8 | 1 |
| 70 | Effect of electrolytic ZrO2 coatings on the breakdown potential of NiTi wires used as endovascular implants. Materials Letters, 2005, 59, 754-758. | 2.6 | 26 |
| 71 | Protective effect of poly(4-Vinylpyridine) containing surface films to the corrosion of copper. Journal of the Brazilian Chemical Society, 2005, 16, 9-16. | 0.6 | 6 |
| 72 | Microstructure and surface composition effects on the transpassivation of NiTi wires for implant purposes. Journal of the Brazilian Chemical Society, 2005, 16, . | 0.6 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Electrochemistry of vitamin E hydro-alcoholic solutions. Journal of the Brazilian Chemical Society, 2004, 15, 748-755. | 0.6 | 17 |
| 74 | Interaction of poly(4-vinylpyridine) with copper surfaces: electrochemical, thermal and spectroscopic studies. Journal of the Brazilian Chemical Society, 2004, 15, 818-824. | 0.6 | 16 |
| 75 | Inhibitor effect of succinic acid on the corrosion resistance of mild steel: electrochemical, gravimetric and optical microscopic studies. Materials Chemistry and Physics, 2004, 83, 124-128. | 4.0 | 49 |
| 76 | Evaluation of the inhibitor effect of l-ascorbic acid on the corrosion of mild steel. Materials Chemistry and Physics, 2004, 83, 129-134. | 4.0 | 776 |
| 77 | Antioxidant activity of phenolic and related compounds: a density functional theory study on the O–H bond dissociation enthalpy. Redox Report, 2004, 9, 263-269. | 4.5 | 56 |
| 78 | The effect of oxalic acid on the corrosion of carbon steel. Anti-Corrosion Methods and Materials, 2004, 51, 105-111. | 1.5 | 14 |
| 79 | A potentiodynamic and SEM study of the behaviour of iron in pH 8.9â€11.0 phosphate solutions. Anti-Corrosion Methods and Materials, 2004, 51, 189-199. | 1.5 | 9 |
| 80 | Behavior of a Co-Cr-Mo biomaterial in simulated body fluid solutions studied by electrochemical and surface analysis techniques. Journal of the Brazilian Chemical Society, 2004, 15, 541-547. | 0.6 | 19 |
| 81 | Electrochemistry of Caffeic Acid Aqueous Solutions with pH 2.0 to 8.5. Journal of the Brazilian Chemical Society, 2002, 13, 332-338. | 0.6 | 96 |
| 82 | Characterization of Sintered and Sintered/Plasma-Nitrided Fe-1.5% Mo Alloy by SEM, X-Ray Diffraction and Electrochemical Techniques. Materials Research, 2002, 5, 165-172. | 1.3 | 4 |
| 83 | Antioxidant capacity of phenolic and related compounds: correlation among electrochemical, visible spectroscopy methods and structure–antioxidant activity. Redox Report, 2001, 6, 243-250. | 4.5 | 114 |
| 84 | Electrochemical and microstructural studies of sintered and sintered-plasma nitrided steel containing different alloying elements. Journal of Materials Science, 1995, 30, 4817-4822. | 3.7 | 8 |
| 85 | Electrochemical studies of the adsorption of propargyl alcohol on low carbon steel electrodes in H2SO4 solutions. Corrosion Science, 1990, 30, 1235-1246. | 6.6 | 22 |