

# Nansi Andari

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4758337/publications.pdf>

Version: 2024-02-01

377  
papers

26,278  
citations

12303  
69  
h-index

8138  
148  
g-index

395  
all docs

395  
docs citations

395  
times ranked

11362  
citing authors

#	ARTICLE	IF	CITATIONS
1	Emulating the impact of additional protonâ€“proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. Computing and Software for Big Science, 2022, 6, 1.	1.3	5
2	Search for heavy particles in the b -tagged dijet mass distribution with additional b -tagged jets in proton-proton collisions at $s=13\text{ TeV}$ with the ATLAS experiment. Physical Review D, 2022, 105, .	1.6	2
3	Performance of the ATLAS Level-1 topological trigger in RunÂ2. European Physical Journal C, 2022, 82, 1.	1.4	6
4	Measurement of the c-jet mistagging efficiency in $\text{tar}\{t\}$ events using pp collision data at $\sqrt{s}=13\text{ TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	14
5	Operation and performance of the ATLAS semiconductor tracker in LHC RunÂ2. Journal of Instrumentation, 2022, 17, P01013. Search for Higgs boson decays into a pair of pseudoscalar particles in the $\text{mml:math}$ $\text{display="inline"}> \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b^{1/4} \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b^{1/4} \langle / \text{mml:mi} \rangle < / \text{mml:math}$	0.5	1
6	final state with the ATLAS detector in $\text{mml:math}$ $\text{display="inline"}> \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle < / \text{mml:math} \rangle$ collisions at $\text{mml:math}$ $\text{display="inline"}> \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:msqrt} \rangle < / \text{mml:math}$ . Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	1.6	17
7	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	1.4	8
8	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139\text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13\text{ TeV}$ . Journal of High Energy Physics, 2022, 2022, 1.	1.6	10
10	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	1.3	23
11	Measurement of the energy response of the ATLAS calorimeter to charged pions from $\pi^+\pi^-$ events in RunÂ2 data. European Physical Journal C, 2022, 82, 1.	1.4	4
12	The ATLAS inner detector trigger performance in pp collisions at $13\text{ TeV}$ during LHC Run 2. European Physical Journal C, 2022, 82, 1. Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at $\text{mml:math}$ $\text{altimg="s11.svg"}> \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle < / \text{mml:mrow} \rangle < \text{mml:msqrt} \rangle \langle \text{mml:mo}$	1.4	5
13	$\text{linebreak="goodbreak" linebreakstyle="after"}> = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle < / \text{mml:math} \rangle$ TeV with the ATLAS detector. Physics Letters. Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137066.	1.5	8
14	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, . A search for an unexpected asymmetry in the production of $c\bar{c}(1/4\pi)$ and $c\bar{c}(1/4\pi)$ pairs in protonâ€“proton	1.4	7
15	collisions recorded by the ATLAS detector at $\text{mml:math}$ $\text{altimg="s11.svg"}> \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle < / \text{mml:mrow} \rangle < \text{mml:msqrt} \rangle \langle \text{mml:mo}$	1.5	1
16	$\text{linebreak="goodbreak" linebreakstyle="after"}> = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle < / \text{mml:math} \rangle$ TeV. Physics Letters. Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106. Measurement of the energy asymmetry in $\text{tar}\{t\}$ production at $\sqrt{s}=13\text{ TeV}$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, . Search for resonant pair production of Higgs bosons in the $\text{mml:math}$	1.4	2
17	$\text{xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\text{display="block"}> \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle$ $\text{accent="true"}> \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle$ $\text{stretchy="false"}> \hat{\Lambda} \langle / \text{mml:mo} \rangle < / \text{mml:mo} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle$ $\text{accent="true"}> \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle$ $\text{stretchy="false"}> \hat{\Lambda} \langle / \text{mml:mo} \rangle < / \text{mml:mo} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle$	1.6	10
18	Constraints on Higgs boson production with large transverse momentum using $\text{mml:math}$ $\text{xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\text{display="block"}> \langle \text{mml:mi} \rangle H \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle H \langle / \text{mml:mi} \rangle$ $\text{stretchy="false"}> \hat{\Lambda} \langle / \text{mml:mo} \rangle < / \text{mml:mo} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle$ $\text{accent="true"}> \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle$ $\text{decays in the ATLAS detector. Physical Review D, 2022, 105, .}$	1.6	5

#	ARTICLE	IF	CITATIONS
19	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and $13\text{TeV}$ . European Physical Journal C, 2022, 82, 1.	1.4	12
20	Search for single production of a vectorlike quark decaying into a Higgs boson and top quark with fully hadronic final states using the ATLAS detector. Physical Review D, 2022, 105, .	1.6	10
21	Search for long-lived charginos based on a disappearing-track signature using $136 \text{fb}^{-1}$ of pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	13
22	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 13\text{TeV}$ measured with the ATLAS detector at the LHC. European Physical Journal C, 2022, 82, .	1.4	3
23	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
24	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 812, 135980.	1.5	61
25	Search for squarks and gluinos in final states with jets and missing transverse momentum using $139 \text{fb}^{-1}$ of pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	37
26	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	1.4	12
27	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	38
28	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
29	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	17
30	Measurement of light-by-light scattering and search for axion-like particles with $2.2 \text{nb}^{-1}$ of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	19
31	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	6
32	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
33	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	22
34	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	18
35	Measurement of the CP-violating phase $\phi_s$ in $B_s^0 \rightarrow J/\psi \phi$ decays in ATLAS at $13\text{TeV}$ . European Physical Journal C, 2021, 81, .	1.4	13
36	Optimisation of large-radius jet reconstruction for the ATLAS detector in $13\text{TeV}$ proton-proton collisions. European Physical Journal C, 2021, 81, 1.	1.4	15

#	ARTICLE	IF	CITATIONS
37	Search for heavy resonances decaying into a pair of Z bosons in the $\ell^+ \ell^- \ell^+ \ell^-$ and $\ell^+ \ell^- u \bar{u}$ final states using 139 $\text{fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	40
38	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
39	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\ell^+ \ell^- \ell^+ \ell^-$ and $\ell^+ \ell^- WW$ final states in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	26
40	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . Journal of High Energy Physics, 2021, 2021, 1.	1.6	23
41	Search for supersymmetry in $\ell^+ \ell^- \ell^+ \ell^-$ and $\ell^+ \ell^- \ell^+ \ell^-$ final states with the ATLAS detector. Physical Review D, 2021, 103,	1.6	64
42	Measurements of $W+W^- + 1$ jet production cross-sections in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
43	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	46
44	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13\text{TeV}$ . European Physical Journal C, 2021, 81, 1.	1.4	14
45	Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 819-825.	6.5	8
46	Test of the universality of $\tilde{l}_e$ and $\tilde{l}_\mu$ lepton couplings in W-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 813-818.	6.5	15
47	Two-particle azimuthal correlations in photonuclear ultraperipheral $\text{Pb-Pb}$ collisions at 5.02 TeV with ATLAS. Physical Review C, 2021, 104,	1.4	10
48	Search for supersymmetry in events with four or more charged leptons in $139\text{ fb}^{-1}$ of $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
49	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W^\pm$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
50	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
51	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
52	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13\text{TeV}$ . European Physical Journal C, 2021, 81, 1.	1.4	82
53	Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s}=13\text{TeV}$ . Journal of Instrumentation, 2021, 16, P07029.	0.5	6
54	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	13

#	ARTICLE	IF	CITATIONS
55	The ATLAS Fast TracKer system. <i>Journal of Instrumentation</i> , 2021, 16, P07006.	0.5	5
56	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	3
57	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	64
58	Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. <i>Journal of Instrumentation</i> , 2021, 16, P08025.	0.5	3
59	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	12
60	Exclusive dimuon production in ultraperipheral $\text{pp}$ collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>Physical Review C</i> , 2021, 104, 1.	1.1	11
61	Search for New Phenomena in Final States with Two Leptons and One or No b -Tagged Jets at $s=13\text{TeV}$ Using the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 127, 141801.	2.9	14
62	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13\text{TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	9
63	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13\text{TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	14
64	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	5
65	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	12
66	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13\text{TeV}$ proton-proton collision data. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	7
67	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	10
68	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	10
69	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	4
70	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13\text{TeV}$ using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	4
71	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	28
72	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	7



#	ARTICLE	IF	CITATIONS
91	ATLAS data quality operations and performance for 2015–2018 data-taking. <i>Journal of Instrumentation</i> , 2020, 15, P04003-P04003.	0.5	68
92	Search for squarks and gluinos in final states with same-sign leptons and jets using $139 \text{ fb}^{-1}$ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	19
93	Search for $\overline{t}t$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	14
94	Reconstruction and identification of boosted di- $\tilde{\chi}_1^0$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. <i>Evidence for electroweak production of two jets in association with a Z boson in pp collisions at</i>	1.6	8
95	$\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.svg"} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo linebreak="goodbreak"} \rangle \text{linebreakstyle="after"} \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{TeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics</i>	1.5	9
96	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	93
97	Search for top squarks in events with a Higgs or Z boson using $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	4
98	Evidence for $t\bar{t}$ production in the multilepton final state in proton–proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	30
99	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	29
100	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	36
101	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	12
102	Determination of jet calibration and energy resolution in proton–proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	15
103	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13 \text{ TeV}$ pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	49
104	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. <i>Physical Review Letters</i> , 2019, 122, 231801. <i>Measurement of the cross-section and charge asymmetry of W bosons produced in proton–proton collisions at <math>\sqrt{s} = 8 \text{ TeV}</math> with the ATLAS detector. European Physical Journal C</i> , 2019, 79, 1.	2.9	133
105	$\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mover accent="true"} \rangle \langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mo stretchy="false"} \rangle \hat{\Lambda} \langle / \text{mml:mo} \rangle \langle \text{mml:mover accent="true"} \rangle \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle / \text{mml:mover accent="true"} \rangle \langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mover accent="true"} \rangle \langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mo stretchy="false"} \rangle \hat{\Lambda} \langle / \text{mml:mo} \rangle \langle \text{mml:mover accent="true"} \rangle \langle \text{mml:mi} \rangle \text{cross sections in}$ Measurement of the cross-section and charge asymmetry of W bosons produced in proton–proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	1.6	28
106	$\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Boson Pair in Association with Two Jets in $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \rangle$ <i>Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton–proton collision data at <math>\sqrt{s} = 13 \text{ TeV}</math>. European Physical Journal C</i> , 2019, 79, 1.	1.4	24
107	$\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Boson Pair in Association with Two Jets in $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \rangle$ <i>Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton–proton collision data at <math>\sqrt{s} = 13 \text{ TeV}</math>. European Physical Journal C</i> , 2019, 79, 1.	2.9	53
108	$\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Boson Pair in Association with Two Jets in $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \rangle$ <i>Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton–proton collision data at <math>\sqrt{s} = 13 \text{ TeV}</math>. European Physical Journal C</i> , 2019, 79, 1.	1.4	77

#	ARTICLE	IF	CITATIONS
109	Search for electroweak $W\bar{W}$ boson pair production in association with two jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 793, 499-519.	1.5	38
110	Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 793, 499-519.	1.5	38
111	Combinations of single-top-quark production cross-section measurements and $ f_{VVtb} $ determinations at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	9
112	Measurement of VH, $t\bar{t}$ and $b\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	14
113	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	18
114	Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	12
115	Cross-section measurements of the top quark decaying into a pair of $t\bar{t}$ -leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019, 99, 1.	1.6	63
116	Performance of top-quark and $W$ -boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	42
117	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P03017-P03017.	0.5	37
118	Search for four-top-quark production in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019, 99, 1.	1.6	13
119	Search for doubly charged scalar bosons decaying into same-sign $W$ boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 58.	1.4	61
120	In situ calibration of large-radius jet energy and mass in 13 TeV proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	28
121	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	46
122	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	6
123	Search for pair production of Higgs bosons in the $t\bar{t}$ final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	55
124	Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $WW \rightarrow e^+e^- \mu^+\mu^-$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 789, 508-529.	1.5	46
125	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	25
126	Measurement of fiducial and differential $WW + W\gamma$ production cross-sections at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	24

#	ARTICLE	IF	CITATIONS
127	Measurement of the inclusive cross-section for the production of jets in association with a $Z$ boson in proton-proton collisions at $8\text{TeV}$ using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	9
128	Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P12006-P12006.	0.5	124
129	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13\text{TeV}$ . European Physical Journal C, 2019, 79, 1.	1.4	130
130	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t}$ -jets channel with pp collisions at $\sqrt{s}=13\text{TeV}$ using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	34
131	$\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{inline}" > \langle \text{mml:mi} \rangle \bar{t}, \langle \text{mml:mi} \rangle \bar{t}/2 \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{ in } \langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{inline}" > \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{ Collisions at } \langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{block}" > \text{Evidence for associated production of Higgs boson and top quark pair with ATLAS detector. Physical Review D, 2018, 97, .}$	2.9	50
132	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. Physical Review D, 2018, 97, .	1.6	51
133	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in $36\text{fb}^{-1}$ of pp collisions at $s = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	116
134	Measurement of the cross-section for producing a $W$ boson in association with a single top quark in pp collisions at $s = 13\text{TeV}$ with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
135	Measurement of the $W$ -boson mass in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	1.4	218
136	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s}=s$ . European Physical Journal C, 2018, 78, 102.	1.4	13
137	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s}=13\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	1.4	52
138	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}}=2.76\text{ s NN} = 2.76$ and 5.0. European Physical Journal C, 2018, 78, 142.	1.4	59
139	Measurement of quarkonium production in proton-proton collisions at $\sqrt{s}=5.02\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	1.4	75
140	Measurement of differential cross-sections of a single top quark produced in association with a $W$ boson at $\sqrt{s}=13\text{TeV}$ with ATLAS. European Physical Journal C, 2018, 78, 186.	1.4	20
141	Search for heavy $ZZ$ resonances in the $\ell^+\ell^-\ell^+\ell^-$ final states using proton-proton collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	1.4	101
142	A search for pair-produced resonances in four-jet final states at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
143	Search for heavy resonances decaying into a $W$ or $Z$ boson and a Higgs boson in final states with leptons and b-jets in $36\text{fb}^{-1}$ of $\sqrt{s}=13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
144	Search for heavy resonances decaying into $WW$ in the $e\mu\mu\mu e$ final state in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	1.4	108

#	ARTICLE	IF	CITATIONS
145	Direct top-quark decay width measurement in the $\mathbf{t\bar{t}}$ lepton+jets channel at $\sqrt{s}=8$ TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
146	Search for $W\bar{W}/WZ$ resonance production in $t\bar{t}q\bar{q}$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
147	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	46
148	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 557-577.	1.5	19
149	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
150	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow WW \rightarrow l^+l^-WW \rightarrow l^+l^-WW$ channel using pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	53
151	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 847.	1.4	16
152	Angular analysis of $B0 \rightarrow K^{*-} \pi^+ \pi^-$ decays in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	76
153	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $36 \text{ fb}^{-1}$ of pp collisions at. European Physical Journal C, 2018, 78, 401.	1.4	50
154	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
155	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
156	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30
157	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 903.	1.4	181
158	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.4	125
159	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56
160	Measurements of Higgs boson properties in the diphoton decay channel with $\text{mml:math}$ $\text{xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="block"}$ $\langle \text{mml:mrow} \rangle \langle \text{mml:mn} \rangle 36 \langle \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{H} \langle \text{mml:mtext} \rangle \langle \text{mml:mtext} \rangle \text{H} \langle \text{mml:mtext} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:math} \text{xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="block"}$ $\langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:math}$	1.6	115
161	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	1.4	25
162	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37

#	ARTICLE	IF	CITATIONS
163	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	22
164	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using $36 \text{ fb}^{-1}$ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
165	Combined measurement of differential and total cross sections in the $H \rightarrow \tau^+ \tau^-$ and the $H \rightarrow Z \rightarrow \ell^+ \ell^-$ decay channels at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 114-133.	1.6	48
166	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
167	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
168	Observation of $H \rightarrow b\bar{b}$ and $H \rightarrow b\bar{b} + \text{VH}$ decays and VH production with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 114-133.	1.5	138
169	Combination to search for heavy resonances decaying into bosons in particle-proton high-energy collisions. Physical Review D, 2018, 98, 033009.	1.5	138
170	Constraints on off-shell Higgs boson production and the Higgs boson total width in $Z Z \rightarrow 4\ell$ and $Z Z \rightarrow 2\ell^+ 2\ell^-$ final states with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 223-244.	1.5	43
171	Prompt and non-prompt $J/\psi$ and $\psi(2S)$ suppression at high transverse momentum in $5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
172	Probing the Quantum interference between Singly and Doubly Resonant Top-Quark Production in $p\bar{p}$ Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 152002.	2.9	16
173	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
174	Measurement of the Higgs boson mass in the $H \rightarrow ZZ \rightarrow 4\ell$ and $H \rightarrow \ell^+\ell^-\nu\nu$ channels with $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 345-366.	1.6	40
175	Search for exclusive Higgs and Z boson decays to $\ell^+\ell^-$ and $\ell^+\ell^-$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
176	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
177	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
178	Measurement of the inclusive and fiducial $t\bar{t}\bar{\chi}^0$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	1.4	10
179	Search for Higgs bosons produced via vector boson fusion and decaying into bottom quark pairs in $t\bar{t}\bar{\chi}^0$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 114-133.	1.6	26
180	Search for Low-Mass Dijet Resonances Using Trigger-Level Jets with the ATLAS Detector in $t\bar{t}\bar{\chi}^0$ . Physical Review Letters, 2018, 121, 081801.	2.9	41

#	ARTICLE	IF	CITATIONS
181	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in protonâ“proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565. Measurement of the Soft-Drop Jet Mass in $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review Letters, 2018, 121, 092001.	1.4	79
182	Measurement of the Soft-Drop Jet Mass in $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review Letters, 2018, 121, 092001. $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 092001.	2.9	33
183	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27
184	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802.	2.9	53
185	Search for a Structure in the Invariant Mass Spectrum with the ATLAS Experiment. Physical Review Letters, 2018, 120, 202007. $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:msubsup} \rangle \langle \text{mml:mi} \rangle B \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle \text{mml:mn} \rangle 0 \langle / \text{mml:mn} \rangle \langle / \text{mml:msubsup} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle \langle / \text{mml:msup} \rangle$	2.9	33
186	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	136
187	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
188	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
189	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using protonâ“proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 199.	1.4	132
190	Measurement of $Z/\gamma$ polarisation in $Z \rightarrow l^+l^-$ . European Physical Journal C, 2018, 78, 163.	1.4	7
191	Searches for heavy ZZ and ZW resonances in the $q\bar{q}$ and $t\bar{t}$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
192	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
193	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 173-191.	1.5	169
194	Measurement of differential cross sections and $W^+/W^{\prime +}$ cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
195	Combination of inclusive and differential charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s} = 7$ and 8 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	7
196	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb $^{-1}$ of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.	1	1
197	Measurement of the W-boson mass in pp collisions at $(\sqrt{s} = 7, \text{TeV})$ with the ATLAS detector. , 2018, 78, 1.	1	1
198	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using protonâ“proton collisions at $(\sqrt{s} = 13, \text{TeV})$ . , 2018, 78, 1.	1	1

#	ARTICLE	IF	CITATIONS
199	Measurement of the $\text{varvec}[\text{tar}[t]Z]$ $t\bar{t}\rightarrow Z$ and $\text{varvec}[\text{tar}[t]W]$ $t\bar{t}\rightarrow W$ production cross sections in multilepton final states using $3.2 \text{ fb}^{-1}$ of $\text{pp}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	1.4	41
200	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 $\text{pp}$ -collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	1.4	29
201	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in $\text{pp}$ collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
202	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in $\text{pp}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11
203	Measurement of the $W$ boson polarisation in $t\bar{t}\rightarrow W$ events from $\text{pp}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37
204	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	1.4	87
205	Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in $\text{pp}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	1.4	27
206	Performance of algorithms that reconstruct missing transverse momentum in $\text{pp}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
207	Measurement of the prompt $J/\psi$ pair production cross-section in $\text{pp}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	1.4	81
208	Search for triboson $WW^{\pm}WW^{\pm}$ production in $\text{pp}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	1.4	25
209	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
210	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in $\text{pp}$ collisions at $8 \text{ TeV}$ using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	1.4	56
211	Measurements of electroweak $W_{jj}$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
212	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	1.4	145
213	Measurement of multi-particle azimuthal correlations in $\text{pp}$ , $p\bar{p}$ and low-multiplicity $\text{Pb}\bar{\text{Pb}}$ collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	1.4	86
214	Search for the Dimuon Decay of the Higgs Boson in $\text{pp}$ Collisions at $s=13 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2017, 119, 051802.	2.9	36
215	Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $\gamma\gamma$ . xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><math>\langle mml:mi>b</mml:mi><mml:mover accent="true"><mml:mi>b</mml:mi><mml:mo stretchy="false">\bar{b}</mml:mo></mml:mover></mml:math> Using <math>\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><math>\langle mml:mrow><mml:mn>36</mml:mn><mml:mtext>\times</mml:mtext><mml:mtext>\times</mml:mtext><mml:mtext>\times</mml:mtext><mml:msup></math>	2.9	49
216	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in $\text{pp}$ Collisions at $s=8 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	2.9	74

#	ARTICLE	IF	CITATIONS
217	Measurement of inclusive and differential cross sections in the H $\rightarrow$ ZZ * $\rightarrow$ 4 $\ell$ decay channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	31
218	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 775, 206–228.		
219	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . <i>European Physical Journal C</i> , 2017, 77, 804.	1.4	28
220	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	9
221	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	9
222	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , 2017, 77, 673.	1.4	75
223	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $p\bar{p}$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 144.	1.4	12
224	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8 \text{ TeV}$ using the ZZ $\rightarrow$ $4\ell$ , $Z\gamma$ , $Z\gamma\gamma$ , $Z\gamma\gamma\gamma$ and $ZZ\rightarrow 4\ell$ , $Z\gamma\gamma$ , $Z\gamma\gamma\gamma$ decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.		
225	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	17
226	Measurements of $\tilde{\chi}_1^0$ and $X(3872)$ $\rightarrow J/\psi + \pi^\pm$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	33
227	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	13
228	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 70.	1.4	79
229	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017, 77, 317.	1.4	489
230	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017, 77, 332.	1.4	71
231	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $s = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2017, 77, 361.	1.4	47
232	Precision measurement and interpretation of inclusive $W^+W^-$ . <i>European Physical Journal C</i> , 2017, 77, 367.	1.4	145
233	Measurement of jet fragmentation in Pb+Pb and pp collisions at $s = 2.76 \text{ TeV}$ with $N_{\text{coll}} = 2.76$ . <i>European Physical Journal C</i> , 2017, 77, 379.	1.4	51
234	Search for dark matter at $s = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 393.	1.4	80

#	ARTICLE	IF	CITATIONS
235	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	14
236	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 898.	1.4	50
237	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	8
238	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $\text{pp}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 765.	1.4	19
239	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	8
240	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in $\text{pp}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	17
241	Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2017, 96, 157.	1.6	157
242	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	23
243	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	38
244	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 580.	1.4	35
245	Measurement of $WW/WZ \rightarrow q\bar{q} \rightarrow l\nu q\bar{q} \rightarrow l\nu q\bar{q} \rightarrow l\nu q\bar{q}$ production with the hadronically decaying boson reconstructed as one or two jets in $\text{pp}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017, 77, 563.	1.4	28
246	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13 \text{ TeV}$ proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	12
247	Searches for the $Z \rightarrow l^+l^-$ decay mode of the Higgs boson and for new high-mass resonances in $\text{pp}$ collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	30
248	Studies of $Z \rightarrow l^+l^-$ production in association with a high-mass dijet system in $\text{pp}$ collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	14
249	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in $\text{pp}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	16
250	Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow l^+l^-$ , in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	18
251	Study of $WW\gamma$ and $WZ\gamma$ production in $\text{pp}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 646.	1.4	30
252	Measurements of top quark spin observables in $t\bar{t} \rightarrow l^+l^- + \text{miss. energy}$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	20

#	ARTICLE	IF	CITATIONS
253	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	11
254	Top-quark mass measurement in the all-hadronic $t\bar{t}$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	16
255	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	28
256	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	45
257	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 $\text{fb}^{-1}$ of $\text{TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	31
258	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	36
259	Study of the material of the ATLAS inner detector for Run 2 of the LHC. <i>Journal of Instrumentation</i> , 2017, 12, P12009-P12009.	0.5	29
260	Measurement of the k t splitting scales in $Z \rightarrow e^+e^-$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	3
261	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	8
262	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	64
263	Search for new high-mass phenomena in the dilepton final state using 36 $\text{fb}^{-1}$ of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	168
264	Determination of the strong coupling constant $\alpha_s$ from transverse energy correlations in multijet events at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2017, 77, 872.	1.4	32
265	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. <i>Journal of Instrumentation</i> , 2017, 12, P05002-P05002.	0.5	10
266	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. <i>Journal of Instrumentation</i> , 2016, 11, P11020-P11020.	0.5	10
267	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	30
268	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	10
269	Measurement of event-shape observables in $Z \rightarrow ell^+ ell^-$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	1.4	15
270	Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403.	1.4	30

#	ARTICLE	IF	CITATIONS
271	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61
272	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	1.4	37
273	Search for minimal supersymmetric standard model Higgs Bosons $H/A$ and for a $Z'$ boson in the $t\bar{t}, b\bar{b}$ final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
274	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
275	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
276	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	1.4	21
277	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	1.4	23
278	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.4	24
279	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2016, 76, 292.	1.4	453
280	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
281	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31
282	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
283	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
284	Search for flavour-changing neutral current top-quark decays to $qZ$ in pp collision data collected with the ATLAS detector at $\sqrt{s}=8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 12.	1.4	39
285	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s}=8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 87.	1.4	39
286	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
287	Search for charged Higgs bosons in the $H \rightarrow tb$ decay channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
288	Measurement of $W\pm$ and Z-boson production cross sections in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 601-621.		

#	ARTICLE	IF	CITATIONS
289	Study of the rare decays of $B^0 \rightarrow B^- \pi^+$ and $B^0 \rightarrow B^- \eta$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46
290	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2016, 76, 517.	1.4	24
291	Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
292	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 442. Measurement of the top quark mass in the continuum	1.4	43
293	Measurement of the top quark mass in the continuum $\frac{\partial \sigma}{\partial m_t} = \frac{1}{2} \frac{\partial \sigma}{\partial \hat{m}_t} \frac{\partial \hat{m}_t}{\partial m_t} = \frac{1}{2} \frac{\partial \sigma}{\partial \hat{m}_t} \frac{1}{m_t}$	1.5	52
294	Measurement of the relative width difference of the $B^0 \rightarrow B^- \pi^+$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
295	Search for Higgs and $Z \rightarrow l^+ l^-$ Boson Decays to $\tau^+ \tau^-$ with $\sqrt{s} = 13 \text{ TeV}$ Production Cross Section	2.9	13
296	Collisions at $\sqrt{s} = 13 \text{ TeV}$ and $2.76 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2016, 116, 172301.	2.9	31
297	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
299	Performance of pile-up mitigation techniques for jets in $\sqrt{s} = 8 \text{ TeV}$ p p collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 581.	1.4	298
300	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS Detector at the LHC. Physical Review Letters, 2016, 117, 182002.	2.9	185
301	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $s = 7 \text{ TeV}$ and $8 \text{ TeV}$ . Journal of High Energy Physics, 2016, 2016, 1.	1.6	473
302	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8 \text{ TeV}$ TeV App collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51
303	Measurement of jet activity in top quark events using the $e^+ e^-$ final state with two b-tagged jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
304	Measurement of the transverse momentum and $\phi$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
305	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+ e^- \mu^+ \mu^-$ with the ATLAS detector at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
306	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20

#	ARTICLE	IF	CITATIONS
307	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	14
308	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	17
309	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2016, 18, 073021.	1.2	2
310	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016, 11, P05013-P05013.	0.5	11
311	Measurement of top quark pair differential cross sections in the dilepton channel in pp collisions at $s=7$ and $8 \text{ TeV}$ with ATLAS. <i>Physical Review D</i> , 2016, 94, .	1.6	22
312	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 538.	1.4	115
313	Measurement of the differential cross-sections of prompt and non-prompt production of $J/\psi$ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 283.	1.4	63
314	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 653.	1.4	279
315	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683.	1.4	11
316	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	33
317	Searches for heavy diboson resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	25
318	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	16
319	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	21
320	Measurement of the CP-violating phase $\delta_s$ and the $B_s^0 \rightarrow J/\psi \pi^+$ meson decay width difference with $B_s^0 \rightarrow J/\psi \pi^+$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	13
321	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 392.	1.4	73
322	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	38
323	A search for prompt lepton+jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	31
324	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	13

#	ARTICLE	IF	CITATIONS
325	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	14
326	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	19
327	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	15
328	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $s = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 154.	1.4	62
329	Search for new phenomena in events with at least three photons collected in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 210.	1.4	95
330	Probing lepton flavour violation via neutrinoless $\vartheta_{\text{WB}}$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 232.	1.4	19
331	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 238.	1.4	9
332	Search for supersymmetry at $s = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 259.	1.4	72
333	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	49
334	Search for anomalous couplings in the $Wtb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1-46.	1.6	13
335	Searches for scalar leptoquarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 5.	1.4	109
336	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $s = 7 \text{ and } 8 \text{ TeV}$ in the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 6.	1.4	274
337	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 11.	1.4	54
338	Search for single top-quark production via flavour-changing neutral currents at $8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 55.	1.4	43
339	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(s = 8 \text{ TeV})$ with the ATLAS detector. , 2016, 76, 1.	1	
340	Observation and measurement of Higgs boson decays to $b\bar{b}$ and $WW$ with the ATLAS detector. <i>Physical Review D</i> , 2015, 92, 1, <a href="http://www.w3.org/1998/Math/MathML">http://www.w3.org/1998/Math/MathML</a>	1.6	110
341	Quark Fragmentation Fractions with the ATLAS detector. <i>Physical Review Letters</i> , 2015, 115, 262001.	2.9	23
342	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	55

#	ARTICLE	IF	CITATIONS
343	Search for lepton-flavour-violating $H \rightarrow l^+l^-$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	52
344	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76.	1.6	11
345	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	108
346	Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	60
347	Measurement of the $t\bar{t} \rightarrow W$ and $t\bar{t} \rightarrow Z$ production cross sections in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	22
348	Search for flavour-changing neutral current top quark decays $t \rightarrow t' H q$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65. <small>Combined measurement of the Higgs Boson Mass in <math>t\bar{t} \rightarrow W</math> and <math>t\bar{t} \rightarrow Z</math> production with the ATLAS and CMS Experiments. <i>Physical Review Letters</i>, 2015, 114, 191803.</small>	1.6	19
349	Measurements of Higgs boson production and couplings in the four-lepton channel in $t\bar{t} \rightarrow W$ and $t\bar{t} \rightarrow Z$ production with the ATLAS detector. <i>Physical Review Letters</i> , 2015, 114, 191803.	2.9	1,062
350	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS experiment. <i>European Physical Journal C</i> , 2015, 75, 407.	1.4	27
351	Measurements of Higgs boson production and couplings in the four-lepton channel in $t\bar{t} \rightarrow W$ and $t\bar{t} \rightarrow Z$ production with the ATLAS detector. <i>Physical Review D</i> , 2015, 91, 092003.	1.6	158
352	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 17.	1.4	268
353	Search for the $b\bar{b} \rightarrow b$ decay of the Standard Model Higgs boson in associated ( $W/Z/H$ ) production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	89
354	Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \text{ TeV}$ using $4.5 \text{ fb}^{-1}$ of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	35
355	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 337.	1.4	39
356	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $s = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2015, 75, 303.	1.4	70
357	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 476.	1.4	174
358	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}) = 7 \text{ TeV}$ using $4.5 \text{ fb}^{-1}$ of data with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 1.	1.4	3
359	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014, 74, 3130.	1.4	213
360	Search for Invisible Decays of a Higgs Boson Produced in Association with a $Z$ boson in ATLAS. <i>Physical Review Letters</i> , 2014, 112, 111801.	2.9	130

#	ARTICLE	IF	CITATIONS
361	Measurement of the $Z/\gamma^*$ boson transverse momentum distribution in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	131
362	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	22
363	Search for supersymmetry at $\sqrt{s} = 8 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	45
364	Search for direct top squark pair production in events with a $Z$ boson, $b$ -jets and missing transverse momentum in $\sqrt{s}=8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2883.	1.4	55
365	Measurement of k T splitting scales in $W\gamma$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2432.	1.4	19
366	Evidence for the spin-0 nature of the Higgs boson using ATLAS data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 726, 120-144.	1.5	307
367	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	52