Joseph J Eron

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4759541/publications.pdf

Version: 2024-02-01

2624 2970 41,305 374 93 citations h-index papers

g-index 384 384 384 24713 docs citations times ranked citing authors all docs

194

#	Article	IF	Citations
1	Prevention of HIV-1 Infection with Early Antiretroviral Therapy. New England Journal of Medicine, 2011, 365, 493-505.	13.9	6,046
2	A Controlled Trial of Two Nucleoside Analogues plus Indinavir in Persons with Human Immunodeficiency Virus Infection and CD4 Cell Counts of 200 per Cubic Millimeter or Less. New England Journal of Medicine, 1997, 337, 725-733.	13.9	2,532
3	Treatment with Indinavir, Zidovudine, and Lamivudine in Adults with Human Immunodeficiency Virus Infection and Prior Antiretroviral Therapy. New England Journal of Medicine, 1997, 337, 734-739.	13.9	1,823
4	Antiretroviral Therapy for the Prevention of HIV-1 Transmission. New England Journal of Medicine, 2016, 375, 830-839.	13.9	1,282
5	Antiretroviral Treatment of Adult HIV Infection. JAMA - Journal of the American Medical Association, 2012, 308, 387-402.	3.8	1,239
6	Effect of Early versus Deferred Antiretroviral Therapy for HIV on Survival. New England Journal of Medicine, 2009, 360, 1815-1826.	13.9	986
7	Enfuvirtide, an HIV-1 Fusion Inhibitor, for Drug-Resistant HIV Infection in North and South America. New England Journal of Medicine, 2003, 348, 2175-2185.	13.9	884
8	Antiretroviral Treatment of Adult HIV Infection. JAMA - Journal of the American Medical Association, 2008, 300, 555.	3.8	846
9	Reduction of concentration of HIV-1 in semen after treatment of urethritis: implications for prevention of sexual transmission of HIV-1. Lancet, The, 1997, 349, 1868-1873.	6.3	805
10	Brief but Efficient: Acute HIV Infection and the Sexual Transmission of HIV. Journal of Infectious Diseases, 2004, 189, 1785-1792.	1.9	594
11	Initial B-Cell Responses to Transmitted Human Immunodeficiency Virus Type 1: Virion-Binding Immunoglobulin M (IgM) and IgG Antibodies Followed by Plasma Anti-gp41 Antibodies with Ineffective Control of Initial Viremia. Journal of Virology, 2008, 82, 12449-12463.	1.5	548
12	Treatment with Lamivudine, Zidovudine, or Both in HIV-Positive Patients with 200 to 500 CD4+ Cells per Cubic Millimeter. New England Journal of Medicine, 1995, 333, 1662-1669.	13.9	538
13	Antiretroviral Drugs for Treatment and Prevention of HIV Infection in Adults. JAMA - Journal of the American Medical Association, 2016, 316, 191.	3.8	533
14	Antiretroviral Drugs for Treatment and Prevention of HIV Infection in Adults. JAMA - Journal of the American Medical Association, 2018, 320, 379.	3.8	486
15	Antiretroviral Treatment of Adult HIV Infection. JAMA - Journal of the American Medical Association, 2014, 312, 410.	3.8	428
16	Effects of early versus delayed initiation of antiretroviral treatment on clinical outcomes of HIV-1 infection: results from the phase 3 HPTN 052 randomised controlled trial. Lancet Infectious Diseases, The, 2014, 14, 281-290.	4.6	423
17	Long-acting intramuscular cabotegravir and rilpivirine in adults with HIV-1 infection (LATTE-2): 96-week results of a randomised, open-label, phase 2b, non-inferiority trial. Lancet, The, 2017, 390, 1499-1510.	6.3	391
18	Precise Quantitation of the Latent HIV-1 Reservoir: Implications for Eradication Strategies. Journal of Infectious Diseases, 2015, 212, 1361-1365.	1.9	362

#	Article	IF	CITATIONS
19	Cabotegravir for HIV Prevention in Cisgender Men and Transgender Women. New England Journal of Medicine, 2021, 385, 595-608.	13.9	359
20	Detection of Acute Infections during HIV Testing in North Carolina. New England Journal of Medicine, 2005, 352, 1873-1883.	13.9	352
21	Maximizing sensitivity and specificity of PCR by preamplification heating. Nucleic Acids Research, 1991, 19, 3749-3749.	6.5	348
22	The KLEAN study of fosamprenavir-ritonavir versus lopinavir-ritonavir, each in combination with abacavir-lamivudine, for initial treatment of HIV infection over 48 weeks: a randomised non-inferiority trial. Lancet, The, 2006, 368, 476-482.	6.3	345
23	Antiretroviral Drugs for Treatment and Prevention of HIV Infection in Adults. JAMA - Journal of the American Medical Association, 2020, 324, 1651.	3.8	329
24	Ombitasvir, Paritaprevir Co-dosed With Ritonavir, Dasabuvir, and Ribavirin for Hepatitis C in Patients Co-infected With HIV-1. JAMA - Journal of the American Medical Association, 2015, 313, 1223.	3.8	290
25	Switch to a raltegravir-based regimen versus continuation of a lopinavir-ritonavir-based regimen in stable HIV-infected patients with suppressed viraemia (SWITCHMRK 1 and 2): two multicentre, double-blind, randomised controlled trials. Lancet, The, 2010, 375, 396-407.	6.3	276
26	Safety and Efficacy of Dolutegravir in Treatment-Experienced Subjects With Raltegravir-Resistant HIV Type 1 Infection: 24-Week Results of the VIKING Study. Journal of Infectious Diseases, 2013, 207, 740-748.	1.9	271
27	Dolutegravir plus lamivudine versus dolutegravir plus tenofovir disoproxil fumarate and emtricitabine in antiretroviral-naive adults with HIV-1 infection (GEMINI-1 and GEMINI-2): week 48 results from two multicentre, double-blind, randomised, non-inferiority, phase 3 trials. Lancet, The, 2019. 393. 143-155.	6.3	265
28	High Multiplicity Infection by HIV-1 in Men Who Have Sex with Men. PLoS Pathogens, 2010, 6, e1000890.	2.1	263
29	The Effect of Raltegravir Intensification on Low-level Residual Viremia in HIV-Infected Patients on Antiretroviral Therapy: A Randomized Controlled Trial. PLoS Medicine, 2010, 7, e1000321.	3.9	258
30	Viral burden in genital secretions determines male-to-female sexual transmission of HIV-1: a probabilistic empiric model. Aids, 2001, 15, 621-627.	1.0	248
31	Novel Therapies Based on Mechanisms of HIV-1 Cell Entry. New England Journal of Medicine, 2003, 348, 2228-2238.	13.9	243
32	A phase 2a clinical trial of molnupiravir in patients with COVID-19 shows accelerated SARS-CoV-2 RNA clearance and elimination of infectious virus. Science Translational Medicine, 2022, 14, eabl7430.	5.8	241
33	Potent antiretroviral treatment of HIV-infection results in suppression of the seminal shedding of HIV. Aids, 2000, 14, 117-121.	1.0	232
34	Rising Obesity Prevalence and Weight Gain Among Adults Starting Antiretroviral Therapy in the United States and Canada. AIDS Research and Human Retroviruses, 2016, 32, 50-58.	0.5	231
35	Macrophages sustain HIV replication in vivo independently of T cells. Journal of Clinical Investigation, 2016, 126, 1353-1366.	3.9	230
36	Simultaneous vs Sequential Initiation of Therapy With Indinavir, Zidovudine, and Lamivudine for HIV-1 Infection. JAMA - Journal of the American Medical Association, 1998, 280, 35.	3.8	228

#	Article	IF	CITATIONS
37	HIV-1 Expression Within Resting CD4+ T Cells After Multiple Doses of Vorinostat. Journal of Infectious Diseases, 2014, 210, 728-735.	1.9	223
38	ABT-378/ritonavir plus stavudine and lamivudine for the treatment of antiretroviral-naive adults with HIV-1 infection: 48-week results. Aids, 2001, 15, F1-F9.	1.0	206
39	Immediate antiviral therapy appears to restrict resting CD4 ⁺ cell HIV-1 infection without accelerating the decay of latent infection. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 9523-9528.	3.3	202
40	Longâ€Term Efficacy and Safety of Raltegravir Combined with Optimized Background Therapy in Treatmentâ€Experienced Patients with Drugâ€Resistant HIV Infection: Week 96 Results of the BENCHMRK 1 and 2 Phase III Trials. Clinical Infectious Diseases, 2010, 50, 605-612.	2.9	196
41	Clinical Trial of the Anti-PD-L1 Antibody BMS-936559 in HIV-1 Infected Participants on Suppressive Antiretroviral Therapy. Journal of Infectious Diseases, 2017, 215, 1725-1733.	1.9	196
42	The Safety, Plasma Pharmacokinetics, and Antiviral Activity of Subcutaneous Enfuvirtide (T-20), a Peptide Inhibitor of gp41-Mediated Virus Fusion, in HIV-Infected Adults. AIDS Research and Human Retroviruses, 2002, 18, 685-693.	0.5	187
43	Late Presentation for Human Immunodeficiency Virus Care in the United States and Canada. Clinical Infectious Diseases, 2010, 50, 1512-1520.	2.9	187
44	Characterization of V3 Sequence Heterogeneity in Subtype C Human Immunodeficiency Virus Type 1 Isolates from Malawi: Underrepresentation of X4 Variants. Journal of Virology, 1999, 73, 6271-6281.	1.5	182
45	Cohort Profile: The North American AIDS Cohort Collaboration on Research and Design (NA-ACCORD). International Journal of Epidemiology, 2007, 36, 294-301.	0.9	176
46	Raltegravir once daily or twice daily in previously untreated patients with HIV-1: a randomised, active-controlled, phase 3 non-inferiority trial. Lancet Infectious Diseases, The, 2011, 11, 907-915.	4.6	175
47	Association Between Efavirenz as Initial Therapy for HIV-1 Infection and Increased Risk for Suicidal Ideation or Attempted or Completed Suicide. Annals of Internal Medicine, 2014, 161, 1.	2.0	175
48	Cabotegravir plus rilpivirine, once a day, after induction with cabotegravir plus nucleoside reverse transcriptase inhibitors in antiretroviral-naive adults with HIV-1 infection (LATTE): a randomised, phase 2b, dose-ranging trial. Lancet Infectious Diseases, The, 2015, 15, 1145-1155.	4.6	175
49	Valproic acid without intensified antiviral therapy has limited impact on persistent HIV infection of resting CD4+ T cells. Aids, 2008, 22, 1131-1135.	1.0	172
50	Resistance of HIV-1 to antiretroviral agents in blood and seminal plasma. Aids, 1998, 12, F181-F189.	1.0	167
51	Interval dosing with the HDAC inhibitor vorinostat effectively reverses HIV latency. Journal of Clinical Investigation, 2017, 127, 3126-3135.	3.9	165
52	Sexual transmission of HIV: infectiousness and prevention. Aids, 1999, 13, 155-166.	1.0	163
53	Incidence and etiology of acute renal failure among ambulatory HIV-infected patients. Kidney International, 2005, 67, 1526-1531.	2.6	162
54	Dual vs Single Protease Inhibitor Therapy Following Antiretroviral Treatment Failure <subtitle>A Randomized Trial</subtitle> . JAMA - Journal of the American Medical Association, 2002, 288, 169.	3.8	160

#	Article	IF	CITATIONS
55	Use of evolutionary limitations of HIV-1 multidrug resistance to optimize therapy. Nature, 1993, 361, 650-654.	13.7	153
56	Temporal Trends in Presentation and Survival for HIV-Associated Lymphoma in the Antiretroviral Therapy Era. Journal of the National Cancer Institute, 2013, 105, 1221-1229.	3.0	152
57	Antiretroviral-Drug Concentrations in Semen: Implications for Sexual Transmission of Human Immunodeficiency Virus Type 1. Antimicrobial Agents and Chemotherapy, 1999, 43, 1817-1826.	1.4	149
58	Splines for Trend Analysis and Continuous Confounder Control. Epidemiology, 2011, 22, 874-875.	1.2	148
59	Levels of HIV-1 persistence on antiretroviral therapy are not associated with markers of inflammation or activation. PLoS Pathogens, 2017, 13, e1006285.	2.1	147
60	Prevalence and Predictors of Substance Use Disorders Among HIV Care Enrollees in the United States. AIDS and Behavior, 2017, 21, 1138-1148.	1.4	145
61	HIV in body fluids during primary HIV infection: implications for pathogenesis, treatment and public health. Aids, 2001, 15, 837-845.	1.0	144
62	Polyclonal B Cell Differentiation and Loss of Gastrointestinal Tract Germinal Centers in the Earliest Stages of HIV-1 Infection. PLoS Medicine, 2009, 6, e1000107.	3.9	143
63	End-Stage Renal Disease Among HIV-Infected Adults in North America. Clinical Infectious Diseases, 2015, 60, 941-949.	2.9	142
64	Antiretroviral Intensification and Valproic Acid Lack Sustained Effect on Residual HIV-1 Viremia or Resting CD4+ Cell Infection. PLoS ONE, 2010, 5, e9390.	1.1	141
65	Real-time, Universal Screening for Acute HIV Infection in a Routine HIV Counseling and Testing Population. JAMA - Journal of the American Medical Association, 2002, 288, 216.	3.8	140
66	Systemically Circulating Viral and Tumor-Derived MicroRNAs in KSHV-Associated Malignancies. PLoS Pathogens, 2013, 9, e1003484.	2.1	140
67	Recommendations for analytical antiretroviral treatment interruptions in HIV research trials—report of a consensus meeting. Lancet HIV,the, 2019, 6, e259-e268.	2.1	139
68	Risk Factor Analyses for Immune Reconstitution Inflammatory Syndrome in a Randomized Study of Early vs. Deferred ART during an Opportunistic Infection. PLoS ONE, 2010, 5, e11416.	1.1	135
69	Beyond Core Indicators of Retention in HIV Care: Missed Clinic Visits Are Independently Associated With All-Cause Mortality. Clinical Infectious Diseases, 2014, 59, 1471-1479.	2.9	134
70	A phase II clinical study of the long-term safety and antiviral activity of enfuvirtide-based antiretroviral therapy. Aids, 2003, 17, 691-698.	1.0	130
71	Antiretroviral Drug Resistance in HIV-1–Infected Patients Experiencing Persistent Low-Level Viremia During First-Line Therapy. Journal of Infectious Diseases, 2011, 204, 515-520.	1.9	130
72	Acute HIV revisited: new opportunities for treatment and prevention. Journal of Clinical Investigation, 2004, 113, 937-945.	3.9	130

#	Article	IF	CITATIONS
73	Pharmacokinetics of lamivudine administered alone and with trimethoprim-sulfamethoxazole*. Clinical Pharmacology and Therapeutics, 1996, 59, 550-558.	2.3	128
74	Safety, tolerability, and pharmacokinetics of long-acting injectable cabotegravir in low-risk HIV-uninfected individuals: HPTN 077, a phase 2a randomized controlled trial. PLoS Medicine, 2018, 15, e1002690.	3.9	126
75	Curing HIV: Seeking to Target and Clear Persistent Infection. Cell, 2020, 181, 189-206.	13.5	126
76	HIV Antigens Can Induce TGF- \hat{l}^21 -Producing Immunoregulatory CD8+ T Cells. Journal of Immunology, 2002, 168, 2247-2254.	0.4	125
77	Viremia Copy-Years Predicts Mortality Among Treatment-Naive HIV-Infected Patients Initiating Antiretroviral Therapy. Clinical Infectious Diseases, 2011, 53, 927-935.	2.9	122
78	Human Immunodeficiency Virus Type 1-Specific Cytotoxic T Lymphocyte Activity Is Inversely Correlated with HIV Type 1 Viral Load in HIV Type 1-Infected Long-Term Survivors. AIDS Research and Human Retroviruses, 1999, 15, 1219-1228.	0.5	120
79	Frequent detection of acute primary HIV infection in men in Malawi. Aids, 2004, 18, 517-524.	1.0	119
80	Efficacy and safety of raltegravir for treatment of HIV for 5 years in the BENCHMRK studies: final results of two randomised, placebo-controlled trials. Lancet Infectious Diseases, The, 2013, 13, 587-596.	4.6	119
81	CCL3L1-CCR5 genotype influences durability of immune recovery during antiretroviral therapy of HIV-1–infected individuals. Nature Medicine, 2008, 14, 413-420.	15.2	118
82	Quantitation of human immunodeficiency virus type 1 RNA in cell free seminal plasma: comparison of NASBAâ,,¢ with Amplicorâ,,¢ reverse transcription-PCR amplification and correlation with quantitative culture. Journal of Virological Methods, 1996, 60, 161-170.	1.0	116
83	Nelfinavir, Efavirenz, or Both after the Failure of Nucleoside Treatment of HIV Infection. New England Journal of Medicine, 2001, 345, 398-407.	13.9	116
84	Multiple V1/V2 env Variants Are Frequently Present during Primary Infection with Human Immunodeficiency Virus Type 1. Journal of Virology, 2004, 78, 11208-11218.	1.5	116
85	Onceâ€Daily versus Twiceâ€Daily Lopinavir/Ritonavir in Antiretroviralâ€Naive HIVâ€Positive Patients: A 48â€Week Randomized Clinical Trial. Journal of Infectious Diseases, 2004, 189, 265-272.	² 1.9	114
86	Recurrent Signature Patterns in HIV-1 B Clade Envelope Glycoproteins Associated with either Early or Chronic Infections. PLoS Pathogens, 2011, 7, e1002209.	2.1	114
87	Increased Risk of Myocardial Infarction in HIV-Infected Individuals in North America Compared With the General Population. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 75, 568-576.	0.9	110
88	Prevalence and Comorbidity of Psychiatric Diagnoses Based on Reference Standard in an HIV+ Patient Population. Psychosomatic Medicine, 2008, 70, 505-511.	1.3	109
89	Incidence and Timing of Cancer in HIV-Infected Individuals Following Initiation of Combination Antiretroviral Therapy. Clinical Infectious Diseases, 2013, 57, 756-764.	2.9	107
90	Prevalence and Factors Associated with Hazardous Alcohol Use Among Persons Living with HIV Across the US in the Current Era of Antiretroviral Treatment. AIDS and Behavior, 2017, 21, 1914-1925.	1.4	102

#	Article	IF	Citations
91	Fixed-dose combination dolutegravir, abacavir, and lamivudine versus ritonavir-boosted atazanavir plus tenofovir disoproxil fumarate and emtricitabine in previously untreated women with HIV-1 infection (ARIA): week 48 results from a randomised, open-label, non-inferiority, phase 3b study. Lancet HIV,the, 2017, 4, e536-e546.	2.1	101
92	Renal safety of tenofovir alafenamide vs. tenofovir disoproxil fumarate. Aids, 2019, 33, 1455-1465.	1.0	99
93	Long-term safety and durable antiretroviral activity of lopinavir/ritonavir in treatment-naive patients. Aids, 2004, 18, 775-779.	1.0	98
94	Resistance to HIV Integrase Strand Transfer Inhibitors Among Clinical Specimens in the United States, 2009–2012. Clinical Infectious Diseases, 2014, 58, 423-431.	2.9	98
95	Tail-phase safety, tolerability, and pharmacokinetics of long-acting injectable cabotegravir in HIV-uninfected adults: a secondary analysis of the HPTN 077 trial. Lancet HIV,the, 2020, 7, e472-e481.	2.1	97
96	Assessing and Refining Myocardial Infarction Risk Estimation Among Patients With Human Immunodeficiency Virus. JAMA Cardiology, 2017, 2, 155.	3.0	96
97	No Effect of Raltegravir Intensification on Viral Replication Markers in the Blood of HIV-1–Infected Patients Receiving Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 59, 229-235.	0.9	95
98	Pre-Exposure Prophylaxis and Antiretroviral Resistance: HIV Prevention at a Cost?. Clinical Infectious Diseases, 2011, 53, 1265-1270.	2.9	94
99	Contributions of traditional and HIV-related risk factors on non-AIDS-defining cancer, myocardial infarction, and end-stage liver and renal diseases in adults with HIV in the USA and Canada: a collaboration of cohort studies. Lancet HIV,the, 2019, 6, e93-e104.	2.1	94
100	Evidence That Intermittent Structured Treatment Interruption, but Not Immunization with ALVACâ€HIV vCP1452, Promotes Host Control of HIV Replication: The Results of AIDS Clinical Trials Group 5068. Journal of Infectious Diseases, 2006, 194, 623-632.	1.9	91
101	HIV Viral Suppression Trends Over Time Among HIV-Infected Patients Receiving Care in the United States, 1997 to 2015. Annals of Internal Medicine, 2018, 169, 376.	2.0	91
102	Trends and Disparities in Antiretroviral Therapy Initiation and Virologic Suppression Among Newly Treatment-Eligible HIV-Infected Individuals in North America, 2001–2009. Clinical Infectious Diseases, 2013, 56, 1174-1182.	2.9	90
103	Pharmacokinetics and Pharmacodynamics of Once-Daily versus Twice-Daily Raltegravir in Treatment-NaÃ-ve HIV-Infected Patients. Antimicrobial Agents and Chemotherapy, 2012, 56, 3101-3106.	1.4	87
104	Effects of Genital Tract Inflammation on Human Immunodeficiency Virus Type 1 V3 Populations in Blood and Semen. Journal of Virology, 2000, 74, 8946-8952.	1.5	85
105	Copy-Years Viremia as a Measure of Cumulative Human Immunodeficiency Virus Viral Burden. American Journal of Epidemiology, 2010, 171, 198-205.	1.6	85
106	Efficacy and safety of switching from boosted protease inhibitors plus emtricitabine and tenofovir disoproxil fumarate regimens to single-tablet darunavir, cobicistat, emtricitabine, and tenofovir alafenamide at 48 weeks in adults with virologically suppressed HIV-1 (EMERALD): a phase 3, randomised, non-inferiority trial. Lancet HIV, the, 2018, 5, e23-e34.	2.1	83
107	Persistent HIV-infected cells in cerebrospinal fluid are associated with poorer neurocognitive performance. Journal of Clinical Investigation, 2019, 129, 3339-3346.	3.9	81
108	Selective Decay of Intact HIV-1 Proviral DNA on Antiretroviral Therapy. Journal of Infectious Diseases, 2021, 223, 225-233.	1.9	80

#	Article	IF	Citations
109	Late Entry to HIV Care Among Latinos Compared With Non-Latinos in a Southeastern US Cohort. Clinical Infectious Diseases, 2011, 53, 480-487.	2.9	79
110	Clonal Sequences Recovered from Plasma from Patients with Residual HIV-1 Viremia and on Intensified Antiretroviral Therapy Are Identical to Replicating Viral RNAs Recovered from Circulating Resting CD4 ⁺ T Cells. Journal of Virology, 2011, 85, 5220-5223.	1.5	78
111	A Randomized Trial of 2 Different 4â€Drug Antiretroviral Regimens versus a 3â€Drug Regimen, in Advanced Human Immunodeficiency Virus Disease. Journal of Infectious Diseases, 2003, 188, 625-634.	1.9	77
112	Incidence and Clinical Features of Cerebrovascular Disease Among HIV-Infected Adults in the Southeastern United States. AIDS Research and Human Retroviruses, 2013, 29, 1068-1074.	0.5	75
113	Randomised trial of MNrgp120 HIV-1 vaccine in symptomless HIV-1 infection. Lancet, The, 1996, 348, 1547-1551.	6.3	74
114	A comparison of stavudine, didanosine and indinavir with zidovudine, lamivudine and indinavir for the initial treatment of HIV-1 infected individuals: Selection of thymidine analog regimen therapy (START) Tj ETQq0	0	Ove r kock 10 T
115	CD4 count at presentation for HIV care in the United States and Canada: Are those over 50 years more likely to have a delayed presentation?. AIDS Research and Therapy, 2010, 7, 45.	0.7	73
116	HIV-1 Protease, Reverse Transcriptase, and Integrase Variation. Journal of Virology, 2016, 90, 6058-6070.	1.5	72
117	Generalizing Evidence from Randomized Trials Using Inverse Probability of Sampling Weights. Journal of the Royal Statistical Society Series A: Statistics in Society, 2018, 181, 1193-1209.	0.6	69
118	Cancer-Attributable Mortality Among People With Treated Human Immunodeficiency Virus Infection in North America. Clinical Infectious Diseases, 2017, 65, 636-643.	2.9	67
119	Cross-Sectional Detection of Acute HIV Infection: Timing of Transmission, Inflammation and Antiretroviral Therapy. PLoS ONE, 2011, 6, e19617.	1.1	65
120	Disparities in the Quality of HIV Care When Using US Department of Health and Human Services Indicators. Clinical Infectious Diseases, 2014, 58, 1185-1189.	2.9	65
121	CD4+CD8+ T Cells Represent a Significant Portion of the Anti-HIV T Cell Response to Acute HIV Infection. Journal of Immunology, 2012, 188, 4289-4296.	0.4	63
122	HIV Infection, Immunosuppression, and Age at Diagnosis of Non-AIDS-Defining Cancers. Clinical Infectious Diseases, 2016, 64, ciw764.	2.9	63
123	Types of Myocardial Infarction Among Human Immunodeficiency Virus–Infected Individuals in the United States. JAMA Cardiology, 2017, 2, 260.	3.0	61
124	Clones of infected cells arise early in HIV-infected individuals. JCI Insight, 2019, 4, .	2.3	59
125	Human Immunodeficiency Virus Type 1 RNA Detected in the Central Nervous System (CNS) After Years of Suppressive Antiretroviral Therapy Can Originate from a Replicating CNS Reservoir or Clonally Expanded Cells. Clinical Infectious Diseases, 2019, 69, 1345-1352.	2.9	58
126	Longitudinal Dynamics of Intact HIV Proviral DNA and Outgrowth Virus Frequencies in a Cohort of Individuals Receiving Antiretroviral Therapy. Journal of Infectious Diseases, 2021, 224, 92-100.	1.9	57

#	Article	IF	Citations
127	Oral hairy leukoplakia and oral candidiasis as predictors of HIV viral load. Aids, 1999, 13, 2174.	1.0	57
128	Factors associated with fewer visits for HIV primary care at a tertiary care center in the SoutheAstern U.S AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2006, 18, 45-50.	0.6	56
129	Trends in Multidrug Treatment Failure and Subsequent Mortality among Antiretroviral Therapy–Experienced Patients with HIV Infection in North America. Clinical Infectious Diseases, 2009, 49, 1582-1590.	2.9	55
130	Expression of <i>p16</i> ^{<i>INK4a</i>} as a biomarker of Tâ€cell aging in HIVâ€infected patients prior to and during antiretroviral therapy. Aging Cell, 2012, 11, 916-918.	3.0	54
131	Estimation of the Standardized Risk Difference and Ratio in a Competing Risks Framework: Application to Injection Drug Use and Progression to AIDS After Initiation of Antiretroviral Therapy. American Journal of Epidemiology, 2015, 181, 238-245.	1.6	54
132	The effect of antiretroviral therapy on all-cause mortality, generalized to persons diagnosed with HIV in the USA, 2009–11. International Journal of Epidemiology, 2016, 45, 140-150.	0.9	53
133	Six-year follow-up of HIV-1-infected adults in a clinical trial of antiretroviral therapy with indinavir, zidovudine, and lamivudine. Aids, 2003, 17, 2345-2349.	1.0	52
134	Frequent detection of acute HIV infection in pregnant women. Aids, 2007, 21, 2303-2308.	1.0	52
135	Correlation between self-reported adherence to highly active antiretroviral therapy (HAART) and virologic outcome. Advances in Therapy, 2001, 18, 163-173.	1.3	51
136	Pharmacokinetic and Pharmacodynamic Investigation of Efavirenz in the Semen and Blood of Human Immunodeficiency Virus Type 1–Infected Men. Journal of Infectious Diseases, 2002, 186, 1339-1343.	1.9	50
137	Six-Week Randomized Controlled Trial To Compare the Tolerabilities, Pharmacokinetics, and Antiviral Activities of GW433908 and Amprenavir in Human Immunodeficiency Virus Type 1-Infected Patients. Antimicrobial Agents and Chemotherapy, 2004, 48, 116-123.	1.4	49
138	Immunogenicity of AGS-004 Dendritic Cell Therapy in Patients Treated During Acute HIV Infection. AIDS Research and Human Retroviruses, 2018, 34, 111-122.	0.5	48
139	Comparison of NucliSens and Roche Monitor Assays for Quantitation of Levels of Human Immunodeficiency Virus Type 1 RNA in Plasma. Journal of Clinical Microbiology, 1999, 37, 447-449.	1.8	48
140	Efficacy, safety, and adherence with a twice-daily combination lamivudine/zidovudine tablet formulation, plus a protease inhibitor, in HIV infection. Aids, 2000, 14, 671-681.	1.0	46
141	Association of immunosuppression and HIV viraemia with non-Hodgkin lymphoma risk overall and by subtype in people living with HIV in Canada and the USA: a multicentre cohort study. Lancet HIV,the, 2019, 6, e240-e249.	2.1	46
142	Sensitive method for the detection of infectious HIV in semen of seropositive individuals. Journal of Virological Methods, 1996, 56, 33-40.	1.0	45
143	Neurocognitive functioning and HAART in HIV and hepatitis C virus co-infection. Aids, 2006, 20, 1591-1595.	1.0	45
144	Perceived Oral Health Status, Unmet Needs, and Barriers to Dental Care Among HIV/AIDS Patients in a North Carolina Cohort: Impacts of Race. Journal of Public Health Dentistry, 2003, 63, 86-91.	0.5	45

#	Article	IF	Citations
145	Unmet therapeutic needs in the new era of combination antiretroviral therapy for HIV-1. Journal of Antimicrobial Chemotherapy, 2010, 65, 1100-1107.	1.3	45
146	Brief Report: Weight Gain Following ART Initiation in ART-NaÃ-ve People Living With HIV in the Current Treatment Era. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 86, 339-343.	0.9	45
147	Substance Abuse and Symptoms of Mental Illness Among HIV-positive Persons in the Southeast. Southern Medical Journal, 2005, 98, 9-14.	0.3	45
148	Lamivudine in combination with zidovudine, stavudine, or didanosine in patients with HIV-1 infection. A randomized, double-blind, placebo-controlled trial. Aids, 1999, 13, 685-694.	1.0	44
149	T-cell responses targeting HIV Nef uniquely correlate with infected cell frequencies after long-term antiretroviral therapy. PLoS Pathogens, 2017, 13, e1006629.	2.1	44
150	Less Bone Loss With Maraviroc-Versus Tenofovir-Containing Antiretroviral Therapy in the AIDS Clinical Trials Group A5303 Study. Clinical Infectious Diseases, 2015, 61, 1179-1188.	2.9	43
151	Using observational data to emulate a randomized trial of dynamic treatment-switching strategies: an application to antiretroviral therapy. International Journal of Epidemiology, 2016, 45, 2038-2049.	0.9	43
152	Continued Slow Decay of the Residual Plasma Viremia Level in HIV-1 <i>â€"</i> i>Infected Adults Receiving Long-term Antiretroviral Therapy. Journal of Infectious Diseases, 2016, 213, 556-560.	1.9	43
153	Recent Abacavir Use Increases Risk of Type 1 and Type 2 Myocardial Infarctions Among Adults With HIV. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 78, 62-72.	0.9	43
154	HIV-1 genotype and phenotype correlate with virological response to abacavir, amprenavir and efavirenz in treatment-experienced patients. Aids, 2002, 16, 387-396.	1.0	42
155	Primer ID Informs Next-Generation Sequencing Platforms and Reveals Preexisting Drug Resistance Mutations in the HIV-1 Reverse Transcriptase Coding Domain. AIDS Research and Human Retroviruses, 2015, 31, 658-668.	0.5	41
156	T cells establish and maintain CNS viral infection in HIV-infected humanized mice. Journal of Clinical Investigation, 2018, 128, 2862-2876.	3.9	41
157	Moving Forward in HIV-Associated Cancer. Journal of Clinical Oncology, 2014, 32, 876-880.	0.8	40
158	HIV-specific T cell responses reflect substantive in vivo interactions with antigen despite long-term therapy. JCI Insight, $2021, 6, .$	2.3	40
159	Transmitted antiretroviral drug resistance among acute and recent HIV infections in North Carolina from 1998 to 2007. Antiviral Therapy, 2009, 14, 673-678.	0.6	40
160	Population Pharmacokinetics of Lamivudine in Adult Human Immunodeficiency Virus-Infected Patients Enrolled in Two Phase III Clinical Trials. Antimicrobial Agents and Chemotherapy, 1999, 43, 3025-3029.	1.4	39
161	Enrollment, Retention, and Visit Attendance in the University of North Carolina Center for AIDS Research HIV Clinical Cohort, 2001–2007. AIDS Research and Human Retroviruses, 2010, 26, 875-881.	0.5	39
162	HIV Viremia and Incidence of Non-Hodgkin Lymphoma in Patients Successfully Treated With Antiretroviral Therapy. Clinical Infectious Diseases, 2014, 58, 1599-1606.	2.9	39

#	Article	IF	Citations
163	Hypertension Among HIV-infected Patients in Clinical Care, 1996–2013. Clinical Infectious Diseases, 2016, 63, 242-248.	2.9	39
164	HIV primary care providersâ€"Screening, knowledge, attitudes and behaviors related to alcohol interventions. Drug and Alcohol Dependence, 2016, 161, 59-66.	1.6	39
165	Evidence of Ongoing Immune Reconstitution in Subjects with Sustained Viral Suppression following 6 Years of Lopinavir-Ritonavir Treatment. Clinical Infectious Diseases, 2007, 44, 749-754.	2.9	38
166	Age at Antiretroviral Therapy Initiation Predicts Immune Recovery, Death, and Loss to Follow-Up Among HIV-Infected Adults in Urban Zambia. AIDS Research and Human Retroviruses, 2014, 30, 949-955.	0.5	38
167	Advanced immunosuppression at entry to HIV care in the southeastern United States and associated risk factors. Aids, 2006, 20, 775-778.	1.0	36
168	Age at Entry Into Care, Timing of Antiretroviral Therapy Initiation, and 10-Year Mortality Among HIV-Seropositive Adults in the United States. Clinical Infectious Diseases, 2015, 61, 1189-1195.	2.9	36
169	Triple-class antiretroviral drug resistance: risk and predictors among HIV-1-infected patients. Aids, 2007, 21, 825-834.	1.0	35
170	Effect of pulmonary tuberculosis on mortality in patients receiving HAART. Aids, 2009, 23, 707-715.	1.0	35
171	Barriers and facilitators to HIV testing and linkage to primary care: narratives of people with advanced HIV in the Southeast. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2009, 21, 1313-1320.	0.6	35
172	Lymphoma Immune Reconstitution Inflammatory Syndrome in the Center for AIDS Research Network of Integrated Clinical Systems Cohort. Clinical Infectious Diseases, 2014, 59, 279-286.	2.9	35
173	Failure of lopinavir–ritonavir (Kaletra)-containing regimen in an antiretroviral-naive patient. Aids, 2004, 18, 1084-1085.	1.0	34
174	Risk Factors for Tuberculosis After Highly Active Antiretroviral Therapy Initiation in the United States and Canada: Implications for Tuberculosis Screening. Journal of Infectious Diseases, 2011, 204, 893-901.	1.9	33
175	Acute HIV-1 Infection in the Southeastern United States: A Cohort Study. AIDS Research and Human Retroviruses, 2013, 29, 121-128.	0.5	33
176	Ten-year Survival by Race/Ethnicity and Sex Among Treated, HIV-infected Adults in the United States. Clinical Infectious Diseases, 2015, 60, 1700-1707.	2.9	33
177	Advances in antiretroviral therapy. Current Opinion in HIV and AIDS, 2013, 8, 1.	1.5	32
178	HIV-Specific, ExÂVivo Expanded T Cell Therapy: Feasibility, Safety, and Efficacy in ART-Suppressed HIV-Infected Individuals. Molecular Therapy, 2018, 26, 2496-2506.	3.7	32
179	Week 96 efficacy and safety results of the phase 3, randomized EMERALD trial to evaluate switching from boosted-protease inhibitors plus emtricitabine/tenofovir disoproxil fumarate regimens to the once daily, single-tablet regimen of darunavir/cobicistat/emtricitabine/tenofovir alafenamide (D/C/F/TAF) in treatment-experienced, virologically-suppressed adults living with HIV-1. Antiviral	1.9	32
180	Assessing the impact of AGS-004, a dendritic cell-based immunotherapy, and vorinostat on persistent HIV-1 Infection. Scientific Reports, 2020, 10, 5134.	1.6	32

#	Article	IF	CITATIONS
181	Detectable HIV-1 RNA at levels below quantifiable limits by Amplicor HIV-1 Monitor is associated with virologic relapse on antiretroviral therapy. Aids, 1999, 13, 1337-1342.	1.0	31
182	Changes in Clinical Context for Kaposi's Sarcoma and Non-Hodgkin Lymphoma Among People With HIV Infection in the United States. Journal of Clinical Oncology, 2016, 34, 3276-3283.	0.8	31
183	Cabotegravir Is Not Associated With Weight Gain in Human Immunodeficiency Virus–uninfected Individuals in HPTN 077. Clinical Infectious Diseases, 2020, 70, 319-322.	2.9	31
184	Mortality Among Persons Entering HIV Care Compared With the General U.S. Population. Annals of Internal Medicine, 2021, 174, 1197-1206.	2.0	31
185	Influence of Substance Use Disorders on 2-Year HIV Care Retention in the United States. AIDS and Behavior, 2018, 22, 742-751.	1.4	30
186	Week 96 results of a phase 3 trial of darunavir/cobicistat/emtricitabine/tenofovir alafenamide in treatment-naive HIV-1 patients. Aids, 2020, 34, 707-718.	1.0	30
187	Attrition among Human Immunodeficiency Virus (HIV)- Infected Patients Initiating Antiretroviral Therapy in China, 2003–2010. PLoS ONE, 2012, 7, e39414.	1.1	30
188	Hepatitis C Virus (HCV) NS3 Sequence Diversity and Antiviral Resistance-Associated Variant Frequency in HCV/HIV Coinfection. Antimicrobial Agents and Chemotherapy, 2014, 58, 6079-6092.	1.4	29
189	Potential Impact of Antiretroviral Therapy and Screening on Cervical Cancer Mortality in HIV-Positive Women in Sub-Saharan Africa: A Simulation. PLoS ONE, 2011, 6, e18527.	1.1	28
190	Comparison of Illumina and 454 Deep Sequencing in Participants Failing Raltegravir-Based Antiretroviral Therapy. PLoS ONE, 2014, 9, e90485.	1.1	27
191	African American Race and HIV Virological Suppression: Beyond Disparities in Clinic Attendance. American Journal of Epidemiology, 2014, 179, 1484-1492.	1.6	27
192	Real-world efficacy of direct acting antiviral therapies in patients with HIV/HCV. PLoS ONE, 2020, 15, e0228847.	1.1	27
193	<i>Pneumocystis</i> and Severe Acute Respiratory Syndrome Coronavirus 2 Coinfection: A Case Report and Review of an Emerging Diagnostic Dilemma. Open Forum Infectious Diseases, 2021, 8, ofaa633.	0.4	27
194	Correspondence between the effect of zidovudine plus lamivudine on plasma HIV level/CD4 lymphocyte count and the incidence of clinical disease in infected individuals. Aids, 1997, 11, 169-175.	1.0	26
195	Characterizing the Human Immunodeficiency Virus Care Continuum Among Transgender Women and Cisgender Women and Men in Clinical Care: A Retrospective Time-series Analysis. Clinical Infectious Diseases, 2020, 70, 1131-1138.	2.9	26
196	Prolonged therapy with the fusion inhibitor T-20 in combination with oral antiretroviral agents in an HIV-infected individual. Aids, 1999, 13, 2171.	1.0	26
197	Ongoing HIV Transmission and the HIV Care Continuum in North Carolina. PLoS ONE, 2015, 10, e0127950.	1.1	26
198	Inhibition of Human Immunodeficiency Virus Type 1 Replication In Vitro by the Bisheteroarylpiperzine Atevirdine (U-87201E) in Combination with Zidovudine or Didanosine. Journal of Infectious Diseases, 1993, 168, 318-326.	1.9	25

#	Article	IF	CITATIONS
199	Pharmacokinetic Study of Human Immunodeficiency Virus Protease Inhibitors Used in Combination with Amprenavir. Antimicrobial Agents and Chemotherapy, 2001, 45, 3663-3668.	1.4	25
200	Addition of 7 Days of Zidovudine Plus Lamivudine to Peripartum Single-Dose Nevirapine Effectively Reduces Nevirapine Resistance Postpartum in HIV-Infected Mothers in Malawi. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 54, 515-523.	0.9	25
201	Changes in HIV-1 Subtypes B and C Genital Tract RNA in Women and Men After Initiation of Antiretroviral Therapy. Clinical Infectious Diseases, 2013, 57, 290-297.	2.9	25
202	Managing Antiretroviral Therapy: Changing Regimens, Resistance Testing, and the Risks from Structured Treatment Interruptions. Journal of Infectious Diseases, 2008, 197, S261-S271.	1.9	24
203	Factors Associated With Severity of COVID-19 Disease in a Multicenter Cohort of People With HIV in the United States, March–December 2020. Journal of Acquired Immune Deficiency Syndromes (1999), 2022, 90, 369-376.	0.9	24
204	Intracellular Nucleoside Triphosphate Concentrations in HIV-Infected Patients on Dual Nucleoside Reverse Transcriptase Inhibitor Therapy. Antiviral Therapy, 2007, 12, 981-986.	0.6	24
205	Short-term safety and pharmacodynamics of amdoxovir in HIV-infected patients. Aids, 2005, 19, 1607-1615.	1.0	23
206	Safety, Tolerability, and Efficacy of Raltegravir in a Diverse Cohort of HIV-Infected Patients: 48-Week Results from the REALMRK Study. AIDS Research and Human Retroviruses, 2013, 29, 859-870.	0.5	23
207	Incomplete viral suppression and mortality in HIV patients after antiretroviral therapy initiation. Aids, 2017, 31, 1989-1997.	1.0	23
208	Randomized Clinical Trial to Assess the Impact of the Broadly Neutralizing HIV-1 Monoclonal Antibody VRC01 on HIV-1 Persistence in Individuals on Effective ART. Open Forum Infectious Diseases, 2018, 5, ofy242.	0.4	23
209	Treatment Responses in Antiretroviral Treatment–Naive Premenopausal and Postmenopausal HIV‶–Infected Women: An Analysis from AIDS Clinical Trials Group Studies. Clinical Infectious Diseases, 2009, 49, 473-476.	2.9	22
210	Rising prevalence of non-B HIV-1 subtypes in North Carolina and evidence for local onward transmission. Virus Evolution, 2017, 3, vex013.	2.2	22
211	Mortality following myocardial infarction among HIV-infected persons: the Center for AIDS Research Network Of Integrated Clinical Systems (CNICS). BMC Medicine, 2019, 17, 149.	2.3	22
212	Safety of elvitegravir, cobicistat, emtricitabine, and tenofovir alafenamide in HIV-1-infected adults with end-stage renal disease on chronic haemodialysis: an open-label, single-arm, multicentre, phase 3b trial. Lancet HIV,the, 2019, 6, e15-e24.	2.1	22
213	Impact of Biological Sex on Immune Activation and Frequency of the Latent HIV Reservoir During Suppressive Antiretroviral Therapy. Journal of Infectious Diseases, 2020, 222, 1843-1852.	1.9	22
214	Stable Latent HIV Infection and Low-level Viremia Despite Treatment With the Broadly Neutralizing Antibody VRC07-523LS and the Latency Reversal Agent Vorinostat. Journal of Infectious Diseases, 2022, 225, 856-861.	1.9	22
215	Does HAART Efficacy Translate to Effectiveness? Evidence for a Trial Effect. PLoS ONE, 2011, 6, e21824.	1.1	22
216	Chagasic Encephalitis as the Initial Manifestation of AIDS. Annals of Internal Medicine, 2006, 144, 941.	2.0	21

#	Article	IF	CITATIONS
217	Social support and delays seeking care after HIV diagnosis, North Carolina, 2000–2006. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2009, 21, 1148-1156.	0.6	21
218	T cells with high PD-1 expression are associated with lower HIV-specific immune responses despite long-term antiretroviral therapy. Aids, 2020, 34, 15-24.	1.0	21
219	HIV Cure Strategies: How Good Must They Be to Improve on Current Antiretroviral Therapy?. PLoS ONE, 2014, 9, e113031.	1.1	21
220	Continued lamivudine versus delavirdine in combination with indinavir and zidovudine or stavudine in lamivudine-experienced patients: results of Adult AIDS Clinical Trials Group protocol 370. Aids, 2000, 14, 1553-1561.	1.0	20
221	Emotional Distress in African American Women with HIV. Journal of Prevention and Intervention in the Community, 2007, 33, 35-50.	0.5	20
222	Severe Postvaccinia Encephalitis with Acute Disseminated Encephalomyelitis: Recovery with Early Intravenous Immunoglobulin, Highâ€Dose Steroids, and Vaccinia Immunoglobulin. Clinical Infectious Diseases, 2009, 48, e47-e49.	2.9	20
223	Predictors of residual viremia in patients on long-term suppressive antiretroviral therapy. Antiviral Therapy, 2012, 18, 39-43.	0.6	20
224	HIV risk behaviors and sociodemographic features of HIV-infected Latinos residing in a new Latino settlement area in the Southeastern United States. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2013, 25, 1298-1307.	0.6	20
225	HIV Transmission Patterns Among Immigrant Latinos Illuminated by the Integration of Phylogenetic and Migration Data. AIDS Research and Human Retroviruses, 2015, 31, 973-980.	0.5	20
226	Virologic outcomes in early antiretroviral treatment: HPTN 052. HIV Clinical Trials, 2017, 18, 100-109.	2.0	20
227	Leveraging Phylogenetics to Understand HIV Transmission and Partner Notification Networks. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 78, 367-375.	0.9	20
228	Effects of Formulation and Dosing Strategy on Amprenavir Concentrations in the Seminal Plasma of Human Immunodeficiency Virus Type 1†Infected Men. Clinical Infectious Diseases, 2002, 35, 760-762.	2.9	19
229	The Role of At-Risk Alcohol/Drug Use and Treatment in Appointment Attendance and Virologic Suppression Among HIV ⁺ African Americans. AIDS Research and Human Retroviruses, 2014, 30, 233-240.	0.5	19
230	Impact of Abstinence and of Reducing Illicit Drug Use Without Abstinence on Human Immunodeficiency Virus Viral Load. Clinical Infectious Diseases, 2020, 70, 867-874.	2.9	19
231	Clinical Presentation, Treatment, and Outcomes Among 65 Patients with HIV-Associated Lymphoma Treated at the University of North Carolina, 2000–2010. AIDS Research and Human Retroviruses, 2012, 28, 798-805.	0.5	18
232	Associations of T cell activation and inflammatory biomarkers with virological response to darunavir/ritonavir plus raltegravir therapy. Journal of Antimicrobial Chemotherapy, 2013, 68, 1857-1861.	1.3	18
233	US Black Women and Human Immunodeficiency Virus Prevention: Time for New Approaches to Clinical Trials. Clinical Infectious Diseases, 2017, 65, 324-327.	2.9	18
234	Hospitalization Rates and Outcomes Among Persons Living With Human Immunodeficiency Virus in the Southeastern United States, 1996–2016. Clinical Infectious Diseases, 2020, 71, 1616-1623.	2.9	18

#	Article	IF	Citations
235	Loss to Clinic and Five-Year Mortality among HIV-Infected Antiretroviral Therapy Initiators. PLoS ONE, 2014, 9, e102305.	1.1	18
236	Envelope diversity, coreceptor usage and syncytium-inducing phenotype of HIV-1 variants in saliva and blood during primary infection. Aids, 2003, 17, 2025-2033.	1.0	17
237	NaÃ-ve T Cells Are Maintained in the Periphery During the First3 Months of Acute HIV-1 Infection: Implications for Analysis of Thymus Function. Journal of Clinical Immunology, 2005, 25, 462-472.	2.0	17
238	HIV-1 Protease Inhibitors and Clinical Malaria: a Secondary Analysis of the AIDS Clinical Trials Group A5208 Study. Antimicrobial Agents and Chemotherapy, 2012, 56, 995-1000.	1.4	17
239	High-Dose Lopinavir/Ritonavir in Highly Treatment-Experienced HIV-1 Patients: Efficacy, Safety, and Predictors of Response. HIV Clinical Trials, 2007, 8, 193-204.	2.0	16
240	High prevalence of cervical squamous intraepithelial lesions in women on antiretroviral therapy in Cameroon: Is targeted screening feasible?. Cancer Epidemiology, 2012, 36, 263-269.	0.8	16
241	HIV Salvage Therapy Does Not Require Nucleoside Reverse Transcriptase Inhibitors. Annals of Internal Medicine, 2015, 163, 908-917.	2.0	16
242	Cumulative Antiretroviral Exposure Measured in Hair Is Not Associated With Measures of HIV Persistence or Inflammation Among Individuals on Suppressive ART. Journal of Infectious Diseases, 2018, 234-238.	1.9	16
243	Virologic suppression and CD4+ cell count recovery after initiation of raltegravir or efavirenz-containing HIV treatment regimens. Aids, 2018, 32, 261-266.	1.0	16
244	Outpatient Treatment of Severe Acute Respiratory Syndrome Coronavirus 2 Infection to Prevent Coronavirus Disease 2019 Progression. Clinical Infectious Diseases, 2021, 73, 1717-1721.	2.9	16
245	Ending the evidence gap for pregnancy, HIV and coâ€infections: ethics guidance from the PHASES project. Journal of the International AIDS Society, 2021, 24, e25846.	1.2	16
246	Major Coexisting Human Immunodeficiency Virus Type $1envGene Subpopulations in the Peripheral Blood Are Produced by Cells with Similar Turnover Rates and Show Little Evidence of Genetic Compartmentalization. Journal of Virology, 2009, 83, 4068-4080.$	1.5	15
247	Sexually Transmitted Infections Among Patients With Acute HIV in North Carolina. Sexually Transmitted Diseases, 2009, 36, 372-374.	0.8	15
248	Raltegravir Pharmacokinetics in Treatment-Naive Patients Is Not Influenced by Race: Results from the Raltegravir Early Therapy in African-Americans Living with HIV (REAL) Study. Antimicrobial Agents and Chemotherapy, 2013, 57, 784-788.	1.4	15
249	Elevated <scp>AST</scp> â€toâ€platelet ratio index is associated with increased allâ€cause mortality among <scp>HIV</scp> â€infected adults in Zambia. Liver International, 2015, 35, 1886-1892.	1.9	15
250	Validation of Medicaid Claims-based Diagnosis of Myocardial Infarction Using an HIV Clinical Cohort. Medical Care, 2015, 53, e41-e48.	1.1	15
251	Prevalence and Transmission Dynamics of HIV-1 Transmitted Drug Resistance in a Southeastern Cohort. Open Forum Infectious Diseases, 2018, 5, ofy178.	0.4	15
252	Physical activity trends and metabolic health outcomes in people living with HIV in the US, 2008–2015. Progress in Cardiovascular Diseases, 2020, 63, 170-177.	1.6	15

#	Article	IF	Citations
253	Drug and alcohol use among people living with HIV in care in the United States by geographic region. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2021, 33, 1569-1576.	0.6	15
254	Performance characteristics of the Cavidi ExaVir viral load assay and the ultra-sensitive P24 assay relative to the Roche Monitor HIV-1 RNA assay. Journal of Clinical Virology, 2010, 49, 198-204.	1.6	14
255	Safety and efficacy of ombitasvir - 450/r and dasabuvir and ribavirin in HCV/HIV-1 co-infected patients receiving atazanavir or raltegravir ART regimens. Journal of the International AIDS Society, 2014, 17, 19500.	1.2	14
256	Incident AIDS or Death After Initiation of Human Immunodeficiency Virus Treatment Regimens Including Raltegravir or Efavirenz Among Adults in the United States. Clinical Infectious Diseases, 2017, 64, 1591-1596.	2.9	14
257	Analysis of Virological Efficacy in Trials of Antiretroviral Regimens: Drawbacks of Not Including Viral Load Measurements after Premature Discontinuation of Therapy. Antiviral Therapy, 2002, 7, 271-281.	0.6	14
258	Determination of amprenavir, a HIV-1 protease inhibitor, in human seminal plasma using high-performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2002, 766, 307-317.	1.2	13
259	Survival in Women Exposed to Singleâ€Dose Nevirapine for Prevention of Motherâ€toâ€Child Transmission of HIV: A Stochastic Model. Journal of Infectious Diseases, 2007, 195, 837-846.	1.9	13
260	Incident Sexually Transmitted Infection as a Biomarker for High-Risk Sexual Behavior After Diagnosis of Acute HIV. Sexually Transmitted Diseases, 2014, 41, 447-452.	0.8	13
261	Large scale screening of human sera for HCV RNA and GBV RNA. Journal of Medical Virology, 2014, 86, 473-477.	2.5	13
262	Evaluating the Population Impact on Racial/Ethnic Disparities in HIV in Adulthood of Intervening on Specific Targets: A Conceptual and Methodological Framework. American Journal of Epidemiology, 2018, 187, 316-325.	1.6	13
263	Emulating a trial of joint dynamic strategies: An application to monitoring and treatment of HIVâ€positive individuals. Statistics in Medicine, 2019, 38, 2428-2446.	0.8	13
264	Brief Report: No Evidence for an Association Between Statin Use and Lower Biomarkers of HIV Persistence or Immune Activation/Inflammation During Effective ART. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 82, e27-e31.	0.9	13
265	The Frequency of Malaria Is Similar among Women Receiving either Lopinavir/Ritonavir or Nevirapine-based Antiretroviral Treatment. PLoS ONE, 2012, 7, e34399.	1.1	13
266	Discontinuation Rates for Protease Inhibitor Regimens Containing Ritonavir 600 mg versus Ritonavir 400 mg Plus Saquinavir 400 mg. Annals of Pharmacotherapy, 1999, 33, 899-905.	0.9	12
267	Selfâ€report of current and prior antiretroviral drug use in comparison to the medical record among HIVâ€infected patients receiving primary HIV care. Pharmacoepidemiology and Drug Safety, 2011, 20, 432-439.	0.9	12
268	Evaluating the Effect of Early Versus Late ARV Regimen Change if Failure on an Initial Regimen: Results From the AIDS Clinical Trials Group Study A5095. Journal of the American Statistical Association, 2012, 107, 542-554.	1.8	12
269	Hepatic safety and tolerability of raltegravir among HIV patients coinfected with hepatitis B and/or C. Antiviral Therapy, 2014, 19, 415-422.	0.6	12
270	Regimen selection in the OPTIONS trial of HIV salvage therapy: drug resistance, prior therapy, and race–ethnicity determine the degree of regimen complexity. HIV Clinical Trials, 2015, 16, 147-156.	2.0	12

#	Article	IF	CITATIONS
271	Identifying HIV care enrollees at-risk for cannabis use disorder. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2017, 29, 846-850.	0.6	12
272	Not all non-drinkers with HIV are equal: demographic and clinical comparisons among current non-drinkers with and without a history of prior alcohol use disorders [*] . AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2017, 29, 177-184.	0.6	12
273	The Role of Current and Historical Alcohol Use in Hepatic Fibrosis Among HIV-Infected Individuals. AIDS and Behavior, 2017, 21, 1878-1884.	1.4	12
274	Virologic Failure Among People Living With HIV Initiating Dolutegravir-Based Versus Other Recommended Regimens in Real-World Clinical Care Settings. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, 572-577.	0.9	12
275	Brief Report: HIV Antibodies Decline During Antiretroviral Therapy but Remain Correlated With HIV DNA and HIV-Specific T-Cell Responses. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, 594-599.	0.9	12
276	Hospitalization Rates and Causes Among Persons With HIV in the United States and Canada, 2005–2015. Journal of Infectious Diseases, 2021, 223, 2113-2123.	1.9	12
277	Effect of hepatitis C coinfection on discontinuation and modification of initial HAART in primary HIV care. Aids, 2006, 20, 575-583.	1.0	11
278	HIV-1 viral load and phenotypic antiretroviral drug resistance assays based on reverse transcriptase activity in comparison to amplification based HIV-1 RNA and genotypic assays. Journal of Clinical Virology, 2010, 47, 18-22.	1.6	11
279	The Design of Single-Arm Clinical Trials of Combination Antiretroviral Regimens for Treatment-Naive HIV-Infected Patients. AIDS Research and Human Retroviruses, 2013, 29, 652-657.	0.5	11
280	Genetic architecture of cardiometabolic risks in people living with HIV. BMC Medicine, 2020, 18, 288.	2.3	11
281	Dose Separation Does Not Overcome the Pharmacokinetic Interaction between Fosamprenavir and Lopinavir/Ritonavir. Antimicrobial Agents and Chemotherapy, 2006, 50, 2756-2761.	1.4	10
282	Association of Efavirenz Hypersusceptibility with Virologic Response in ACTG 368, a Randomized Trial of Abacavir (ABC) in Combination with Efavirenz (EFV) and Indinavir (IDV) in HIV-Infected Subjects with Prior Nucleoside Analog Experience. HIV Clinical Trials, 2008, 9, 11-25.	2.0	10
283	Variability of the Date of HIV Diagnosis: A Comparison of Self-Report, Medical Record, and HIV/AIDS Surveillance Data. Annals of Epidemiology, 2010, 20, 734-742.	0.9	10
284	Increased Cortical Cerebral Blood Flow in Asymptomatic Human Immunodeficiency Virus-Infected Subjects. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 1891-1895.	0.7	10
285	Comparison of dynamic monitoring strategies based on CD4 cell counts in virally suppressed, HIV-positive individuals on combination antiretroviral therapy in high-income countries: a prospective, observational study. Lancet HIV,the, 2017, 4, e251-e259.	2.1	10
286	Brief Report: Longitudinal Opioid Use Among HIV-Infected Patients, 2000 to 2014. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 75, 77-80.	0.9	10
287	Risk factors for delayed antiretroviral therapy initiation among HIV-seropositive patients. PLoS ONE, 2017, 12, e0180843.	1.1	10
288	HIV Drug Resistance in Adults Receiving Early vs. Delayed Antiretroviral Therapy: HPTN 052. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 77, 484-491.	0.9	10

#	Article	IF	Citations
289	Brief Report: Virologic Response by Baseline Viral Load With Dolutegravir Plus Lamivudine vs Dolutegravir Plus Tenofovir Disoproxil Fumarate/Emtricitabine: Pooled Analysis. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 84, 60-65.	0.9	10
290	HIV Viremia and Risk of Stroke Among People Living with HIV Who Are Using Antiretroviral Therapy. Epidemiology, 2021, 32, 457-464.	1.2	10
291	Higher colorectal tissue HIV infectivity in cisgender women compared with MSM before and during oral preexposure prophylaxis. Aids, 2021, 35, 1585-1595.	1.0	10
292	Five-Year Mortality for Adults Entering Human Immunodeficiency Virus Care Under Universal Early Treatment Compared With the General US Population. Clinical Infectious Diseases, 2022, 75, 867-874.	2.9	10
293	A Randomized Trial of Nelfinavir and Abacavir in Combination with Efavirenz and Adefovir Dipivoxil in HIV-1-Infected Persons with Virological Failure Receiving Indinavir. Antiviral Therapy, 2003, 8, 507-518.	0.6	10
294	A 42-Week Open-Label Study to Assess the Pharmacokinetics, Antiretroviral Activity, and Safety of Amprenavir or Amprenavir plus Ritonavir in Combination with Abacavir and Lamivudine for Treatment of HIV-Infected Patients. Clinical Infectious Diseases, 2004, 39, 591-594.	2.9	9
295	Missing Data on the Estimation of the Prevalence of Accumulated Human Immunodeficiency Virus Drug Resistance in Patients Treated With Antiretroviral Drugs in North America. American Journal of Epidemiology, 2011, 174, 727-735.	1.6	9
296	Unexpected Finding of Delayed-Onset Seizures in HIV-Positive, Treatment-Experienced Subjects in the Phase lib Evaluation of Fosdevirine (Gsk2248761). Antiviral Therapy, 2014, 19, 69-78.	0.6	9
297	Viral suppression in HIV studies: Combining times to suppression and rebound. Biometrics, 2014, 70, 441-448.	0.8	9
298	Phylogenetic Evidence of HIV-1 Sequence Evolution in Subjects with Persistent Low-Level Viraemia. Antiviral Therapy, 2015, 20, 73-76.	0.6	9
299	R5 Macrophage-Tropic HIV-1 in the Male Genital Tract. Journal of Virology, 2015, 89, 10688-10692.	1.5	9
300	The Impact of Implementation Fidelity on Mortality Under a CD4-Stratified Timing Strategy for Antiretroviral Therapy in Patients With Tuberculosis. American Journal of Epidemiology, 2015, 181, 714-722.	1.6	9
301	Differential CD4+ cell count increase and CD4+. Aids, 2016, 30, 2091-2097.	1.0	9
302	Patterns of efavirenz use as first-line antiretroviral therapy in the United States: 1999–2015. Antiviral Therapy, 2018, 23, 363-372.	0.6	9
303	Association Between Bilirubin, Atazanavir, and Cardiovascular Disease Events Among People Living With HIV Across the United States. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, e141-e147.	0.9	9
304	Association of Male Sex and Obesity With Residual Plasma Human Immunodeficiency Virus 1 Viremia in Persons on Long-Term Antiretroviral Therapy. Journal of Infectious Diseases, 2021, 223, 462-470.	1.9	9
305	Fusion designs and estimators for treatment effects. Statistics in Medicine, 2021, 40, 3124-3137.	0.8	9
306	Spatial Epidemiology of Recently Acquired HIV Infections across Rural and Urban Areas of North Carolina. PLoS ONE, 2014, 9, e88512.	1.1	9

#	Article	IF	CITATIONS
307	Outcomes of Second Combination Antiretroviral Therapy Regimens Among HIV-Infected Persons in Clinical Care: A Multicenter Cohort Study. AIDS Research and Human Retroviruses, 2013, 29, 574-580.	0.5	8
308	Low Prevalence of Antiretroviral Resistance Among HIV Type 1-Positive Prisoners in the Southeast United States. AIDS Research and Human Retroviruses, 2013, 29, 136-141.	0.5	8
309	Cancer risk in HIV patients with incomplete viral suppression after initiation of antiretroviral therapy. PLoS ONE, 2018, 13, e0197665.	1.1	8
310	Postpartum HIV care continuum outcomes in the southeastern USA. Aids, 2019, 33, 637-644.	1.0	8
311	Estimating a Set of Mortality Risk Functions with Multiple Contributing Causes of Death. Epidemiology, 2020, 31, 704-712.	1.2	8
312	CD4 Count at Entry into Care and at Antiretroviral Therapy Prescription among Adults with Human Immunodeficiency Virus in the United States, 2005-2018. Clinical Infectious Diseases, 2021, 73, e2334-e2337.	2.9	8
313	Predictive Value of Pharmacokinetics-Adjusted Phenotypic Susceptibility on Response to Ritonavir-Enhanced Protease Inhibitors (Pls) in Human Immunodeficiency Virus-Infected Subjects Failing Prior Pl Therapy. Antimicrobial Agents and Chemotherapy, 2009, 53, 2335-2341.	1.4	7
314	Pilot study demonstrating effectiveness of targeted education to improve informed consent understanding in AIDS clinical trials. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2011, 23, 1382-1391.	0.6	7
315	Association between first-year virological response to raltegravir and long-term outcomes in treatment-experienced patients with HIV-1 infection. Antiviral Therapy, 2014, 20, 307-315.	0.6	7
316	Comparing neighborhood and state contexts for women living with and without HIV: understanding the Southern HIV epidemic. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 1360-1367.	0.6	7
317	Darunavir/cobicistat/emtricitabine/tenofovir alafenamide in treatment-experienced, virologically suppressed patients with HIV-1: subgroup analyses of the phase 3 EMERALD study. AIDS Research and Therapy, 2019, 16, 23.	0.7	7
318	Effect of Hydroxyurea and Dideoxyinosine on Intracellular 3′-Deoxyadenosine-5′-triphosphate Concentrations in HIV-Infected Patients. AIDS Research and Human Retroviruses, 2007, 23, 1360-1365.	0.5	6
319	How Researchers Define Vulnerable Populations in HIV/AIDS Clinical Trials. AIDS and Behavior, 2010, 14, 1313-1319.	1.4	6
320	Modeling Clinical Endpoints as a Function of Time of Switch to Secondâ€Line ART with Incomplete Data on Switching Times. Biometrics, 2013, 69, 732-740.	0.8	6
321	Antiretroviral Activity and Safety of Once-Daily Etravirine in Treatment-Naive HIV-Infected Adults: 48-Week Results. Antiviral Therapy, 2016, 21, 55-64.	0.6	6
322	Dynamic Visual Display of Treatment Response in HIV-Infected Adults. Clinical Infectious Diseases, 2015, 61, e1-e4.	2.9	6
323	Associations Between At-Risk Alcohol Use, Substance Use, and Smoking with Lipohypertrophy and Lipoatrophy Among Patients Living with HIV. AIDS Research and Human Retroviruses, 2017, 33, 534-545.	0.5	6
324	Health Insurance Type and Control of Hypertension Among US Women Living With and Without HIV Infection in the Women's Interagency HIV Study. American Journal of Hypertension, 2017, 30, 594-601.	1.0	6

#	Article	IF	CITATIONS
325	Co-trimoxazole Prophylaxis, Asymptomatic Malaria Parasitemia, and Infectious Morbidity in Human Immunodeficiency Virus–Exposed, Uninfected Infants in Malawi: The BAN Study. Clinical Infectious Diseases, 2017, 65, 575-580.	2.9	6
326	Neighborhood Poverty and Control of HIV, Hypertension, and Diabetes in the Women's Interagency HIV Study. AIDS and Behavior, 2020, 24, 2033-2044.	1.4	6
327	Clinical Effectiveness of Integrase Strand Transfer Inhibitor–Based Antiretroviral Regimens Among Adults With Human Immunodeficiency Virus: A Collaboration of Cohort Studies in the United States and Canada. Clinical Infectious Diseases, 2020, 73, e1408-e1414.	2.9	6
328	HIV-1 Transmission linkages among persons with incident infection to inform public health surveillance. EClinicalMedicine, 2021, 37, 100968.	3.2	6
329	Infectious Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Virus in Symptomatic Coronavirus Disease 2019 (COVID-19) Outpatients: Host, Disease, and Viral Correlates. Clinical Infectious Diseases, 2022, 75, e1028-e1036.	2.9	6
330	Aciclovir Treatment for Human Immunodeficiency Virus-1: Is the "Juice Worth the Squeeze?― Sexually Transmitted Diseases, 2011, 38, 410-412.	0.8	5
331	Paradoxical interpretations of noninferiority studies: violating the excluded middle. Future Virology, 2012, 7, 1055-1063.	0.9	5
332	Sensitivity Analyses for Misclassification of Cause of Death in the Parametric G-Formula. American Journal of Epidemiology, 2018, 187, 1808-1816.	1.6	5
333	Predicting Efavirenz Concentrations in the Brain Tissue of <scp>HIV</scp> â€Infected Individuals and Exploring their Relationship to Neurocognitive Impairment. Clinical and Translational Science, 2019, 12, 302-311.	1.5	5
334	Estimating Human Immunodeficiency Virus (HIV) Prevention Effects in Low-incidence Settings. Epidemiology, 2019, 30, 358-364.	1.2	5
335	Randomized Controlled Pilot Study of Antiretrovirals and a Behavioral Intervention for Persons With Acute HIV Infection: Opportunity for Interrupting Transmission. Open Forum Infectious Diseases, 2019, 6, ofy341.	0.4	5
336	Evaluating the Efficacy of Therapies in Patients With Coronavirus Disease 2019. Clinical Infectious Diseases, 2021, 72, 1093-1100.	2.9	5
337	Comparison of methods to quantify inducible HIV-1 outgrowth. Journal of Virus Eradication, 2021, 7, 100043.	0.3	5
338	Evaluation of HIV-1 reservoir size and broadly neutralizing antibody susceptibility in acute antiretroviral therapy-treated individuals. Aids, 2022, 36, 205-214.	1.0	5
339	Novel Criteria for Diagnosing Acute and Early Human Immunodeficiency Virus Infection in a Multinational Study of Early Antiretroviral Therapy Initiation. Clinical Infectious Diseases, 2021, 73, e643-e651.	2.9	5
340	Virologic outcomes among adults with HIV using integrase inhibitor-based antiretroviral therapy. Aids, 2022, 36, 277-286.	1.0	5
341	Natural Killer Cell Receptors and Ligands Are Associated With Markers of HIV-1 Persistence in Chronically Infected ART Suppressed Patients. Frontiers in Cellular and Infection Microbiology, 2022, 12, 757846.	1.8	5
342	New anti-HIV-1 therapies and combinations. Aids, 1990, 4, S201.	1.0	4

#	Article	IF	CITATIONS
343	A Novel Codon Insert in Protease of Clade B HIV Type 1. AIDS Research and Human Retroviruses, 2009, 25, 547-550.	0.5	4
344	High clade C HIV-1 viremia. Aids, 2011, 25, 1543-1545.	1.0	4
345	Massive CD8 T Cell Response to Primary HIV Infection in the Setting of Severe Clinical Presentation. AIDS Research and Human Retroviruses, 2012, 28, 789-792.	0.5	4
346	Brain neurotransmitter transporter/receptor genomics and efavirenz central nervous system adverse events. Pharmacogenetics and Genomics, 2018, 28, 179-187.	0.7	4
347	Efficacy, pharmacokinetics and neurocognitive performance of dual, NRTI-sparing antiretroviral therapy in acute HIV-infection. Aids, 2020, 34, 1923-1931.	1.0	4
348	Antiretroviral drug class and anaemia risk in the current treatment era among people living with HIV in the USA: a clinical cohort study. BMJ Open, 2020, 10, e031487.	0.8	4
349	Racial, ethnic, and gender disparities in hospitalizations among persons with HIV in the United States and Canada, 2005–2015. Aids, 2021, 35, 1229-1239.	1.0	4
350	Smoking and Predictors of Pneumonia Among HIV-Infected Patients Receiving Care in the HAART Era. Open Respiratory Medicine Journal, 2008, 2, 22-28.	1.3	4
351	The Safety, Plasma Pharmacokinetics, and Antiviral Activity of Subcutaneous Enfuvirtide (T-20), a Peptide Inhibitor of gp41-Mediated Virus Fusion, in HIV-Infected Adults. AIDS Research and Human Retroviruses, 2003, 19, 83-83.	0.5	3
352	Short Communication: Lack of Occult HIV Infection Among Non-AIDS-Defining Cancer Patients in Three Academic Oncology Clinics in the United States. AIDS Research and Human Retroviruses, 2013, 29, 887-891.	0.5	3
353	Effects of Health Insurance Interruption on Loss of Hypertension Control in Women With and Women Without HIV. Journal of Women's Health, 2017, 26, 1292-1301.	1.5	3
354	Opioid misuse among persons with HIV engaged in care in the Southeastern US. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2021, 33, 148-153.	0.6	3
355	Current and Past Immunodeficiency Are Associated With Higher Hospitalization Rates Among Persons on Virologically Suppressive Antiretroviral Therapy for up to 11 Years. Journal of Infectious Diseases, 2021, 224, 657-666.	1.9	3
356	Immune activation and plasma viral load in HIV-infected African individuals. Aids, 1999, 13, 1283.	1.0	2
357	Transcriptional Changes in CD8+ T Cells During Antiretroviral Therapy Intensified With Raltegravir. Open Forum Infectious Diseases, 2015, 2, ofv045.	0.4	2
358	Estimating multiple timeâ€fixed treatment effects using a semiâ€Bayes semiparametric marginal structural Cox proportional hazards regression model. Biometrical Journal, 2018, 60, 100-114.	0.6	2
359	Differentiation of Type 1 and Type 2 Myocardial Infarctions Among HIV-Infected Patients Requires Adjudication Due to Overlap in Risk Factors. AIDS Research and Human Retroviruses, 2018, 34, 916-921.	0.5	2
360	Current Antiretroviral Treatment Among People With Human Immunodeficiency Virus in the United States: Findings from the Centers for AIDS Research Network of Integrated Clinic Systems Cohort. Clinical Infectious Diseases, 2022, 75, 715-718.	2.9	2

#	Article	IF	CITATIONS
361	Associations Between Multiple Measures of HIV-1 Persistence in Persons on Suppressive Antiretroviral Therapy. Journal of Infectious Diseases, 2022, 225, 2163-2166.	1.9	2
362	Quality control of HIV cultures in a clinical retrovirology laboratory. Journal of Virological Methods, 1996, 58, 91-98.	1.0	1
363	How clean was the KLEAN trial? – Authors' reply. Lancet, The, 2006, 368, 1571.	6.3	1
364	Repeat testing of low-level HIV-1 RNA. Aids, 2018, 32, 1053-1057.	1.0	1
365	Stable Caloric Intake and Continued Virologic Suppression for HIV-Positive Antiretroviral Treatment-Experienced Women After Switching to a Single-Tablet Regimen of Emtricitabine, Rilpivirine, and Tenofovir Disoproxil Fumarate. AIDS Research and Human Retroviruses, 2018, 34, 481-485.	0.5	1
366	1768. Efficacy and Safety of Switching From Boosted-Protease Inhibitors (bPI) Plus Emtricitabine/Tenofovir Disoproxil Fumarate (F/TDF) Regimens to the Once Daily (QD), Single-Tablet Regimen (STR) of Darunavir/Cobicistat/Emtricitabine/Tenofovir Alafenamide (D/C/F/TAF) in Virologically Suppressed, HIV-1-Infected Adults: Week 96 Results of the Phase 3, Randomized, Non-Inferiority EMERALD Trial. Open Forum Infectious Diseases, 2018, 5, S65-S65.	0.4	1
367	Evolution of HIV-1 drug resistance after virological failure of first-line antiretroviral therapy in Lusaka Zambia. Antiviral Therapy, 2019, 24, 291-300.	0.6	1
368	Prevalence and risk of residual viremia after ART in low- and middle-income countries. Medicine (United States), 2021, 100, e26817.	0.4	1
369	Rapid analysis of local data to inform off-label tocilizumab use early in the COVID-19 pandemic. Healthcare, 2021, 9, 100581.	0.6	1
370	Unmasking Lymphoma Immune Reconstitution Inflammatory Syndrome Among HIV-Infected Individuals In The Center For AIDS Research Network Of Integrated Clinical Systems. Blood, 2013, 122, 4331-4331.	0.6	1
371	Reply to â€~pharmacokinetic concerns related to darunavir/ritonavir plus raltegravir combination therapy trial'. Aids, 2012, 26, 397-398.	1.0	0
372	Evaluating the incident user design in the HIV population: incident use versus naive?. Pharmacoepidemiology and Drug Safety, 2015, 24, 297-300.	0.9	0
373	THU-135-Real-world HCV treatment in HCV-HIV coinfected population: Data from the TRIO network. Journal of Hepatology, 2019, 70, e220-e221.	1.8	0
374	Short-cycle therapy is short on ethics. International Journal of Antimicrobial Agents, 2021, 57, 106331.	1.1	O